

Report No.: SEWM2311000473RG05

Rev.: 01

Page: 71 of 89

Test Band = LTE 5A_48A_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1649.1800	26.42	-24.82	25.37	-68.29	-40.00	28.29	214	0	Horizontal
2	2473.7700	25.92	-23.55	27.68	-65.20	-40.00	25.20	131	210	Horizontal
3	3298.3600	25.85	-21.93	29.56	-61.79	-40.00	21.79	286	28	Horizontal
4	7102.1800	39.66	-44.06	36.35	-63.32	-40.00	23.32	245	316	Horizontal
5	10653.2700	32.97	-38.41	39.10	-61.60	-40.00	21.60	146	267	Horizontal
6	14204.3600	29.08	-35.15	40.23	-61.10	-40.00	21.10	209	251	Horizontal

Fina	l Data List									
NO	Frequency	Reading	Factor	Λ Γ[- D/]	Level	Limit	Margin	Height	Angle	Dalawita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1649.1800	25.82	-24.82	25.37	-68.89	-40.00	28.89	177	102	Vertical
2	2471.25	34.07	-23.55	27.68	-57.06	-40.00	17.06	246	246	Vertical
3	3298.3600	25.56	-21.93	29.56	-62.08	-40.00	22.08	183	114	Vertical
4	7102.1800	39.60	-44.06	36.35	-63.38	-40.00	23.38	256	360	Vertical
5	10653.2700	32.15	-38.41	39.10	-62.42	-40.00	22.42	175	47	Vertical
6	14204.3600	28.44	-35.15	40.23	-61.74	-40.00	21.74	182	128	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Biangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 72 of 89

Test Band = LTE 5A_48A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1664.1800	26.13	-24.78	25.38	-68.54	-40.00	28.54	257	293	Horizontal
2	2496.2700	25.47	-23.54	27.76	-65.57	-40.00	25.57	168	293	Horizontal
3	3328.3600	25.39	-21.91	29.52	-62.26	-40.00	22.26	186	20	Horizontal
4	7232.1800	39.63	-43.37	36.58	-62.42	-40.00	22.42	250	351	Horizontal
5	10848.2700	32.47	-38.02	39.18	-61.63	-40.00	21.63	142	351	Horizontal
6	14464.3600	28.91	-34.61	40.03	-60.93	-40.00	20.93	203	351	Horizontal

Fina	Data List									
NO	Frequency	Reading	Factor	Λ Γ[- D/]	Level	Limit	Margin	Height	Angle	Dalawite
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1664.1800	26.03	-24.78	25.38	-68.64	-40.00	28.64	204	144	Vertical
2	2496.2700	25.98	-23.54	27.76	-65.06	-40.00	25.06	179	50	Vertical
3	3328.3600	25.28	-21.91	29.52	-62.37	-40.00	22.37	266	0	Vertical
4	7232.1800	39.79	-43.37	36.58	-62.26	-40.00	22.26	231	170	Vertical
5	10848.2700	32.63	-38.02	39.18	-61.47	-40.00	21.47	228	202	Vertical
6	14464.3600	28.87	-34.61	40.03	-60.97	-40.00	20.97	142	202	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG05

Rev.:

73 of 89 Page:

Test Band = LTE 5A_48A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	Λ.Γ.(-ID /r1	Level	Limit	Margin	Height	Angle	Dolovitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1679.1800	31.68	-24.75	25.38	-62.95	-40.00	22.95	241	134	Horizontal
2	2518.7700	25.48	-23.40	27.83	-65.35	-40.00	25.35	152	316	Horizontal
3	3358.3600	24.98	-21.88	29.48	-62.68	-40.00	22.68	207	50	Horizontal
4	7362.1800	39.08	-43.37	36.51	-63.04	-40.00	23.04	149	152	Horizontal
5	11043.2700	31.30	-37.73	39.08	-62.61	-40.00	22.61	256	270	Horizontal
6	14724.3600	28.85	-34.72	39.77	-61.37	-40.00	21.37	173	135	Horizontal

Fina	Data List									
NO	Frequency	Reading	Factor	Λ Γ[- D/]	Level	Limit	Margin	Height	Angle	Dalamiter
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1679.1800	28.28	-24.75	25.38	-66.35	-40.00	26.35	184	136	Vertical
2	2518.7700	25.79	-23.40	27.83	-65.04	-40.00	25.04	251	294	Vertical
3	3358.3600	24.77	-21.88	29.48	-62.89	-40.00	22.89	206	1	Vertical
4	7362.1800	40.19	-43.37	36.51	-61.93	-40.00	21.93	137	3	Vertical
5	11043.2700	31.71	-37.73	39.08	-62.20	-40.00	22.20	166	360	Vertical
6	14724.3600	29.15	-34.72	39.77	-61.07	-40.00	21.07	183	306	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 74 of 89

Test Band = LTE 12A_48A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1399.1800	33.84	-25.24	25.62	-61.04	-40.00	21.04	210	168	Horizontal
2	2098.7700	25.87	-24.20	26.99	-66.60	-40.00	26.60	134	42	Horizontal
3	2798.3600	26.27	-22.56	28.48	-63.08	-40.00	23.08	266	190	Horizontal
4	7102.1800	39.88	-44.06	36.35	-63.10	-40.00	23.10	184	324	Horizontal
5	10653.2700	34.05	-38.41	39.10	-60.52	-40.00	20.52	213	310	Horizontal
6	14204.3600	32.42	-35.15	40.23	-57.76	-40.00	17.76	147	360	Horizontal

Final	l Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1399.1800	28.51	-25.24	25.62	-66.37	-40.00	26.37	292	238	Vertical
2	2098.7700	26.32	-24.20	26.99	-66.15	-40.00	26.15	178	180	Vertical
3	2798.3600	27.55	-22.56	28.48	-61.80	-40.00	21.80	230	101	Vertical
4	7102.1800	39.79	-44.06	36.35	-63.19	-40.00	23.19	165	163	Vertical
5	10653.2700	34.33	-38.41	39.10	-60.24	-40.00	20.24	284	359	Vertical
6	14204.3600	32.35	-35.15	40.23	-57.83	-40.00	17.83	156	310	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区测胜路(号龄6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 75 of 89

Test Band = LTE 12A_48A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1406.1800	30.86	-25.24	25.61	-64.02	-40.00	24.02	126	132	Horizontal
2	2109.2700	26.83	-24.19	27.02	-65.60	-40.00	25.60	328	0	Horizontal
3	2812.3600	25.53	-22.61	28.54	-63.81	-40.00	23.81	127	11	Horizontal
4	7232.1800	39.93	-43.37	36.58	-62.12	-40.00	22.12	159	98	Horizontal
5	10848.2700	36.30	-38.02	39.18	-57.80	-40.00	17.80	246	115	Horizontal
6	14464.3600	32.14	-34.61	40.03	-57.70	-40.00	17.70	152	213	Horizontal

Fina	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalamiter
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1406.1800	29.49	-25.24	25.61	-65.39	-40.00	25.39	256	285	Vertical
2	2109.2700	26.44	-24.19	27.02	-65.99	-40.00	25.99	178	145	Vertical
3	2812.3600	26.28	-22.61	28.54	-63.06	-40.00	23.06	219	135	Vertical
4	7232.1800	39.43	-43.37	36.58	-62.62	-40.00	22.62	233	82	Vertical
5	10848.2700	34.31	-38.02	39.18	-59.79	-40.00	19.79	241	316	Vertical
6	14464.3600	32.06	-34.61	40.03	-57.78	-40.00	17.78	162	344	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号约6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG05

Rev.:

76 of 89 Page:

Test Band = LTE 12A_48A_ TM1 Test Channel = High

Final	l Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1413.1800	29.70	-25.23	25.60	-65.19	-40.00	25.19	178	177	Horizontal
2	2119.7700	26.61	-24.18	27.06	-65.77	-40.00	25.77	256	0	Horizontal
3	2826.3600	25.54	-22.67	28.60	-63.79	-40.00	23.79	162	130	Horizontal
4	7362.1800	39.77	-43.37	36.51	-62.35	-40.00	22.35	235	353	Horizontal
5	11043.2700	34.74	-37.73	39.08	-59.17	-40.00	19.17	195	165	Horizontal
6	14724.3600	31.74	-34.72	39.77	-58.48	-40.00	18.48	246	132	Horizontal

Fina	Data List									
NO	Frequency	Reading	Factor	Λ.ΓI.D./1	Level	Limit	Margin	Height	Angle	Dalamiter
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1413.1800	28.15	-25.23	25.60	-66.74	-40.00	26.74	216	117	Vertical
2	2119.7700	26.05	-24.18	27.06	-66.33	-40.00	26.33	234	141	Vertical
3	2826.3600	25.74	-22.67	28.60	-63.59	-40.00	23.59	189	6	Vertical
4	7362.1800	39.66	-43.37	36.51	-62.46	-40.00	22.46	296	194	Vertical
5	11043.2700	34.76	-37.73	39.08	-59.15	-40.00	19.15	213	359	Vertical
6	14724.3600	31.73	-34.72	39.77	-58.49	-40.00	18.49	302	358	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 77 of 89

Test Band = LTE 13A_48A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1554.6800	26.17	-25.03	25.41	-68.71	-40.00	28.71	218	144	Horizontal
2	2332.0200	26.07	-23.58	27.41	-65.36	-40.00	25.36	299	246	Horizontal
3	3109.3600	25.80	-22.46	29.53	-62.39	-40.00	22.39	165	0	Horizontal
4	7102.1800	41.50	-44.06	36.35	-61.48	-40.00	21.48	241	279	Horizontal
5	10653.2700	35.25	-38.41	39.10	-59.32	-40.00	19.32	135	115	Horizontal
6	14204.3600	33.59	-35.15	40.23	-56.59	-40.00	16.59	168	358	Horizontal

Fina	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalamiter
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1554.6800	26.38	-25.03	25.41	-68.50	-40.00	28.50	208	281	Vertical
2	2332.0200	25.83	-23.58	27.41	-65.60	-40.00	25.60	189	0	Vertical
3	3109.3600	25.69	-22.46	29.53	-62.50	-40.00	22.50	255	269	Vertical
4	7102.1800	40.68	-44.06	36.35	-62.30	-40.00	22.30	167	164	Vertical
5	10653.2700	34.35	-38.41	39.10	-60.22	-40.00	20.22	142	114	Vertical
6	14204.3600	33.37	-35.15	40.23	-56.81	-40.00	16.81	132	32	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Biangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 78 of 89

Test Band = LTE 13A_48A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1559.6800	27.27	-25.02	25.40	-67.61	-40.00	27.61	217	0	Horizontal
2	2339.5200	25.95	-23.58	27.41	-65.48	-40.00	25.48	189	304	Horizontal
3	3119.3600	25.39	-22.43	29.55	-62.75	-40.00	22.75	236	134	Horizontal
4	7232.1800	41.10	-43.37	36.58	-60.95	-40.00	20.95	299	194	Horizontal
5	10848.2700	36.11	-38.02	39.18	-57.99	-40.00	17.99	286	293	Horizontal
6	14464.3600	33.22	-34.61	40.03	-56.62	-40.00	16.62	216	360	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1559.6800	26.84	-25.02	25.40	-68.04	-40.00	28.04	154	0	Vertical
2	2339.5200	26.39	-23.58	27.41	-65.04	-40.00	25.04	219	180	Vertical
3	3119.3600	25.46	-22.43	29.55	-62.68	-40.00	22.68	238	191	Vertical
4	7232.1800	40.07	-43.37	36.58	-61.98	-40.00	21.98	255	133	Vertical
5	10848.2700	35.20	-38.02	39.18	-58.90	-40.00	18.90	165	166	Vertical
6	14464.3600	33.38	-34.61	40.03	-56.46	-40.00	16.46	207	4	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Biangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 79 of 89

Test Band = LTE 13A_48A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1564.6800	26.11	-25.01	25.40	-68.76	-40.00	28.76	178	0	Horizontal
2	2347.0200	26.25	-23.58	27.41	-65.17	-40.00	25.17	244	315	Horizontal
3	3129.3600	25.67	-22.39	29.56	-62.41	-40.00	22.41	253	73	Horizontal
4	7362.1800	40.29	-43.37	36.51	-61.83	-40.00	21.83	136	4	Horizontal
5	11043.2700	35.10	-37.73	39.08	-58.81	-40.00	18.81	294	277	Horizontal
6	14724.3600	31.65	-34.72	39.77	-58.57	-40.00	18.57	154	228	Horizontal

Final	l Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1564.6800	26.08	-25.01	25.40	-68.79	-40.00	28.79	278	349	Vertical
2	2347.0200	26.14	-23.58	27.41	-65.28	-40.00	25.28	181	48	Vertical
3	3129.3600	25.49	-22.39	29.56	-62.59	-40.00	22.59	150	0	Vertical
4	7362.1800	40.71	-43.37	36.51	-61.41	-40.00	21.41	138	164	Vertical
5	11043.2700	34.91	-37.73	39.08	-59.00	-40.00	19.00	192	82	Vertical
6	14724.3600	31.60	-34.72	39.77	-58.62	-40.00	18.62	246	3	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区测胜路(号龄6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 80 of 89

Test Band = LTE 25A_48A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702.1800	24.23	-21.64	29.98	-62.69	-40.00	22.69	175	225	Horizontal
2	5553.2700	23.63	-18.93	32.97	-57.60	-40.00	17.60	259	74	Horizontal
3	7404.3600	40.29	-43.26	36.49	-61.74	-40.00	21.74	163	48	Horizontal
4	10653.2700	34.28	-38.41	39.10	-60.29	-40.00	20.29	248	195	Horizontal
5	14204.3600	32.05	-35.15	40.23	-58.13	-40.00	18.13	144	360	Horizontal
6	17755.4500	33.76	-34.10	40.53	-55.06	-40.00	15.06	156	130	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702.1800	23.84	-21.64	29.98	-63.08	-40.00	23.08	178	258	Vertical
2	5553.2700	23.82	-18.93	32.97	-57.41	-40.00	17.41	219	19	Vertical
3	7404.3600	39.01	-43.26	36.49	-63.02	-40.00	21.30	263	294	Vertical
4	10653.2700	33.75	-38.41	39.10	-60.82	-40.00	20.82	244	147	Vertical
5	14204.3600	32.39	-35.15	40.23	-57.79	-40.00	17.79	185	181	Vertical
6	17755.4500	33.75	-34.10	40.53	-55.07	-40.00	15.07	165	80	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号的6号)房南部 鄉編: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 81 of 89

Test Band = LTE 25A_48A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	24.65	-21.54	30.12	-62.03	-40.00	22.03	208	301	Horizontal
2	5613.2700	23.34	-18.72	33.07	-57.57	-40.00	17.57	149	11	Horizontal
3	7484.3600	39.08	-43.02	36.45	-62.76	-40.00	22.76	266	48	Horizontal
4	10848.2700	34.42	-38.02	39.18	-59.68	-40.00	19.68	283	3	Horizontal
5	14464.3600	31.31	-34.61	40.03	-58.53	-40.00	18.53	156	146	Horizontal
6	16462.8333	34.88	-33.60	37.85	-56.13	-40.00	16.13	211	351	Horizontal

Final	l Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	24.43	-21.54	30.12	-62.25	-40.00	22.25	288	326	Vertical
2	5613.2700	23.93	-18.72	33.07	-56.98	-40.00	16.98	175	41	Vertical
3	7484.3600	39.68	-43.02	36.45	-62.16	-40.00	22.16	192	112	Vertical
4	10848.2700	34.52	-38.02	39.18	-59.58	-40.00	19.58	156	324	Vertical
5	14464.3600	31.28	-34.61	40.03	-58.56	-40.00	18.56	243	16	Vertical
6	17031.125	36.07	-33.78	38.52	-54.46	-40.00	14.46	128	48	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. P Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州||区苏州工业园区河胜路||号約6号/| 房南部 鄉編: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 82 of 89

Test Band = LTE 25A_48A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3792.1800	23.90	-21.42	30.30	-62.47	-40.00	22.47	214	98	Horizontal
2	5688.2700	23.63	-18.73	33.34	-57.01	-40.00	17.01	175	224	Horizontal
3	7584.3600	38.89	-42.93	36.40	-62.90	-40.00	22.90	189	16	Horizontal
4	11043.2700	34.33	-37.73	39.08	-59.58	-40.00	19.58	296	310	Horizontal
5	12768.9375	34.28	-36.77	39.58	-58.17	-40.00	18.17	238	147	Horizontal
6	14724.3600	30.99	-34.72	39.77	-59.23	-40.00	19.23	248	81	Horizontal

Fina	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalamiter
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3792.1800	23.61	-21.42	30.30	-62.76	-40.00	22.76	187	132	Vertical
2	5688.2700	23.33	-18.73	33.34	-57.31	-40.00	17.31	145	1	Vertical
3	7584.3600	39.62	-42.93	36.40	-62.17	-40.00	22.17	126	3	Vertical
4	11043.2700	34.45	-37.73	39.08	-59.46	-40.00	19.46	263	294	Vertical
5	14724.3600	30.82	-34.72	39.77	-59.40	-40.00	19.40	285	341	Vertical
6	17744.125	34.38	-33.97	40.46	-54.39	-40.00	14.39	194	351	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 83 of 89

Test Band = LTE 30A_48A_ TM1 Test Channel = Low

Final	Final Data List													
NO	Frequency	Reading	Factor	Λ.Γ.(-ID /r1	Level	Limit	Margin	Height	Angle	Dolovitu				
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	7783.2083	40.72	-42.42	36.75	-60.21	-40.00	20.21	125	81	Horizontal				
2	8406.6042	40.55	-41.55	37.34	-58.92	-40.00	18.92	136	360	Horizontal				
3	9221.3600	36.22	-40.26	38.36	-60.94	-40.00	20.94	251	31	Horizontal				
4	10653.2700	33.56	-38.41	39.10	-61.01	-40.00	21.01	145	48	Horizontal				
5	14204.3600	31.40	-35.15	40.23	-58.78	-40.00	18.78	199	292	Horizontal				
6	17755.4500	33.17	-34.10	40.53	-55.65	-40.00	15.65	251	145	Horizontal				

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6929.8125	52.68	-43.67	36.00	-50.26	-40.00	10.26	211	130	Vertical
2	7968.6458	42.58	-42.42	36.97	-58.13	-40.00	18.13	148	195	Vertical
3	9221.3600	35.91	-40.26	38.36	-61.25	-40.00	21.25	185	243	Vertical
4	10653.2700	33.92	-38.41	39.10	-60.65	-40.00	20.65	163	360	Vertical
5	14204.3600	30.90	-35.15	40.23	-59.28	-40.00	19.28	256	352	Vertical
6	17755.4500	32.49	-34.10	40.53	-56.33	-40.00	16.33	291	325	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 84 of 89

Test Band = LTE 30A_48A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[- D/]	Level	Limit	Margin	Height	Angle	Dolovitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6923.5200	41.72	-43.71	35.99	-61.27	-40.00	21.27	132	16	Horizontal
2	8591.0833	39.46	-41.41	37.73	-59.48	-40.00	19.48	102	32	Horizontal
3	9231.3600	35.56	-40.24	38.36	-61.57	-40.00	21.57	155	294	Horizontal
4	10848.2700	33.37	-38.02	39.18	-60.73	-40.00	20.73	148	163	Horizontal
5	12721.5	33.57	-36.82	39.49	-59.02	-40.00	19.02	153	311	Horizontal
6	14464.3600	31.61	-34.61	40.03	-58.23	-40.00	18.23	198	3	Horizontal

Fina	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalamiter
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6923.5200	51.65	-43.71	35.99	-51.34	-40.00	11.34	254	115	Vertical
2	7968.6458	42.12	-42.42	36.97	-58.59	-40.00	18.59	188	195	Vertical
3	9231.3600	37.00	-40.24	38.36	-60.13	-40.00	20.13	186	115	Vertical
4	10848.2700	34.38	-38.02	39.18	-59.72	-40.00	19.72	195	226	Vertical
5	12223.1667	34.46	-37.11	39.12	-58.79	-40.00	18.79	174	31	Vertical
6	14464.3600	31.05	-34.61	40.03	-58.79	-40.00	18.79	122	276	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 85 of 89

Test Band = LTE 30A_48A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6931.0200	42.54	-43.66	36.00	-60.39	-40.00	20.39	210	16	Horizontal
2	7736.25	40.83	-42.73	36.66	-60.51	-40.00	20.51	153	212	Horizontal
3	9241.3200	36.27	-40.21	38.37	-60.83	-40.00	20.83	142	147	Horizontal
4	11043.2700	33.66	-37.73	39.08	-60.25	-40.00	20.25	162	325	Horizontal
5	12801.0417	33.78	-36.73	39.63	-58.58	-40.00	18.58	155	212	Horizontal
6	14724.3600	29.99	-34.72	39.77	-60.23	-40.00	20.23	190	360	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dolovitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6931.0200	52.23	-43.66	36.00	-50.70	-40.00	10.70	254	114	Vertical
2	8453.5625	40.00	-41.55	37.44	-59.37	-40.00	19.37	156	360	Vertical
3	9241.3200	36.84	-40.21	38.37	-60.26	-40.00	20.26	199	114	Vertical
4	11043.2700	32.82	-37.73	39.08	-61.09	-40.00	21.09	154	179	Vertical
5	11447.3958	34.03	-37.02	39.06	-59.19	-40.00	19.19	133	352	Vertical
6	14724.3600	30.30	-34.72	39.77	-59.92	-40.00	19.92	230	213	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 86 of 89

Test Band = LTE 41A_48A_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	7502.8958	41.11	-42.98	36.44	-60.69	-40.00	20.69	214	178	Horizontal
2	8762.625	38.78	-41.15	38.02	-59.61	-40.00	19.61	178	360	Horizontal
3	9815.3542	37.32	-39.32	38.24	-59.02	-40.00	19.02	198	262	Horizontal
4	11334.7917	34.10	-37.40	39.11	-59.45	-40.00	19.45	145	360	Horizontal
5	13439.7708	32.51	-36.75	40.15	-59.35	-40.00	19.35	156	65	Horizontal
6	14508.7917	31.32	-34.83	40.00	-58.77	-40.00	18.77	236	146	Horizontal

Final	Final Data List													
NO	Frequency	Reading	Factor	Λ Γ[- D/]	Level	Limit	Margin	Height	Angle	Dolovitu				
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	7187.6042	43.79	-43.39	36.57	-58.29	-40.00	18.29	258	179	Vertical				
2	7656.2292	43.58	-42.95	36.50	-58.13	-40.00	18.13	174	179	Vertical				
3	7968.6458	41.95	-42.42	36.97	-58.76	-40.00	18.76	123	194	Vertical				
4	9332.3542	37.19	-39.91	38.44	-59.54	-40.00	19.54	261	359	Vertical				
5	11598.3333	32.66	-36.88	38.89	-60.59	-40.00	20.59	159	212	Vertical				
6	12913.1667	32.94	-37.07	39.74	-59.65	-40.00	19.65	185	163	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号约6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 87 of 89

Test Band = LTE 41A_48A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	7147.8333	41.00	-43.70	36.46	-61.50	-40.00	21.50	145	307	Horizontal
2	8340	39.61	-41.80	37.26	-60.19	-40.00	20.19	136	360	Horizontal
3	9398	37.36	-39.56	38.49	-58.97	-40.00	18.97	259	79	Horizontal
4	10577.7083	35.09	-38.67	39.04	-59.80	-40.00	19.80	184	62	Horizontal
5	12096.6667	32.85	-37.16	39.05	-60.52	-40.00	20.52	178	160	Horizontal
6	13682.2292	32.97	-36.05	40.07	-58.27	-40.00	18.27	199	177	Horizontal

Final	l Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	7187.6042	42.77	-43.39	36.57	-59.31	-40.00	19.31	125	178	Vertical
2	7968.6458	41.74	-42.42	36.97	-58.97	-40.00	18.97	136	195	Vertical
3	8814.375	38.25	-40.95	38.09	-59.88	-40.00	19.88	256	228	Vertical
4	9990.25	36.24	-39.39	38.48	-59.94	-40.00	19.94	199	359	Vertical
5	11215	33.92	-37.58	39.11	-59.81	-40.00	19.81	145	360	Vertical
6	13390.4167	32.72	-36.66	40.14	-59.06	-40.00	19.06	185	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG05

Rev.: 01

Page: 88 of 89

Test Band = LTE 41A_48A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	AF[ub/III]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatity
1	7396.5208	41.55	-43.28	36.49	-60.50	-40.00	20.50	126	342	Horizontal
2	8404.6875	39.62	-41.55	37.34	-59.85	-40.00	19.85	136	294	Horizontal
3	9635.6667	37.10	-39.14	38.40	-58.90	-40.00	18.90	251	179	Horizontal
4	10735.8333	35.25	-38.27	39.17	-59.11	-40.00	19.11	148	49	Horizontal
5	12798.6458	32.91	-36.73	39.63	-59.45	-40.00	19.45	185	164	Horizontal
6	13668.3333	33.86	-35.98	40.09	-57.30	-40.00	17.30	196	245	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	7656.2292	44.06	-42.95	36.50	-57.65	-40.00	17.65	211	178	Vertical
2	7968.6458	43.44	-42.42	36.97	-57.27	-40.00	17.27	136	195	Vertical
3	8688.3542	39.60	-41.51	37.90	-59.27	-40.00	19.27	256	31	Vertical
4	9598.2917	36.28	-39.05	38.44	-59.59	-40.00	19.59	145	357	Vertical
5	10628.9792	34.89	-38.54	39.08	-59.83	-40.00	19.83	199	4	Vertical
6	12887.7708	33.35	-37.03	39.72	-59.22	-40.00	19.22	185	307	Vertical

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2311000473RG05

Rev.: 01

89 of 89 Page:

Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band48	20MHz	QPSK	55990	100RB#0	VL	NT	2.60	0.000717	PASS
Band48	20MHz	QPSK	55990	100RB#0	VN	NT	7.30	0.002014	PASS
Band48	20MHz	QPSK	55990	100RB#0	VH	NT	7.30	0.002014	PASS

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band48	20MHz	QPSK	55990	100RB#0	NV	-30	-3.70	-0.001021	PASS
Band48	20MHz	QPSK	55990	100RB#0	NV	-20	4.90	0.001352	PASS
Band48	20MHz	QPSK	55990	100RB#0	NV	0	2.50	0.000690	PASS
Band48	20MHz	QPSK	55990	100RB#0	NV	10	-8.40	-0.002317	PASS
Band48	20MHz	QPSK	55990	100RB#0	NV	20	4.90	0.001352	PASS
Band48	20MHz	QPSK	55990	100RB#0	NV	30	4.00	0.001103	PASS
Band48	20MHz	QPSK	55990	100RB#0	NV	40	6.40	0.001766	PASS
Band48	20MHz	QPSK	55990	100RB#0	NV	50	3.30	0.000910	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com