

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

# INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART F REQUIREMENT

	OF
Applicant:	Catapult Sports Pty Ltd 75-83 High St, Prahran, Victoria, 3181, Australia
Product Name:	Clearsky T6
Brand Name:	Clearsky T6
Model No.:	Т6
Model Difference:	N/A
Report Number:	ER/2019/10084
FCC ID:	2ADAL-32322A
FCC Rule Part:	§15.519, Cat: UWB
Issue Date:	Oct. 14, 2019
Date of Test:	Aug. 14, 2019 ~ Sep. 25. 2019
Date of EUT Received:	Aug. 14, 2019

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Nick

Tested By:

Approved By:

Nick Lin / Sr. Engineer

Blue Yang / Asst. Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com




Revision History				
RevisionDescriptionIssue DateRemark				
Rev.00	Original.	Sep. 26, 2019	Revised by: Tiffany Kao	
Rev.01	Updated Section 10	Oct. 14, 2019	Revised by: Tiffany Kao	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方方就明 "此報告題本性質判測(之体品質質)"问时起降過性体質的代 多本酸合大型本公司者面针引 "不可能分报 8" This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

 SGS Taiwan Ld.
 No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

 台灣檢驗科技股份有限公司
 t (886-2) 2299-3279
 f (886-2) 2298-0488
 www.tw.sgs.com





## **Table of Contents**

1	GENERAL INFORMATION	. 4
2	SYSTEM TEST CONFIGURATION	. 6
3	SUMMARY OF TEST RESULTS	. 8
4	DESCRIPTION OF TEST MODES	. 8
5	MEASUREMENT UNCERTAINTY	. 9
6	CONDUCTED EMISSION TEST	10
7	UWB BANDWIDTH	14
8	RADIATED EMISSION AND PEAK LEVEL OF THE EMISSION	17
9	TRANSMITTER TIMEOUT	34
10	ANTENNA REQUIREMENT	36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方方就明 "此報告題本性質判測(之体品質質)"问时起降過性体質的代 多本酸合大型本公司者面针引 "不可能放我? This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# **1 GENERAL INFORMATION**

#### **1.1 Product description**

Product Name:	Clearsky T6
Brand Name:	Clearsky T6
Model No.:	Т6
Model Difference:	N/A
Hardware Version:	V2.8
Software Version:	V5.0
Charger:	Model No.: N/A, Supplier: N/A
Power Supply:	3.7Vdc from Rechargeable Li-polymer Battery or 5Vdc from charger
Power Supply:	Battery: Model No.: YJ-PL502627, Supplier: YJ POWER GROUP LIMITED

Radio Technology:	Ultra Wide Band
Operating Band:	3774MHz ~ 4243.2MHz
Channel number:	1 channel
Modulation type:	BPSK
Transmit Power:	-0.76dBm
Antenna Designation:	Monopole Antenna, Gain: 2.2dBi

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方方就明 "此報告題本性質判測(之体品質質)"问时起降過性体質的代 多本酸合大型本公司者面针引 "不可能放我? This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: ER/2019/10084 Page 5 of 36



## 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.519

ANSI C63.10:2013

KDB 393764D01 UWB FAQ v02

Note: All test items have been performed and record as per the above standards.

## 1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Designation number: TW0001

#### **1.4 Special Accessories**

There is no special accessory used while test was conducted.

#### **1.5 Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### SYSTEM TEST CONFIGURATION 2

## 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

### 2.3 Test Procedure

## 2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

## 2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

### 2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

# 2.4 Measurement Results Explanation Example

### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/10084 Page 7 of 36

## 2.5 Configuration of Tested System Fig. 2-1 Radiated Emission



Fig. 2-2 Conduction (AC Power Line) Radiated Emission



### Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	<b>Power Cord</b>
1	UWB Test Software	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

 SGS Taiwan Ld.
 No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

 台灣檢驗科技股份有限公司
 t (886-2) 2299-3279
 f (886-2) 2298-0488
 www.tw.sgs.com



#### SUMMARY OF TEST RESULTS 3

FCC Rules	Description Of Test	Test Report Section	Result
§15.207(a)	AC Power Line Conducted Emission	6.6	Compliant
§15.519(b) §15.503 (d)	UWB bandwidth	7.5	Compliant
§15.209 §15.519(c) (d)	Radiated Emission below 960MHz and above 960MHz. Radiated Emissions in GPS bands. Average Emissions of UWB transmissions in a 1MHz Bandwidth	8.6 8.7 8.8	Compliant
§15.519(e)	Peak level of the Emission	8.5	Compliant
§15.519(a) (1)	Transmitter Timeout	9.5	Compliant

#### DESCRIPTION OF TEST MODES 4


The EUT has been tested under operating condition.

Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

Test frequency 4000MHz is chosen for full testing.

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) the worst case E2 position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。





#### MEASUREMENT UNCERTAINTY 5

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
UWB Bandwidth	+/- 51.33 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission Measurement Uncertainty			
	9kHz~30MHz: +-2.3dB		
	30MHz - 180MHz: +/- 3.37dB		
Polarization: Vertical	180MHz -417MHz: +/- 3.19dB		
	0.417GHz-1GHz: +/- 3.19dB		
	1GHz - 18GHz: +/- 4.04dB		
	18GHz - 40GHz: +/- 4.04dB		
	9kHz~30MHz: +-2.3dB		
	30MHz - 167MHz: +/- 4.22dB		
Polarization: Horizontal	167MHz -500MHz: +/- 3.44dB		
	0.5GHz-1GHz: +/- 3.39dB		
	1GHz - 18GHz: +/- 4.08dB		
	18GHz - 40GHz: +/- 4.08dB		

#### Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for elec-This document is issued by the company subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> and <u>conditions</u> and <u>conditions and <u>conditions</u> and <u>conditions</u></u>



# CONDUCTED EMISSION TEST

## 6.1 Standard Applicable

Frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

Frequency range	Lin dB(	nits uV)
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50

Note

1. The lower limit shall apply at the transition frequencies

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

#### 6.2 Measurement Equipment Used

	Conducted Emission Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
<b>EMI Test Receiver</b>	R&S	ESCI 3	100335	02/12/2019	02/11/2020	
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2018	11/25/2019	
LISN	SCHWARZBECK	NSLK 8127	8127-649	04/02/2019	04/01/2020	
LISN	FCC	FCC-LISN-50/250-25 -2-01	4034	04/09/2019	04/08/2020	
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R	N.C.R	

## 6.3 EUT Setup


- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 6.4 Test SET-UP (Block Diagram of Configuration)



#### 6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plan.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

#### 6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## AC POWER LINE CONDUCTED EMISSION TEST DATA

Site:	1F Conduction Room	Date: 2019/9/19	Time: 下午 05:43:41
Limit:	FCC Class B Conduction(QP)	Probe:L1	Temperature: 24°C
EUT: M/N: Mode:	EVO WRC TAG Optimeye T6 Operation(UWB)	Power: AC 120V/60Hz	Humidity:55%RH Air Pressure:1012
Note:	No.: ER-2019-10084		
Test by:	Nick		



No.	Mk.	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Comment
		(MHz)	dBuV	(dB)	(dBuV)	(dBuV)	(dB)		
1		0.1500	40.80	0.00	40.80	66.00	-25.20	QP	
2		0.1500	24.30	0.00	24.30	56.00	-31.70	AVG	
3		0.1940	37.50	0.01	37.51	63.86	-26.35	QP	
4		0.1940	20.70	0.01	20.71	53.86	-33.15	AVG	
5		0.2620	39.90	0.01	39.91	61.37	-21.46	QP	
6		0.2620	16.50	0.01	16.51	51.37	-34.86	AVG	
7	*	0.3580	44.47	0.01	44.48	58.77	-14.29	peak	
8		0.4260	42.56	0.01	42.57	57.33	-14.76	peak	
9		0.5100	40.89	0.01	40.90	56.00	-15.10	peak	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for elec-This document is issued by the company subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> and <u>conditions</u> and <u>conditions and <u>conditions</u> and <u>conditions</u></u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.tw.sqs.com



Site:	1F Conduction Room	Date: 2019/9/19	Time: 下午 05:51:35
Limit:	FCC Class B Conduction(QP)	Probe:N	Temperature: 24°C
EUT: M/N: Mode:	EVO WRC TAG Optimeye T6 Operation(UWB)	Power:AC 120V/60Hz	Humidity:55%RH Air Pressure:1012
Note: Test by:	No.: ER-2019-10084 Nick		



No.	Mk.	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Comment
		(MHz)	dBuV	(dB)	(dBuV)	(dBuV)	(dB)		
1		0.1540	41.26	0.03	41.29	65.78	-24.49	peak	
2		0.1620	40.87	0.03	40.90	65.36	-24.46	peak	
3		0.6100	34.08	0.03	34.11	56.00	-21.89	peak	
4	*	0.9380	34.23	0.04	34.27	56.00	-21.73	peak	
5		9.2900	37.13	0.28	37.41	60.00	-22.59	peak	
6		22.7300	36.42	0.49	36.91	60.00	-23.09	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for elec-This document is issued by the company subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> and <u>conditions</u> and <u>conditions and <u>conditions</u> and <u>conditions</u></u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.tw.sqs.com



#### **UWB BANDWIDTH** 7

## 7.1 Standard Applicable

According to §15.519 (b) The UWB bandwidth of a device operating under the provisions of this section must be contained between 3100 MHz and 10,600 MHz

According to §15.503 (d) Ultra-wideband (UWB) transmitter. An intentional radiator that, at any point in time, has a fractional bandwidth equal to or greater than 0.20 or has a UWB bandwidth equal to or greater than 500 MHz, regardless of the fractional bandwidth

#### 7.2 Measurement Equipment Used

	966 Chamber									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT-N0555	01/10/2019	01/09/2020					
Horn Antenna	Schwarzbeck	BBHA9170	07/02/1900	12/27/2018	12/26/2019					
Horn Antenna	Schwarzbeck	BBHA9120D	D803	12/24/2018	12/23/2019					
3m Site NSA	SGS	966 chamber	N/A	01/02/2019	01/01/2020					
Loop Antenna	ETS.LINDGREN	6502	148045	10/08/2018	10/07/2019					
PXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	04/22/2019	04/21/2020					
EMI Test Receiver	R&S	ESCI 3	100335	02/12/2019	02/11/2020					
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	01/02/2019	01/01/2020					
Pre-Amplifier	EMC Instru- ments	EMC051825	980152	01/02/2019	01/01/2020					
Pre-Amplifier	HP	8447D	2944A09469	01/02/2019	01/01/2020					
Pre-Amplifier	EMC Instru- ments	EMC12645	980119	06/09/2019	06/08/2020					
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	01/02/2019	01/02/2020					
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	01/02/2019	01/02/2020					
Coaxial Cable	Huber Suhner	EMC 104-SM-SM-200 0	160123	01/02/2019	01/02/2020					
Software		e3 V6.11-2	018041301/09/20	)20						


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 7.3 Test Set-up:

(A) Radiated Emission Test Set-UP Frequency for 3 meter



## 7.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum. RBW = 1MHz, VBW = 3MHz, Span: 1GHz, Detector =peak, Sweep = Auto.
- 3. Record the max. Reading as observed from Spectrum.
- 4. Repeat above procedures until all test default channel measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 7.5 Measurement Result:



Bandwidth Results									
Antenna Polarity	Frequency 10dB below peak (MHz)	Frequency 10dB above peak (MHz)	10 dB bandwidth (MHz)	Bandwidth requirement >500 MHz	Detectors / RBW / VBW				
Horizontal	3680	4277	597	Compliant	RMS 1MHz / 3MHz				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



#### RADIATED EMISSION AND PEAK LEVEL OF THE EMISSION 8

## 8.1 Standard Applicable

According to §15.519(c), The radiated emissions at or below 960 MHz from a device operating under the provisions of this section shall not exceed the emission levels in § 15.209. The radiated emissions above 960 MHz from a device operating under the provisions of this section shall not exceed the following average limits when measured using a resolution bandwidth of 1 MHz:

Frequency in MHz	EIRP in dBm
960–1610	-75.3
1610–1990 1990–3100	-63.3 -61.3
3100-10600	-41.3
Above 10600	-61.3

§15.519 (d), In addition to the radiated emission limits specified in the table in paragraph (c) of this section, UWB transmitters operating under the provisions of this section shall not exceed the following average limits when measured using a resolution bandwidth of no less than 1 kHz:

Frequency in MHz	EIRP in dBm
1164–1240	- 85.3
1559–1610	- 85.3

§15.519 (e), There is a limit on the peak level of the emissions contained within a 50 MHz bandwidth centered on the frequency at which the highest radiated emission occurs, fM. That limit is 0 dBm EIRP. It is acceptable to employ a different resolution bandwidth, and a correspondingly different peak emission limit, following the procedures described in § 15.521.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 8.2 Measurement Equipment Used

SG

966 Chamber									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT-N0555	01/10/2019	01/09/2020				
Horn Antenna	Schwarzbeck	BBHA9170	07/02/1900	12/27/2018	12/26/2019				
Horn Antenna	Schwarzbeck	BBHA9120D	D803	12/24/2018	12/23/2019				
3m Site NSA	SGS	966 chamber	N/A	01/02/2019	01/01/2020				
Loop Antenna	ETS.LINDGREN	6502	148045	10/08/2018	10/07/2019				
PXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	04/22/2019	04/21/2020				
EMI Test Receiver	R&S	ESCI 3	100335	02/12/2019	02/11/2020				
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	01/02/2019	01/01/2020				
Pre-Amplifier	EMC Instru- ments	EMC051825	980152	01/02/2019	01/01/2020				
Pre-Amplifier	HP	8447D	2944A09469	01/02/2019	01/01/2020				
Pre-Amplifier	EMC Instru- ments	EMC12645	980119	06/09/2019	06/08/2020				
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	01/02/2019	01/02/2020				
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	01/02/2019	01/02/2020				
Coaxial Cable	Huber Suhner	EMC 104-SM-SM-200 0	160123	01/02/2019	01/02/2020				
Software		e3 V6.11-2	018041301/09/20	)20					


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方方就明 "此報告題本性質判測(之体品質質)"问时起降過性体質的代 多本酸合大型本公司者面针引 "不可能放我? This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




## 8.3 Test Set-up

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.




(B) Radiated Emission Test Set-Up, Frequency below 960MHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





(C) Radiated Emission Test Set-UP Frequency above 960MHz for 3 and 1 and 0.3 meter

A measurement distance of 1 meter and 0.3 meter was determined to provide the optimum dynamic range. Because the limits are so low, some frequency ranges may have been scanned at a distance closer than 1 meter and 0.3 meter.

### 8.4 Measurement Procedure

- The testing follows the Measurement Procedure of ANSI C63.10:2013. 1.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plan.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level. 3.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions for 100 kHz to 30MHz, 30 MHz to 960MHz, 960MHz to 1GHz radiated emissions.
- 5. EUT is set 1m and 0.3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions for 1GHz to 10GHz, 10GHz to 18GHz, 18GHz to 40GHz radiated emissions.
- 6. Set the spectrum analyzer as RBW=200 Hz and VBW=2 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency 100kHz~30MHz.
- 7. Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency 30MHz~960MHz and 960MHz~1GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



- 9. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for RMS Detector for Average emissions of UWB transmission in a 1MHz bandwidth.
- 10. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 11. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 12. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 13. Sweep the frequency to determine spurious emission as seen on spectrum from span of, 960MHz to 1GHz, 1GHz to 10GHz, 10GHz to 18GHz, 18GHz to 40GHz.
- 14. Via Software, combine 4 spans of frequency range into one plot.
- 15. Repeat above procedures until all default test channel measured were complete.

## Note:

EIRP(dBm) = Spectrum + Factor - 95.2Limit calculated as fllows(RBW = 1MHz) 20 log (RBW/50) dBm = 2 log (1/50) dBm = -33.98 dBm PeakE-filed (3m) E(dBuV/m) = P (dBm EIRP) + 95.2=-33.98 + 95.2 = 61.2 dBuV/m

### Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 8.5 Measurement Result

#### Peak level of the Emission Measurement Result

#### **EIRP Peak at 3 Meter**

Report Number Operation Mode Test Channel Test Mode EUT Pol		:ER-2019-10084 :UWB :4000 MHz :Main CH Low :E2 Plane		Test Date Temp./Humi. Antenna Pol. Engineer	:2019-09-25 :23.1/59 :VERTICAL :Nick
Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	
4149.00	Peak	48.08	11.74	59.82	

Note:

Bandwidth Correction Factor (BWCF) = 20 log (1MHz/50MHz) = -33.98 [dB] EIRP\_1MHz[dBm] = E-Field [dBuV/m] - 95.2 EIRP\_50MHz[dBm] = EIRP\_1MHz[dBm] – BWCF

Frequency (MHz)	Detector Function	Antenna Polarity	BWCF (dB)	EIRP_1MHz Reading Level (dBµV/m)	EIRP_50MHz Reading Level (dBµV/m)	EIRP_50MHz Reading Level (dBm)	EIRP_50MHz Limit (dBm)	Margin (dBm)
4000	Peak	VERTICAL	-33.98	59.82	93.80	-1.40	0	-1.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

:2019-09-25 :23.1/59

:Nick

:HORIZONTAL



Report Number Operation Mod Test Channel Test Mode EUT Pol	e	ER-2019-10084 UWB 4000 MHz Main CH Low E2 Plane		Test Date Temp./Humi. Antenna Pol. Engineer	
Freq.	Detector	Spectrum	Factor	Actual	
	Mode	Reading Level		FS	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	
4069.00	Peak	48.91	11.55	60.46	

Note:

Bandwidth Correction Factor (BWCF) = 20 log (1MHz/50MHz) = -33.98 [dB] EIRP 1MHz[dBm] = E-Field [dBuV/m] - 95.2 EIRP 50MHz[dBm] = EIRP 1MHz[dBm] – BWCF

Frequency (MHz)	Detector Function	Antenna Polarity	BWCF (dB)	EIRP_1MHz Reading Level (dBµV/m)	EIRP_50MHz Reading Level (dBµV/m)	EIRP_50MHz Reading Level (dBm)	EIRP_50MHz Limit (dBm)	Margin (dBm)
4000	Peak	HORIZONTAL	-33.98	60.46	94.44	-0.76	0	-0.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



#### 8.6 Radiated Emission in GPS bands Measurement Result

#### GPS receive band (1164-1240MHz) at 1 Meter

Report Number	:ER-2019-10084	Test Date	:2019-09-20
Operation Mode	:UWB	Temp./Humi.	:23.1/59
Test Channel	:4000 MHz	Antenna Pol.	:VERTICAL
Test Mode	:Tx CH Low	Engineer	:Nick
EUT Pol	:E2 Plane		



Freq.	Detector	Spectrum	Factor	Actual	Actual	Limit	Limit	Margin
	Mode	Reading Level		FS	FS	@3m	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBm	dBµV/m	dBm	dB
1190.37	Peak	-16.61	1.98	-14.63	-109.83	9.90	-85.30	-24.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.: ER/2019/10084 Page 25 of 36



**Report Number** :ER-2019-10084 Test Date :2019-09-20 **Operation Mode** Temp./Humi. :UWB :23.1/59 Test Channel Antenna Pol. :4000 MHz :HORIZONTAL Test Mode :Tx CH Low Engineer :Nick EUT Pol :E2 Plane Level (dBuV/m) 40 30 20 10 0 -10 Ż -20 1194.4 1240 1164 1179.2 1209.6 1224.8 Frequency (MHz)

	Freq.	Detector	Spectrum	Factor	Actual	Actual	Limit	Limit	Margin
		Mode	Reading Level		FS	FS	@3m	@3m	
_	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBm	dBµV/m	dBm	dB
-	1171.22	Peak	-16.06	1.95	-14.11	-109.31	9.90	-85.30	-24.01
	1190.37	Peak	-13.28	1.98	-11.30	-106.50	9.90	-85.30	-21.20
	1209.60	Peak	-16.53	2.10	-14.43	-109.63	9.90	-85.30	-24.33
	1228.83	Peak	-14.55	2.32	-12.23	-107.43	9.90	-85.30	-22.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Peak

1574.40

#### GPS receive band (1559-1610MHz) at 1 Meter

**Report Number Operation Mode Test Channel** Test Mode EUT Pol


:ER-2019-10084 :UWB :4000 MHz :Tx CH Low :E2 Plane

Test Date Temp./Humi. Antenna Pol. Engineer

-109.40

9.90

:2019-09-20 :23.1/59 :VERTICAL :Nick



-14.20

2.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

-16.96

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for elec-This document is issued by the company subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> and <u>conditions</u> and <u>conditions and <u>conditions</u> and <u>conditions</u></u>

-85.30

-24.10

Report No.: ER/2019/10084 Page 27 of 36



Report Number:ER-2019-1Operation Mode:UWBTest Channel:4000 MHzTest Mode:Tx CH LowEUT Pol:E2 Plane				Test Date Temp./Hu Antenna F Engineer		:: :	2019-09-20 23.1/59 HORIZONTAL Nick	
40 <sup>L0</sup>	evel (dBuV/m)							
~								
30								
20			·	i         				
10								
0					1			
-10			L					
	1							
-20 <mark>-</mark> 1	550 1	569.2 1	579.4	1589.6	1	1599.8	1610	
•				ncy (MHz)			.510	
Fred			Factor	Actual	Actual	Limit	Limit	Margin
MH	Mode z PK/QP/A\	Reading Level / dBµV	dB	FS dBµV/m	FS dBm	@3m dBµV/m	@3m dBm	dB
1560.		-16.98	2.77	-14.21	-109.41	9.90	-85.30	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方方就明 "此報告題本性質判測(之体品質質)"问时起降過性体質的代 多本酸合大型本公司者面针引 "不可能放我? This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: ER/2019/10084 Page 28 of 36




#### 8.7 Radiated Spurious Emission Measurement Result (§15.209 & §15.519)

#### Below 1GHz at 3 Meter

:ER-2019-10084 :UWB :4000 MHz :Tx CH Low :E2 Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-09-19 :23.1/59 :VERTICAL :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
0.11	Peak	34.28	0.18	34.46	106.91	-72.45
1.34	Peak	43.70	0.34	44.04	65.04	-21.00
2.21	Peak	50.46	0.37	50.83	69.54	-18.71
3.76	Peak	45.45	0.40	45.85	69.54	-23.69
5.05	Peak	39.89	0.42	40.31	69.54	-29.23
24.00	Peak	39.12	0.56	39.68	69.54	-29.86
27.91	Peak	42.06	0.55	42.61	69.54	-26.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.: ER/2019/10084 Page 29 of 36




**Report Number Operation Mode** Test Channel Test Mode EUT Pol

:ER-2019-10084 :UWB :4000 MHz :Tx CH Low :E2 Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-09-19 :23.1/59 :HORIZONTAL :Nick



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
0.07	Peak	36.72	0.15	36.87	110.16	-73.29
1.34	Peak	38.77	0.34	39.11	65.04	-25.93
1.91	Peak	45.66	0.36	46.02	69.54	-23.52
3.79	Peak	39.54	0.40	39.94	69.54	-29.60
6.03	Peak	33.79	0.43	34.22	69.54	-35.32
10.24	Peak	30.92	0.47	31.39	69.54	-38.15
28.75	Peak	33.96	0.55	34.51	69.54	-35.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for elec-This document is issued by the company subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> and <u>conditions</u> and <u>conditions and <u>conditions</u> and <u>conditions</u></u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.tw.sgs.com

Report No.: ER/2019/10084 Page 30 of 36




**Report Number Operation Mode** Test Channel Test Mode EUT Pol

:ER-2019-10084 :UWB :4000 MHz :Tx CH Low :E2 Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-09-18 :23.1/59 :VERTICAL :Nick



Frec	. Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	z PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
30.9	3 Peak	36.86	-4.51	32.35	40.00	-7.65
46.7	4 Peak	47.00	-13.52	33.48	40.00	-6.52
64.4	1 Peak	50.92	-17.38	33.54	40.00	-6.46
76.5	0 Peak	43.32	-16.70	26.62	40.00	-13.38
101.6	61 Peak	42.12	-12.27	29.85	43.50	-13.65
110.9	91 Peak	42.77	-11.63	31.14	43.50	-12.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.: ER/2019/10084 Page 31 of 36




**Report Number Operation Mode** Test Channel Test Mode EUT Pol

:ER-2019-10084 :UWB :4000 MHz :Tx CH Low :E2 Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-09-18 :23.1/59 :HORIZONTAL :Nick



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
35.58	Peak	33.70	-7.10	26.60	40.00	-13.40
42.09	Peak	34.15	-11.00	23.15	40.00	-16.85
64.41	Peak	46.81	-17.38	29.43	40.00	-10.57
75.57	Peak	41.57	-16.74	24.83	40.00	-15.17
120.21	Peak	34.09	-11.19	22.90	43.50	-20.60
147.18	Peak	31.38	-12.02	19.36	43.50	-24.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



#### 1GHz to 10GHz and 10GHz to 18GHz at 1 Meter

#### 18GHz to 40 GHz at 0.3 Meter

Report Number	:ER-2019-10084	Test Date	:2019-09-19
Operation Mode	:UWB	Temp./Humi.	:23.1/59
Test Channel	:4000 MHz	Antenna Pol.	:VERTICAL
Test Mode	:Tx CH Low	Engineer	:Nick
EUT Pol	:E2 Plane		



Freq.	Detector	Spectrum	Factor	Actual	Actual	Limit	Limit	Margin
	Mode	Reading Level		FS	FS	@3m	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBm	dBµV/m	dBm	dB
1297.00	Peak	12.54	2.90	15.44	-79.76	19.90	-75.30	-4.46
1963.00	Peak	11.58	4.62	16.20	-79.00	31.90	-63.30	-15.70
2998.00	Peak	11.08	10.04	21.12	-74.08	33.90	-61.30	-12.78
7993.00	Peak	13.50	22.59	36.09	-59.11	53.90	-41.30	-17.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.: ER/2019/10084 Page 33 of 36




**Report Number Operation Mode** Test Channel Test Mode EUT Pol

:ER-2019-10084 :UWB :4000 MHz :Tx CH Low :E2 Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-09-19 :23.1/59 :HORIZONTAL :Nick



Detector	Spectrum	Factor	Actual	Actual	Limit	Limit	Margin
Mode	Reading Level		FS	FS	@3m	@3m	
PK/QP/AV	dBµV	dB	dBµV/m	dBm	dBµV/m	dBm	dB
Peak	12.57	3.03	15.60	-79.60	19.90	-75.30	-4.30
Peak	11.45	3.80	15.25	-79.95	31.90	-63.30	-16.65
Peak	11.33	10.04	21.37	-73.83	33.90	-61.30	-12.53
Peak	18.02	22.59	40.61	-54.59	53.90	-41.30	-13.29
	Mode PK/QP/AV Peak Peak Peak	ModeReading LevelPK/QP/AVdBµVPeak12.57Peak11.45Peak11.33	Mode         Reading Level           PK/QP/AV         dBµV         dB           Peak         12.57         3.03           Peak         11.45         3.80           Peak         11.33         10.04	Mode         Reading Level         FS           PK/QP/AV         dBµV         dB         dBµV/m           Peak         12.57         3.03         15.60           Peak         11.45         3.80         15.25           Peak         11.33         10.04         21.37	Mode         Reading Level         FS         FS           PK/QP/AV         dBµV         dB         dBµV/m         dBm           Peak         12.57         3.03         15.60         -79.60           Peak         11.45         3.80         15.25         -79.95           Peak         11.33         10.04         21.37         -73.83	Mode         Reading Level         FS         FS         @3m           PK/QP/AV         dBμV         dB         dBμV/m         dBm         dBμV/m           Peak         12.57         3.03         15.60         -79.60         19.90           Peak         11.45         3.80         15.25         -79.95         31.90           Peak         11.33         10.04         21.37         -73.83         33.90	Mode         Reading Level         FS         FS         @3m         @3m           PK/QP/AV         dBµV         dB         dBµV/m         dBm         dBµV/m         dBm           Peak         12.57         3.03         15.60         -79.60         19.90         -75.30           Peak         11.45         3.80         15.25         -79.95         31.90         -63.30           Peak         11.33         10.04         21.37         -73.83         33.90         -61.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for elec-This document is issued by the company subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> and <u>conditions</u> and <u>conditions and <u>conditions</u> and <u>conditions</u></u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.tw.sgs.com



#### TRANSMITTER TIMEOUT 9

### 9.1 Standard Applicable

According to §15.519(a) (1), UWB devices operating under the provisions of this section must be hand held, i.e., they are relatively small devices that are primarily hand held while being operated and do not employ a fixed infrastructure.

(1) A UWB device operating under the provisions of this section shall transmit only when it is sending information to an associated receiver. The UWB intentional radiator shall cease transmission within 10 seconds unless it receives an acknowledgement from the associated receiver that its transmission is being received. An acknowledgment of reception must continue to be received by the UWB intentional radiator at least every 10 seconds or the UWB device must cease transmitting.

### 9.2 Measurement Equipment Used

Refer to section 7.2 for details.

## 9.3 Test SET-UP

Refer to section 7.3 for details.

### 9.4 Measurement Procedure

The Transmitter Timeout was measured with a spectrum analyzer connected to the antenna port

### 9.5 Measurement Result

Note: Refer to next page spectrum analyzer data chart.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# **Transmitter Timeout Measurement Result**

Keysight Spectrum An	alyzer - Swept SA					
R L RF	50 Ω DC		SENSE:INT	ALIGN OFF	04:23:33 PM Sep 20, 2019 TRACE 1 2 3 4 5 6	Frequency
	NFE	PNO: Wide ↔ IFGain:Low	Trig: Free Run #Atten: 20 dB	Avg Type. Log-Fwi		
0 dB/div Ref	86.99 dBµV				∆Mkr1 2.060 s -18.73 dB	Auto Tun
<b>og v</b> 77.0						Center Fre
7.0						4.000000000 GH
7.0 <b></b>	1Δ2					
	Nel Millelle K. Storeheader	n. Maning MARIA La Mari	ulalinghamanananananana	waaring malantum and anti-	an a	Start Fre 4.000000000 G
7.0						Stop Fro
99						4.000000000 G
enter 4.00000	0000 GHz				Span 0 Hz	CF Ste
es BW 1.0 MH	_	#VBW	/ 3.0 MHz	-	20.00 s (1001 pts)	1.000000 M Auto M
$\begin{array}{c c} \hline R & MODE & TRC & SCL \\ \hline 1 & \Delta 2 & 1 & t & (, \\ 2 & F & 1 & t \end{array}$	<u>×</u>	2.060 s (∆) 1.960 s	-18.73 dB	NCTION FUNCTION WIDTH	FUNCTION VALUE	
2 F 1 t 3 4 5		1.900 8	57.31 dBµV		E	Freq Offs 0
7 8 9						Scale Ty
0 1					-	Log <u>L</u>

Note: The receiver was removed at t = 1.96 seconds.

The last transmission occurred 2.06 seconds later which is less that the 10 seconds allowed. No additional transmissions were measured until the receiver was replaced.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## **10 ANTENNA REQUIREMENT**

#### 10.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

### **10.2 Antenna Connected Construction**

The antenna utilized by the device under test is a soldered surface mount type.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

 SGS Taiwan Ld.
 No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

 台灣檢驗科技股份有限公司
 t (886-2) 2299-3279
 f (886-2) 2298-0488
 www.tw.sgs.com