


Appendix-C Field Strength of Spurious Radiation-LTE

For LTE:

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.14	108.01	-84.97	23.04	-	-	Horizontal	NA
2	1968.65	48.55	-84.84	-36.29	-	-	Horizontal	NA
3	2980.20	40.65	-79.99	-39.34	-13.00	26.34	Horizontal	PASS
4	14315.50	33.80	-86.76	-52.96	-13.00	39.96	Horizontal	PASS
5	17359.50	32.47	-82.77	-50.30	-13.00	37.30	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.14	107.22	-84.97	22.25	-	-	Vertical	NA
2	1961.95	42.65	-84.79	-42.14	-	-	Vertical	NA
3	2975.90	40.63	-79.92	-39.29	-13.00	26.29	Vertical	PASS
4	15074.50	33.37	-86.29	-52.92	-13.00	39.92	Vertical	PASS
5	17350.00	32.43	-82.40	-49.97	-13.00	36.97	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	104.03	-85.28	18.75	-	-	Horizontal	NA
2	2126.40	48.34	-84.45	-36.11	-	-	Horizontal	NA
3	2978.00	35.36	-79.95	-44.59	-13.00	31.59	Horizontal	PASS
4	15062.50	37.10	-86.33	-49.23	-13.00	36.23	Horizontal	PASS
5	17842.00	37.91	-82.58	-44.67	-13.00	31.67	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	109.08	-85.28	23.80	-	-	Vertical	NA
2	2140.60	38.15	-84.59	-46.44	-	-	Vertical	NA
3	2972.00	35.65	-79.91	-44.26	-13.00	31.26	Vertical	PASS
4	14353.00	36.89	-85.97	-49.08	-13.00	36.08	Vertical	PASS
5	17848.00	38.01	-82.49	-44.48	-13.00	31.48	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	52.39	-114.12	-61.73	-13.00	48.73	Horizontal	PASS
2	2496.00	66.53	-111.38	-44.85	-13.00	31.85	Horizontal	PASS
3	8900.00	36.15	-93.17	-57.02	-13.00	44.02	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	48.43	-114.12	-65.69	-13.00	52.69	Vertical	PASS
2	2496.00	56.65	-111.38	-54.73	-13.00	41.73	Vertical	PASS
3	8851.60	35.86	-92.89	-57.03	-13.00	44.03	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	63.34	-114.33	-50.99	-13.00	37.99	Horizontal	PASS
2	2109.20	83.44	-113.21	-29.77	-13.00	16.77	Horizontal	PASS
3	2812.40	54.19	-109.81	-55.62	-13.00	42.62	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	51.40	-114.33	-62.93	-13.00	49.93	Vertical	PASS
2	1752.00	61.76	-113.95	-52.19	-13.00	39.19	Vertical	PASS
3	2109.20	75.28	-113.21	-37.93	-13.00	24.93	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	107.97	-84.97	23.00	-	-	Horizontal	NA
2	1970.00	47.18	-84.86	-37.68	-	-	Horizontal	NA
3	2967.60	35.43	-79.93	-44.50	-13.00	31.50	Horizontal	PASS
4	15250.00	36.79	-85.91	-49.12	-13.00	36.12	Horizontal	PASS
5	17856.50	38.09	-82.54	-44.45	-13.00	31.45	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	106.53	-84.97	21.56	-	-	Vertical	NA
2	1970.20	41.41	-84.86	-43.45	-	-	Vertical	NA
3	2954.80	35.35	-79.99	-44.64	-13.00	31.64	Vertical	PASS
4	15248.50	37.06	-85.95	-48.89	-13.00	35.89	Vertical	PASS
5	17847.00	37.95	-82.51	-44.56	-13.00	31.56	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	102.86	-85.18	17.68	-	-	Horizontal	NA
2	2145.20	48.08	-84.63	-36.55	-	-	Horizontal	NA
3	2976.40	35.81	-79.92	-44.11	-13.00	31.11	Horizontal	PASS
4	15103.50	36.94	-86.25	-49.31	-13.00	36.31	Horizontal	PASS
5	17811.50	38.68	-83.03	-44.35	-13.00	31.35	Horizontal	PASS

Project Information

Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	107.71	-85.18	22.53	-	-	Vertical	NA
2	2152.60	39.21	-84.64	-45.43	-	-	Vertical	NA
3	2982.60	35.83	-80.03	-44.20	-13.00	31.20	Vertical	PASS
4	15060.50	36.89	-86.33	-49.44	-13.00	36.44	Vertical	PASS
5	17824.00	38.17	-82.84	-44.67	-13.00	31.67	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.20	51.19	-114.21	-63.02	-13.00	50.02	Horizontal	PASS
2	2014.60	69.58	-113.51	-43.93	-13.00	30.93	Horizontal	PASS
3	6922.90	42.60	-97.75	-55.15	-13.00	42.15	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.20	50.83	-114.21	-63.38	-13.00	50.38	Vertical	PASS
2	2014.90	69.62	-113.51	-43.89	-13.00	30.89	Vertical	PASS
3	6862.00	42.10	-97.70	-55.60	-13.00	42.60	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	103.93	-82.41	21.52	-	-	Horizontal	NA
2	10336.50	39.21	-91.51	-52.30	-25.00	27.30	Horizontal	PASS
3	15088.00	37.41	-86.24	-48.83	-25.00	23.83	Horizontal	PASS
4	17839.00	38.24	-82.62	-44.38	-25.00	19.38	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	99.86	-82.40	17.46	-	-	Vertical	NA
2	5763.00	43.72	-100.50	-56.78	-25.00	31.78	Vertical	PASS
3	10336.50	45.92	-91.51	-45.59	-25.00	20.59	Vertical	PASS
4	17868.00	38.19	-82.67	-44.48	-25.00	19.48	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	110.61	-88.64	21.97	-	-	Horizontal	NA
2	7232.19	44.76	-95.97	-51.21	-40.00	11.21	Horizontal	PASS
3	14464.40	40.23	-87.28	-47.05	-40.00	7.05	Horizontal	PASS
4	17331.44	33.67	-83.61	-49.94	-40.00	9.94	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790004669	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	110.66	-88.64	22.02	-	-	Vertical	NA
2	7232.19	48.45	-95.97	-47.52	-40.00	7.52	Vertical	PASS
3	14464.02	42.87	-87.28	-44.41	-40.00	4.41	Vertical	PASS
4	17859.70	31.75	-81.40	-49.65	-40.00	9.65	Vertical	PASS

For LTE CA:

Project Information			
Mode:	LTE	Band:	CA_2A_4A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.80	97.65	-79.95	17.70	-	-	Horizontal	NA
2	1871.00	100.35	-79.70	20.65	-	-	Horizontal	NA
3	2967.40	35.51	-74.87	-39.36	-13.00	26.36	Horizontal	PASS
4	15061.50	37.27	-86.33	-49.06	-13.00	36.06	Horizontal	PASS
5	17850.00	38.01	-82.46	-44.45	-13.00	31.45	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_2A_4A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	96.04	-79.95	16.09	-	-	Vertical	NA
2	1871.00	101.10	-79.70	21.40	-	-	Vertical	NA
3	2975.80	35.64	-74.88	-39.24	-13.00	26.24	Vertical	PASS
4	15096.00	37.09	-86.21	-49.12	-13.00	36.12	Vertical	PASS
5	17912.00	38.56	-83.06	-44.50	-13.00	31.50	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_2A_66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	91.61	-79.86	11.75	-	-	Horizontal	NA
2	1871.00	100.20	-79.70	20.50	-	-	Horizontal	NA
3	2981.60	35.45	-75.01	-39.56	-13.00	26.56	Horizontal	PASS
4	15138.00	37.37	-86.73	-49.36	-13.00	36.36	Horizontal	PASS
5	17868.00	38.08	-82.67	-44.59	-13.00	31.59	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_2A_66A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.40	94.58	-79.86	14.72	-	-	Vertical	NA
2	1871.00	101.53	-79.70	21.83	-	-	Vertical	NA
3	5756.50	39.85	-100.58	-60.73	-13.00	47.73	Vertical	PASS
4	15110.00	37.14	-86.34	-49.20	-13.00	36.20	Vertical	PASS
5	17348.50	37.77	-82.47	-44.70	-13.00	31.70	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_2A_12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.60	46.57	-80.36	-33.79	-13.00	20.79	Horizontal	PASS
2	1871.00	100.56	-79.70	20.86	-	-	Horizontal	NA
3	2574.40	48.20	-77.26	-29.06	-13.00	16.06	Horizontal	PASS
4	17859.50	37.67	-82.57	-44.90	-13.00	31.90	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_2A_12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.80	48.75	-80.36	-31.61	-13.00	18.61	Vertical	PASS
2	1871.00	100.82	-79.70	21.12	-	-	Vertical	NA
3	2574.20	47.12	-77.27	-30.15	-13.00	17.15	Vertical	PASS
4	5763.50	43.71	-100.49	-56.78	-13.00	43.78	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_4A_12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.60	42.45	-80.36	-37.91	-13.00	24.91	Horizontal	PASS
2	1723.60	98.67	-79.95	18.72	-	-	Horizontal	NA
3	2427.00	42.04	-78.09	-36.05	-13.00	23.05	Horizontal	PASS
4	17851.00	38.13	-82.47	-44.34	-13.00	31.34	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_4A_12A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.60	53.11	-80.36	-27.25	-13.00	14.25	Vertical	PASS
2	1723.60	101.73	-79.95	21.78	-	-	Vertical	NA
3	2426.80	47.12	-78.09	-30.97	-13.00	17.97	Vertical	PASS
4	17822.50	38.33	-82.86	-44.53	-13.00	31.53	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_12A_66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.20	53.17	-80.35	-27.18	-13.00	14.18	Horizontal	PASS
2	1736.20	91.78	-79.86	11.92	-	-	Horizontal	NA
3	2439.20	42.72	-78.25	-35.53	-13.00	22.53	Horizontal	PASS
4	17885.00	38.16	-82.87	-44.71	-13.00	31.71	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_12A_66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.20	57.15	-80.35	-23.20	-13.00	10.20	Vertical	PASS
2	1736.20	97.77	-79.86	17.91	-	-	Vertical	NA
3	2439.40	48.24	-78.26	-30.02	-13.00	17.02	Vertical	PASS
4	17883.00	38.15	-82.85	-44.70	-13.00	31.70	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_2A_5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	112.09	-95.06	17.03	-	-	Horizontal	NA
2	1951.60	44.02	-94.53	-50.51	-	-	Horizontal	NA
3	3535.00	47.06	-107.41	-60.35	-13.00	47.35	Horizontal	PASS
4	4574.50	41.71	-104.11	-62.40	-13.00	49.40	Horizontal	PASS
5	17356.00	33.29	-82.63	-49.34	-13.00	36.34	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_2A_5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	112.65	-95.06	17.59	-	-	Vertical	NA
2	1963.60	53.98	-94.65	-40.67	-	-	Vertical	NA
3	2885.00	35.48	-90.61	-55.13	-13.00	42.13	Vertical	PASS
4	4780.50	38.83	-102.96	-64.13	-13.00	51.13	Vertical	PASS
5	17360.50	32.73	-82.81	-50.08	-13.00	37.08	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_2A_71A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	107.63	-95.06	12.57	-	-	Horizontal	NA
2	1953.20	44.43	-94.54	-50.11	-	-	Horizontal	NA
3	2891.80	39.25	-90.57	-51.32	-13.00	38.32	Horizontal	PASS
4	6498.00	38.46	-98.39	-59.93	-13.00	46.93	Horizontal	PASS
5	17344.50	32.53	-82.66	-50.13	-13.00	37.13	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_2A_71A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	112.72	-95.06	17.66	-	-	Vertical	NA
2	1963.00	53.63	-94.64	-41.01	-	-	Vertical	NA
3	2950.20	39.24	-90.44	-51.20	-13.00	38.20	Vertical	PASS
4	10050.00	35.50	-91.51	-56.01	-13.00	43.01	Vertical	PASS
5	17354.00	32.29	-82.56	-50.27	-13.00	37.27	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_2C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	100.90	-84.95	15.95	-	-	Horizontal	NA
2	1954.20	36.98	-84.72	-47.74	-	-	Horizontal	NA
3	2993.20	36.07	-80.21	-44.14	-13.00	31.14	Horizontal	PASS
4	13823.00	34.43	-86.96	-52.53	-13.00	39.53	Horizontal	PASS
5	17347.50	32.79	-82.51	-49.72	-13.00	36.72	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_2C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.00	104.75	-84.95	19.80	-	-	Vertical	NA
2	1950.20	44.22	-84.68	-40.46	-	-	Vertical	NA
3	2960.80	35.51	-79.96	-44.45	-13.00	31.45	Vertical	PASS
4	15072.50	33.75	-86.29	-52.54	-13.00	39.54	Vertical	PASS
5	17353.00	32.48	-82.52	-50.04	-13.00	37.04	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_4A_5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	107.95	-95.01	12.94	-	-	Horizontal	NA
2	2134.00	40.49	-94.69	-54.20	-	-	Horizontal	NA
3	2967.00	39.19	-90.61	-51.42	-13.00	38.42	Horizontal	PASS
4	14348.50	32.88	-85.95	-53.07	-13.00	40.07	Horizontal	PASS
5	17345.50	32.46	-82.60	-50.14	-13.00	37.14	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_4A_5A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	117.15	-95.01	22.14	-	-	Vertical	NA
2	2136.40	48.03	-94.68	-46.65	-	-	Vertical	NA
3	2938.20	39.19	-90.45	-51.26	-13.00	38.26	Vertical	PASS
4	14349.00	33.49	-85.94	-52.45	-13.00	39.45	Vertical	PASS
5	17354.00	32.25	-82.56	-50.31	-13.00	37.31	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_4A_71A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	108.52	-95.01	13.51	-	-	Horizontal	NA
2	2135.80	41.17	-94.69	-53.52	-	-	Horizontal	NA
3	2884.80	39.28	-90.61	-51.33	-13.00	38.33	Horizontal	PASS
4	15251.50	34.00	-85.93	-51.93	-13.00	38.93	Horizontal	PASS
5	17335.00	33.07	-83.08	-50.01	-13.00	37.01	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_4A_71A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	116.18	-95.01	21.17	-	-	Vertical	NA
2	2128.20	48.30	-94.70	-46.40	-	-	Vertical	NA
3	2885.80	39.15	-90.60	-51.45	-13.00	38.45	Vertical	PASS
4	13400.50	35.25	-88.15	-52.90	-13.00	39.90	Vertical	PASS
5	17351.50	32.33	-82.46	-50.13	-13.00	37.13	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_66A_71A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	108.62	-94.83	13.79	-	-	Horizontal	NA
2	2160.60	41.25	-94.64	-53.39	-	-	Horizontal	NA
3	2781.40	40.18	-91.38	-51.20	-13.00	38.20	Horizontal	PASS
4	14364.50	33.44	-86.21	-52.77	-13.00	39.77	Horizontal	PASS
5	17349.50	33.05	-82.42	-49.37	-13.00	36.37	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_66A_71A
Bandwidth:	20MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	117.04	-94.83	22.21	-	-	Vertical	NA
2	2151.20	49.01	-94.66	-45.65	-	-	Vertical	NA
3	2959.80	39.34	-90.54	-51.20	-13.00	38.20	Vertical	PASS
4	15067.50	34.14	-86.31	-52.17	-13.00	39.17	Vertical	PASS
5	17862.50	32.27	-82.60	-50.33	-13.00	37.33	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_66B
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1755.60	98.48	-85.02	13.46	-	-	Horizontal	NA
2	2958.60	35.62	-79.97	-44.35	-13.00	31.35	Horizontal	PASS
3	14354.00	33.62	-85.99	-52.37	-13.00	39.37	Horizontal	PASS
4	17351.00	32.14	-82.44	-50.30	-13.00	37.30	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_66B
Bandwidth:	10MHz+10MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1755.60	104.62	-85.02	19.60	-	-	Vertical	NA
2	2146.20	39.48	-84.64	-45.16	-	-	Vertical	NA
3	2959.20	35.52	-79.97	-44.45	-13.00	31.45	Vertical	PASS
4	14670.50	33.67	-85.91	-52.24	-13.00	39.24	Vertical	PASS
5	17362.00	32.90	-82.87	-49.97	-13.00	36.97	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_66C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1756.00	98.84	-85.02	13.82	-	-	Horizontal	NA
2	2977.60	35.77	-79.94	-44.17	-13.00	31.17	Horizontal	PASS
3	15166.00	34.30	-86.96	-52.66	-13.00	39.66	Horizontal	PASS
4	17349.50	32.50	-82.42	-49.92	-13.00	36.92	Horizontal	PASS

Project Information

Mode:	LTE	Band:	CA_66C
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1756.00	105.74	-85.02	20.72	-	-	Vertical	NA
2	2973.40	35.45	-79.91	-44.46	-13.00	31.46	Vertical	PASS
3	15071.00	33.96	-86.30	-52.34	-13.00	39.34	Vertical	PASS
4	17350.00	32.32	-82.40	-50.08	-13.00	37.08	Vertical	PASS

Project Information

Mode:	LTE	Band:	CA_5A_66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1693.80	44.77	-95.21	-50.44	-13.00	37.44	Horizontal	PASS
2	1746.20	108.05	-94.83	13.22	-	-	Horizontal	NA
3	2924.60	45.02	-90.47	-45.45	-13.00	32.45	Horizontal	PASS
4	17347.00	32.45	-82.53	-50.08	-13.00	37.08	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_5A_66A
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	35566079005120	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1694.00	53.16	-95.21	-42.05	-13.00	29.05	Vertical	PASS
2	1746.00	115.11	-94.83	20.28	-	-	Vertical	NA
3	2902.20	45.54	-90.51	-44.97	-13.00	31.97	Vertical	PASS
4	17360.50	32.95	-82.81	-49.86	-13.00	36.86	Vertical	PASS

~The End~