Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 1 of 78

TEST REPORT

Test Result :	PASS *
Date of Issue:	2023/12/15
Date of Test:	2023/11/14 to 2023/12/01
Date of Receipt:	2023/11/13
Standards:	FCC 47 CFR Part 2, Subpart J FCC 47 CFR Part 15, Subpart C
FCC ID:	2AFZZN87G
Trade Mark:	Redmi
Model No.:	23124RN87G
EUT Description:	Mobile Phone
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Applicant:	Xiaomi Communications Co., Ltd.
Application No.:	SEWM2311000456RG

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

лен

Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Tems-and-Conditions agy</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Tems-and-Conditions/Tems-e-Document.agy</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document does not exonerate parties to appearance of this document is unlawfui and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email's (AL DoccheckBass.com)

South of No. 6 Plant, No. 1, Runsheng Read, Stuchou Industrial Park, Stuchou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 2 of 78

1 Version

		Revision Record		
Version	Chapter	Date	Modifier	Remark
01		2023/12/15		Original

Prepared By	(Ives Cheng) / Test Engineer
Checked By	Stone Ju (Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Cocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction lissues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM Doccheck@s.com

Constant No. Flow Text No. Runsheing Read, Sundou Industries Henk, Starbour Alea, Chira (Alangsu) Flix Flee Trade Znne 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易試验区苏州片区苏州工业国区消胜指号的6号厂房南部 邮集: 215000 t (86-512) 62992980

www.sgsgroup.com.cn

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 3 of 78

2 Test Summary

SG

Test Item	FCC Rule No.	Test Method	Test Result	Result
Antenna Requirement	15.203/15.247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10-2013 Section 6.2	Clause 4.2	PASS
Duty cycle		ANSI C63.10-2013 Section 11.6	Clause 4.3	For Report Purpose
Conducted Output Power	15.247 (b)(3)	ANSI C63.10-2013 Section11.9.1.3	Clause 4.4	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10-2013 Section 11.8 Option 2 / 6.9.3	Clause 4.5	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10-2013 Section 11.10.2	Clause 4.6	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10-2013 Section 11.11	Clause 4.7	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10-2013 Section 11.11	Clause 4.8	PASS
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10-2013 Section 11.12	Clause 4.9	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10-2013 Section 11.12	Clause 4.10	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: Cl Doceheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: Cl Doceheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: Cl Doceheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: Cl Doceheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: Cl Doceheck the authenticity

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 4 of 78

Contents

1	Versio	η	2
2	Test S	ummary	3
3	Genera	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment	8
	3.6	Description of Support Units	8
4	Test re	esults and Measurement Data	9
	4.1	Antenna Requirement	9
	4.2	AC Power Line Conducted Emissions	10
	4.3	Duty Cycle	16
	4.4	Conducted Output Power	17
	4.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	18
	4.6	Power Spectral Density	19
	4.7	Band-edge for RF Conducted Emissions	20
	4.8	RF Conducted Spurious Emissions	21
	4.9	Radiated Spurious Emissions	22
	4.10	Restricted bands around fundamental frequency	25
5	Measu	rement Uncertainty (95% confidence levels, k=2)	27
6	Equipn	nent List	28
7	Photog	graphs - Setup Photos	30



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Cocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction lissues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM Doccheck@s.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 5 of 78

3 General Information

3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Ives Cheng, King-p Li

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: Coheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: Coheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Stuchou Industrial Park, Stuchou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 6 of 78

3.4 General Description of EUT

S

EUT Description:	Mobile Phone			
Model No.:	23124RN87G			
Trade Mark:	Redmi	Redmi		
Hardware Version:	13510C3V			
Software Version:	MIUI 14			
Power Supply:	DC 3.84V from internal adapter.	rechargeable battery which can be charged by AC/DC		
	RF Conducted	IMEI1:865408060039848 IMEI2:865408060039855		
IMEI:	RSE & AC power line	IMEI1:865408060041505 IMEI2:865408060041513		
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 M -fc = "Operating Frequer -N = "Channel Number"			
Bluetooth version:	Bluetooth V5.3			
Modulation Type:	GFSK			
Number of Channel:	40			
Detes Trines	Provided by client	Provided by client		
Rates Type*:	1M PHY 2M PHY			
Antenna Type:	PIFA Antenna	PIFA Antenna		
	-1.25dBi (Ant6)			
Antenna Gain:	Note: The antenna gain are de manufacturer.	erived from the gain information report provided by the		
RF Cable:	1.0dB			
report are only made for		provided by the client relevant results or conclusions of this tion, SGS is not responsible for the authenticity, integrity validity of the conclusion.		

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is at ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company by prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: <u>Ch.Doccheck@ass.com</u>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 卸编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 7 of 78

	Operation Frequency of each channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz

Remark:

S

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
BLE	1M:
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz
BLE	2M:
The Lowest channel(CH1)	2404MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH38)	2478MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document taspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Area, China (Jiangsai) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 8 of 78

3.5 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests		
Relative Humidity	44-46 % RH Ambient		
Value	Temperature(°C) Voltage(V)		
NTNV	22~23	3.84	
Remark: NV: Normal Voltage NT: Normal Temperature			

3.6 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleet actent of tro 30 years. Attention is to the student of to 30 agroups only. Attention is cocket the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsleng Road, Starbou industrial Plant, Suzhou Anea, Chine (Langsu) Plot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区测胜路(号約6号厂房角部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 9 of 78

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 0	CFR Part 15C Section 15.203 /247(b)
----------------------------	-------------------------------------

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is PIFA Antenna and no consideration of replacement. The best case gain of the antenna is -1.25dBi (Ant6). *

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Dness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pitot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 10 of 78

4.2 AC Power Line Conducted Emissions

SG

Test Requirement:	47 CFR Part 15C Sectio	n 15.207	
Test Method:	ANSI C63.10-2013 Section 6.2		
Test Frequency Range:	150kHz to 30MHz		
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz	
Limit:		Limit (d	BuV)
	Frequency range(MHz)	Quasi-peak	Average
	0.15-0.5	66 to 56*	56 to 46*
	0.5-5	56	46
	5-30	60	50
	* Decreases with the log	arithm of the frequency.	
Test Procedure:	 room. 2) The EUT was connect Impedance Stabilizati impedance. The pow connected to a secor plane in the same way multiple socket outlet single LISN provided 3) The tabletop EUT was ground reference plan placed on the horizor 4) The test was performed the EUT shall be 0.4 vertical ground reference reference plane. The unit under test and be mounted on top of th the closest points of and associated equip 5) In order to find the m and all of the interfate 	sturbance voltage test was contend to AC power source throw ion Network) which provides a er cables of all other units of the nd LISN 2, which was bonded ay as the LISN 1 for the unit b estrip was used to connect must the rating of the LISN was not splaced upon a non-metallicant the rating of the LISN was not splaced upon a non-metallicant the rating of the LISN was not splaced upon a non-metallicant the rating of the LISN was not splaced upon a non-metallicant the rating of the LISN was not splaced upon a non-metallicant the rating of the LISN was not splaced upon a non-metallicant the splaced upon a non-metallicant the LISN 1 and reference plane. The the LISN 1 was placed 0.8 m from the LISN 1 and the EUT. All o poment was at least 0.8 m from aximum emission, the relative ce cables must be changed a in conducted measurement.	igh a LISN 1 (Line a $50\Omega/50\mu$ H + 5Ω linear the EUT were to the ground reference eing measured. A ultiple power cables to a bet exceeded. table 0.8m above the angement, the EUT was rence plane. The rear of ference plane. The rear of ference plane. The e horizontal ground m the boundary of the plane for LISNs is distance was between other units of the EUT o the LISN 2.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only. *Aremand* (D Borchherster and O testing Inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremand*.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Dama:
 14 of 70





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the available sond. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suntou Holushia Park, Suntou Area, China (Jiangsu) Plot Free Trade Zone 215000 t (86-中国 - 苏州 - 中国 (江苏)自由贸易试验区苏州片区苏州工业园区湖胜器1号的6月7度南部 邮编: 215000 t (86-


Report No.: SEWM2311000456RG04 Rev.: 01 Page: 12 of 78

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

BLE 1M:



1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or rappearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. e: (86-755) 8307 1443

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

							Rev.: Page:	0 3L1 01 13 (of 78		
Phase:	Neut	ral					r age.	10 (5170		
	120				(ENV21	6_N+ENV216_N)					
Level(dBµV)	110 100 90 80 70 60 50 40										
	30- 20-	•1 •1	www.h.	Manu Marth Mart	·/////////////////////////////////////	AND THE AND	white and the state	unit (nindernigthin		Nata distini di kata sa	
	10 0 150k			1M	·			10	M	30	M
Data List	0 150k — QF		AV Limit — Pl AV Detector		Fre	equency[Hz]		10	M	30	M
	0 150k — QF				Pro QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdic
NO. Fre	equency	Factor	AV Detector QP Reading	k QP Value	QP Limit	QP Margin	Reading	AV Value	AV Limit	AV Margin	
NO. Fre [1 0	equency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdio
NO. Fre	equency [MHz]	Factor [dB] 11.64	AV Detector QP Reading [dBµV] 31.62	QP Value [dBμV] 43.26	QP Limit [dBµV] 61.21	QP Margin [dB] 17.95	Reading [dBµV] 13.82	AV Value [dBμV] 25.46	ΑV Limit [dBµV] 51.21	AV Margin [dB] 25.75	Verdic PASS PASS
NO. Fre 1 00 2 00 3 1	equency [MHz] 0.2670 0.5415	Factor [dB] 11.64 11.62	AV Detector QP Reading [dBµV] 31.62 26.55	 QP Value [dBμV] 43.26 38.17 	QP Limit [dBµV] 61.21 56.00	QP Margin [dB] 17.95 17.83	Reading [dBµV] 13.82 16.99	ΑV Value [dBμV] 25.46 28.61	ΑV Limit [dBμV] 51.21 46.00	AV Margin [dB] 25.75 17.39	Verdic
NO. Fre	equency [MHz] 0.2670 0.5415 1.4370	Factor [dB] 11.64 11.72	AV Detector QP Reading [dBµV] 31.62 26.55 15.20	 QP Value [dBμV] 43.26 38.17 26.92 	QP Limit [dBµV] 61.21 56.00 56.00	QP Margin [dB] 17.95 17.83 29.08	Reading [dBµV] 13.82 16.99 5.16	AV Value [dBμV] 25.46 28.61 16.88	AV Limit [dBμV] 51.21 46.00 46.00	AV Margin [dB] 25.75 17.39 29.12	Verdic PASS PASS PASS

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.rems-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industria Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

Report No.: SEWM2311000456RG04

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 14 of 78



2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[$dB\mu V$] – Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Cocomments.aspx and the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

							Rev.: Page:	01 01 15 c	of 78		
hase:	Neut	ral									
	120				(ENV21)	6_N+ENV216_N)					
[/their	40 30 -	•'	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	when when	Marine Charles						
	20 +			• • • • • • • • • • • • • • • • • • •	•		Male and a second for the second	1	•••••	And the second	
	10 0 150k			1M	Err			10	М	30	DM
Data Lis	0 150k • QP		AV Limit — P AV Detector		Fre	equency[Hz]		10	M	30	м
	0 150k • QP				Pre QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdic
	o 150k • op st Frequency	Factor	AV Detector QP Reading	K QP Value	QP Limit	QP Margin	Reading	AV Value	AV Limit	AV Margin	Verdic
NO. F	o 150k → QP st Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	κ QP Value [dBμV]	QP Limit [dBµV]	QP Margin [dB]	Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdic
NO. F	o 150k - op st Frequency [MHz] 0.2670	Factor [dB] 11.64	AV Detector QP Reading [dBµV] 31.54	K QP Value [dBμV] 43.18	QP Limit [dBµV] 61.21	QP Margin [dB] 18.03	Reading [dBµV] 13.82	AV Value [dBμV] 25.46	ΑV Limit [dBµV] 51.21	AV Margin [dB] 25.75	Verdic PASS PASS
NO. F	o 150k e Frequency [MHz] 0.2670 0.5370	Factor [dB] 11.64 11.61	AV Detector QP Reading [dBµV] 31.54 27.29	 QP Value [dBμV] 43.18 38.90 	QP Limit [dBµV] 61.21 56.00	QP Margin [dB] 18.03 17.10	Reading [dBµV] 13.82 17.85	ΑV Value [dBμV] 25.46 29.46	ΑV Limit [dBμV] 51.21 46.00	AV Margin [dB] 25.75 16.54	Verdic PASS PASS PASS
NO. F	est Frequency [MHz] 0.2670 0.5370 1.0005	Factor [dB] 11.64 11.73	AV Detector QP Reading [dBµV] 31.54 27.29 15.08	 QP Value [dBμV] 43.18 38.90 26.81 	QP Limit [dBµV] 61.21 56.00 56.00	QP Margin [dB] 18.03 17.10 29.19	Reading [dBµV] 13.82 17.85 5.38	ΑV Value [dBμV] 25.46 29.46 17.11	AV Limit [dBμV] 51.21 46.00 46.00	AV Margin [dB] 25.75 16.54 28.89	

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.rems-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Studou Industrial Park, Suchou Area, Chine (Jiangsu) Plot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000


Report No.: SEWM2311000456RG04

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 16 of 78

4.3 Duty Cycle





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleet actent of tro 30 years. Attention in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention is concerned to 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pitot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000


 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 17 of 78

4.4 Conducted Output Power

S





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleet actent of tro 30 years. Attention is to the student of to 30 agroups only. Attention is cocket the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangau) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏器1号的6号厂房南部 邮编: 215000


 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 18 of 78

4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth

S





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleet actent of tro 30 years. Attention in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention is concerned to 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pitot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 19 of 78

Test Requirement: 47 CFR Part 15C Section 15.247 (e) **Test Method:** ANSI C63.10-2013 Section 11.10.2 Test Setup: SGS Test system Vector Signal Generator \cap PC 0 munication Control Unit 0 0 0 E.U.T DC Po 00000 1 Ground Reference Plane **Test Instruments:** Refer to section 6 for details Test Mode: Transmitting with GFSK modulation. Limit: ≤8.00dBm/3kHz **Test Results:** Pass The detailed test data see: Appendix

4.6 Power Spectral Density

S



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleet actent of tro 30 years. Attention in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention is concerned to 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 20 of 78

4.7 Band-edge for RF Conducted Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be produced to the fullest extent of the law. Dhess otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 21 of 78

4.8 **RF Conducted Spurious Emissions**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be produced to the fullest extent of the law. Dhess otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01


 Page:
 22 of 78

4.9 Radiated Spurious Emissions

P							
Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10-2013 Sect	ion 11.12					
Test Site:	Measurement Distance:	3m (Semi-Anecho	ic Chamber)				
Test Frequency:	9kHz ~ 25GHz						
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)		
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300		
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30		
	1.705MHz-30MHz	30	-	-	30		
	30MHz-88MHz	100	40.0	Quasi-peak	3		
	88MHz-216MHz	150	43.5	Quasi-peak	3		
	216MHz-960MHz	200	46.0	Quasi-peak	3		
	960MHz-1GHz	500	54.0	Quasi-peak	3		
	Above 1GHz	500	54.0	Average	3		
	Remark: 15.35(b),Unles	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency					
	emissions is 20dB above	•		•			
	applicable to the equipm emission level radiated b		is peak limit	applies to the to	otal peak		

Test Setup:

SG





	Report No.: SEWM2311000456RG04 Rev.: 01 Page: 23 of 78
	Im or 3m Im or
	Figure 3. Above 1 GHz
Test Procedure:	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz). c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Test the EUT in the lowest channel, the middle channel ,the Highest channel. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	i. Repeat above procedures until all frequencies measured was complete.j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and
	the result which was 20dB lower than the limit line was not reported
	k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
	 At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.
Test Configuration:	Measurements below 30MHz
	• RBW = 10 kHz
	• VBW = 30 kHz
	Detector = Peak & Average & Quasi-peak
	Trace mode = max hold



Unless otherwise agreed in writing, this document is issued by the C	
overleaf, available on request or accessible at http://www.sgs.com/en/Te	
subject to Terms and Conditions for Electronic Documents at http://ww	
Attention is drawn to the limitation of liability, indemnification and jurise	diction issues defined therein. Any holder of this document is
advised that information contained hereon reflects the Company's findi	has at the time of its intervention only and within the limits of
Client's instructions, if any. The Company's sole responsibility is to it	s Client and this document does not exonerate parties to a
transaction from exercising all their rights and obligations under the tr	ansaction documents. This document cannot be reproduced
except in full, without prior written approval of the Company. Any una	uthorized alteration, forgery or falsification of the content or
appearance of this document is unlawful and offenders may be prosecut	
results shown in this test report refer only to the sample(s) tested and suc	h sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & co	artificate, please contact us at telephone; (86-755) 8307 1443.
or email: CN.Doccheck@sgs.com	
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 21.5	i000 t (86-512) 62992980 www.sasaroup.com.cn

soum or no. e hang, No. 1, Hunshing Hoad, Suzhou Industrial Park, Suzhou Anea, Olinie (Jangou) Piuk Feee Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州 JI 区苏州 工业团区湖胜路1号的6号厂房南部 邮编: 215000

		Report No.: Rev.: Page:	SEWM2311000456RG04 01 24 of 78
	 Measurements Below 1000MHz RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MI RBW = 1 MHz VBW ≥ 10 Hz, when duty cycle is no VBW ≥ 1/T, when duty cycle is less th transmission duration over which the transmission duration durati	less than 98 pe nan 98 percent ansmitter is on	where T is the minimum and is transmitting at its
Exploratory Test Mode:	Transmitting with GFSK modulation. Charge + Transmitting mode.		
Final Test Mode:	Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitti For below 1GHz part, through pre-scan recorded in the report.	-	out only the worst case is
Instruments Used:	Refer to section 6 for details		
Test Results:	Pass		
The detailed test data	see: Appendix		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com


Grown Christian Concentration Concentratio

Report No.: SEWM2311000456RG04 Rev.: 01 25 of 78 Page:

4.10Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 1	47 CFR Part 15C Section 15.209 and 15.205				
Test Method:	ANSI C63.10-2013 Section	11.12				
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Cham	ber)			
Limit:	Frequency	Limit (dBuV/m)	Remark			
	30MHz-88MHz	40.0	Quasi-peak			
	88MHz-216MHz	43.5	Quasi-peak			
	216MHz-960MHz	46.0	Quasi-peak			
	960MHz-1GHz	54.0	Quasi-peak			
	Above 1GHz	54.0	Average Value			
	Above IGHZ	74.0	Peak Value			

Test Setup:



	b.	For above 1GHz, the EUT was placed on the top of a rotating table 1.5
		meters above the ground at a 3 meter semi-anechoic camber. The table was
		rotated 360 degrees to determine the position of the highest radiation.
l		

- The EUT was set 3 or 10 meters away from the interference-receiving c. antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground d. to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
 - Place a marker at the end of the restricted band closest to the transmit



a

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.apx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.apx</u> and, for electronic format documents, statention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document const exoreter parties to a transaction from exercising all their rights and obligations under the transaction document. This document const he content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runshena Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000 t (86–512) 62992980 www.sgsgroup.com.cn

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000

ort No.: SEWM2311000456RG04
01
e: 26 of 78
easure any emissions in the restricted ot. Repeat for each power and nnel
ne Highest channel
rmed in X, Y, Z axis positioning for is positioning which it is worse case.
uencies measured was complete.
s than 98 percent.
98 percent where T is the minimum
mitter is on and is transmitting at its d mode of operation.
mode.
ort.



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com

of and the CHARDENT CALL STATE CONTINUE CONTINUE CONTINUE (Langeu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6日「房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 27 of 78

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±1.0 %
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±1.0 %
7	Conduction Emission	± 2.90dB (150kHz to 30MHz)
		± 3.13dB (9k -30MHz)
0	De diete d Enrie sien	± 4.8dB (30M -1GHz)
8	Radiated Emission	± 4.8dB (1GHz to 18GHz)
		± 4.80dB (Above 18GHz)

Remark:

S

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documenta at http://www.sgs.com/en/Terms-and-Conditions. A struction is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law lines otherwise stated the results shown in this test report refer only to the sample(s) are relained for 30 days only. *Aremalic Cli Doccherkomes norm of testing Impection report & certificate*, please contact us at lelephone: (86-755)8307 1443, *Aremalic Cli Doccherkomes norm of testing Impection report & certificate*, please contact us at lelephone: (86-755)8307 1443, *Aremalic Cli Doccherkomes norm of testing Impection report & certificate*, please contact us at least the same

South of No. 5 Plant, No. 1, Runsleng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jangou) Plot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由貿易试验区苏州上区苏州工业団区周囲路1号的6号厂房南部 戦場: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 28 of 78

6 Equipment List

SG

RF Test Equipment								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)			
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2023/02/06	2024/02/05			
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2023/05/11	2024/05/10			
Measurement Software	Tonscend	JS1120-3 Test System V 3.3.20	SUWI-02-09-09	NCR	NCR			
Signal Analyzer	ROHDE& SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10			
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2023/02/06	2024/02/05			
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-16-05	2023/02/06	2024/02/05			
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05			
Dowermeter	Anritsu	ML2495A		2022/11/23	2023/11/22			
Power meter			SUWI-01-31-01	2023/11/21	2024/11/20			
Pulse power	Anritsu	MA2411B	SUWI-01-32-01	2022/11/23	2023/11/22			
sensor			30001-01-32-01	2023/11/21	2024/11/20			
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2023/02/06	2024/02/05			

CE Test System							
Equipment	Manufacturer	Model No.	odel No. Inventory No. Cal Date (yyyy/mm/dd)		Cal Due Date (yyyy/mm/dd)		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07		
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. Plank, No.1, Runsheng Road, Suchou Invidualia Park, Suchou Area, China (Liangsu) Plot Free Trade Zone 215000 中国・苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润脏路(号約/6月厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 29 of 78

Faye. 29 01 70							
RSE Test System							
Equipment	Manufacturer	Model No. Inventory No.		Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)		
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2023/02/07	2024/02/06		
Signal Analyzer	ROHDE& SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07		
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	VI-01-11-01 2023/05/13			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2023/05/13	2024/05/12		
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11		
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2023/05/13	2024/05/12		
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05		
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05		
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2023/02/08	2024/02/07		
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR		



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com

of and the CHARDENT CALL STATE CONTINUE CONTINUE CONTINUE (Langeu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6日「房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 30 of 78

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of his document is unlawful and offenders may be prosecuted to the fullest extent of the law. Diness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only.

South of No. 6 Plart, No. 1, Runsheng Road, Suzhou Industrial Plark, Suzhou Area, Chine (Jaingua) Plof Fines Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由貿易试验区苏州上区苏州工业园区周囲路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980

www.sgsgroup.com.cn

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 31 of 78

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of his document is unlawful and offenders may be prosecuted to the fullest extent of the law longs otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only.

South of No. 5 Plant, No. 1, Runsleng Road, Suzhou Industrial Plant, Suzhou Area, Chine (Jangou) Plot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由貿易试验区苏州上区苏州工业団区周囲路1号的6号厂房南部 戦場: 215000 t (86-512) 62992980

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 32 of 78

DTS Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant6	2402	0.70	2401.65	2402.34	≥0.5	PASS
BLE_1M	Ant6	2440	0.69	2439.65	2440.34	≥0.5	PASS
BLE_1M	Ant6	2480	0.70	2479.65	2480.34	≥0.5	PASS
BLE_2M	Ant6	2404	1.18	2403.41	2404.59	≥0.5	PASS
BLE_2M	Ant6	2440	1.18	2439.41	2440.59	≥0.5	PASS
BLE_2M	Ant6	2478	1.19	2477.40	2478.59	≥0.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com

South of No. 6 Part, No. 1, Ransheng Road, Suchou Industrial Park, Suchou Area, Chira (Jangsu) Pilot Fiee Trade Zone 215000 t (86-512) 62992980 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜商に号的5月厂房南部 邮集: 215000 t (86-512) 62992980


www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 33 of 78




Test Graphs



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Pliot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业国区湖胜路1号的6号厂房南部 単編: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only.

South of No. 5 Plant, No. 1, Ransheng Road, Stadou Industria Park, Stadou Area, Chira (Jangsu) Pliot Fires Tade Zone 215000 t (86-512) 62992980 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业屋区消胜着1号約5号厂房南部 単編: 215000 t (86-512) 62992980

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 35 of 78

Occupied Channel Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Verdict
BLE_1M	Ant6	2402	1.036	2401.4891	2402.5248	
BLE_1M	Ant6	2440	1.035	2439.4892	2440.5246	Бал
BLE_1M	Ant6	2480	1.036	2479.4881	2480.5246	For
BLE_2M	Ant6	2404	2.946	2402.9914	2405.9377	Report Purpose
BLE_2M	Ant6	2440	2.057	2438.9881	2441.0448	Fulpose
BLE_2M	Ant6	2478	2.058	2476.9867	2479.0449	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com


South of No. 5 Part, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pikit Fiee Tade Zone 215000 t (86-512) 62992980 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜着1号的6号厂房南部 単编: 215000 t (86-512) 62992980

www.sgsgroup.com.cn

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 36 of 78




Test Graphs



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoh taves room of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoh taves room of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stanbou Inclustrial Park, Suzhou Area, Chine (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsleng Road, Starbou Industrial Plant, Suzhou Anea, Chine (Langsu) Plot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区测胜路(号約6号厂房角部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 38 of 78

Maximum conducted output power Test Result Peak

TestMode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant6	2402	2.32	≤30	PASS
BLE_1M	Ant6	2440	4.13	≤30	PASS
BLE_1M	Ant6	2480	2.87	≤30	PASS
BLE_2M	Ant6	2404	2.36	≤30	PASS
BLE_2M	Ant6	2440	4.09	≤30	PASS
BLE_2M	Ant6	2478	2.89	≤30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com

South of No. 5 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plick Free Trade Zone 215000 t (86-512) 62992980 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜着1号的6号厂房南部 邮编: 215000 t (86-512) 62992980

www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 39 of 78

Maximum power spectral density Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant6	2402	-13.59	≤8.00	PASS
BLE_1M	Ant6	2440	-10.29	≤8.00	PASS
BLE_1M	Ant6	2480	-13.05	≤8.00	PASS
BLE_2M	Ant6	2404	-15.67	≤8.00	PASS
BLE_2M	Ant6	2440	-13.84	≤8.00	PASS
BLE_2M	Ant6	2478	-15.10	≤8.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ss.com

South of No. 5 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plick Free Trade Zone 215000 t (86-512) 62992980 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜着1号的6号厂房南部 邮编: 215000 t (86-512) 62992980


www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01


 Page:
 40 of 78





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Area, Chine (Liangsu) Plot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 days only. *Aremabil* 10 Decohards of Lesting Inspection report & certificate, please contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the Sample(s) lested and such sample(s) are tables others: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Aremabil* 10 Decohards of the sample(s) lested and such sample(s) areas contact us at leiophone: (86-75) 8307 1443, *Ar*


South of No. 5 Plant, No. 1, Ransheng Road, Stadou Industria Park, Stadou Area, Chira (Jangsu) Pliot Fires Tade Zone 215000 t (86-512) 62992980 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业屋区消胜着1号約5号厂房南部 単編: 215000 t (86-512) 62992980

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 42 of 78

Band edge measurements Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.rems-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Area, Chine (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 43 of 78


Conducted Spurious Emission Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsii) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业团区润胜路1号的6月厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-a-Document.aspx</u>. Attention is days the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000


中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn

sgs.china@sgs.com

t (86-512) 62992980

t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-a-Document.aspx</u>. Attention is days that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document is a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant. No. 1. Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jianosu) Pilot Free Trade Zone 215000


中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn

sgs.china@sgs.com

t (86-512) 62992980

t (86-512) 62992980





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

Southort No. 6 Plant, No. 1, Ransheng Road, Suchou holustria Plant, Suchou Area, Chine (Liangou) Plot Free Tacke Zone 215000 t (86-512) 62 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业园区润脏商1号的6号厂房南部 邮编: 215000 t (86-512) 62

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 47 of 78

Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant6	2402	0.38	0.63	60.32	2.20
BLE_2M	Ant6	2404	0.20	0.63	31.75	4.98

Note:

Radiated Emission Average VBW = 1 / T

TestMode	T[ms]	Period[ms]	Duty Cycle[%]	1/T[kHz]	VBW Setting
BLE_1M	0.38	0.63	60.32	2.63158	2.7KHz
BLE_2M	0.20	0.63	31.75	5	5.1KHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 5 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chira (Jangsu) Pliot Free Trade Zone 215000 t (86-512) 62992980 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业园区洞脏着1号的6号厂房南部 邮集: 215000 t (86-512) 62992980


www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 48 of 78





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 5 Plant, No. 1, Ransheng Road, Stadou Industria Park, Stadou Area, Chira (Jangsu) Pliot Fires Tade Zone 215000 t (86-512) 62992980 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业屋区消胜着1号約5号厂房南部 単編: 215000 t (86-512) 62992980

www.sgsgroup.com.cn

 Report No.:
 SEWM2311000456RG04


 Rev.:
 01

 Page:
 49 of 78

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: BLE 1M_Channel 39




Data	List							
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity
1	31.2369	28.71	-34.01	18.05	12.75	40.00	27.25	Horizontal
2	58.4840	26.99	-33.88	18.87	11.98	40.00	28.02	Horizontal
3	91.2168	37.63	-33.56	14.79	18.86	43.50	24.64	Horizontal
4	119.8199	28.67	-33.34	17.30	12.63	43.50	30.87	Horizontal
5	170.7091	33.29	-32.93	17.30	17.66	43.50	25.84	Horizontal
6	207.1954	42.10	-32.65	15.57	25.02	43.50	18.48	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Data	a List							
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity
1	34.3730	31.29	-34.00	18.42	15.71	40.00	24.29	Vertical
2	37.6881	36.92	-34.00	19.16	22.08	40.00	17.92	Vertical
3	44.1718	40.78	-33.99	19.50	26.29	40.00	13.71	Vertical
4	49.1390	44.37	-33.98	19.24	29.63	40.00	10.37	Vertical
5	58.9632	39.78	-33.87	18.84	24.75	40.00	15.25	Vertical
6	90.2633	38.43	-33.57	14.71	19.57	43.50	23.93	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading(dBµV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBµV/m) – Value(dBµV/m)

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by th overleaf, available on request or accessible at <u>http://www.sgs.com/</u> subject to Terms and Conditions for Electronic Documents at <u>http:</u> Attention is drawn to the limitation of liability, indemnification and advised that information con Time thereon reflects the Company's transaction from exercising all their rights and obligations under except in full, without prior written approval of the Company. Any appearance of this document is unlawful an offenders may be pro- results shown in this test report refer only to the sample(s) tested and Attention: To check the authenticity of testing /inspection report or email: CN.Doccheck@sgs.com	n/Terms-and-Conditic //www.sgs.com/en/Ter urisdiction issues de findings at the time o to its Client and this he transaction docun unauthorized alterat ecuted to the fullest such sample(s) are r	ns.apx and, for electrr rms-and-Conditions/Te fined therein. Any hold of its intervention only a document does not s document does not not, forgery or falsific extent of the law. Unles etained for 30 days only	onic format documents, rms-e-Document.aspx. Jer of this document is and within the limits of exonerate parties to a cannot be reproduced ation of the content or as otherwise stated the y.
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone	215000	t (86-512) 62992980	www.sgsgroup.com.cn

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编:215000

sgs.china@sgs.com

t (86-512) 62992980


 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 51 of 78

Transmitter emission Above 1GHz

BLE 1M_Channel 00



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity				
1	4804	38.44	32.77	-41.49	29.72	74.00	44.28	Horizontal				
2	7206	40.70	36.25	-38.02	38.93	74.00	35.07	Horizontal				
3	9608	38.40	37.78	-33.45	42.73	74.00	31.27	Horizontal				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.ferms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indexmification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州上区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 52 of 78



BLE 1M_Channel 00

Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity				
1	4804	37.94	32.77	-41.49	29.22	74.00	44.78	Vertical				
2	7206	38.12	36.25	-38.02	36.35	74.00	37.65	Vertical				
3	9608	37.32	37.78	-33.45	41.65	74.00	32.35	Vertical				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only. *Aremand* (D Borchherkerstern) of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremand*.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Liangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区漫胜路1号的4号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 53 of 78



BLE 1M_Channel 19

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4880	39.47	32.94	-41.26	31.15	74.00	42.85	Horizontal			
2	7320	38.58	36.38	-37.47	37.50	74.00	36.50	Horizontal			
3	9760	34.96	37.83	-33.07	39.72	74.00	34.28	Horizontal			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Liangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路/号约/6月厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 54 of 78



BLE 1M_Channel 19

Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity				
1	4880	37.03	32.94	-41.26	28.71	74.00	45.29	Vertical				
2	7320	36.57	36.38	-37.47	35.49	74.00	38.51	Vertical				
3	9760	33.91	37.83	-33.07	38.67	74.00	35.33	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Liangsu) Plot Fine Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区混胜路1号的4号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 55 of 78



BLE 1M_Channel 39

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4960	37.83	33.11	-41.36	29.58	74.00	44.42	Horizontal			
2	7440	38.08	36.53	-37.85	36.76	74.00	37.24	Horizontal			
3	9920	34.67	37.88	-32.55	40.00	74.00	34.00	Horizontal			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 56 of 78



BLE 1M_Channel 39

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4960	37.25	33.11	-41.36	29.00	74.00	45.00	Vertical			
2	7440	37.36	36.53	-37.85	36.04	74.00	37.96	Vertical			
3	9920	34.87	37.88	-32.55	40.20	74.00	33.80	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Liangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区漫胜路1号的4号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 57 of 78



BLE 2M_Channel 01

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4808	38.06	32.78	-41.48	29.36	74.00	44.64	Horizontal			
2	7212	39.10	36.25	-37.98	37.38	74.00	36.62	Horizontal			
3	9616	38.85	37.78	-33.41	43.22	74.00	30.78	Horizontal			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are relained for 30 days only. *Attemption: Descharted and the Descharted and the Descharted and the Descharted and the Barcehore*. (86-75) 8307 1443, *Attemption: Descharted and the sample(s)* itested and such sample(s) theses contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号约6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 58 of 78



BLE 2M_Channel 01

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4808	37.25	32.78	-41.48	28.55	74.00	45.45	Vertical			
2	7212	38.57	36.25	-37.98	36.85	74.00	37.15	Vertical			
3	9616	37.34	37.78	-33.41	41.71	74.00	32.29	Vertical			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Liangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业国区潮胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 59 of 78



BLE 2M_Channel 19

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4880	39.61	32.94	-41.26	31.29	74.00	42.71	Horizontal			
2	7320	37.46	36.38	-37.47	36.38	74.00	37.62	Horizontal			
3	9760	34.60	37.83	-33.07	39.36	74.00	34.64	Horizontal			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏路1号约v号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 60 of 78



BLE 2M_Channel 19

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4880	37.48	32.94	-41.26	29.16	74.00	44.84	Vertical			
2	7320	37.58	36.38	-37.47	36.50	74.00	37.50	Vertical			
3	9760	34.77	37.83	-33.07	39.53	74.00	34.47	Vertical			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Liangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业国区潮胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 61 of 78



BLE 2M_Channel 38

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4956	38.04	33.10	-41.35	29.79	74.00	44.21	Horizontal			
2	7434	37.34	36.52	-37.85	36.01	74.00	37.99	Horizontal			
3	9912	34.39	37.87	-32.56	39.70	74.00	34.30	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Plant, Suchou Area, China (Liangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区调胜路1号的4号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 62 of 78



BLE 2M_Channel 38

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4956	36.91	33.10	-41.35	28.66	74.00	45.34	Vertical			
2	7434	37.05	36.52	-37.85	35.72	74.00	38.28	Vertical			
3	9912	34.56	37.87	-32.56	39.87	74.00	34.13	Vertical			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBµV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"



Unless otherwise agreed in writing, this document is issued by th overleaf, available on request or accessible at <u>http://www.sgs.com/e</u> subject to Terms and Conditions for Electronic Documents at <u>http:</u> Attention is drawn to the limitation of liability, indemnification and advised that information contained hereon reflects the Company's stransaction from essent sing all their rights and obligations under the caccept in full, without prior written approval of the Company, Any appearance of this document is unlawful and offenders may be prose results shown in this test report refer only to the sample(s) tested and Attention. To check the authenticity of testing /inspection report eremail: CM.Doccheck@sgs.com	n/Terms-and-Condition //www.sgs.com/en/Ter urisdiction issues de findings at the time o to its Client and this the transaction docun unauthorized alterat ecuted to the fullest of such sample(s) are re-	ons.aspx and, for electrr rms-and-Conditions/Ter fined therein. Any holo of its intervention only s document does not ents. This document ion, forgery or falsific extent of the law. Unles etained for 30 days only	bnic format documents, rms-e-Document.aspx. ler of this document is and within the limits of exonerate parties to a cannot be reproduced ation of the content or as otherwise stated the A
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone	215000	t (86-512) 62992980	www.sgsgroup.com.cn

Sound of No. Prant, No. 1, Kunsheng Koza, Suzhou Industria rank, Suzhou Area, Onina (Jaangsu) Hior Heel Irade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 63 of 78

Restricted bands around fundamental frequency

BLE 1M_Channel 00



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2377.665	41.18	27.13	-22.43	45.88	74.00	28.12	Horizontal			
2	2388.1625	40.46	27.15	-22.40	45.21	74.00	28.79	Horizontal			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the available sond. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Part, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润脏器1号的6号厂店南部 邮编: 215000

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 64 of 78



BLE 1M_Channel 00

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2377.47	29.33	27.13	-22.43	34.03	54.00	19.97	Horizontal			
2	2388.13	29.37	27.15	-22.40	34.12	54.00	19.88	Horizontal			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industriai Plant, Suchou Area, China (Liangou) Plot Fires Tande Zone 215000 t (86-51 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业団区润脏酸1号的5号厂房南部 戦場: 215000 t (86-51

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 65 of 78



BLE 1M_Channel 00

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2379.1925	40.47	27.13	-22.42	45.18	74.00	28.82	Vertical			
2	2387.7725	40.18	27.15	-22.40	44.93	74.00	29.07	Vertical			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industriai Plant, Suchou Area, China (Liangou) Plot Fires Tande Zone 215000 t (86-51 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业団区润脏酸1号的5号厂房南部 戦場: 215000 t (86-51

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 66 of 78



BLE 1M_Channel 00

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2381.24	29.09	27.14	-22.42	33.81	54.00	20.19	Vertical			
2	2389.95	29.55	27.16	-22.40	34.31	54.00	19.69	Vertical			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plot Free Trade Zone 215000 t (86-512 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 単编: 215000 t (86-512

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 67 of 78



BLE 1M_Channel 39

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2484.175	39.98	27.37	-22.29	45.05	74.00	28.95	Horizontal		
2	2488.81	40.93	27.38	-22.29	46.02	74.00	27.98	Horizontal		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industriai Plant, Suchou Area, China (Liangou) Plot Fires Tande Zone 215000 t (86-51 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业団区润脏酸1号的5号厂房南部 戦場: 215000 t (86-51

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 68 of 78



BLE 1M_Channel 39

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2484.16	29.21	27.37	-22.29	34.28	54.00	19.72	Horizontal		
2	2489.395	29.09	27.38	-22.29	34.18	54.00	19.82	Horizontal		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Plant, Suchou Area, Chine (Langsu) Plot Free Trade Zone 215000 tt (86-51 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润脏商(号的6号厂房南部 邮编: 215000 tt (86-51

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 69 of 78



BLE 1M_Channel 39

Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.665	40.44	27.36	-22.29	45.51	74.00	28.49	Vertical			
2	2489.005	42.12	27.38	-22.29	47.21	74.00	26.79	Vertical			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industriai Park, Suchou Area, Chine (Jangsu) Pikit Fives Trade Zone 215000 t (86-51): 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业国区润脏路1号約5号厂房南部 単編: 215000 t (86-51):

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 70 of 78



BLE 1M_Channel 39

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2483.905	29.23	27.36	-22.29	34.30	54.00	19.70	Vertical		
2	2488.72	29.37	27.38	-22.29	34.46	54.00	19.54	Vertical		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suntou Industrial Park, Suntou Area, China (Jaingsu) Plot Free Taxés Zone 215000 t (86-512) 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜器1号的6月了房南部 邮编: 215000 t (86-512)

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 71 of 78



BLE 2M_Channel 01

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2377.6	41.14	27.13	-22.43	45.84	74.00	28.16	Horizontal		
2	2389.0725	40.41	27.16	-22.40	45.17	74.00	28.83	Horizontal		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industriai Park, Suchou Area, China (Jangsu) Piki Fires Tacke Zone 215000 t (86-51: 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业国区润脏器1号的5号厂房南部 単编: 215000 t (86-51:

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 72 of 78



BLE 2M_Channel 01

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2365.3475	29.98	27.10	-22.46	34.62	54.00	19.38	Horizontal		
2	2388.52	30.03	27.15	-22.40	34.78	54.00	19.22	Horizontal		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Plant, Suchou Area, Chine (Langsu) Plot Free Trade Zone 215000 tt (86-51 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润脏商(号的6号厂房南部 邮编: 215000 tt (86-51

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 73 of 78



BLE 2M_Channel 01

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2374.155	40.29	27.12	-22.44	44.98	74.00	29.02	Vertical		
2	2389.1375	40.25	27.16	-22.40	45.01	74.00	28.99	Vertical		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Plant, Suchou Area, Chine (Liangou) Plot Free Taske Zone 215000 tt (86-51 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业型区消胜商1号的6号厂房南部 邮集: 215000 tt (86-51

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 74 of 78



BLE 2M_Channel 01

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2373.2125	30.08	27.12	-22.44	34.76	54.00	19.24	Vertical		
2	2387.48	29.95	27.15	-22.40	34.70	54.00	19.30	Vertical		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only. *Aremandi* 10 Decoher barres and the timpsection report & certificate, please contact us at telephone: (86-75) 8307 1443, *Aremandi* 10 Decoher barres for the sample(s) in the sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industriai Park, Suchou Area, China (Jangsu) Piki Fires Tacke Zone 215000 t (86-51: 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业国区润脏器1号的5号厂房南部 単编: 215000 t (86-51:

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 75 of 78



BLE 2M_Channel 38

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2487.205	40.63	27.37	-22.29	45.71	74.00	28.29	Horizontal		
2	2490.76	41.05	27.38	-22.29	46.14	74.00	27.86	Horizontal		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industriai Park, Suchou Area, China (Jangsu) Piki Fires Tacke Zone 215000 t (86-51: 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业国区润脏器1号的5号厂房南部 単编: 215000 t (86-51:

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 76 of 78



BLE 2M_Channel 38

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2484.505	30.23	27.37	-22.29	35.30	54.00	18.70	Horizontal		
2	2490.31	30.05	27.38	-22.29	35.14	54.00	18.86	Horizontal		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industriai Plant, Suchou Area, China (Liangou) Plot Fires Tande Zone 215000 t (86-51 中国 - 苏州 - 中国 (江苏) 自由現場試验区苏州片区苏州工业団区润脏酸1号的5号厂房南部 戦場: 215000 t (86-51

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 77 of 78



BLE 2M_Channel 38

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2488.57	40.73	27.37	-22.29	45.81	74.00	28.19	Vertical		
2	2493.19	41.84	27.39	-22.29	46.94	74.00	27.06	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>D otheck the authenticity of testing inspection reports & certificate</u>, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Stathou Industrial Plant, Suathou Anea, Chine (Langsu) Plot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区测胜路(号約+5厂房商都 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SEWM2311000456RG04

 Rev.:
 01

 Page:
 78 of 78



BLE 2M_Channel 38

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2484.655	30.07	27.37	-22.29	35.14	54.00	18.86	Vertical		
2	2494.78	30.37	27.39	-22.28	35.47	54.00	18.53	Vertical		

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBµV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBµV/m) – Level(dBµV/m)

2) Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---



nless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed rereaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, bject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/Term
ttention: to check the authenticity of testing /inspection report & certificate, please contact us at telephone: (80-755) 630/ 1443, email: <u>Ch.Doccheck@sgs.com</u>

South of No. 6 Plant, No. 1, Runsheng Read, Stathou Industria Park, Stathou Area, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000