Shenzhen Rinocloud Technology Co., Ltd.

Federal Communications Commission Equipment Authorization Division 7435 Oakland Mills Road Columbia, MD 21046 USA

Date: January 9, 2023

Subject; Modular Transmitter Application

Company name:

FCC ID: 2A9TO-3721B3

Dear Sir/Madam,

This letter includes the FCC application requirements for Modular Transmitter Approval Request for;-

FCC KDB 996369 D01 'Module Certification Guide v02; and FCC KDB 996369 D03 OEM Manual v01

In accordance with 47CFR 15.212 Modular Transmitters and KDB 996369 D01 'Module Equip Auth Guide v02'. FCC ID: 2A9TO-3721B3 has been examined against the following requirements.

Requirement per 15.212 and KDB 996369 D01	Explanation from Grantee		
	(do not write yes/no, but explain why product		
	complies/how it is achieved)		
The radio elements must have the radio frequency circuitry	Yes The radio have a shield (shielding cover)		
shielded. Physical components and tuning capacitor(s) may be			
located external to the shield, but must be on the module assembly.			
The module must have buffered modulation/data inputs to ensure	Yes EUT has buffered data inputs, it is integrated in chip.		
that the device will comply with Part 15 requirements with any type			
of input signal.			
The module must contain power supply regulation on the module.	Yes The module have "power supply regulation" circuitry		
The module must contain a permanently attached antenna, or	Yes This module is equipped with a permanently attached antenna. Refer to the internal photo.		
contain a unique antenna connector, and be marketed and operated			
only with specific antenna(s), per §§ 15.203, 15.204(b), 15.204(c),			
15.212(a), 2.929(b).			
The module must demonstrate compliance in a stand-alone configuration.	Yes This module was tested in a stand-alone configuration.Refer to the test setup photos		

The module must be labeled with its permanently affixed FCC ID label, or use an electronic display (see KDB Publication 784748). The module must comply with all specific rules applicable to the	Yes The module has its permanently affixed FCC ID label and the FCC ID label is shield cover.Refer to the FCC ID Label Location. Yes		
transmitter, including all the conditions provided in the integration	The module complies with all specific rules applicable to the transmitter.		
instructions by the grantee.			
The module must comply with RF exposure requirements	Yes The module complies with RF exposure requirements because it's a low power device under 15.247"		

Integration Instructions for host product manufacturers

The following items are submitted in support of application for Modular Transmitter FCC ID as noted above as required by the FCC KDB 996369 D03 OEM Manual v01.

These items are provided as integration instructions for host product manufacturers (e.g., OEM instruction manual) to use when integrating a module in a host product.

Any requirements that are not applicable to the Module are as indicated below.

Summary of requirements and Checklist. Refer to the KDB for description of the complete requirements;

KDB	Requirements of KDB 996369 D03	User Manual Page		
Ref		Number reference		
Sect				
2.2	List of applicable FCC rules	Please refer to Page 12		
2.3	Summarize the specific operational use conditions	Please refer to Page 12		
2.4	Limited module procedures	Please refer to Page 12		
2.5	Trace antenna designs	Please refer to Page 12		
2.6	RF exposure considerations	Please refer to Page 12		
2.7	Antennas	Please refer to Page 12		
2.8	Label and compliance information	Please refer to Page 12		
2.9	Information on test modes and additional testing	Please refer to Page 12		
	requirements			
2.10	Additional testing, Part 15 Subpart B disclaimer	Please refer to Page		
		12,13		

Name: quan Li Date: January 9, 2023

Title:Manager

Signature of applicant: quan λ i