

TELIT COMMUNICATIONS S.p.A.

Via Stazione Di Prosecco 5/B, Trieste 34010, Italy

Tel: 39 040 4192111 ; Fax: 39 040 251257

Date: July 6, 2017

Federal Communications Commission

Office of Engineering and Technology Laboratory Division

7435 Oakland Mills Rd

Columbia MD 21046-1609


SUBJECT: FCC Application for FCC ID: **RI7LM940**

To Whom It May Concern:

We hereby attest that, LTE release 11 limitations and support restrictions of FCC ID: **RI7LM940** are:

- a) LTE Rel.11 Cat 11 FDD/ WCDMA Rel.9/ HSDPA Cat 24/HSUPA Cat 8
- b) Only Downlink CA is supported. Uplink CA is NOT supported.
 - Inter-Band and Intra-Band CA are supported.
 - Support 3DLCA
 - Support CA Bandwidth Class CA_2A-4A, CA_2A-5A, CA_2A-12A, CA_2A-13A, CA_2A-29A, CA_2A-30A, CA_2A-66A, CA_4A-5A, CA_4A-7A, CA_4A-12A, CA_4A-13A, CA_4A-29A, CA_4A-30A, CA_5A-66A, CA_7A-20A, CA_12A-30A, CA_12A-66A, CA_13A-66A, CA_25A-26A, CA_25A-41A, CA_26A-41A, CA_30A-29A, CA_2A-2A, CA_4A-4A, CA_66A-66A, CA_7C, CA_12B, CA_41C, CA_66C, CA_2A-2A-5A, CA_2A-2A-12A, CA_2A-2A-13A, CA_2A-66C, CA_2A-4A-5A, CA_2A-4A-12A, CA_2A-4A-13A, CA_2A-4A-29A, CA_2A-5A-30A, CA_2A-5A-66A, CA_2A-12A-30A, CA_2A-13A-66A, CA_2A-29A-30A, CA_4A-4A-5A, CA_4A-4A-7A, CA_4A-4A-12A, CA_4A-4A-13A, CA_4A-5A-30A, CA_4A-12B, CA_4A-12A-30A, CA_4A-29A-30A, CA_5A-66A-66A, CA_5A-66C, CA_7B-28A, CA_12A-66A-66A, CA_412A-66C, CA_13A-66A-66A, CA_13A-66C, CA_66A-66C
 - LTE B29 is only Scell.
 - Max aggregate bandwidth supported is 60 MHz.
- c) Uplink Tx power would not be different w/ or w/o CA.
- d) Enhanced SC-FDMA is not supported.
- e) LTE uplink MIMO and other transmit diversity is not supported
- f) UE category is Rel. 11, DL Category 11/UL Category 5.
- g) SAR relates to final implementation assuming there can be a proximity to body.
- h) In this case, worst Tx scenarios are needed with all CAs possibilities, and Tx configuration, if MIMO, etc... with TX backoff according to LTE Rel.11
- i) SVLTE is not supported

Sincerely yours,



Ken Bednasz

Ken.Bednasz@telit.com