

Report No.: SEWM2304000133RG01

Rev.: 01 Page: 1 of 8

Appendix B.4

LTE Band 5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and. for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-an-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are reflected for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 • 苏州 • 中国(江苏)自由贸易试验区苏州上亚国区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 2 of 8

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	ERP(dBm)	Limit(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	23.56	24.09	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.58	24.11	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.56	24.09	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.63	23.16	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.66	24.19	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.76	24.29	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.65	24.18	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.80	23.33	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.71	24.24	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.73	24.26	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.69	24.22	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.78	23.31	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.85	23.38	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.91	23.44	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.85	23.38	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.72	22.25	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.97	23.50	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	23.01	23.54	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	23.02	23.55	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.90	22.43	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	22.94	23.47	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.97	23.50	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.95	23.48	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.86	22.39	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.61	24.14	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#8	23.57	24.10	38.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, And for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Additional that information is a subject of the service of the

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 3 of 8

					Page:	3 01	0	
Band5	3MHz	QPSK	20415	1RB#14	23.63	24.16	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.73	23.26	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.77	24.30	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#8	23.77	24.30	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.73	24.26	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.85	23.38	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#0	23.77	24.30	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#8	23.72	24.25	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	23.69	24.22	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.90	23.43	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.92	23.45	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.97	23.50	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.91	23.44	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.73	22.26	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	23.08	23.61	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#8	23.12	23.65	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	23.08	23.61	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.91	22.44	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	22.98	23.51	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#8	23.02	23.55	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	22.91	23.44	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.90	22.43	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.63	24.16	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.62	24.15	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.75	24.28	38.45	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.82	23.35	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.76	24.29	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.77	24.30	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.68	24.21	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.85	23.38	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.82	24.35	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.83	24.36	38.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, And for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Additional that information is a subject of the service of the

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pikot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2304000133RG01

Rev.: 01 4 of 8 Page:

					raye.	4 01	U .	
Band5	5MHz	QPSK	20625	1RB#24	23.71	24.24	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.90	23.43	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.92	23.45	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	23.00	23.53	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.98	23.51	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.83	22.36	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	23.11	23.64	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	23.11	23.64	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.97	23.50	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.84	22.37	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#0	23.13	23.66	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.99	23.52	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.87	23.40	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.92	22.45	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.63	24.16	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.77	24.30	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.79	24.32	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.81	23.34	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.72	24.25	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.79	24.32	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.72	24.25	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.90	23.43	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.75	24.28	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.86	24.39	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.72	24.25	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.86	23.39	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.91	23.44	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	23.09	23.62	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.99	23.52	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.84	22.37	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	23.03	23.56	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	23.02	23.55	38.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, And for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Additional that information is a subject of the service of the

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 5 of 8

Band5	10MHz	16QAM	20525	1RB#49	22.97	23.50	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.88	22.41	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	23.05	23.58	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	23.15	23.68	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.90	23.43	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.86	22.39	38.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CVP. Doccheck@ess.com.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 6 of 8

Field Strength of Spurious Radiation

Test Band = LTE_5 _10MHz_TM1
Test Channel = LCH

Final I	Final Data List												
NO	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	Λ mala [°]	Delevity			
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	Angle[°]	Polarity			
1	1169.5212	54.07	-53.41	25.78	-68.82	-13.00	55.82	223	146	Horizontal			
2	1649.0811	72.88	-52.88	25.90	-49.36	-13.00	36.36	325	193	Horizontal			
3	2193.8992	52.95	-51.96	27.66	-66.61	-13.00	53.61	214	124	Horizontal			
4	3115.1558	53.12	-50.35	30.16	-62.33	-13.00	49.33	178	146	Horizontal			
5	6510.3255	50.05	-44.27	35.12	-54.36	-13.00	41.36	226	225	Horizontal			
6	9613.9307	47.21	-41.10	39.09	-50.06	-13.00	37.06	219	240	Horizontal			

Final [Final Data List												
NO.	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	Anglo[°]	Polarity			
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	Angle[°]	Polarity			
1	1357.7947	53.44	-53.71	25.88	-69.65	-13.00	56.65	336	158	Vertical			
2	1649.0811	70.18	-52.88	25.90	-52.06	-13.00	39.06	345	241	Vertical			
3	2442.1803	53.68	-51.38	27.88	-65.08	-13.00	52.08	241	295	Vertical			
4	3122.1561	53.59	-50.24	30.19	-61.72	-13.00	48.72	178	261	Vertical			
5	5727.3364	51.04	-45.40	33.72	-55.90	-13.00	42.90	220	39	Vertical			
6	9022.4011	48.16	-41.75	38.76	-50.09	-13.00	37.09	166	320	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection reports & extificate please contact us at telephone; (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pikot Fee Trade Zone 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2304000133RG01

Rev.: 01 7 of 8 Page:

Test Band = LTE_5 _10MHz_TM1 **Test Channel = MCH**

Final [Final Data List											
NO	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	A I . F07	Delegite		
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	Angle[°]	Polarity		
1	1169.5212	53.84	-53.41	25.78	-69.05	-13.00	56.05	255	340	Horizontal		
2	1664.083	70.10	-52.81	25.87	-52.10	-13.00	39.10	263	220	Horizontal		
3	3171.8586	52.66	-50.17	30.34	-62.43	-13.00	49.43	254	0	Horizontal		
4	4446.6223	51.67	-48.19	31.92	-59.86	-13.00	46.86	148	300	Horizontal		
5	6747.2874	49.94	-44.11	36.18	-53.25	-13.00	40.25	226	152	Horizontal		
6	9044.8022	48.34	-41.85	38.71	-50.06	-13.00	37.06	326	117	Horizontal		

Final [Final Data List												
NO.	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	Angle[°]	Polarity			
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	Angle[]	1 Olarity			
1	1664.083	68.98	-52.81	25.87	-53.22	-13.00	40.22	287	221	Vertical			
2	2523.9405	52.81	-51.06	28.14	-65.37	-13.00	52.37	145	51	Vertical			
3	3928.9464	52.00	-49.07	30.77	-61.56	-13.00	48.56	226	43	Vertical			
4	5697.2349	50.85	-44.75	33.49	-55.67	-13.00	42.67	325	291	Vertical			
5	7484.7742	49.78	-43.28	36.63	-52.13	-13.00	39.13	144	237	Vertical			
6	9931.3966	47.47	-41.18	38.91	-50.06	-13.00	37.06	129	300	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions [Terms-and-Conditions [Terms-and-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2304000133RG01

Rev.: 01 Page: 8 of 8

Test Band = LTE_5 _10MHz_TM1 Test Channel = HCH

Final [Final Data List												
NO	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	A L . F93	Delegio			
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	Angle[°]	Polarity			
1	1679.0849	69.57	-52.74	25.84	-52.59	-13.00	39.59	179	205	Horizontal			
2	2203.9005	52.82	-51.94	27.68	-66.70	-13.00	53.70	254	230	Horizontal			
3	3000	51.39	-50.37	29.80	-64.44	-13.00	50.74	145	142	Horizontal			
4	4234.5117	51.80	-48.51	31.91	-60.06	-13.00	47.06	226	280	Horizontal			
5	7497.0249	49.71	-43.19	36.61	-52.13	-13.00	39.13	321	251	Horizontal			
6	9023.1012	48.46	-41.75	38.75	-49.80	-13.00	36.80	102	167	Horizontal			

Final [Final Data List												
NO	Freq.	Reading	Factor	AF	Level	Limit	Margin	Height	A I . F93	D. L. off.			
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	Angle[°]	Polarity			
1	1679.3349	66.28	-52.74	25.84	-55.88	-13.00	42.88	258	240	Vertical			
2	2526.9409	52.59	-51.04	28.16	-65.55	-13.00	52.55	263	337	Vertical			
3	3543.5772	52.64	-49.62	30.06	-62.18	-13.00	49.18	388	330	Vertical			
4	5127.0564	50.82	-47.11	33.55	-58.00	-13.00	45.00	196	202	Vertical			
5	7874.6937	49.26	-43.37	37.25	-52.12	-13.00	39.12	322	349	Vertical			
6	9014.0007	48.04	-41.71	38.77	-50.16	-13.00	37.16	321	34	Vertical			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com