

4

REV.	DATE	REVISION ORIGINOR	SIGN	ISSUED
(A)				
(B)				

CREALITY

深圳市创想三维科技股份有限公司

Shenzhen Crealty 3D Technology Co., Ltd.

产品型号 Model Number	Sermoon V1 Pro	额定功率 Rated Power	150W
产品名称 Product Name	3D打印机 3D Printer	额定电流 Rated Current	2.8/1.6A
设备尺寸 Machine Size	400*380*430mm	额定电压 Rated Voltage	100~120Vac 200~240Vac 50/60Hz
设备重量 Equipment Weight	11.5Kg	CCC ID: 2AXH5-SERM00NV1 IC: 27656-SERM00NV1	

深圳市龙华区民治街道新生社区梅龙大道锦绣鸿都大厦19F
 Add: 19F JinXiuHongDu Building, Meilong Blvd., Lenghua Dist.,
 Shenzhen, China 518131 www.cxs3d.com www.crealty.com






























1.材质:
2.公差范围:±0.8mm
3.表面无脏污,无破损,无毛边,字迹清晰
4.备注:需符合ROHS最新法规要求

APPROVALS:		DATE:		CREALITY 深圳市创想三维科技股份有限公司 SHENZHEN CREALITY 3D TECHNOLOGY CO.,LTD.					
DRAWN:									
CHECKED:									
ISSUED:									
				PART NAME:		MATERIAL:			
				Sermoon V1参数标签					
General Tolerance Reference: (L/W)±0.8mm				DRAWING NO: Sermoon V1-TZ-001		SIZE: A4	SCALE: 1:1	REV: A	
						UNIT: mm		SHEET 1 OF 1	

1

2

3

4

物料编码 3401020749

REV.	DATE	REVISION ORIGINOR	SIGN	ISSUED
A				
B				

75X45mm
强粘合成纸PET过哑膜
黑底白字

CREALITY 深圳市创想三维科技股份有限公司
Shenzhen Creativity 3D Technology Co.,Ltd.

产品型号 Model Number	Sermoon V1	额定功率 Rated Power	150W
产品名称 Product Name	3D打印机 3D Printer	额定电流 Rated Current	2.8/1.6A
设备尺寸 Machine Size	400*380*430mm	额定电压 Rated Voltage	100-120Vac 50/60Hz 200-240Vac
设备重量 Equipment Weight	11.5KG	FCC ID: 2AXH6SERMOONV1 IC: 27666-SERMOONV1	

深圳市龙华区民治街道新牛社区梅龙大道锦绣鸿都大厦18F
Add:18F JinXiuHongDu Building, Meilong Blvd., Longhua Dist.,
Shenzhen, China 518131 www.cxsw3d.com www.creativity.com

FC

CE

UK

ETL

US

Intertek

5021078

Scan To Learn More

扫码了解更多

R 210-170942

PS

E

RGHS

CONFIRMED TO CAN 510 CUL PROPOSE-1

APPROVALS:	DATE:	CREALITY 深圳市创想三维科技股份有限公司 SHENZHEN CREALITY 3D TECHNOLOGY CO.,LTD.			
DRAWN:					
CHECKED:		PART NAME:	MATERIAL:		
ISSUED:		Sermoon V1参数标签			
General Tolerance Reference : (L/W) ± 0.8mm		DRAWING NO:	SIZE:	SCALE:	REV:
		Sermoon V1-TZ-001	A4	1:1	A
		UNIT: mm		SHEET 1 OF 1	

- 技术要求:
- 1.材质:
 - 2.公差范围:±0.8mm
 - 3.表面无脏污,无破损,无毛边,字迹清晰
 - 4.备注:需符合ROHS最新法规要求



Label Location