

Test Logs

FCC ID: P27-SCE4255W

Test Model: SCE4255W

Received Date: Dec. 02, 2019

Test Date: Mar. 03, 2020 ~ Jun. 24, 2020

Issued Date: Jul. 01, 2020

Applicant: Sercomm Corp.

Address: 8F, No. 3-1, YuanQu St. , NanKang , Taipei 115 , Taiwan , R.O.C. (NanKang Software Park)

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Test Location: No. 19, Hwa Ya 2nd Rd., Wen Hwa Vil., Kwei Shan Dist., Taoyuan City
33383, Taiwan

**FCC Registration/
Designation Number:** 788550 / TW0003

Table of Contents

1	CBSD Registration Process.....	3
1.1	WINNF.FT.C.REG.1	3
1.2	WINNF.FT.C.REG.3	5
1.3	WINNF.FT.C.REG.5	7
1.4	WINNF.FT.C.REG.8	9
1.5	WINNF.FT.C.REG.10	11
1.6	WINNF.FT.C.REG.12	13
1.7	WINNF.FT.C.REG.14	15
1.8	WINNF.FT.C.REG.16	17
1.9	WINNF.FT.C.REG.18	19
1.10	WINNF.FT.C.REG.20	21
2	CBSD Spectrum Grant Process	31
2.1	WINNF.FT.C.GRA.1	31
2.2	WINNF.FT.C.GRA.2	34
3	CBSD Heart Beat Process.....	37
3.1	WINNF.FT.C.HBT.1	37
3.2	WINNF.FT.C.HBT.3	43
3.3	WINNF.FT.C.HBT.4	48
3.4	WINNF.FT.C.HBT.5	54
3.5	WINNF.FT.C.HBT.6	58
3.6	WINNF.FT.C.HBT.7	63
3.7	WINNF.FT.C.HBT.9	68
3.8	WINNF.FT.C.HBT.10	72
4	CBSD Measurement Report.....	77
4.1	WINNF.FT.C.MES.1	77
5	CBSD Relinquishment Process.....	83
5.1	WINNF.FT.C.RLQ.1	83
6	CBSD Deregistration Process	87
6.1	WINNF.FT.C.DRG.1	87
7	CBSD Security Validation	92
7.1	WINNF.FT.C.SCS.1	92
7.2	WINNF.FT.C.SCS.2	94
7.3	WINNF.FT.C.SCS.3	94
7.4	WINNF.FT.C.SCS.4	94
7.5	WINNF.FT.C.SCS.5	94
8	CBSD RF POWER MEASUREMENT	95
8.1	WINNF.PT.C.HBT.1(Max Eirp = -23 dBm/MHz).....	95
8.2	WINNF.PT.C.HBT.1(Max Eirp = -2 dBm/MHz).....	99
8.3	WINNF.PT.C.HBT.1(Max Eirp = 20 dBm/MHz).....	103


```

        "longitude": -105.024094,
        "antennaGain": 3,
        "indoorDeployment": false,
        "latitude": 31.30201,
        "horizontalAccuracy": 3,
        "antennaDowntilt": 0,
        "antennaBeamwidth": 360,
        "height": 18,
        "verticalAccuracy": 3
    },
    "professionalInstallerData": {
        "cpiName": "",
        "installCertificationTime": "2020-03-16T14:22:51.113000Z",
        "cpild": ""
    },
    "fcclId": "femto.i",
    "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:22:08.072Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:22:08.072Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:22:08.072Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:22:08.072Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-23T09:22:09.822Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:22:09.822Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:22:16.384Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:22:16.618Z - INFO - The final result of the test : WINNF.FT.C.REG.1 is - passed

```

1.2 WINNF.FT.C.REG.3

2020-06-23T09:25:08.427Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:25:08.427Z - INFO - the selected test from the user : WINNF.FT.C.REG.3 is starting now

2020-06-23T09:25:11.818Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "FFS"
    },
    "callSign": "",
    "cbsdCategory": "A",
    "cbsdSerialNumber": "1912CW53000016",
    "fccId": "femto.i",
    "groupingParam": [
      {
        "groupId": "SERCOMM_111",
        "groupType": "INTERFERENCE_COORDINATION"
      }
    ],
    "installationParam": {
      "antennaAzimuth": 0,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 6,
      "antennaModel": "",
      "eirpCapability": 30,
      "height": 18.0,
      "heightType": "AMSL",
      "horizontalAccuracy": 3,
      "indoorDeployment": false,
      "latitude": 31.30201,
      "longitude": -105.024094,
      "verticalAccuracy": 3
    },
    "measCapability": [
      "RECEIVED_POWER_WITHOUT_GRANT"
    ],
    "userId": "XywyE9"
  }
]
```

2020-06-23T09:25:11.834Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "femto.iMock-SAS1912CW53000016",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-06-23T09:25:13.490Z - INFO - arrived to nstep starting question answer session with the technician
 2020-06-23T09:25:13.490Z - INFO - the question is : Were there RF transmissions from the CBSD1 during the test? please choose one of the answers :

2020-06-23T09:25:16.036Z - INFO - for the question : Were there RF transmissions from the CBSD1 during the test? , the user choose n

2020-06-23T09:25:16.365Z - INFO - The final result of the test : WINNF.FT.C.REG.3 is – passed

1.3 WINNF.FT.C.REG.5

2020-06-23T09:22:58.276Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:22:58.292Z - INFO - the selected test from the user : WINNF.FT.C.REG.5 is starting now

2020-06-23T09:23:57.903Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtnX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUiOiJBTvNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgsInZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGUiOi0xMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGUiOiJmSlmWbWJmMjAxZSwiZmNjSWQiOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoiliwiaW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQiOi0xMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF0Y
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-23T09:23:57.918Z - INFO - Registration message contains cpiSignatureData

2020-06-23T09:23:57.918Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-23T09:23:57.918Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclid": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:23:57.982Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:23:57.982Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:23:57.982Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:23:57.982Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-23T09:23:59.888Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:23:59.888Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:24:02.184Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:24:02.529Z - INFO - The final result of the test : WINNF.FT.C.REG.5 is - passed

```

1.4 WINNF.FT.C.REG.8

2020-06-23T09:25:52.119Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:25:52.119Z - INFO - the selected test from the user : WINNF.FT.C.REG.8 is starting now

2020-06-23T09:25:56.605Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtmX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcslmhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYUdhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGUlOi0xMDUuMDI0MDk0LCJpbmRvb3JlZXBsb3ltZW50ljpYXWxzZSwibGF
0aXR1ZGUlOiJmSlmMjAxZSwiZmNjSWQlOiJmZW10by5pliwiHJvZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiawW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjoilMjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQlOi0xMDUuMDI0MDk0LCJpbmRvb3JlZXBsb3ltZW50ljpYXWxzZSwibGF0Y
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-23T09:25:56.619Z - INFO - Registration message contains cpiSignatureData

2020-06-23T09:25:56.619Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-23T09:25:56.619Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

        "latitude": 31.30201,
        "horizontalAccuracy": 3,
        "antennaDowntilt": 0,
        "antennaBeamwidth": 360,
        "height": 18,
        "verticalAccuracy": 3
    },
    "professionalInstallerData": {
        "cpiName": "",
        "installCertificationTime": "2020-03-16T14:22:51.113000Z",
        "cpild": ""
    },
    "fcclId": "femto.i",
    "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:25:56.683Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:25:56.683Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:25:56.697Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:25:56.697Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "response": {
                "responseCode": 102
            }
        }
    ]
}
2020-06-23T09:25:58.183Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:25:58.183Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:26:06.246Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:26:06.573Z - INFO - The final result of the test : WINNF.FT.C.REG.8 is - passed

```



```

    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:26:22.776Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:26:22.776Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:26:22.776Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:26:22.776Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 200
      }
    }
  ]
}
2020-06-23T09:26:23.994Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:26:23.994Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:26:26.010Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:26:26.338Z - INFO - The final result of the test : WINNF.FT.C.REG.10 is - passed

```

1.6 WINNF.FT.C.REG.12

2020-06-23T09:26:41.642Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:26:41.642Z - INFO - the selected test from the user : WINNF.FT.C.REG.12 is starting now

2020-06-23T09:26:44.576Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtmX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcslmhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGU0MDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGU0MjMwMjAxSwiZmNjSWQiOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiawW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjoilMjAyMC0wMy0xNIQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQiOiJmSlmFudGVubmF5bW0tMTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-23T09:26:44.608Z - INFO - Registration message contains cpiSignatureData

2020-06-23T09:26:44.608Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-23T09:26:44.608Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:26:44.661Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:26:44.661Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:26:44.661Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:26:44.661Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 103
      }
    }
  ]
}
}
2020-06-23T09:26:45.691Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:26:45.691Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:26:47.441Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:26:47.816Z - INFO - The final result of the test : WINNF.FT.C.REG.12 is - passed

```

1.7 WINNF.FT.C.REG.14

2020-06-23T09:27:11.868Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:27:11.868Z - INFO - the selected test from the user : WINNF.FT.C.REG.14 is starting now

2020-06-23T09:27:15.648Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtmX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcslmhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGU0MDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGU0MjMwMjAxSwiZmNjSWQ0iOiJmZW10by5pliwiHjVZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoiliwiaW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNIQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQ0iOiJmSlmFudGVubmF5bW0tMTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-23T09:27:15.680Z - INFO - Registration message contains cpiSignatureData

2020-06-23T09:27:15.680Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-23T09:27:15.680Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fccId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:27:15.743Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:27:15.743Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:27:15.743Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:27:15.743Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 101
      }
    }
  ]
}
}
2020-06-23T09:27:16.900Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:27:16.900Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:27:19.354Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:27:19.651Z - INFO - The final result of the test : WINNF.FT.C.REG.14 is - passed

```

1.8 WINNF.FT.C.REG.16

2020-06-23T09:27:43.716Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:27:43.716Z - INFO - the selected test from the user : WINNF.FT.C.REG.16 is starting now

2020-06-23T09:27:47.654Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtmX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYUdhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgsInZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGU0MDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGU0MjMwMjAxSwiZmNjSWQ0iOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiawW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQ0iOiJmSlmFudGVubmF0MTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-23T09:27:47.670Z - INFO - Registration message contains cpiSignatureData

2020-06-23T09:27:47.670Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-23T09:27:47.670Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:27:47.733Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:27:47.733Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:27:47.733Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:27:47.747Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 100
      }
    }
  ]
}
}
2020-06-23T09:27:48.763Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:27:48.763Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:27:50.999Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:27:51.374Z - INFO - The final result of the test : WINNF.FT.C.REG.16 is - passed

```

1.9 WINNF.FT.C.REG.18

2020-06-23T09:28:06.046Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:28:06.046Z - INFO - the selected test from the user : WINNF.FT.C.REG.18 is starting now

2020-06-23T09:28:09.812Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtmX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgsInZlcnRpY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGU0xMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGU0iMxLjMwMjAxSwiZmNjSWQ0iOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiawW5zdGFsbENlcnRpZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQ0iOifSwiY2JzZFNlcmIhbE51bWJlcil6IiNlcmNvbW0tMTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-23T09:28:09.842Z - INFO - Registration message contains cpiSignatureData

2020-06-23T09:28:09.842Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-23T09:28:09.842Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fccId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:28:09.905Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:28:09.905Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:28:09.905Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:28:09.905Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 201
      }
    }
  ]
}
2020-06-23T09:28:11.124Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:28:11.124Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:28:14.092Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:28:14.515Z - INFO - The final result of the test : WINNF.FT.C.REG.18 is - passed

```

1.10 WINNF.FT.C.REG.20

2020-06-23T09:33:02.845Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:33:02.845Z - INFO - the selected test from the user : WINNF.FT.C.REG.20_1 is starting now

2020-06-23T09:33:09.188Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtnX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGUioiOxMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGUioiMxLjMwMjAxSwiZmNjSWQiOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoiliwiaW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQiOiIifSwiY2JzZFNlcmllbE51bWJlcil6IiNlcmNvbW0tMTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-23T09:33:09.203Z - INFO - Registration message contains cpiSignatureData

2020-06-23T09:33:09.203Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-23T09:33:09.203Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

        "latitude": 31.30201,
        "horizontalAccuracy": 3,
        "antennaDowntilt": 0,
        "antennaBeamwidth": 360,
        "height": 18,
        "verticalAccuracy": 3
    },
    "professionalInstallerData": {
        "cpiName": "",
        "installCertificationTime": "2020-03-16T14:22:51.113000Z",
        "cpild": ""
    },
    "fcclId": "femto.i",
    "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:33:09.266Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:33:09.266Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:33:09.282Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:33:09.282Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-23T09:33:09.361Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            ]
        }
    ]
}
2020-06-23T09:33:09.361Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3635000000,
                        "lowFrequency": 3615000000
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```

    }
  ]
}
2020-06-23T09:33:09.391Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
2020-06-23T09:33:09.391Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",
      "grantExpireTime": "2020-06-30T09:33:09Z",
      "grantId": "342333200",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-23T09:33:09.470Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "342333200",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
2020-06-23T09:33:09.470Z - INFO - grantRenew received in HBT request message
2020-06-23T09:33:09.470Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-06-30T09:33:09Z",
      "grantId": "342333200",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-23T09:36:29Z"
    }
  ]
}
2020-06-23T09:34:09.582Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```

```

        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "342333200",
        "grantRenew": false,
        "operationState": "AUTHORIZED"
    }
]
}
2020-06-23T09:34:09.582Z - INFO - Time interval between two heartbeat request messages is: 60.112, limit
is: 65.0
2020-06-23T09:34:09.582Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "342333200",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-23T09:37:29Z"
        }
    ]
}
2020-06-23T09:34:14.424Z - INFO - relinquishment request from CBRS : {
    "relinquishmentRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "342333200"
        }
    ]
}
2020-06-23T09:34:14.424Z - INFO - engine sent successfully, the response to CBRS : {
    "relinquishmentResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "342333200",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-23T09:34:14.612Z - INFO - deregistration request from CBRS : {
    "deregistrationRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016"
        }
    ]
}
2020-06-23T09:34:14.628Z - INFO - engine sent successfully, the response to CBRS : {
    "deregistrationResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-23T09:34:16.503Z - INFO - arrived to nstep starting question answer session with the technician

```

2020-06-23T09:34:16.503Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of Relinquishment request (if sent) or Deregistration request at Test Harness? please choose one of the answers :

2020-06-23T09:34:18.971Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of Relinquishment request (if sent) or Deregistration request at Test Harness? , the user choose y

2020-06-23T09:34:19.269Z - INFO - The final result of the test : WINNF.FT.C.REG.20_1 is - passed

2020-06-23T09:40:42.062Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:40:42.078Z - INFO - the selected test from the user : WINNF.FT.C.REG.20_2 is starting now

2020-06-23T09:40:48.219Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtmX7sH0b_
GegIcdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUiOiJBTvNMIiw
iYW50ZW5uYUdhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0IjowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGUiOi0xMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50IjpmYWxzZSwibGF
0aXR1ZGUiOiJmSlmMjAxfSwiZmNjSWQlOiJmZW10by5pliwiHJvZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiaw5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjoilMjAyMC0wMy0xNIQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQlOi0ifSwiY2JzZFNlcmhE51bWJlci0lImlcmNvbW0tMTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

```

2020-06-23T09:40:48.250Z - INFO - Registration message contains cpiSignatureData
2020-06-23T09:40:48.250Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}
2020-06-23T09:40:48.250Z - INFO - encodedCpiSignedData contents = {
  "installationParam": {
    "eirpCapability": 27,
    "antennaAzimuth": 0,
    "heightType": "AMSL",
    "longitude": -105.024094,
    "antennaGain": 3,
    "indoorDeployment": false,
    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclid": "femto.i",
  "cbstdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:40:48.312Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:40:48.312Z - INFO - cbstdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:40:48.312Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:40:48.312Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbstdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-23T09:40:48.375Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbstdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ]
    }
  ]
}
2020-06-23T09:40:48.391Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {

```

```

        "highFrequency": 3635000000,
        "lowFrequency": 3615000000
    },
    "ruleApplied": "FCC_PART_96"
}
],
"cbstdId": "femto.iMock-SAS1912CW53000016",
"response": {
    "responseCode": 0
}
}
]
}
2020-06-23T09:40:48.437Z - INFO - grant request from CBRS : {
    "grantRequest": [
        {
            "cbstdId": "femto.iMock-SAS1912CW53000016",
            "operationParam": {
                "maxEirp": 20,
                "operationFrequencyRange": {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            }
        }
    ]
}
}
2020-06-23T09:40:48.437Z - INFO - engine sent successfully, the response to CBRS : {
    "grantResponse": [
        {
            "cbstdId": "femto.iMock-SAS1912CW53000016",
            "channelType": "GAA",
            "grantExpireTime": "2020-06-30T09:40:48Z",
            "grantId": "804041339",
            "heartbeatInterval": 60,
            "response": {
                "responseCode": 0
            }
        }
    ]
}
}
2020-06-23T09:40:48.530Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbstdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "804041339",
            "grantRenew": true,
            "operationState": "GRANTED"
        }
    ]
}
}
2020-06-23T09:40:48.546Z - INFO - grantRenew received in HBT request message
2020-06-23T09:40:48.546Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbstdId": "femto.iMock-SAS1912CW53000016",
            "grantExpireTime": "2020-06-30T09:40:48Z",
            "grantId": "804041339",

```

```

    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-06-23T09:44:08Z"
  }
]
}
2020-06-23T09:41:48.654Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "804041339",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-23T09:41:48.654Z - INFO - Time interval between two heartbeat request messages is: 60.124, limit
is: 65.0
2020-06-23T09:41:48.671Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "804041339",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-23T09:45:08Z"
    }
  ]
}
2020-06-23T09:42:48.783Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "804041339",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-23T09:42:48.783Z - INFO - Time interval between two heartbeat request messages is: 60.129, limit
is: 65.0
2020-06-23T09:42:48.783Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "804041339",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-23T09:46:08Z"
    }
  ]
}
2020-06-23T09:43:48.898Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```

```

        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "804041339",
        "grantRenew": false,
        "operationState": "AUTHORIZED"
    }
]
}
2020-06-23T09:43:48.898Z - INFO - Time interval between two heartbeat request messages is: 60.114, limit
is: 65.0
2020-06-23T09:43:48.914Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "804041339",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-23T09:47:08Z"
        }
    ]
}
2020-06-23T09:44:49.013Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "804041339",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-23T09:44:49.013Z - INFO - Time interval between two heartbeat request messages is: 60.116, limit
is: 65.0
2020-06-23T09:44:49.029Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "804041339",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-23T09:48:09Z"
        }
    ]
}
2020-06-23T09:45:49.134Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "804041339",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-23T09:45:49.134Z - INFO - Time interval between two heartbeat request messages is: 60.12, limit is:
65.0
2020-06-23T09:45:49.134Z - INFO - engine sent successfully, the response to CBRS : {

```

```
"heartbeatResponse": [  
  {  
    "cbsdId": "femto.iMock-SAS1912CW53000016",  
    "grantId": "804041339",  
    "response": {  
      "responseCode": 0  
    },  
    "transmitExpireTime": "2020-06-23T09:49:09Z"  
  }  
]
```

```
}  
2020-06-23T09:45:50.275Z - INFO - arrived to nstep starting question answer session with the technician  
2020-06-23T09:45:50.275Z - INFO - the question is : Did CBSD1 transmit power prior to AUTHORIZED state  
(first successful HBT response)? please choose one of the answers :  
2020-06-23T09:45:59.336Z - INFO - for the question : Did CBSD1 transmit power prior to AUTHORIZED state  
(first successful HBT response)? , the user choose n  
2020-06-23T09:45:59.336Z - INFO - the question is : Did CBSD1 transmit only within the frequency range  
specified in its grantRequest message? please choose one of the answers :  
2020-06-23T09:46:00.556Z - INFO - for the question : Did CBSD1 transmit only within the frequency range  
specified in its grantRequest message? , the user choose y  
2020-06-23T09:46:00.904Z - INFO - The final result of the test : WINNF.FT.C.REG.20_2 is - passed
```

2 CBSD SPECTRUM GRANT PROCESS

2.1 WINNF.FT.C.GRA.1

2020-06-23T09:46:53.532Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:46:53.532Z - INFO - the selected test from the user : WINNF.FT.C.GRA.1 is starting now

2020-06-23T09:46:58.565Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--I6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqlhua4TF3-myrCrA71zGjw00lil-VweicDgtmX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YwxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGloeSI6MjcslmhlaWdodFR5cGUioiJBTVNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0IjowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslncnRpb2F5QWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGUioiOxMDUuMDI0MDk0LCJpbmRvb3JlZXBsb3ltZW50IjpmYWxzZSwibGF
0aXR1ZGUioiMxLjMwMjAxZSwiZmNjSWQioiJmZW10by5pliwiHJvZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoiliwiaW5zdGFsbENlcnRpb2mIjYXRpb25UaW1lIjoimjAyMC0wMy0xNIQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQioiIifSwiY2JzZFNlcmllbE51bWJlciI6IiNlcmNvbW0tMTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-23T09:46:58.596Z - INFO - Registration message contains cpiSignatureData

2020-06-23T09:46:58.596Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-23T09:46:58.596Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

```

    "longitude": -105.024094,
    "antennaGain": 3,
    "indoorDeployment": false,
    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:46:58.658Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:46:58.658Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:46:58.658Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:46:58.658Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-23T09:46:58.753Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ]
    }
  ]
}
2020-06-23T09:46:58.753Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3635000000,
            "lowFrequency": 3615000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ]
    },
    "cbsdId": "femto.iMock-SAS1912CW53000016",

```

```

    "response": {
      "responseCode": 0
    }
  ]
}
2020-06-23T09:46:58.767Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
2020-06-23T09:46:58.783Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 400
      }
    }
  ]
}
2020-06-23T09:47:00.596Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:47:00.596Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:47:03.596Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:47:03.971Z - INFO - The final result of the test : WINNF.FT.C.GRA.1 is - passed

```

2.2 WINNF. FT.C.GRA.2

2020-06-23T09:47:15.566Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-23T09:47:15.566Z - INFO - the selected test from the user : WINNF. FT.C.GRA.2 is starting now

2020-06-23T09:47:20.941Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "FFS"
    },
    "callSign": "",
    "cbsdCategory": "A",
    "cbsdSerialNumber": "1912CW53000016",
    "cpiSignatureData": {
      "digitalSignature":
"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtnX7sH0b_
GeglCdA",
      "encodedCpiSignedData":
"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcslmhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYUdhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgsInZlcnRpY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGU0MDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGU0MjMwMjAxSwiZmNjSWQiOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiaw5zdGFsbENlcnRpZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQiOiJmSlmFudGVubmF0MTkxMkNXNTMwMDAwMTYif
Q",
      "protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"
    },
    "fccId": "femto.i",
    "groupingParam": [
      {
        "groupId": "SERCOMM_111",
        "groupType": "INTERFERENCE_COORDINATION"
      }
    ],
    "measCapability": [
      "RECEIVED_POWER_WITHOUT_GRANT"
    ],
    "userId": "XywyE9"
  }
]
```

2020-06-23T09:47:20.973Z - INFO - Registration message contains cpiSignatureData

2020-06-23T09:47:20.973Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-23T09:47:20.973Z - INFO - encodedCpiSignedData contents = {

```
"installationParam": {
  "eirpCapability": 27,
  "antennaAzimuth": 0,
  "heightType": "AMSL",
  "longitude": -105.024094,
  "antennaGain": 3,
  "indoorDeployment": false,
```

```

        "latitude": 31.30201,
        "horizontalAccuracy": 3,
        "antennaDowntilt": 0,
        "antennaBeamwidth": 360,
        "height": 18,
        "verticalAccuracy": 3
    },
    "professionalInstallerData": {
        "cpiName": "",
        "installCertificationTime": "2020-03-16T14:22:51.113000Z",
        "cpild": ""
    },
    "fcclId": "femto.i",
    "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:47:21.036Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:47:21.036Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:47:21.036Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:47:21.036Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-23T09:47:21.098Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            ]
        }
    ]
}
2020-06-23T09:47:21.114Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3635000000,
                        "lowFrequency": 3615000000
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```

    }
  ]
}
2020-06-23T09:47:21.161Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
}
2020-06-23T09:47:21.161Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 401
      }
    }
  ]
}
}
2020-06-23T09:47:22.661Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:47:22.661Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-23T09:47:25.506Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-23T09:47:25.959Z - INFO - The final result of the test : WINNF.FT.C.GRA.2 is - passed

```



```

    "longitude": -105.024094,
    "antennaGain": 3,
    "indoorDeployment": false,
    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-24T02:07:29.063Z - INFO - verified signature on cpiSignatureData
2020-06-24T02:07:29.063Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-24T02:07:29.063Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-24T02:07:29.063Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-24T02:07:29.157Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ]
    }
  ]
}
2020-06-24T02:07:29.157Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3635000000,
            "lowFrequency": 3615000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ]
    },
    "cbsdId": "femto.iMock-SAS1912CW53000016",

```

```

        "response": {
            "responseCode": 0
        }
    ]
}
2020-06-24T02:07:29.188Z - INFO - grant request from CBRS : {
    "grantRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "operationParam": {
                "maxEirp": 20,
                "operationFrequencyRange": {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            }
        }
    ]
}
2020-06-24T02:07:29.204Z - INFO - engine sent successfully, the response to CBRS : {
    "grantResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "channelType": "GAA",
            "grantExpireTime": "2020-07-01T02:07:29Z",
            "grantId": "836746979",
            "heartbeatInterval": 60,
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-24T02:07:29.298Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "836746979",
            "grantRenew": true,
            "operationState": "GRANTED"
        }
    ]
}
2020-06-24T02:07:29.298Z - INFO - grantRenew received in HBT request message
2020-06-24T02:07:29.313Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantExpireTime": "2020-07-01T02:07:29Z",
            "grantId": "836746979",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:10:49Z"
        }
    ]
}

```

```

2020-06-24T02:08:29.434Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "836746979",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-24T02:08:29.434Z - INFO - Time interval between two heartbeat request messages is: 60.137, limit
is: 65.0
2020-06-24T02:08:29.434Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "836746979",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T02:11:49Z"
    }
  ]
}
2020-06-24T02:09:29.532Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "836746979",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-24T02:09:29.532Z - INFO - Time interval between two heartbeat request messages is: 60.097, limit
is: 65.0
2020-06-24T02:09:29.546Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "836746979",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T02:12:49Z"
    }
  ]
}
2020-06-24T02:10:29.644Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "836746979",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}

```

2020-06-24T02:10:29.644Z - INFO - Time interval between two heartbeat request messages is: 60.112, limit is: 65.0

2020-06-24T02:10:29.660Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [  
  {  
    "cbsdId": "femto.iMock-SAS1912CW53000016",  
    "grantId": "836746979",  
    "response": {  
      "responseCode": 0  
    },  
    "transmitExpireTime": "2020-06-24T02:13:49Z"  
  }  
]
```

}
2020-06-24T02:11:29.767Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [  
  {  
    "cbsdId": "femto.iMock-SAS1912CW53000016",  
    "grantId": "836746979",  
    "grantRenew": false,  
    "operationState": "AUTHORIZED"  
  }  
]
```

}
2020-06-24T02:11:29.767Z - INFO - Time interval between two heartbeat request messages is: 60.124, limit is: 65.0

2020-06-24T02:11:29.767Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [  
  {  
    "cbsdId": "femto.iMock-SAS1912CW53000016",  
    "grantId": "836746979",  
    "response": {  
      "responseCode": 0  
    },  
    "transmitExpireTime": "2020-06-24T02:14:49Z"  
  }  
]
```

}
2020-06-24T02:12:29.881Z - INFO - heartbeat request from CBRS : {

```
"heartbeatRequest": [  
  {  
    "cbsdId": "femto.iMock-SAS1912CW53000016",  
    "grantId": "836746979",  
    "grantRenew": false,  
    "operationState": "AUTHORIZED"  
  }  
]
```

}
2020-06-24T02:12:29.881Z - INFO - Time interval between two heartbeat request messages is: 60.114, limit is: 65.0

2020-06-24T02:12:29.898Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [  
  {  
    "cbsdId": "femto.iMock-SAS1912CW53000016",  
    "grantId": "836746979",  
    "response": {  
      "responseCode": 0  
    },  
  }  
]
```

"transmitExpireTime": "2020-06-24T02:15:49Z"

}

]

}

2020-06-24T02:12:31.200Z - INFO - arrived to nstep starting question answer session with the technician

2020-06-24T02:12:31.200Z - INFO - the question is : Did CBSD1 transmit power prior to AUTHORIZED state (first successful HBT response)? please choose one of the answers :

2020-06-24T02:12:34.979Z - INFO - for the question : Did CBSD1 transmit power prior to AUTHORIZED state (first successful HBT response)? , the user choose n

2020-06-24T02:12:34.979Z - INFO - the question is : Did CBSD1 transmit only within the frequency range specified in its grantRequest message? please choose one of the answers :

2020-06-24T02:12:36.384Z - INFO - for the question : Did CBSD1 transmit only within the frequency range specified in its grantRequest message? , the user choose y

2020-06-24T02:12:36.795Z - INFO - The final result of the test : WINNF.FT.C.HBT.1 is - passed

3.2. WINNF.FT.C.HBT.3

2020-06-24T02:13:05.938Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-24T02:13:05.938Z - INFO - the selected test from the user : WINNF.FT.C.HBT.3 is starting now

2020-06-24T02:13:10.173Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtnX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcslmhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGUiOi0xMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGUiOiJmSlmWbWJmMjAxZSwiZmNjSWQiOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoiliwiaW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQiOi0xMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF0Y
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-24T02:13:10.220Z - INFO - Registration message contains cpiSignatureData

2020-06-24T02:13:10.220Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-24T02:13:10.220Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-24T02:13:10.282Z - INFO - verified signature on cpiSignatureData
2020-06-24T02:13:10.282Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-24T02:13:10.282Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-24T02:13:10.282Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-24T02:13:10.437Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ]
    }
  ]
}
2020-06-24T02:13:10.437Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3635000000,
            "lowFrequency": 3615000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```

    }
  ]
}
2020-06-24T02:13:10.470Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
}
2020-06-24T02:13:10.484Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",
      "grantExpireTime": "2020-07-01T02:13:10Z",
      "grantId": "830140673",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-24T02:13:10.562Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "830140673",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
}
2020-06-24T02:13:10.562Z - INFO - grantRenew received in HBT request message
2020-06-24T02:13:10.562Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-07-01T02:13:10Z",
      "grantId": "830140673",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T02:16:30Z"
    }
  ]
}
}
2020-06-24T02:14:10.683Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```

```

        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "830140673",
        "grantRenew": false,
        "operationState": "AUTHORIZED"
    }
]
}
2020-06-24T02:14:10.683Z - INFO - Time interval between two heartbeat request messages is: 60.12, limit is:
65.0
2020-06-24T02:14:10.683Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "830140673",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:17:30Z"
        }
    ]
}
2020-06-24T02:15:10.799Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "830140673",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-24T02:15:10.799Z - INFO - Time interval between two heartbeat request messages is: 60.117, limit
is: 65.0
2020-06-24T02:15:10.799Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "830140673",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:18:30Z"
        }
    ]
}
2020-06-24T02:16:10.913Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "830140673",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-24T02:16:10.913Z - INFO - Time interval between two heartbeat request messages is: 60.113, limit
is: 65.0
2020-06-24T02:16:10.921Z - INFO - engine sent successfully, the response to CBRS : {

```

```
"heartbeatResponse": [  
  {  
    "cbsdId": "femto.iMock-SAS1912CW53000016",  
    "grantId": "830140673",  
    "response": {  
      "responseCode": 105  
    },  
    "transmitExpireTime": "2020-06-24T02:16:10Z"  
  }  
]
```

2020-06-24T02:16:12.908Z - INFO - arrived to nstep starting question answer session with the technician

2020-06-24T02:16:12.908Z - INFO - the question is : Did the CBSD stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 105? please choose one of the answers :

2020-06-24T02:16:18.263Z - INFO - for the question : Did the CBSD stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 105? , the user choose y

2020-06-24T02:16:18.673Z - INFO - The final result of the test : WINNF.FT.C.HBT.3 is - passed


```

        "latitude": 31.30201,
        "horizontalAccuracy": 3,
        "antennaDowntilt": 0,
        "antennaBeamwidth": 360,
        "height": 18,
        "verticalAccuracy": 3
    },
    "professionalInstallerData": {
        "cpiName": "",
        "installCertificationTime": "2020-03-16T14:22:51.113000Z",
        "cpild": ""
    },
    "fcclId": "femto.i",
    "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-24T02:16:53.361Z - INFO - verified signature on cpiSignatureData
2020-06-24T02:16:53.361Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-24T02:16:53.361Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-24T02:16:53.361Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-24T02:16:53.454Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            ]
        }
    ]
}
2020-06-24T02:16:53.454Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3635000000,
                        "lowFrequency": 3615000000
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```

    }
  ]
}
2020-06-24T02:16:53.486Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
}
2020-06-24T02:16:53.486Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",
      "grantExpireTime": "2020-07-01T02:16:53Z",
      "grantId": "435737527",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-24T02:16:53.565Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "435737527",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
}
2020-06-24T02:16:53.579Z - INFO - grantRenew received in HBT request message
2020-06-24T02:16:53.579Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-07-01T02:16:53Z",
      "grantId": "435737527",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T02:20:13Z"
    }
  ]
}
}
2020-06-24T02:17:53.696Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```

```

        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "435737527",
        "grantRenew": false,
        "operationState": "AUTHORIZED"
    }
]
}
2020-06-24T02:17:53.696Z - INFO - Time interval between two heartbeat request messages is: 60.131, limit
is: 65.0
2020-06-24T02:17:53.696Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "435737527",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:21:13Z"
        }
    ]
}
2020-06-24T02:18:53.813Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "435737527",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-24T02:18:53.813Z - INFO - Time interval between two heartbeat request messages is: 60.118, limit
is: 65.0
2020-06-24T02:18:53.813Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "435737527",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:22:13Z"
        }
    ]
}
2020-06-24T02:19:53.926Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "435737527",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-24T02:19:53.926Z - INFO - Time interval between two heartbeat request messages is: 60.112, limit
is: 65.0
2020-06-24T02:19:53.926Z - INFO - engine sent successfully, the response to CBRS : {

```

```

    "heartbeatResponse": [
      {
        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "435737527",
        "response": {
          "responseCode": 0
        },
        "transmitExpireTime": "2020-06-24T02:23:13Z"
      }
    ]
  }
}
2020-06-24T02:20:54.039Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "435737527",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-24T02:20:54.055Z - INFO - Time interval between two heartbeat request messages is: 60.113, limit
is: 65.0
2020-06-24T02:20:54.055Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "435737527",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T02:24:14Z"
    }
  ]
}
2020-06-24T02:21:54.161Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "435737527",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-24T02:21:54.161Z - INFO - Time interval between two heartbeat request messages is: 60.123, limit
is: 65.0
2020-06-24T02:21:54.177Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "435737527",
      "response": {
        "responseCode": 500
      },
      "transmitExpireTime": "2020-06-24T02:21:54Z"
    }
  ]
}

```

}

2020-06-24T02:21:56.128Z - INFO - arrived to nstep starting question answer session with the technician

2020-06-24T02:21:56.128Z - INFO - the question is : Did the CBSD1 stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 500? please choose one of the answers :

2020-06-24T02:22:39.576Z - INFO - for the question : Did the CBSD1 stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 500? , the user choose y

2020-06-24T02:22:40.539Z - INFO - The final result of the test : WINNF.FT.C.HBT.4 is - passed

3.4. WINNF.FT.C.HBT.5

2020-06-24T02:23:04.934Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-24T02:23:04.934Z - INFO - the selected test from the user : WINNF.FT.C.HBT.5 is starting now

2020-06-24T02:23:08.559Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtnX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYUdhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgsInZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGU0MDUuMDI0MDk0LCJpbmRvb3JEZXBSb3ltZW50lJpmYWxzZSwibGF
0aXR1ZGU0MjMwMjAxSwiZmNjSWQ0IjMZW10by5pliwiHJvZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoiliwiaW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNIQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQ0Ii0ifSwiY2JzZFNlcmhE51bWJlcil6IiNlcmNvbW0tMTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-24T02:23:08.605Z - INFO - Registration message contains cpiSignatureData

2020-06-24T02:23:08.605Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-24T02:23:08.605Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

```

    "indoorDeployment": false,
    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-24T02:23:08.668Z - INFO - verified signature on cpiSignatureData
2020-06-24T02:23:08.668Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-24T02:23:08.668Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-24T02:23:08.668Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-24T02:23:08.763Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ]
    }
  ]
}
2020-06-24T02:23:08.763Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3635000000,
            "lowFrequency": 3615000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```

    }
  }
]
}
2020-06-24T02:23:08.793Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
}
2020-06-24T02:23:08.793Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",
      "grantExpireTime": "2020-07-01T02:23:08Z",
      "grantId": "355524279",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-24T02:23:08.871Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "355524279",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
}
2020-06-24T02:23:08.871Z - INFO - grantRenew received in HBT request message
2020-06-24T02:23:08.871Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-07-01T02:23:08Z",
      "grantId": "355524279",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-06-24T02:23:08Z"
    }
  ]
}
}
2020-06-24T02:24:09.020Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [

```

```
{
  "cbsdId": "femto.iMock-SAS1912CW53000016",
  "grantId": "355524279",
  "grantRenew": false,
  "operationState": "GRANTED"
}
```

2020-06-24T02:24:09.020Z - INFO - Time interval between two heartbeat request messages is: 60.149, limit is: 65.0

2020-06-24T02:24:09.036Z - INFO - engine sent successfully, the response to CBRS : {

```
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "355524279",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-06-24T02:24:09Z"
    }
  ]
}
```

2020-06-24T02:24:10.604Z - INFO - arrived to nstep starting question answer session with the technician

2020-06-24T02:24:10.604Z - INFO - the question is : Did the CBSD transmit at any time during the test?
please choose one of the answers :

2020-06-24T02:24:14.213Z - INFO - for the question : Did the CBSD transmit at any time during the test? , the user choose n

2020-06-24T02:24:14.651Z - INFO - The final result of the test : WINNF.FT.C.HBT.5 is - passed

3.5. WINNF.FT.C.HBT.6

2020-06-24T02:24:38.263Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-24T02:24:38.263Z - INFO - the selected test from the user : WINNF.FT.C.HBT.6 is starting now

2020-06-24T02:24:43.381Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtnX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcslmhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGU0MDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGU0MjMwMjAxSwiZmNjSWQiOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiawW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjoilMjAyMC0wMy0xNIQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQiOiJmSlmFudGVubmF5bW0tMTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-24T02:24:43.427Z - INFO - Registration message contains cpiSignatureData

2020-06-24T02:24:43.427Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-24T02:24:43.427Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

        "latitude": 31.30201,
        "horizontalAccuracy": 3,
        "antennaDowntilt": 0,
        "antennaBeamwidth": 360,
        "height": 18,
        "verticalAccuracy": 3
    },
    "professionalInstallerData": {
        "cpiName": "",
        "installCertificationTime": "2020-03-16T14:22:51.113000Z",
        "cpild": ""
    },
    "fcclId": "femto.i",
    "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-24T02:24:43.490Z - INFO - verified signature on cpiSignatureData
2020-06-24T02:24:43.490Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-24T02:24:43.490Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-24T02:24:43.490Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-24T02:24:43.536Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            ]
        }
    ]
}
2020-06-24T02:24:43.552Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3635000000,
                        "lowFrequency": 3615000000
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```

    }
  ]
}
2020-06-24T02:24:43.598Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
}
2020-06-24T02:24:43.598Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",
      "grantExpireTime": "2020-07-01T02:24:43Z",
      "grantId": "790699150",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-24T02:24:43.693Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "790699150",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
}
2020-06-24T02:24:43.693Z - INFO - grantRenew received in HBT request message
2020-06-24T02:24:43.693Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-07-01T02:24:43Z",
      "grantId": "790699150",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T02:28:03Z"
    }
  ]
}
}
2020-06-24T02:25:43.812Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```

```

        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "790699150",
        "grantRenew": false,
        "operationState": "AUTHORIZED"
    }
]
}
2020-06-24T02:25:43.812Z - INFO - Time interval between two heartbeat request messages is: 60.12, limit is:
65.0
2020-06-24T02:25:43.828Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "790699150",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:29:03Z"
        }
    ]
}
2020-06-24T02:26:43.936Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "790699150",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-24T02:26:43.936Z - INFO - Time interval between two heartbeat request messages is: 60.123, limit
is: 65.0
2020-06-24T02:26:43.936Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "790699150",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:30:03Z"
        }
    ]
}
2020-06-24T02:27:44.046Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "790699150",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-24T02:27:44.046Z - INFO - Time interval between two heartbeat request messages is: 60.111, limit
is: 65.0
2020-06-24T02:27:44.046Z - INFO - engine sent successfully, the response to CBRS : {

```

```

    "heartbeatResponse": [
      {
        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "790699150",
        "response": {
          "responseCode": 501
        },
        "transmitExpireTime": "2020-06-24T02:27:44Z"
      }
    ]
  }
}
2020-06-24T02:28:44.161Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "790699150",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-06-24T02:28:44.161Z - INFO - Time interval between two heartbeat request messages is: 60.114, limit is: 65.0
2020-06-24T02:28:44.177Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "790699150",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-06-24T02:28:44Z"
    }
  ]
}
}
2020-06-24T02:28:45.621Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-24T02:28:45.621Z - INFO - the question is : Did the CBSD stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 501? please choose one of the answers :
2020-06-24T02:28:50.947Z - INFO - for the question : Did the CBSD stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 501? , the user choose y
2020-06-24T02:28:51.270Z - INFO - The final result of the test : WINNF.FT.C.HBT.6 is - passed

```

3.6. WINNF.FT.C.HBT.7

2020-06-24T02:29:43.516Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-24T02:29:43.516Z - INFO - the selected test from the user : WINNF.FT.C.HBT.7 is starting now

2020-06-24T02:29:49.723Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtnX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgsInZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGUiOi0xMDUuMDI0MDk0LCJpbmRvb3JlZXBsb3ltZW50lJpmYWxzZSwibGF
0aXR1ZGUiOiJmSlmWbWJmMjAxZSwiZmNjSWQiOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiawW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjoilMjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQiOi0xMDUuMDI0MDk0LCJpbmRvb3JlZXBsb3ltZW50lJpmYWxzZSwibGF0Y
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-24T02:29:49.769Z - INFO - Registration message contains cpiSignatureData

2020-06-24T02:29:49.769Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-24T02:29:49.769Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

        "latitude": 31.30201,
        "horizontalAccuracy": 3,
        "antennaDowntilt": 0,
        "antennaBeamwidth": 360,
        "height": 18,
        "verticalAccuracy": 3
    },
    "professionalInstallerData": {
        "cpiName": "",
        "installCertificationTime": "2020-03-16T14:22:51.113000Z",
        "cpild": ""
    },
    "fcclId": "femto.i",
    "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-24T02:29:49.832Z - INFO - verified signature on cpiSignatureData
2020-06-24T02:29:49.832Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-24T02:29:49.832Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-24T02:29:49.832Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-24T02:29:49.911Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            ]
        }
    ]
}
2020-06-24T02:29:49.926Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3635000000,
                        "lowFrequency": 3615000000
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```

    }
  ]
}
2020-06-24T02:29:49.941Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
}
2020-06-24T02:29:49.957Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",
      "grantExpireTime": "2020-07-01T02:29:49Z",
      "grantId": "910238731",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-24T02:29:50.066Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "910238731",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
}
2020-06-24T02:29:50.066Z - INFO - grantRenew received in HBT request message
2020-06-24T02:29:50.082Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-07-01T02:29:50Z",
      "grantId": "910238731",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T02:33:10Z"
    }
  ]
}
}
2020-06-24T02:30:50.203Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```

```

        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "910238731",
        "grantRenew": false,
        "operationState": "AUTHORIZED"
    }
]
}
2020-06-24T02:30:50.203Z - INFO - Time interval between two heartbeat request messages is: 60.137, limit
is: 65.0
2020-06-24T02:30:50.203Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "910238731",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:34:10Z"
        }
    ]
}
2020-06-24T02:31:50.308Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "910238731",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-24T02:31:50.308Z - INFO - Time interval between two heartbeat request messages is: 60.104, limit
is: 65.0
2020-06-24T02:31:50.322Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "910238731",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:35:10Z"
        }
    ]
}
2020-06-24T02:32:50.437Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "910238731",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-24T02:32:50.437Z - INFO - Time interval between two heartbeat request messages is: 60.129, limit
is: 65.0
2020-06-24T02:32:50.437Z - INFO - engine sent successfully, the response to CBRS : {

```

```

    "heartbeatResponse": [
      {
        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "910238731",
        "response": {
          "responseCode": 502
        },
        "transmitExpireTime": "2020-06-24T02:32:50Z"
      }
    ]
  }
}
2020-06-24T02:32:50.467Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "910238731"
    }
  ]
}
}
2020-06-24T02:32:50.467Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "910238731",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-24T02:32:52.147Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-24T02:32:52.147Z - INFO - the question is : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 502? please choose one of the answers :
2020-06-24T02:33:43.789Z - INFO - for the question : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 502? , the user choose y
2020-06-24T02:33:44.211Z - INFO - The final result of the test : WINNF.FT.C.HBT.7 is - passed

```

3.7 WINNF.FT.C.HBT.9

2020-06-24T02:34:00.029Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-24T02:34:00.029Z - INFO - the selected test from the user : WINNF.FT.C.HBT.9 is starting now

2020-06-24T02:34:03.801Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtnX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUOiJBTvNMIiw
iYW50ZW5uYudhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgsInZlcnRpbY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGU0MDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGU0MjMwMjAxSwiZmNjSWQ0iOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoiliwiaW5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQ0iOiJmSlmFudGVubmF0MTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-24T02:34:03.832Z - INFO - Registration message contains cpiSignatureData

2020-06-24T02:34:03.832Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-24T02:34:03.832Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

        "latitude": 31.30201,
        "horizontalAccuracy": 3,
        "antennaDowntilt": 0,
        "antennaBeamwidth": 360,
        "height": 18,
        "verticalAccuracy": 3
    },
    "professionalInstallerData": {
        "cpiName": "",
        "installCertificationTime": "2020-03-16T14:22:51.113000Z",
        "cpild": ""
    },
    "fcclId": "femto.i",
    "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-24T02:34:03.894Z - INFO - verified signature on cpiSignatureData
2020-06-24T02:34:03.894Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-24T02:34:03.894Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-24T02:34:03.894Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-24T02:34:03.987Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            ]
        }
    ]
}
2020-06-24T02:34:03.987Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3635000000,
                        "lowFrequency": 3615000000
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```

    }
  ]
}
2020-06-24T02:34:04.019Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
}
2020-06-24T02:34:04.019Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",
      "grantExpireTime": "2020-07-01T02:34:04Z",
      "grantId": "685698860",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-24T02:34:04.128Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "685698860",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
}
2020-06-24T02:37:24.142Z - INFO - grantRenew received in HBT request message
2020-06-24T02:37:24.142Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-07-01T02:37:24Z",
      "grantId": "685698860",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-06-24T02:37:24Z"
    }
  ]
}
}
2020-06-24T02:37:26.127Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-24T02:37:26.127Z - INFO - the question is : Were there RF transmissions from the CBSD during the
test? please choose one of the answers :

```

2020-06-24T02:37:42.125Z - INFO - for the question : Were there RF transmissions from the CBSD during the test? , the user choose n

2020-06-24T02:37:42.483Z - INFO - The final result of the test : WINNF.FT.C.HBT.9 is - passed

3.8. WINNF.FT.C.HBT.10

2020-06-24T02:38:08.052Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-24T02:38:08.052Z - INFO - the selected test from the user : WINNF.FT.C.HBT.10 is starting now

2020-06-24T02:38:13.582Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtnX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUOiJBTVNMIiw
iYW50ZW5uYUdhaW4iOiJmSlmhvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0lJowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgsInZlcnRpY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGU0MDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50lJpmYWxzZSwibGF
0aXR1ZGU0MjMwMjAxSwiZmNjSWQ0iOiJmZW10by5pliwiHjVzZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiawW5zdGFsbENlcnRpZmljYXRpb25UaW1lIjo1MjAyMC0wMy0xNlQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQ0iOiJmSlmFudGVubmF0MTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-24T02:38:13.630Z - INFO - Registration message contains cpiSignatureData

2020-06-24T02:38:13.630Z - INFO - protectedHeader = {u'alg': u'RS256', u'typ': u'JWT'}

2020-06-24T02:38:13.630Z - INFO - encodedCpiSignedData contents = {

"installationParam": {

"eirpCapability": 27,

"antennaAzimuth": 0,

"heightType": "AMSL",

"longitude": -105.024094,

"antennaGain": 3,

"indoorDeployment": false,

```

        "latitude": 31.30201,
        "horizontalAccuracy": 3,
        "antennaDowntilt": 0,
        "antennaBeamwidth": 360,
        "height": 18,
        "verticalAccuracy": 3
    },
    "professionalInstallerData": {
        "cpiName": "",
        "installCertificationTime": "2020-03-16T14:22:51.113000Z",
        "cpild": ""
    },
    "fcclId": "femto.i",
    "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-24T02:38:13.693Z - INFO - verified signature on cpiSignatureData
2020-06-24T02:38:13.693Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-24T02:38:13.693Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-24T02:38:13.693Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-24T02:38:13.770Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            ]
        }
    ]
}
2020-06-24T02:38:13.786Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3635000000,
                        "lowFrequency": 3615000000
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```

    }
  ]
}
2020-06-24T02:38:13.802Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
}
2020-06-24T02:38:13.818Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",
      "grantExpireTime": "2020-07-01T02:38:13Z",
      "grantId": "128867401",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-24T02:38:13.880Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "128867401",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
}
2020-06-24T02:38:13.895Z - INFO - grantRenew received in HBT request message
2020-06-24T02:38:13.895Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-07-01T02:38:13Z",
      "grantId": "128867401",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T02:41:33Z"
    }
  ]
}
}
2020-06-24T02:39:14.016Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {

```

```

        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "grantId": "128867401",
        "grantRenew": false,
        "operationState": "AUTHORIZED"
    }
]
}
2020-06-24T02:39:14.016Z - INFO - Time interval between two heartbeat request messages is: 60.137, limit
is: 65.0
2020-06-24T02:39:14.016Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "128867401",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-24T02:42:34Z"
        }
    ]
}
2020-06-24T02:40:14.131Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "128867401",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-06-24T02:40:14.131Z - INFO - Time interval between two heartbeat request messages is: 60.115, limit
is: 65.0
2020-06-24T02:40:14.131Z - INFO - LAST HBT RESPONSE THAT SET TRANSMIT_EXPIRE_TIME WAS AT:
2020-06-24 02:39:14.017000
2020-06-24T02:41:14.230Z - INFO - relinquishment request from CBRS : {
    "relinquishmentRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "128867401"
        }
    ]
}
2020-06-24T02:41:14.230Z - INFO - request message received while HBT is absent, sleep 144 sec before
responding
2020-06-24T02:43:34.163Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "128867401",
            "response": {
                "responseCode": 501
            },
            "transmitExpireTime": "2020-06-24T02:43:34Z"
        }
    ]
}
2020-06-24T02:43:35.772Z - INFO - arrived to nstep starting question answer session with the technician

```

2020-06-24T02:43:35.772Z - INFO - the question is : Did the CBSD stop RF transmissions within (transmitExpireTime + 60seconds) of last valid heartbeat response? please choose one of the answers :
2020-06-24T02:43:38.240Z - INFO - engine sent successfully, the response to CBRS : "list index out of range"
2020-06-24T02:43:45.720Z - INFO - for the question : Did the CBSD stop RF transmissions within (transmitExpireTime + 60seconds) of last valid heartbeat response? , the user choose y
2020-06-24T02:43:45.940Z - INFO - The final result of the test : WINNF.FT.C.HBT.10 is - passed


```

    "longitude": -105.024094,
    "antennaGain": 3,
    "indoorDeployment": false,
    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:47:50.006Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:47:50.006Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:47:50.006Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:47:50.006Z - INFO - Response message contains measReportConfig
2020-06-23T09:47:50.006Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "measReportConfig": [
        "RECEIVED_POWER_WITHOUT_GRANT"
      ],
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-23T09:47:50.068Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ],
      "measReport": {
        "rcvdPowerMeasReports": [
          {
            "measBandwidth": 10000000,
            "measFrequency": 3550000000,
            "measRcvdPower": -90.0
          },
          {
            "measBandwidth": 10000000,
            "measFrequency": 3560000000,
            "measRcvdPower": -89.0
          }
        ]
      }
    }
  ]
}

```

```
"measBandwidth": 10000000,  
"measFrequency": 3570000000,  
"measRcvdPower": -90.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3580000000,  
  "measRcvdPower": -91.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3590000000,  
  "measRcvdPower": -90.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3600000000,  
  "measRcvdPower": -90.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3610000000,  
  "measRcvdPower": -90.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3620000000,  
  "measRcvdPower": -88.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3630000000,  
  "measRcvdPower": -90.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3640000000,  
  "measRcvdPower": -91.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3650000000,  
  "measRcvdPower": -91.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3660000000,  
  "measRcvdPower": -92.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3670000000,  
  "measRcvdPower": -91.0  
},  
{  
  "measBandwidth": 10000000,  
  "measFrequency": 3680000000,  
  "measRcvdPower": -92.0
```

```

    },
    {
      "measBandwidth": 10000000,
      "measFrequency": 3690000000,
      "measRcvdPower": -91.0
    }
  ]
}
]
}
]
}
2020-06-23T09:47:50.068Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3635000000,
            "lowFrequency": 3615000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
]
}
2020-06-23T09:47:50.115Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "measReport": {
        "rcvdPowerMeasReports": [
          {
            "measBandwidth": 10000000,
            "measFrequency": 3550000000,
            "measRcvdPower": -90.0
          },
          {
            "measBandwidth": 10000000,
            "measFrequency": 3560000000,
            "measRcvdPower": -89.0
          },
          {
            "measBandwidth": 10000000,
            "measFrequency": 3570000000,
            "measRcvdPower": -90.0
          },
          {
            "measBandwidth": 10000000,
            "measFrequency": 3580000000,
            "measRcvdPower": -91.0
          }
        ]
      }
    }
  ]
}

```

```

        "measBandwidth": 10000000,
        "measFrequency": 3590000000,
        "measRcvdPower": -90.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3600000000,
        "measRcvdPower": -90.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3610000000,
        "measRcvdPower": -90.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3620000000,
        "measRcvdPower": -88.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3630000000,
        "measRcvdPower": -90.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3640000000,
        "measRcvdPower": -91.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3650000000,
        "measRcvdPower": -91.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3660000000,
        "measRcvdPower": -92.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3670000000,
        "measRcvdPower": -91.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3680000000,
        "measRcvdPower": -92.0
    },
    {
        "measBandwidth": 10000000,
        "measFrequency": 3690000000,
        "measRcvdPower": -91.0
    }
]
},
"operationParam": {
    "maxEirp": 20,

```

```
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    ]
  }
}
2020-06-23T09:47:50.131Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",
      "grantExpireTime": "2020-06-30T09:47:50Z",
      "grantId": "198295930",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2020-06-23T09:47:51.193Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:47:54.194Z - INFO - The final result of the test : WINNF.FT.C.MES.1 is - passed
```



```

    "longitude": -105.024094,
    "antennaGain": 3,
    "indoorDeployment": false,
    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:49:16.990Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:49:16.990Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:49:17.006Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:49:17.006Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-23T09:49:17.107Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ]
    }
  ]
}
2020-06-23T09:49:17.107Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3635000000,
            "lowFrequency": 3615000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ]
    },
    "cbsdId": "femto.iMock-SAS1912CW53000016",

```

```

        "response": {
            "responseCode": 0
        }
    ]
}
2020-06-23T09:49:17.138Z - INFO - grant request from CBRS : {
    "grantRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "operationParam": {
                "maxEirp": 20,
                "operationFrequencyRange": {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            }
        }
    ]
}
2020-06-23T09:49:17.154Z - INFO - engine sent successfully, the response to CBRS : {
    "grantResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "channelType": "GAA",
            "grantExpireTime": "2020-06-30T09:49:17Z",
            "grantId": "645443904",
            "heartbeatInterval": 60,
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-23T09:49:17.239Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "645443904",
            "grantRenew": true,
            "operationState": "GRANTED"
        }
    ]
}
2020-06-23T09:49:17.253Z - INFO - grantRenew received in HBT request message
2020-06-23T09:49:17.253Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantExpireTime": "2020-06-30T09:49:17Z",
            "grantId": "645443904",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-23T09:52:37Z"
        }
    ]
}

```

```

2020-06-23T09:50:17.368Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "645443904",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-23T09:50:17.368Z - INFO - Time interval between two heartbeat request messages is: 60.13, limit is:
65.0
2020-06-23T09:50:17.368Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "645443904",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-23T09:53:37Z"
    }
  ]
}
2020-06-23T09:50:20.572Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "645443904"
    }
  ]
}
2020-06-23T09:50:20.572Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "645443904",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-23T09:50:21.650Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:50:21.650Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of
Relinquishment Request by Test Harness? please choose one of the answers :
2020-06-23T09:50:34.884Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of
Relinquishment Request by Test Harness? , the user choose y
2020-06-23T09:50:35.509Z - INFO - The final result of the test : WINNF.FT.C.RLQ.1 is - passed

```



```

    "longitude": -105.024094,
    "antennaGain": 3,
    "indoorDeployment": false,
    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-23T09:51:37.990Z - INFO - verified signature on cpiSignatureData
2020-06-23T09:51:37.990Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-23T09:51:37.990Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-23T09:51:37.990Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-23T09:51:38.069Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ]
    }
  ]
}
2020-06-23T09:51:38.069Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3635000000,
            "lowFrequency": 3615000000
          },
          "ruleApplied": "FCC_PART_96"
        }
      ]
    },
    "cbsdId": "femto.iMock-SAS1912CW53000016",

```

```

        "response": {
            "responseCode": 0
        }
    ]
}
2020-06-23T09:51:38.101Z - INFO - grant request from CBRS : {
    "grantRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "operationParam": {
                "maxEirp": 20,
                "operationFrequencyRange": {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            }
        }
    ]
}
2020-06-23T09:51:38.101Z - INFO - engine sent successfully, the response to CBRS : {
    "grantResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "channelType": "GAA",
            "grantExpireTime": "2020-06-30T09:51:38Z",
            "grantId": "631013022",
            "heartbeatInterval": 60,
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-23T09:51:38.178Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantId": "631013022",
            "grantRenew": true,
            "operationState": "GRANTED"
        }
    ]
}
2020-06-23T09:51:38.194Z - INFO - grantRenew received in HBT request message
2020-06-23T09:51:38.194Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "grantExpireTime": "2020-06-30T09:51:38Z",
            "grantId": "631013022",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-06-23T09:54:58Z"
        }
    ]
}

```

```

2020-06-23T09:52:38.325Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "631013022",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-23T09:52:38.325Z - INFO - Time interval between two heartbeat request messages is: 60.146, limit
is: 65.0
2020-06-23T09:52:38.341Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "631013022",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-23T09:55:58Z"
    }
  ]
}
2020-06-23T09:53:10.911Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "631013022"
    }
  ]
}
2020-06-23T09:53:10.927Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "631013022",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-23T09:53:10.990Z - INFO - deregistration request from CBRS : {
  "deregistrationRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016"
    }
  ]
}
2020-06-23T09:53:10.990Z - INFO - engine sent successfully, the response to CBRS : {
  "deregistrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

] }
}

2020-06-23T09:53:12.880Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-23T09:53:12.880Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of Relinquishment request (if sent) or Deregistration request at Test Harness? please choose one of the answers :

2020-06-23T09:53:15.959Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of Relinquishment request (if sent) or Deregistration request at Test Harness? , the user choose y

2020-06-23T09:53:16.413Z - INFO - The final result of the test : WINNF.FT.C.DRG.1 is - passed


```

    "longitude": -105.024094,
    "antennaGain": 3,
    "indoorDeployment": false,
    "latitude": 31.30201,
    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "antennaBeamwidth": 360,
    "height": 18,
    "verticalAccuracy": 3
  },
  "professionalInstallerData": {
    "cpiName": "",
    "installCertificationTime": "2020-03-16T14:22:51.113000Z",
    "cpild": ""
  },
  "fcclId": "femto.i",
  "cbsdSerialNumber": "Sercomm-1912CW53000016"
}
2020-06-24T03:42:12.344Z - INFO - verified signature on cpiSignatureData
2020-06-24T03:42:12.344Z - INFO - cbsdCategory= 'A', removing optional param from cpi_schema
2020-06-24T03:42:12.344Z - INFO - cpiSignatureData data successfully validated against jsonschema
2020-06-24T03:42:12.359Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-24T03:42:13.766Z - INFO - arrived to nstep starting question answer session with the technician
2020-06-24T03:42:13.766Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-06-24T03:42:20.344Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-06-24T03:42:20.671Z - INFO - The final result of the test : WINNF.FT.C.SCS.1 is - passed

```

7.2 WINNF.FT.C.SCS.2

2020-05-09T04:46:45.756Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-05-09T04:46:45.756Z - INFO - the selected test from the user : WINNF.FT.C.SCS.2 is starting now

7.3 WINNF.FT.C.SCS.3

2020-05-09T04:54:47.697Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-05-09T04:54:47.697Z - INFO - the selected test from the user : WINNF.FT.C.SCS.3 is starting now

7.4 WINNF.FT.C.SCS.4

2020-05-09T05:00:48.019Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-05-09T05:00:48.019Z - INFO - the selected test from the user : WINNF.FT.C.SCS.4 is starting now

7.5 WINNF.FT.C.SCS.5

2020-05-09T05:05:43.289Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-05-09T05:05:43.289Z - INFO - the selected test from the user : WINNF.FT.C.SCS.5 is starting now


```

        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "response": {
            "responseCode": 0
        }
    ]
}
2020-06-24T03:16:00.009Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            ]
        }
    ]
}
2020-06-24T03:16:00.009Z - INFO - The requested spectrum is in the range, SpectrumInquiry response code is 0
2020-06-24T03:16:00.009Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3635000000,
                        "lowFrequency": 3615000000
                    },
                    "maxEirp": -23,
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-06-24T03:16:00.039Z - INFO - grant request from CBRS : {
    "grantRequest": [
        {
            "cbsdId": "femto.iMock-SAS1912CW53000016",
            "operationParam": {
                "maxEirp": -23,
                "operationFrequencyRange": {
                    "highFrequency": 3635000000,
                    "lowFrequency": 3615000000
                }
            }
        }
    ]
}
2020-06-24T03:16:00.039Z - INFO - engine sent successfully, the response to CBRS : {

```

```

    "grantResponse": [
      {
        "cbsdId": "femto.iMock-SAS1912CW53000016",
        "channelType": "GAA",
        "grantExpireTime": "2020-07-01T03:16:00Z",
        "grantId": "42605555",
        "heartbeatInterval": 60,
        "response": {
          "responseCode": 0
        }
      }
    ]
  }
}
2020-06-24T03:16:00.134Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "42605555",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
2020-06-24T03:16:00.150Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-06-24T03:22:00Z",
      "grantId": "42605555",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T03:19:20Z"
    }
  ]
}
2020-06-24T03:17:00.256Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "42605555",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-24T03:17:00.273Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "42605555",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T03:20:20Z"
    }
  ]
}

```

```
2020-06-24T03:18:00.378Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "42605555",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-24T03:18:00.378Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "42605555",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T03:21:20Z"
    }
  ]
}
```

8.2. WINNF.PT.C.HBT.1(Max Eirp = -2 dBm/MHz)

2020-06-24T03:12:16.154Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-24T03:12:16.154Z - INFO - Selected spectrum frequency is {'lowFrequency': 3615000000L, 'highFrequency': 3635000000L}

2020-06-24T03:12:16.154Z - INFO - Granted Spectrum Max Eirp = -2dBm/MHz

2020-06-24T03:12:16.154Z - INFO - the selected test from the user : PowerMeasTest is starting now

2020-06-24T03:12:44.529Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtmX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUiOiJBTvNMIiw
iYW50ZW5uYUdhaW4iOiJMSlhmvcml6b250YWxBY2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0IjowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslZlcnRpbY2FsQWNjdXJhY3kiOiJMSlhmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGUiOi0xMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50IjpmYWxzZSwibGF
0aXR1ZGUiOiJmXlJmMwMjAxSwiZmNjSWQlOiJmZW10by5pliwiHJvZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiaw5zdGFsbENlcnRpbZmljYXRpb25UaW1lIjoiMjAyMC0wMy0xNIQxNDoyMjo1MS4x
MTMwMDBBaliwiY3BpSWQlOi0xMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50IjpmYWxzZSwibGF0Y
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-24T03:12:44.562Z - INFO - engine sent successfully, the response to CBRS : {

"registrationResponse": [

{

"cbsdId": "femto.iMock-SAS1912CW53000016",

"response": {

"responseCode": 0

}

```

    }
  ]
}
2020-06-24T03:12:44.654Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ]
    }
  ]
}
2020-06-24T03:12:44.654Z - INFO - The requested spectrum is in the range, SpectrumInquiry response code
is 0
2020-06-24T03:12:44.654Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3635000000,
            "lowFrequency": 3615000000
          },
          "maxEirp": -2,
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-24T03:12:44.687Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": -2,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
2020-06-24T03:12:44.687Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",

```

```

    "grantExpireTime": "2020-07-01T03:12:44Z",
    "grantId": "337862440",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
]
}
2020-06-24T03:12:44.749Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "337862440",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
2020-06-24T03:12:44.749Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-06-24T03:18:44Z",
      "grantId": "337862440",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T03:16:04Z"
    }
  ]
}
2020-06-24T03:13:44.908Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "337862440",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-24T03:13:44.908Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "337862440",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T03:17:04Z"
    }
  ]
}
2020-06-24T03:14:45.020Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",

```

```
        "grantId": "337862440",
        "grantRenew": false,
        "operationState": "AUTHORIZED"
    }
]
}
2020-06-24T03:14:45.020Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "337862440",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T03:18:05Z"
    }
  ]
}
```

8.3. WINNF.PT.C.HBT.1(Max Eirp = 20 dBm/MHz)

2020-06-24T03:08:32.401Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-06-24T03:08:32.401Z - INFO - Selected spectrum frequency is {'lowFrequency': 3615000000L, 'highFrequency': 3635000000L}

2020-06-24T03:08:32.401Z - INFO - Granted Spectrum Max Eirp = 20dBm/MHz

2020-06-24T03:08:32.401Z - INFO - the selected test from the user : PowerMeasTest is starting now

2020-06-24T03:08:37.838Z - INFO - registration request from CBRS : {

"registrationRequest": [

{

"airInterface": {

"radioTechnology": "E_UTRA",

"supportedSpec": "FFS"

},

"callSign": "",

"cbsdCategory": "A",

"cbsdSerialNumber": "1912CW53000016",

"cpiSignatureData": {

"digitalSignature":

"qaCiqMQMnGOOf1ME7G592j9crhbKkfoZ_z4uioCOyLzDqlpTghKM3-fMF6VXaHZUENnAN4YrO9miuLT4tz
DKSwOGSYgH5GjQ6JfGDITCnxUerKI-KfxE4sELumxFDMAKGMfNV10CDwZ_Vjvu9A35Z_yKthd_qX0N39O
qqCuFOz5PTDpneiFxuZtSnMnp4Xi-S--l6N2qHnXasi12k58dn7NOMS80il2iRpGExajSisDO8KeAG5SnTYWbi
6sohVOBvsD1tg_DHpsM1gzN6NpRqC38f569hSU_v6dqIhua4TF3-myrCrA71zGjw00lil-VweicDgtmX7sH0b_
GeglCdA",

"encodedCpiSignedData":

"eyJpbN0YWxsYXRpb25QYXJhbSI6eyJlaXJwQ2FwYWJpbGl0eSI6MjcsImhlaWdodFR5cGUiOiJBTvNMIiw
iYW50ZW5uYUdhW4iOiJmSlmhvcml6b250YWx2N1cmFjeSI6MywiYW50ZW5uYURvd250aWx0IjowLCJh
bnRlbn5hQmVhbXdpZHRoljozNjAsImhlaWdodCI6MTgslZlcnRyY2FsQWNjdXJhY3kiOiJmSlmFudGVubmFB
emltdXRoljowLCJsb25naXR1ZGUiOi0xMDUuMDI0MDk0LCJpbmRvb3JEZXBs3ltZW50IjpmYWxzZSwibGF
0aXR1ZGUiOiJmSlmWmJmMjAxSWiZmNjSWQlOiJmZW10by5pliwiHJvZmVzc2lvbmFsSW5zdGFsbGVyRGF0Y
SI6eyJjcGLOYW1lIjoilwiaw5zdGFsbENlcnRyZmljYXRpb25UaW1lIjoilMjAyMC0wMy0xNIQxNDoyMjo1MS4x
MTMwMDBaliwiY3BpSWQlOi0xSWiY2JzZFNlcmhE51bWJlciI6IiNlcmNvbW0tMTkxMkNXNTMwMDAwMTYif
Q",

"protectedHeader": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9"

},

"fcellId": "femto.i",

"groupingParam": [

{

"groupId": "SERCOMM_111",

"groupType": "INTERFERENCE_COORDINATION"

}

],

"measCapability": [

"RECEIVED_POWER_WITHOUT_GRANT"

],

"userId": "XywyE9"

}

]

}

2020-06-24T03:08:37.884Z - INFO - engine sent successfully, the response to CBRS : {

"registrationResponse": [

{

"cbsdId": "femto.iMock-SAS1912CW53000016",

"response": {

"responseCode": 0

}

```

    }
  ]
}
2020-06-24T03:08:37.947Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "inquiredSpectrum": [
        {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      ]
    }
  ]
}
2020-06-24T03:08:37.963Z - INFO - The requested spectrum is in the range, SpectrumInquiry response code
is 0
2020-06-24T03:08:37.963Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3635000000,
            "lowFrequency": 3615000000
          },
          "maxEirp": 20,
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-06-24T03:08:38.025Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3635000000,
          "lowFrequency": 3615000000
        }
      }
    }
  ]
}
2020-06-24T03:08:38.025Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "channelType": "GAA",

```

```

    "grantExpireTime": "2020-07-01T03:08:38Z",
    "grantId": "188794650",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  ]
}
2020-06-24T03:08:38.134Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "188794650",
      "grantRenew": true,
      "operationState": "GRANTED"
    }
  ]
}
2020-06-24T03:08:38.134Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantExpireTime": "2020-06-24T03:14:38Z",
      "grantId": "188794650",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T03:11:58Z"
    }
  ]
}
2020-06-24T03:09:38.265Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "188794650",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-06-24T03:09:38.265Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "femto.iMock-SAS1912CW53000016",
      "grantId": "188794650",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-06-24T03:12:58Z"
    }
  ]
}

```