








11AC40SISO_5755




Date: 21.NOV.2024 07:58:17

11AC40SISO_5795



Date: 21.NOV.2024 07:58:55





Maximum power spectral density


Test Result


TestMode	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	5180	3.97	≤11.00	PASS
	5220	3.63	≤11.00	PASS
	5240	3.76	≤11.00	PASS
	5260	4.09	≤11.00	PASS
	5300	4.53	≤11.00	PASS
	5320	4.08	≤11.00	PASS
	5500	3.35	≤10.48	PASS
	5580	3.22	≤10.48	PASS
	5700	2.77	≤10.48	PASS
	5745	0.45	≤29.11	PASS
	5785	0.96	≤29.11	PASS
	5825	0.96	≤29.11	PASS
11AC20SISO	5180	3.62	≤11.00	PASS
	5220	3.86	≤11.00	PASS
	5240	3.59	≤11.00	PASS
	5260	3.85	≤11.00	PASS
	5300	4.24	≤11.00	PASS
	5320	3.74	≤11.00	PASS
	5500	2.99	≤10.48	PASS
	5580	2.95	≤10.48	PASS
	5700	2.45	≤10.48	PASS
	5745	0.08	≤29.11	PASS
	5785	0.6	≤29.11	PASS
	5825	0.62	≤29.11	PASS
11AC40SISO	5190	-0.43	≤11.00	PASS
	5230	0.54	≤11.00	PASS
	5270	-0.04	≤11.00	PASS
	5310	-0.2	≤11.00	PASS
	5510	-1.17	≤10.48	PASS
	5550	-0.88	≤10.48	PASS
	5670	-1.22	≤10.48	PASS
	5755	-3.71	≤29.11	PASS
	5795	-3.91	≤29.11	PASS
11AC80SISO	5210	-4.49	≤11.00	PASS
	5290	-4.91	≤11.00	PASS
	5530	-5.55	≤10.48	PASS
	5775	-8.69	≤29.11	PASS





Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.


Test Graphs

























































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.224	39.35	-23.31	62.66	28.90	0.06	10.39	QP
2	0.224	23.65	-29.01	52.66	13.20	0.06	10.39	Average
3	0.361	35.37	-23.32	58.69	25.20	-0.13	10.30	QP
4	0.361	23.07	-25.62	48.69	12.90	-0.13	10.30	Average
5 *	0.389	35.05	-23.03	58.08	24.91	-0.14	10.28	QP
6	0.389	23.85	-24.23	48.08	13.71	-0.14	10.28	Average
7	0.456	32.70	-24.06	56.76	22.60	-0.14	10.24	QP
8	0.456	21.00	-25.76	46.76	10.90	-0.14	10.24	Average
9	0.644	31.70	-24.30	56.00	21.70	-0.16	10.16	QP
10	0.644	19.60	-26.40	46.00	9.60	-0.16	10.16	Average
11	1.166	30.40	-25.60	56.00	20.49	-0.18	10.09	QP
12	1.166	18.80	-27.20	46.00	8.89	-0.18	10.09	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jerry Xu	Relative Humidity :	25.2~26.5°C
		Temperature :	51~53%

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	802.11ac VHT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	802.11ac VHT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	802.11ac VHT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	802.11ac VHT20	52	5280	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	802.11ac VHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	802.11ac VHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	802.11ac VHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	802.11ac VHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	802.11ac VHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	802.11ac VHT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	802.11ac VHT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	802.11ac VHT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	802.11ac VHT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	802.11ac VHT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	802.11ac VHT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	802.11ac VHT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	802.11ac VHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	802.11ac VHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	802.11ac VHT80	106	5530	MCS0	-	-
Mode 29	U-NII-3	5.725-5.85	802.11a	149	5745	6Mbps	-	-
Mode 30	U-NII-3	5.725-5.85	802.11a	157	5785	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	802.11a	165	5825	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	802.11n HT20	149	5745	MCS0	-	-
Mode 33	U-NII-3	5.725-5.85	802.11n HT20	157	5785	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	802.11n HT20	165	5825	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	802.11ac VHT40	151	5755	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	802.11ac VHT40	159	5795	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	802.11ac VHT80	155	5775	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.90	46.64	54.00	-7.36	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.09	68.20	-23.11	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	45.74	68.20	-22.46	H	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	45.39	68.20	-22.81	H	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	7039.60	52.86	68.20	-15.34	H	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	7064.90	51.63	68.20	-16.57	H	PEAK	Pass	Harmonic
6	802.11a	64	-	-	-	-	-	-	-	Band Edge
6	802.11a	64	7093.13	51.84	68.20	-16.36	H	PEAK	Pass	Harmonic
7	802.11a	100	5459.44	44.61	54.00	-9.39	H	AVERAGE	Pass	Band Edge
7	802.11a	100	7332.93	53.01	54.00	-0.99	H	Average	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	7439.81	50.44	54.00	-3.56	H	AVERAGE	Pass	Harmonic
9	802.11a	140	5725.80	54.61	68.20	-13.59	H	PEAK	Pass	Band Edge
9	802.11a	140	7599.81	49.38	54.00	-4.62	H	AVERAGE	Pass	Harmonic
10	802.11ac VHT20	36	5150.00	47.22	54.00	-6.78	H	AVERAGE	Pass	Band Edge
10	802.11ac VHT20	36	10360.00	45.28	68.20	-22.92	H	PEAK	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	10440.00	45.52	68.20	-22.68	V	PEAK	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	10480.00	45.62	68.20	-22.58	H	PEAK	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	7039.82	53.41	68.20	-14.79	H	PEAK	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	7066.49	53.55	68.20	-14.65	H	PEAK	Pass	Harmonic
15	802.11ac VHT20	64	5350.20	45.93	54.00	-8.07	H	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	7093.16	53.06	68.20	-15.14	H	PEAK	Pass	Harmonic
16	802.11ac VHT20	100	5458.96	44.46	54.00	-9.54	H	AVERAGE	Pass	Band Edge
16	802.11ac VHT20	100	7333.15	53.32	54.00	-0.68	H	AVERAGE	Pass	Harmonic
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ac VHT20	116	7439.81	50.34	54.00	-3.66	H	AVERAGE	Pass	Harmonic
18	802.11ac VHT20	140	5725.16	56.97	68.20	-11.23	H	PEAK	Pass	Band Edge
18	802.11ac VHT20	140	7599.81	49.26	54.00	-4.74	H	AVERAGE	Pass	Harmonic
19	802.11ac VHT40	38	5149.60	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
19	802.11ac VHT40	38	10380.00	45.32	68.20	-22.88	V	PEAK	Pass	Harmonic
20	802.11ac VHT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11ac VHT40	46	10460.00	45.35	68.20	-22.85	H	PEAK	Pass	Harmonic
21	802.11ac VHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11ac VHT40	54	7026.49	53.87	68.20	-14.33	H	PEAK	Pass	Harmonic



22	802.11ac VHT40	62	5350.00	48.45	54.00	-5.55	H	AVERAGE	Pass	Band Edge
22	802.11ac VHT40	62	7079.82	53.66	68.20	-14.54	H	PEAK	Pass	Harmonic
23	802.11ac VHT40	102	5459.92	46.96	54.00	-7.04	H	AVERAGE	Pass	Band Edge
23	802.11ac VHT40	102	7346.48	53.22	54.00	-0.78	H	AVERAGE	Pass	Harmonic
24	802.11ac VHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11ac VHT40	110	7399.82	52.11	54.00	-1.89	H	AVERAGE	Pass	Harmonic
25	802.11ac VHT40	134	5452.56	42.71	54.00	-11.29	H	AVERAGE	Pass	Band Edge
25	802.11ac VHT40	134	7559.98	49.54	54.00	-4.46	H	AVERAGE	Pass	Harmonic
26	802.11ac VHT80	42	5149.92	50.89	54.00	-3.11	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	10420.00	44.44	68.20	-23.76	V	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5356.10	48.46	54.00	-5.54	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	7053.32	52.66	68.20	-15.54	H	PEAK	Pass	Harmonic
28	802.11ac VHT80	106	5458.80	50.11	54.00	-3.89	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	7373.32	53.20	54.00	-0.80	H	AVERAGE	Pass	Harmonic
29	802.11a	149	5621.20	54.96	68.20	-13.24	V	PEAK	Pass	Band Edge
29	802.11a	149	7659.98	48.48	54.00	-5.52	H	AVERAGE	Pass	Harmonic
30	802.11a	157	-	-	-	-	-	-	-	Band Edge
30	802.11a	157	7713.31	48.54	54.00	-5.46	H	AVERAGE	Pass	Harmonic
31	802.11a	165	5985.60	52.52	68.20	-15.68	V	PEAK	Pass	Band Edge
31	802.11a	165	7766.33	47.66	68.20	-20.54	H	PEAK	Pass	Harmonic
32	802.11n HT20	149	5649.60	54.05	68.20	-14.15	H	PEAK	Pass	Band Edge
32	802.11n HT20	149	7659.98	49.20	54.00	-4.80	H	AVERAGE	Pass	Harmonic
33	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
33	802.11n HT20	157	7713.31	49.27	54.00	-4.73	H	AVERAGE	Pass	Harmonic
34	802.11n HT20	165	5969.60	53.05	68.20	-15.15	H	PEAK	Pass	Band Edge
34	802.11n HT20	165	7766.33	46.79	68.20	-21.41	H	PEAK	Pass	Harmonic
35	802.11ac VHT40	151	5619.69	54.84	68.20	-13.36	H	PEAK	Pass	Band Edge
35	802.11ac VHT40	151	7673.31	48.78	54.00	-5.22	H	AVERAGE	Pass	Harmonic
36	802.11ac VHT40	159	5932.80	54.17	68.20	-14.03	V	PEAK	Pass	Band Edge
36	802.11ac VHT40	159	7726.65	48.67	54.00	-5.33	H	AVERAGE	Pass	Harmonic
37	802.11ac VHT80	155	5622.40	50.21	68.20	-17.99	H	PEAK	Pass	Band Edge
37	802.11ac VHT80	155	7699.98	49.83	54.00	-4.17	H	AVERAGE	Pass	Harmonic



Co-location mode:





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 38	U-NII-2C	5.47-5.725	802.11ac VHT20	100	5500	MCS0	-	-
	Part 27M LTE Band 41- BW 20M							





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
38	802.11ac VHT20	100	5467.60	55.96	68.20	-12.24	H	PEAK	Pass	Band Edge
38	802.11ac VHT20	100	7333.32	52.92	54.00	-1.08	H	AVERAGE	Pass	Harmonic




		1																																																					
Mode	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.00</td><td>56.81</td><td>74.00</td><td>-17.19</td><td>48.46</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	56.81	74.00	-17.19	48.46	34.40	10.61	36.66	0.00	100	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.00	56.81	74.00	-17.19	48.46	34.40	10.61	36.66	0.00	100	107	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.25</td><td>-----</td><td>-----</td><td>100.79</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.25	-----	-----	100.79	34.43	10.64	36.61	0.00	100	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	109.25	-----	-----	100.79	34.43	10.64	36.61	0.00	100	107	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.90</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>38.28</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>107</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	46.64	54.00	-7.36	38.28	34.40	10.61	36.65	0.00	100	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.90	46.64	54.00	-7.36	38.28	34.40	10.61	36.65	0.00	100	107	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.46</td><td>-----</td><td>-----</td><td>93.00</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>107</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.46	-----	-----	93.00	34.43	10.64	36.61	0.00	100	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	101.46	-----	-----	93.00	34.43	10.64	36.61	0.00	100	107	AVERAGE																																											



Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.70</td><td>51.99</td><td>74.00</td><td>-22.01</td><td>43.64</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>396</td><td>242</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.70	51.99	74.00	-22.01	43.64	34.40	10.61	36.66	0.00	396	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.70	51.99	74.00	-22.01	43.64	34.40	10.61	36.66	0.00	396	242	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.76</td><td>-----</td><td>-----</td><td>99.31</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>396</td><td>242</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.76	-----	-----	99.31	34.43	10.64	36.62	0.00	396	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	107.76	-----	-----	99.31	34.43	10.64	36.62	0.00	396	242	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.40</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>33.98</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>396</td><td>242</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.40	42.34	54.00	-11.66	33.98	34.40	10.61	36.65	0.00	396	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.40	42.34	54.00	-11.66	33.98	34.40	10.61	36.65	0.00	396	242	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.21</td><td>-----</td><td>-----</td><td>90.75</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>396</td><td>242</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.21	-----	-----	90.75	34.43	10.64	36.61	0.00	396	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	99.21	-----	-----	90.75	34.43	10.64	36.61	0.00	396	242	AVERAGE																																											





Mode	1																																																					
	Harmonic																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.79</td><td>37.35</td><td>15.44</td><td>66.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10360.00	44.61	68.20	-23.59	58.79	37.35	15.44	66.97	0.00	--	PEAK																																											
<table></table>																																																						



Mode	2																																																					
	Harmonic																																																					
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.74</td><td>68.20</td><td>-22.46</td><td>59.68</td><td>37.44</td><td>15.53</td><td>66.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	45.74	68.20	-22.46	59.68	37.44	15.53	66.91	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10440.00	45.74	68.20	-22.46	59.68	37.44	15.53	66.91	0.00	--	PEAK																																											
	Vertical																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.06</td><td>68.20</td><td>-23.14</td><td>58.99</td><td>37.45</td><td>15.53</td><td>66.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	45.06	68.20	-23.14	58.99	37.45	15.53	66.91	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10440.00	45.06	68.20	-23.14	58.99	37.45	15.53	66.91	0.00	--	PEAK																																											





Mode	3																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10400.00</td><td>45.39</td><td>68.20</td><td>-22.81</td><td>59.27</td><td>37.47</td><td>15.55</td><td>66.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	45.39	68.20	-22.81	59.27	37.47	15.55	66.90	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10400.00</td><td>45.18</td><td>68.20</td><td>-23.02</td><td>59.04</td><td>37.48</td><td>15.56</td><td>66.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	45.18	68.20	-23.02	59.04	37.48	15.56	66.90	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10400.00	45.39	68.20	-22.81	59.27	37.47	15.55	66.90	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10400.00	45.18	68.20	-23.02	59.04	37.48	15.56	66.90	0.00	--	--	PEAK																																																																																							



Mode	4																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7039.60</td><td>52.86</td><td>68.20</td><td>-15.34</td><td>70.33</td><td>35.60</td><td>12.51</td><td>65.58</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10560.00</td><td>44.81</td><td>68.20</td><td>-23.39</td><td>58.48</td><td>37.55</td><td>15.63</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7039.60	52.86	68.20	-15.34	70.33	35.60	12.51	65.58	0.00	--	--	PEAK	2	10560.00	44.81	68.20	-23.39	58.48	37.55	15.63	66.85	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7040.33</td><td>48.36</td><td>68.20</td><td>-19.84</td><td>65.84</td><td>35.60</td><td>12.51</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10560.00</td><td>45.13</td><td>68.20</td><td>-23.07</td><td>58.78</td><td>37.56</td><td>15.64</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7040.33	48.36	68.20	-19.84	65.84	35.60	12.51	65.59	0.00	--	--	PEAK	2	10560.00	45.13	68.20	-23.07	58.78	37.56	15.64	66.85	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7039.60	52.86	68.20	-15.34	70.33	35.60	12.51	65.58	0.00	--	--	PEAK																																																																																																																		
2	10560.00	44.81	68.20	-23.39	58.48	37.55	15.63	66.85	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7040.33	48.36	68.20	-19.84	65.84	35.60	12.51	65.59	0.00	--	--	PEAK																																																																																																																		
2	10560.00	45.13	68.20	-23.07	58.78	37.56	15.64	66.85	0.00	--	--	PEAK																																																																																																																		



		5																																																																					
Mode		Harmonic																																																																					
		U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7064.90</td><td>51.63</td><td>68.20</td><td>-16.57</td><td>69.11</td><td>35.63</td><td>12.54</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>57.92</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7064.90	51.63	68.20	-16.57	69.11	35.63	12.54	65.65	0.00	--	--	PEAK	2	10600.00	44.36	74.00	-29.64	57.92	37.60	15.67	66.83	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	7064.90	51.63	68.20	-16.57	69.11	35.63	12.54	65.65	0.00	--	--	PEAK																																																											
2	10600.00	44.36	74.00	-29.64	57.92	37.60	15.67	66.83	0.00	--	--	PEAK																																																											
																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7064.90</td><td>47.08</td><td>68.20</td><td>-21.12</td><td>64.56</td><td>35.63</td><td>12.54</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>57.47</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7064.90	47.08	68.20	-21.12	64.56	35.63	12.54	65.65	0.00	--	--	PEAK	2	10600.00	43.91	74.00	-30.09	57.47	37.60	15.67	66.83	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	7064.90	47.08	68.20	-21.12	64.56	35.63	12.54	65.65	0.00	--	--	PEAK																																																											
2	10600.00	43.91	74.00	-30.09	57.47	37.60	15.67	66.83	0.00	--	--	PEAK																																																											



6

Mode

Band Edge


U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz

Pol.


Horizontal

Fundamental

Peak




Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5351.20	56.38	74.00	-17.62	47.41	34.59	10.75	36.37	0.00	100
										108 PEAK




Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5320.00	107.97	-----	-----	99.09	34.56	10.73	36.41	0.00	100
										108 PEAK

Avg



Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5350.40	45.75	54.00	-8.25	36.78	34.59	10.75	36.37	0.00	100
										108 AVERAGE



Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5320.00	99.91	-----	-----	91.03	34.56	10.73	36.41	0.00	100
										108 AVERAGE



6

Mode

Band Edge


U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz

Pol.


Vertical

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	5351.10	55.08	74.00	-18.92	46.11	34.59	10.75	36.37
							0.00	391
								201
								PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	5320.00	106.87	-----	-----	97.99	34.56	10.73	36.41
							0.00	391
								201
								PEAK

Avg




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	5350.90	45.16	54.00	-8.84	36.19	34.59	10.75	36.37
							0.00	391
								201
								AVERAGE



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1	5320.00	98.95	-----	-----	90.07	34.56	10.73	36.41
							0.00	391
								201
								AVERAGE



Mode	6																																																																						
	Harmonic																																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.13</td><td>51.84</td><td>68.20</td><td>-16.36</td><td>69.29</td><td>35.69</td><td>12.58</td><td>65.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>57.55</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7093.13	51.84	68.20	-16.36	69.29	35.69	12.58	65.72	0.00	--	--	PEAK	2	10640.00	44.05	74.00	-29.95	57.55	37.60	15.71	66.81	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	7093.13	51.84	68.20	-16.36	69.29	35.69	12.58	65.72	0.00	--	--	PEAK																																																											
2	10640.00	44.05	74.00	-29.95	57.55	37.60	15.71	66.81	0.00	--	--	PEAK																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.13</td><td>48.17</td><td>68.20</td><td>-20.03</td><td>65.62</td><td>35.69</td><td>12.58</td><td>65.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>58.23</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7093.13	48.17	68.20	-20.03	65.62	35.69	12.58	65.72	0.00	--	--	PEAK	2	10640.00	44.73	74.00	-29.27	58.23	37.60	15.71	66.81	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	7093.13	48.17	68.20	-20.03	65.62	35.69	12.58	65.72	0.00	--	--	PEAK																																																											
2	10640.00	44.73	74.00	-29.27	58.23	37.60	15.71	66.81	0.00	--	--	PEAK																																																											



7

Mode

Band Edge


U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz

Pol.


Horizontal

Fundamental

Peak




	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5455.92	54.80	74.00	-19.20	45.49	34.69	10.84	36.22	0.00	145 342 PEAK
2	5466.96	55.50	68.20	-12.70	46.15	34.70	10.85	36.20	0.00	145 342 PEAK




	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5500.00	109.44	-----	-----	99.96	34.74	10.89	36.15	0.00	145 342 PEAK

Avg



	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5459.44	44.61	54.00	-9.39	35.29	34.70	10.84	36.22	0.00	145 342 AVERAGE



	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5500.00	100.69	-----	-----	91.23	34.73	10.89	36.16	0.00	145 342 AVERAGE



7

Mode

Band Edge


U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz

Pol.


Vertical

Fundamental

Peak




	Limit				Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor		Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		dB	dB	dB		cm	deg
1	5396.24	52.97	74.00	-21.03	43.87	34.64		10.77	36.31	0.00	390	219	PEAK
2	5469.84	54.05	68.20	-14.15	44.69	34.71		10.85	36.20	0.00	390	219	PEAK




	Limit				Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg
1	5500.00	106.90	-----	-----	97.44	34.73	10.89	36.16	0.00	390	219	PEAK

Avg





	Limit				Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5459.60	42.89	54.00	-11.11	33.57	34.70	10.84	36.22	0.00		390	219	AVERAGE





	Limit				Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					
1	5500.00	98.26	-----	-----	88.80	34.73	10.89	36.16	0.00	390	219	AVERAGE							






		7																																																																																																																																																									
Mode		Harmonic																																																																																																																																																									
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																									
Pol.		Horizontal										Vertical																																																																																																																																															
Peak Avg																																																																																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7332.93</td><td>54.60</td><td>74.00</td><td>-19.40</td><td>72.46</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332 Peak</td></tr><tr><td>2</td><td>7332.93</td><td>53.01</td><td>54.00</td><td>-0.99</td><td>70.87</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332 Average</td></tr><tr><td>3</td><td>11000.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>58.21</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7332.93	54.60	74.00	-19.40	72.46	35.77	12.72	66.35	0.00	100	332 Peak	2	7332.93	53.01	54.00	-0.99	70.87	35.77	12.72	66.35	0.00	100	332 Average	3	11000.00	45.54	74.00	-28.46	58.21	37.90	16.04	66.61	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7332.93</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>68.24</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>204 PEAK</td></tr><tr><td>2</td><td>7332.93</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>67.89</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>204 Average</td></tr><tr><td>3</td><td>11000.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>57.80</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7332.93	50.38	74.00	-23.62	68.24	35.77	12.72	66.35	0.00	100	204 PEAK	2	7332.93	50.03	54.00	-3.97	67.89	35.77	12.72	66.35	0.00	100	204 Average	3	11000.00	45.13	74.00	-28.87	57.80	37.90	16.04	66.61	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	7332.93	54.60	74.00	-19.40	72.46	35.77	12.72	66.35	0.00	100	332 Peak																																																																																																																																																
2	7332.93	53.01	54.00	-0.99	70.87	35.77	12.72	66.35	0.00	100	332 Average																																																																																																																																																
3	11000.00	45.54	74.00	-28.46	58.21	37.90	16.04	66.61	0.00	--	-- PEAK																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	7332.93	50.38	74.00	-23.62	68.24	35.77	12.72	66.35	0.00	100	204 PEAK																																																																																																																																																
2	7332.93	50.03	54.00	-3.97	67.89	35.77	12.72	66.35	0.00	100	204 Average																																																																																																																																																
3	11000.00	45.13	74.00	-28.87	57.80	37.90	16.04	66.61	0.00	--	-- PEAK																																																																																																																																																






		8																																																																																																																																																																	
Mode		Harmonic																																																																																																																																																																	
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																																																	
Pol.		Horizontal											Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7439.81</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>70.42</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>7439.81</td><td>50.44</td><td>54.00</td><td>-3.56</td><td>68.49</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>58.63</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>277</td><td>155</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7439.81	52.37	74.00	-21.63	70.42	35.00	12.78	66.63	0.00	100	328	PEAK	2	7439.81	50.44	54.00	-3.56	68.49	35.00	12.78	66.63	0.00	100	328	AVERAGE	3	11160.00	46.12	74.00	-27.88	58.63	37.86	16.15	66.52	0.00	277	155	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7439.81</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>69.78</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>278</td><td>191</td><td>PEAK</td></tr><tr><td>2</td><td>7439.81</td><td>49.33</td><td>54.00</td><td>-4.67</td><td>67.38</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>278</td><td>191</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>57.25</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>278</td><td>191</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7439.81	51.73	74.00	-22.27	69.78	35.00	12.78	66.63	0.00	278	191	PEAK	2	7439.81	49.33	54.00	-4.67	67.38	35.00	12.78	66.63	0.00	278	191	AVERAGE	3	11160.00	44.74	74.00	-29.26	57.25	37.86	16.15	66.52	0.00	278	191	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7439.81	52.37	74.00	-21.63	70.42	35.00	12.78	66.63	0.00	100	328	PEAK																																																																																																																																																							
2	7439.81	50.44	54.00	-3.56	68.49	35.00	12.78	66.63	0.00	100	328	AVERAGE																																																																																																																																																							
3	11160.00	46.12	74.00	-27.88	58.63	37.86	16.15	66.52	0.00	277	155	PEAK																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7439.81	51.73	74.00	-22.27	69.78	35.00	12.78	66.63	0.00	278	191	PEAK																																																																																																																																																							
2	7439.81	49.33	54.00	-4.67	67.38	35.00	12.78	66.63	0.00	278	191	AVERAGE																																																																																																																																																							
3	11160.00	44.74	74.00	-29.26	57.25	37.86	16.15	66.52	0.00	278	191	PEAK																																																																																																																																																							



Mode	9																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5725.00</td><td>54.61</td><td>68.20</td><td>-13.59</td><td>45.79</td><td>34.95</td><td>11.18</td><td>37.31</td><td>0.00</td><td>100 346 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5725.00	54.61	68.20	-13.59	45.79	34.95	11.18	37.31	0.00	100 346 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.31</td><td>-----</td><td>-----</td><td>97.19</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>100 346 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5700.00	106.31	-----	-----	97.19	34.93	11.15	36.96	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1 5725.00	54.61	68.20	-13.59	45.79	34.95	11.18	37.31	0.00	100 346 PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1 5700.00	106.31	-----	-----	97.19	34.93	11.15	36.96	0.00	100 346 PEAK																																																																																		
Avg	Blank																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5700.00</td><td>97.49</td><td>-----</td><td>-----</td><td>88.30</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>100 346 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5700.00	97.49	-----	-----	88.30	34.92	11.14	36.87	0.00	100 346 AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1 5700.00	97.49	-----	-----	88.30	34.92	11.14	36.87	0.00	100 346 AVERAGE																																																																																		







Mode	9																																																						
	Band Edge																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.68</td><td>53.32</td><td>68.20</td><td>-14.88</td><td>44.51</td><td>34.95</td><td>11.18</td><td>37.32</td><td>0.00</td><td>348</td><td>22</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.68	53.32	68.20	-14.88	44.51	34.95	11.18	37.32	0.00	348	22	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5726.68	53.32	68.20	-14.88	44.51	34.95	11.18	37.32	0.00	348	22	PEAK																																											
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.86</td><td>-----</td><td>-----</td><td>93.67</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>348</td><td>22</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.86	-----	-----	93.67	34.92	11.14	36.87	0.00	348	22	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	102.86	-----	-----	93.67	34.92	11.14	36.87	0.00	348	22	PEAK																																											
Avg	Blank																																																						
																																																							
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.54</td><td>-----</td><td>-----</td><td>85.35</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>348</td><td>22</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.54	-----	-----	85.35	34.92	11.14	36.87	0.00	348	22	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	94.54	-----	-----	85.35	34.92	11.14	36.87	0.00	348	22	AVERAGE																																											







		9																																																																																																																																																															
Mode		Harmonic																																																																																																																																																															
		U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																															
Pol.		Horizontal										Vertical																																																																																																																																																					
Peak Avg		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>51.92</td><td>74.00</td><td>-22.08</td><td>69.84</td><td>35.90</td><td>13.02</td><td>66.84</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>7599.81</td><td>49.38</td><td>54.00</td><td>-4.62</td><td>67.30</td><td>35.90</td><td>13.02</td><td>66.84</td><td>0.00</td><td>100</td><td>330</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>57.06</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7599.81	51.92	74.00	-22.08	69.84	35.90	13.02	66.84	0.00	100	330	PEAK	2	7599.81	49.38	54.00	-4.62	67.30	35.90	13.02	66.84	0.00	100	330	AVERAGE	3	11400.00	44.97	74.00	-29.03	57.06	38.00	16.30	66.39	0.00	100	330	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>50.66</td><td>74.00</td><td>-23.34</td><td>68.58</td><td>35.90</td><td>13.02</td><td>66.84</td><td>0.00</td><td>257</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>7599.81</td><td>47.61</td><td>54.00</td><td>-6.39</td><td>65.53</td><td>35.90</td><td>13.02</td><td>66.84</td><td>0.00</td><td>257</td><td>193</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>57.23</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>257</td><td>193</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7599.81	50.66	74.00	-23.34	68.58	35.90	13.02	66.84	0.00	257	193	PEAK	2	7599.81	47.61	54.00	-6.39	65.53	35.90	13.02	66.84	0.00	257	193	AVERAGE	3	11400.00	45.14	74.00	-28.86	57.23	38.00	16.30	66.39	0.00	257	193	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	7599.81	51.92	74.00	-22.08	69.84	35.90	13.02	66.84	0.00	100	330	PEAK																																																																																																																																																					
2	7599.81	49.38	54.00	-4.62	67.30	35.90	13.02	66.84	0.00	100	330	AVERAGE																																																																																																																																																					
3	11400.00	44.97	74.00	-29.03	57.06	38.00	16.30	66.39	0.00	100	330	PEAK																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	7599.81	50.66	74.00	-23.34	68.58	35.90	13.02	66.84	0.00	257	193	PEAK																																																																																																																																																					
2	7599.81	47.61	54.00	-6.39	65.53	35.90	13.02	66.84	0.00	257	193	AVERAGE																																																																																																																																																					
3	11400.00	45.14	74.00	-28.86	57.23	38.00	16.30	66.39	0.00	257	193	PEAK																																																																																																																																																					





Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.70</td><td>57.32</td><td>74.00</td><td>-16.68</td><td>48.98</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.70	57.32	74.00	-16.68	48.98	34.40	10.60	36.66	0.00	100	105	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.78</td><td>-----</td><td>-----</td><td>100.32</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.78	-----	-----	100.32	34.43	10.64	36.61	0.00	100	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5146.70	57.32	74.00	-16.68	48.98	34.40	10.60	36.66	0.00	100	105	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	108.78	-----	-----	100.32	34.43	10.64	36.61	0.00	100	105	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5150.00</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>38.86</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	47.22	54.00	-6.78	38.86	34.40	10.61	36.65	0.00	100	105	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>100.66</td><td>-----</td><td>-----</td><td>92.20</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.66	-----	-----	92.20	34.43	10.64	36.61	0.00	100	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	47.22	54.00	-6.78	38.86	34.40	10.61	36.65	0.00	100	105	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	100.66	-----	-----	92.20	34.43	10.64	36.61	0.00	100	105	AVERAGE																																																																																							



		10																																																				
Mode		Band Edge																																																				
		U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																				
Pol.		Vertical					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.00</td><td>55.35</td><td>74.00</td><td>-18.65</td><td>47.00</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>300</td><td>235</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	55.35	74.00	-18.65	47.00	34.40	10.61	36.66	0.00	300	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5148.00	55.35	74.00	-18.65	47.00	34.40	10.61	36.66	0.00	300	235	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>36.17</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>300</td><td>235</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	44.53	54.00	-9.47	36.17	34.40	10.61	36.65	0.00	300	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5150.00	44.53	54.00	-9.47	36.17	34.40	10.61	36.65	0.00	300	235	AVERAGE																																										
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.81</td><td>-----</td><td>-----</td><td>98.35</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>300</td><td>235</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.81	-----	-----	98.35	34.43	10.64	36.61	0.00	300	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	106.81	-----	-----	98.35	34.43	10.64	36.61	0.00	300	235	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.20</td><td>-----</td><td>-----</td><td>89.74</td><td>34.43</td><td>10.64</td><td>36.61</td><td>0.00</td><td>300</td><td>235</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.20	-----	-----	89.74	34.43	10.64	36.61	0.00	300	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	98.20	-----	-----	89.74	34.43	10.64	36.61	0.00	300	235	AVERAGE																																										





Mode	10																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.28</td><td>68.20</td><td>-22.92</td><td>59.41</td><td>37.37</td><td>15.46</td><td>66.96</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.28	68.20	-22.92	59.41	37.37	15.46	66.96	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.08</td><td>68.20</td><td>-23.12</td><td>59.23</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.08	68.20	-23.12	59.23	37.36	15.45	66.96	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	45.28	68.20	-22.92	59.41	37.37	15.46	66.96	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	45.08	68.20	-23.12	59.23	37.36	15.45	66.96	0.00	--	PEAK																																																																																							





		11																																																										
Mode		Harmonic																																																										
		U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																										
Pol.		Horizontal																																																										
		Vertical																																																										
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>44.96</td><td>68.20</td><td>-23.24</td><td>58.92</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10440.00	44.96	68.20	-23.24	58.92	37.44	15.52	66.92	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	10440.00	44.96	68.20	-23.24	58.92	37.44	15.52	66.92	0.00	--	PEAK																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>45.52</td><td>68.20</td><td>-22.68</td><td>59.49</td><td>37.43</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10440.00	45.52	68.20	-22.68	59.49	37.43	15.52	66.92	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	10440.00	45.52	68.20	-22.68	59.49	37.43	15.52	66.92	0.00	--	PEAK																																																	



		12																																																																																																														
Mode		Harmonic																																																																																																														
		U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																																														
Pol.		Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>45.62</td><td>68.20</td><td>-22.58</td><td>59.45</td><td>37.49</td><td>15.57</td><td>66.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	45.62	68.20	-22.58	59.45	37.49	15.57	66.89	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>45.12</td><td>68.20</td><td>-23.08</td><td>58.97</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	45.12	68.20	-23.08	58.97	37.48	15.56	66.89	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	10400.00	45.62	68.20	-22.58	59.45	37.49	15.57	66.89	0.00	--	--	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	10400.00	45.12	68.20	-23.08	58.97	37.48	15.56	66.89	0.00	--	--	PEAK																																																																																																				



Mode	13																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5280MHz																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7039.82</td><td>53.41</td><td>68.20</td><td>-14.79</td><td>70.88</td><td>35.60</td><td>12.51</td><td>65.58</td><td>0.00</td><td>102</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>10560.00</td><td>45.39</td><td>68.20</td><td>-22.81</td><td>59.04</td><td>37.56</td><td>15.64</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7039.82	53.41	68.20	-14.79	70.88	35.60	12.51	65.58	0.00	102	153	PEAK	2	10560.00	45.39	68.20	-22.81	59.04	37.56	15.64	66.85	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7039.82</td><td>46.42</td><td>68.20</td><td>-21.78</td><td>63.90</td><td>35.60</td><td>12.51</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10560.00</td><td>44.43</td><td>68.20</td><td>-23.77</td><td>58.08</td><td>37.56</td><td>15.64</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7039.82	46.42	68.20	-21.78	63.90	35.60	12.51	65.59	0.00	--	--	PEAK	2	10560.00	44.43	68.20	-23.77	58.08	37.56	15.64	66.85	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7039.82	53.41	68.20	-14.79	70.88	35.60	12.51	65.58	0.00	102	153	PEAK																																																																																																																				
2	10560.00	45.39	68.20	-22.81	59.04	37.56	15.64	66.85	0.00	--	--	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7039.82	46.42	68.20	-21.78	63.90	35.60	12.51	65.59	0.00	--	--	PEAK																																																																																																																				
2	10560.00	44.43	68.20	-23.77	58.08	37.56	15.64	66.85	0.00	--	--	PEAK																																																																																																																				



14

Mode

Harmonic

U-NII-2A_5.25-5.35_802.11ac VHT20_CH60_5300MHz

Pol.

Horizontal

Vertical





Peak

Avg

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	7066.49	53.55	68.20	-14.65	71.03	35.63	12.54	65.65	0.00	100	154	PEAK
2	10600.00	44.79	74.00	-29.21	58.35	37.60	15.67	66.83	0.00	--	--	PEAK

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	7066.49	47.01	68.20	-21.19	64.49	35.63	12.54	65.65	0.00	--	--	PEAK
2	10600.00	44.30	74.00	-29.70	57.86	37.60	15.67	66.83	0.00	--	--	PEAK



		15																																																					
Mode	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.60</td><td>55.66</td><td>74.00</td><td>-18.34</td><td>46.69</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.60	55.66	74.00	-18.34	46.69	34.59	10.75	36.37	0.00	100	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.60	55.66	74.00	-18.34	46.69	34.59	10.75	36.37	0.00	100	109	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.93</td><td>-----</td><td>-----</td><td>99.05</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.93	-----	-----	99.05	34.56	10.73	36.41	0.00	100	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	107.93	-----	-----	99.05	34.56	10.73	36.41	0.00	100	109	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>36.96</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	45.93	54.00	-8.07	36.96	34.59	10.75	36.37	0.00	100	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.20	45.93	54.00	-8.07	36.96	34.59	10.75	36.37	0.00	100	109	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.64</td><td>-----</td><td>-----</td><td>90.76</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.64	-----	-----	90.76	34.56	10.73	36.41	0.00	100	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	99.64	-----	-----	90.76	34.56	10.73	36.41	0.00	100	109	AVERAGE																																											



		15																																																				
Mode		Band Edge																																																				
		U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																				
Pol.		Vertical					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.60</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>45.08</td><td>34.60</td><td>10.75</td><td>36.37</td><td>0.00</td><td>372</td><td>202</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.60	54.06	74.00	-19.94	45.08	34.60	10.75	36.37	0.00	372	202
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5353.60	54.06	74.00	-19.94	45.08	34.60	10.75	36.37	0.00	372	202	PEAK																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.77</td><td>-----</td><td>-----</td><td>98.89</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>372</td><td>202</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.77	-----	-----	98.89	34.56	10.73	36.41	0.00	372	202
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	107.77	-----	-----	98.89	34.56	10.73	36.41	0.00	372	202	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>43.93</td><td>54.00</td><td>-10.07</td><td>34.96</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>372</td><td>202</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	43.93	54.00	-10.07	34.96	34.59	10.75	36.37	0.00	372	202
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.20	43.93	54.00	-10.07	34.96	34.59	10.75	36.37	0.00	372	202	AVERAGE																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.00</td><td>-----</td><td>-----</td><td>90.12</td><td>34.56</td><td>10.73</td><td>36.41</td><td>0.00</td><td>372</td><td>202</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.00	-----	-----	90.12	34.56	10.73	36.41	0.00	372	202
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	99.00	-----	-----	90.12	34.56	10.73	36.41	0.00	372	202	AVERAGE																																										



		15																																																																																																																													
Mode		Harmonic																																																																																																																													
		U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																																													
Pol.		Horizontal										Vertical																																																																																																																			
Peak Avg																																																																																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7093.16</td><td>53.06</td><td>68.20</td><td>-15.14</td><td>70.51</td><td>35.69</td><td>12.58</td><td>65.72</td><td>0.00</td><td>111</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>57.80</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7093.16	53.06	68.20	-15.14	70.51	35.69	12.58	65.72	0.00	111	153	PEAK	2	10640.00	44.30	74.00	-29.70	57.80	37.60	15.71	66.81	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7093.16</td><td>47.71</td><td>68.20</td><td>-20.49</td><td>65.16</td><td>35.69</td><td>12.58</td><td>65.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>58.24</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7093.16	47.71	68.20	-20.49	65.16	35.69	12.58	65.72	0.00	--	--	PEAK	2	10640.00	44.74	74.00	-29.26	58.24	37.60	15.71	66.81	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	7093.16	53.06	68.20	-15.14	70.51	35.69	12.58	65.72	0.00	111	153	PEAK																																																																																																																			
2	10640.00	44.30	74.00	-29.70	57.80	37.60	15.71	66.81	0.00	--	--	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	7093.16	47.71	68.20	-20.49	65.16	35.69	12.58	65.72	0.00	--	--	PEAK																																																																																																																			
2	10640.00	44.74	74.00	-29.26	58.24	37.60	15.71	66.81	0.00	--	--	PEAK																																																																																																																			



		16									
Mode	Band Edge										
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz										
Pol.	Fundamental										
Peak	Horizontal										
	Fundamental										
Avg	Horizontal										
	Fundamental										

Peak	Horizontal												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5456.40	54.03	74.00	-19.97	44.72	34.69	10.84	36.22	0.00	100	341	PEAK	
2	5467.28	56.07	68.20	-12.13	46.72	34.70	10.85	36.20	0.00	100	341	PEAK	

Peak	Fundamental												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5500.00	108.67	-----	-----	99.19	34.74	10.89	36.15	0.00	100	341	PEAK	


Avg	Horizontal												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5458.96	44.46	54.00	-9.54	35.14	34.70	10.84	36.22	0.00	100	341	AVERAGE	

Avg	Fundamental												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5500.00	99.93	-----	-----	90.47	34.73	10.89	36.16	0.00	100	341	AVERAGE	





		16																																																																																																																										
Mode		Band Edge																																																																																																																										
		U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																																										
Pol.		Vertical										Fundamental																																																																																																																
Peak	Pol.																																																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5363.12</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>43.71</td><td>34.60</td><td>10.75</td><td>36.35</td><td>0.00</td><td>348</td><td>222</td><td>PEAK</td></tr><tr><td>2</td><td>5466.96</td><td>53.33</td><td>68.20</td><td>-14.87</td><td>43.98</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>348</td><td>222</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5363.12	52.71	74.00	-21.29	43.71	34.60	10.75	36.35	0.00	348	222	PEAK	2	5466.96	53.33	68.20	-14.87	43.98	34.70	10.85	36.20	0.00	348	222	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.45</td><td>-----</td><td>-----</td><td>95.99</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>348</td><td>222</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	105.45	-----	-----	95.99	34.73	10.89	36.16	0.00	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5363.12	52.71	74.00	-21.29	43.71	34.60	10.75	36.35	0.00	348	222	PEAK																																																																																																																
2	5466.96	53.33	68.20	-14.87	43.98	34.70	10.85	36.20	0.00	348	222	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5500.00	105.45	-----	-----	95.99	34.73	10.89	36.16	0.00	348	222	PEAK																																																																																																																
Avg	Pol.																																																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.32</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>32.98</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>348</td><td>222</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.32	42.29	54.00	-11.71	32.98	34.69	10.84	36.22	0.00	348	222	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>96.71</td><td>-----</td><td>-----</td><td>87.25</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>348</td><td>222</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	96.71	-----	-----	87.25	34.73	10.89	36.16	0.00	348	222	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5458.32	42.29	54.00	-11.71	32.98	34.69	10.84	36.22	0.00	348	222	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5500.00	96.71	-----	-----	87.25	34.73	10.89	36.16	0.00	348	222	AVERAGE																																																																																																																



Mode	16																																																																																
	Harmonic																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>72.55</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>7333.15</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>71.18</td><td>35.77</td><td>12.72</td><td>66.35</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>58.12</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>100</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK	2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE	3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7333.15	54.69	74.00	-19.31	72.55	35.77	12.72	66.35	0.00	100	332	PEAK																																																																					
2	7333.15	53.32	54.00	-0.68	71.18	35.77	12.72	66.35	0.00	100	332	AVERAGE																																																																					
3	11000.00	45.45	74.00	-28.55	58.12	37.90	16.04	66.61	0.00	100	332	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							




Mode	16	
	18G-40G	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz	
Pol.	Horizontal	Vertical
Peak Avg		






Mode	16																																																																																																																																																																																																																																															
	30-1G																																																																																																																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																																																																																																																																																															
Pol.	Horizontal												Vertical																																																																																																																																																																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.12</td><td>40.00</td><td>-18.88</td><td>28.86</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>98.87</td><td>20.18</td><td>43.50</td><td>-23.32</td><td>34.68</td><td>16.87</td><td>1.50</td><td>32.87</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>145.43</td><td>19.06</td><td>43.50</td><td>-24.44</td><td>33.58</td><td>16.48</td><td>1.82</td><td>32.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>212.36</td><td>22.61</td><td>43.50</td><td>-20.89</td><td>37.05</td><td>16.16</td><td>2.22</td><td>32.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>284.14</td><td>25.15</td><td>46.00</td><td>-20.85</td><td>36.34</td><td>19.04</td><td>2.57</td><td>32.80</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>340.40</td><td>24.83</td><td>46.00</td><td>-21.17</td><td>34.71</td><td>20.22</td><td>2.81</td><td>32.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	21.12	40.00	-18.88	28.86	24.57	0.71	33.02	0.00	---	---	Peak	2	98.87	20.18	43.50	-23.32	34.68	16.87	1.50	32.87	0.00	---	---	Peak	3	145.43	19.06	43.50	-24.44	33.58	16.48	1.82	32.82	0.00	---	---	Peak	4	212.36	22.61	43.50	-20.89	37.05	16.16	2.22	32.82	0.00	---	---	Peak	5	284.14	25.15	46.00	-20.85	36.34	19.04	2.57	32.80	0.00	---	---	Peak	6	340.40	24.83	46.00	-21.17	34.71	20.22	2.81	32.91	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>36.79</td><td>29.31</td><td>40.00</td><td>-10.69</td><td>40.47</td><td>20.92</td><td>0.83</td><td>32.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>46.49</td><td>28.76</td><td>40.00</td><td>-11.24</td><td>44.97</td><td>15.76</td><td>0.99</td><td>32.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>90.14</td><td>22.44</td><td>43.50</td><td>-21.06</td><td>38.71</td><td>15.16</td><td>1.42</td><td>32.85</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>170.65</td><td>20.38</td><td>43.50</td><td>-23.12</td><td>35.24</td><td>16.00</td><td>1.97</td><td>32.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>326.82</td><td>21.14</td><td>46.00</td><td>-24.86</td><td>31.35</td><td>19.92</td><td>2.75</td><td>32.88</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>557.68</td><td>24.35</td><td>46.00</td><td>-21.65</td><td>28.78</td><td>25.08</td><td>3.60</td><td>33.11</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	36.79	29.31	40.00	-10.69	40.47	20.92	0.83	32.91	0.00	---	---	Peak	2	46.49	28.76	40.00	-11.24	44.97	15.76	0.99	32.96	0.00	---	---	Peak	3	90.14	22.44	43.50	-21.06	38.71	15.16	1.42	32.85	0.00	---	---	Peak	4	170.65	20.38	43.50	-23.12	35.24	16.00	1.97	32.83	0.00	---	---	Peak	5	326.82	21.14	46.00	-24.86	31.35	19.92	2.75	32.88	0.00	---	---	Peak	6	557.68	24.35	46.00	-21.65	28.78	25.08	3.60	33.11	0.00	---	---	Peak
		Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																						
	1	30.00	21.12	40.00	-18.88	28.86	24.57	0.71	33.02	0.00	---	---	Peak																																																																																																																																																																																																																																			
	2	98.87	20.18	43.50	-23.32	34.68	16.87	1.50	32.87	0.00	---	---	Peak																																																																																																																																																																																																																																			
	3	145.43	19.06	43.50	-24.44	33.58	16.48	1.82	32.82	0.00	---	---	Peak																																																																																																																																																																																																																																			
	4	212.36	22.61	43.50	-20.89	37.05	16.16	2.22	32.82	0.00	---	---	Peak																																																																																																																																																																																																																																			
	5	284.14	25.15	46.00	-20.85	36.34	19.04	2.57	32.80	0.00	---	---	Peak																																																																																																																																																																																																																																			
	6	340.40	24.83	46.00	-21.17	34.71	20.22	2.81	32.91	0.00	---	---	Peak																																																																																																																																																																																																																																			
	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																							
1	36.79	29.31	40.00	-10.69	40.47	20.92	0.83	32.91	0.00	---	---	Peak																																																																																																																																																																																																																																				
2	46.49	28.76	40.00	-11.24	44.97	15.76	0.99	32.96	0.00	---	---	Peak																																																																																																																																																																																																																																				
3	90.14	22.44	43.50	-21.06	38.71	15.16	1.42	32.85	0.00	---	---	Peak																																																																																																																																																																																																																																				
4	170.65	20.38	43.50	-23.12	35.24	16.00	1.97	32.83	0.00	---	---	Peak																																																																																																																																																																																																																																				
5	326.82	21.14	46.00	-24.86	31.35	19.92	2.75	32.88	0.00	---	---	Peak																																																																																																																																																																																																																																				
6	557.68	24.35	46.00	-21.65	28.78	25.08	3.60	33.11	0.00	---	---	Peak																																																																																																																																																																																																																																				





		17																																																																																
Mode		Harmonic																																																																																
		U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																
Pol.		Horizontal																																																																																
Peak Avg																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7439.81</td><td>52.44</td><td>74.00</td><td>-21.56</td><td>70.49</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>7439.81</td><td>50.34</td><td>54.00</td><td>-3.66</td><td>68.39</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>100</td><td>330</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>58.30</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7439.81	52.44	74.00	-21.56	70.49	35.00	12.78	66.63	0.00	100	330	PEAK	2	7439.81	50.34	54.00	-3.66	68.39	35.00	12.78	66.63	0.00	100	330	AVERAGE	3	11160.00	45.79	74.00	-28.21	58.30	37.86	16.15	66.52	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	7439.81	52.44	74.00	-21.56	70.49	35.00	12.78	66.63	0.00	100	330	PEAK																																																																						
2	7439.81	50.34	54.00	-3.66	68.39	35.00	12.78	66.63	0.00	100	330	AVERAGE																																																																						
3	11160.00	45.79	74.00	-28.21	58.30	37.86	16.15	66.52	0.00	--	--	PEAK																																																																						





		18																																																				
Mode		Band Edge																																																				
		U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.16</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>48.14</td><td>34.95</td><td>11.18</td><td>37.30</td><td>0.00</td><td>100</td><td>344</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.16	56.97	68.20	-11.23	48.14	34.95	11.18	37.30	0.00	100	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5725.16	56.97	68.20	-11.23	48.14	34.95	11.18	37.30	0.00	100	344	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.46</td><td>-----</td><td>-----</td><td>96.27</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>100</td><td>344</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.46	-----	-----	96.27	34.92	11.14	36.87	0.00	100	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5700.00	105.46	-----	-----	96.27	34.92	11.14	36.87	0.00	100	344	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.75</td><td>-----</td><td>-----</td><td>88.56</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>100</td><td>344</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.75	-----	-----	88.56	34.92	11.14	36.87	0.00	100	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5700.00	97.75	-----	-----	88.56	34.92	11.14	36.87	0.00	100	344	AVERAGE																																										







		18																																																					
Mode		Band Edge																																																					
		U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																					
Pol.		Fundamental																																																					
Peak	Vertical	Fundamental																																																					
	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.16</td><td>53.96</td><td>68.20</td><td>-14.24</td><td>45.13</td><td>34.95</td><td>11.18</td><td>37.30</td><td>0.00</td><td>347</td><td>20</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.16	53.96	68.20	-14.24	45.13	34.95	11.18	37.30	0.00	347	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.16	53.96	68.20	-14.24	45.13	34.95	11.18	37.30	0.00	347	20	PEAK																																											
Avg	Blank	Fundamental																																																					
	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.84</td><td>-----</td><td>-----</td><td>93.65</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>347</td><td>20</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.84	-----	-----	93.65	34.92	11.14	36.87	0.00	347	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	102.84	-----	-----	93.65	34.92	11.14	36.87	0.00	347	20	PEAK																																											



Mode	18																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>51.78</td><td>74.00</td><td>-22.22</td><td>69.70</td><td>35.90</td><td>13.02</td><td>66.84</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>7599.81</td><td>49.26</td><td>54.00</td><td>-4.74</td><td>67.18</td><td>35.90</td><td>13.02</td><td>66.84</td><td>0.00</td><td>100</td><td>326</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>57.66</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>68.05</td><td>35.90</td><td>13.02</td><td>66.84</td><td>0.00</td><td>258</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>7599.81</td><td>47.65</td><td>54.00</td><td>-6.35</td><td>65.57</td><td>35.90</td><td>13.02</td><td>66.84</td><td>0.00</td><td>258</td><td>193</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>57.12</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.81	51.78	74.00	-22.22	69.70	35.90	13.02	66.84	0.00	100	326	PEAK	2	7599.81	49.26	54.00	-4.74	67.18	35.90	13.02	66.84	0.00	100	326	AVERAGE	3	11400.00	45.57	74.00	-28.43	57.66	38.00	16.30	66.39	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.81	50.13	74.00	-23.87	68.05	35.90	13.02	66.84	0.00	258	193	PEAK	2	7599.81	47.65	54.00	-6.35	65.57	35.90	13.02	66.84	0.00	258	193	AVERAGE	3	11400.00	45.03	74.00	-28.97	57.12	38.00	16.30	66.39	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7599.81	51.78	74.00	-22.22	69.70	35.90	13.02	66.84	0.00	100	326	PEAK																																																																																																																																											
2	7599.81	49.26	54.00	-4.74	67.18	35.90	13.02	66.84	0.00	100	326	AVERAGE																																																																																																																																											
3	11400.00	45.57	74.00	-28.43	57.66	38.00	16.30	66.39	0.00	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7599.81	50.13	74.00	-23.87	68.05	35.90	13.02	66.84	0.00	258	193	PEAK																																																																																																																																											
2	7599.81	47.65	54.00	-6.35	65.57	35.90	13.02	66.84	0.00	258	193	AVERAGE																																																																																																																																											
3	11400.00	45.03	74.00	-28.97	57.12	38.00	16.30	66.39	0.00	--	--	PEAK																																																																																																																																											







Mode	19																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.68</td><td>60.58</td><td>74.00</td><td>-13.42</td><td>52.23</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.68	60.58	74.00	-13.42	52.23	34.40	10.61	36.66	0.00	100	125	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>103.28</td><td>-----</td><td>-----</td><td>94.79</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.28	-----	-----	94.79	34.44	10.65	36.60	0.00	100	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.68	60.58	74.00	-13.42	52.23	34.40	10.61	36.66	0.00	100	125	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	103.28	-----	-----	94.79	34.44	10.65	36.60	0.00	100	125	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.60</td><td>50.34</td><td>54.00</td><td>-3.66</td><td>41.98</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	50.34	54.00	-3.66	41.98	34.40	10.61	36.65	0.00	100	125	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>95.46</td><td>-----</td><td>-----</td><td>86.95</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	95.46	-----	-----	86.95	34.45	10.65	36.59	0.00	100	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.60	50.34	54.00	-3.66	41.98	34.40	10.61	36.65	0.00	100	125	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	95.46	-----	-----	86.95	34.45	10.65	36.59	0.00	100	125	AVERAGE																																																																																																			



Mode	19																																																								
	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.34</td><td>52.54</td><td>74.00</td><td>-21.46</td><td>43.28</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.34	52.54	74.00	-21.46	43.28	34.68	10.82	36.24	0.00	100	125	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5444.34	52.54	74.00	-21.46	43.28	34.68	10.82	36.24	0.00	100	125	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.30</td><td>42.40</td><td>54.00</td><td>-11.60</td><td>33.09</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.30	42.40	54.00	-11.60	33.09	34.69	10.84	36.22	0.00	100	125	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5457.30	42.40	54.00	-11.60	33.09	34.69	10.84	36.22	0.00	100	125	AVERAGE																																													





Mode	19																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.48</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>45.70</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>372</td><td>292</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.48	54.05	74.00	-19.95	45.70	34.40	10.61	36.66	0.00	372	292	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>100.83</td><td>-----</td><td>-----</td><td>92.30</td><td>34.45</td><td>10.66</td><td>36.58</td><td>0.00</td><td>372</td><td>292</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	100.83	-----	-----	92.30	34.45	10.66	36.58	0.00	372	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.48	54.05	74.00	-19.95	45.70	34.40	10.61	36.66	0.00	372	292	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	100.83	-----	-----	92.30	34.45	10.66	36.58	0.00	372	292	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>35.81</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>372</td><td>292</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	44.17	54.00	-9.83	35.81	34.40	10.61	36.65	0.00	372	292	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>92.46</td><td>-----</td><td>-----</td><td>83.95</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>372</td><td>292</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.46	-----	-----	83.95	34.45	10.65	36.59	0.00	372	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.92	44.17	54.00	-9.83	35.81	34.40	10.61	36.65	0.00	372	292	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	92.46	-----	-----	83.95	34.45	10.65	36.59	0.00	372	292	AVERAGE																																																																																							





Mode	19																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.58</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>42.65</td><td>34.68</td><td>10.83</td><td>36.23</td><td>0.00</td><td>372</td><td>292</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.58	51.93	74.00	-22.07	42.65	34.68	10.83	36.23	0.00	372	292	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5447.58	51.93	74.00	-22.07	42.65	34.68	10.83	36.23	0.00	372	292	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.22</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>33.04</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>372</td><td>292</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.22	42.35	54.00	-11.65	33.04	34.69	10.84	36.22	0.00	372	292	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5456.22	42.35	54.00	-11.65	33.04	34.69	10.84	36.22	0.00	372	292	AVERAGE																																											





		19																																																																																															
Mode		Harmonic																																																																																															
		U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																															
Pol.		Horizontal										Vertical																																																																																					
Peak Avg																																																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10380.00</td><td>44.68</td><td>68.20</td><td>-23.52</td><td>58.83</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	44.68	68.20	-23.52	58.83	37.36	15.45	66.96	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10380.00</td><td>45.32</td><td>68.20</td><td>-22.88</td><td>59.38</td><td>37.40</td><td>15.48</td><td>66.94</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	45.32	68.20	-22.88	59.38	37.40	15.48	66.94	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10380.00	44.68	68.20	-23.52	58.83	37.36	15.45	66.96	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10380.00	45.32	68.20	-22.88	59.38	37.40	15.48	66.94	0.00	--	PEAK																																																																																						







		20																																																				
Mode		Harmonic																																																				
		U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>59.23</td><td>37.47</td><td>15.55</td><td>66.90</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	45.35	68.20	-22.85	59.23	37.47	15.55	66.90	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10460.00	45.35	68.20	-22.85	59.23	37.47	15.55	66.90	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>44.94</td><td>68.20</td><td>-23.26</td><td>58.82</td><td>37.47</td><td>15.55</td><td>66.90</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	44.94	68.20	-23.26	58.82	37.47	15.55	66.90	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10460.00	44.94	68.20	-23.26	58.82	37.47	15.55	66.90	0.00	--	PEAK																																											





Mode	21																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7026.49</td><td>53.87</td><td>68.20</td><td>-14.33</td><td>71.33</td><td>35.60</td><td>12.49</td><td>65.55</td><td>0.00</td><td>100</td><td>151</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>44.75</td><td>68.20</td><td>-23.45</td><td>58.43</td><td>37.55</td><td>15.63</td><td>66.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7026.49	53.87	68.20	-14.33	71.33	35.60	12.49	65.55	0.00	100	151	PEAK	2	10540.00	44.75	68.20	-23.45	58.43	37.55	15.63	66.86	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7026.49</td><td>46.32</td><td>68.20</td><td>-21.88</td><td>63.78</td><td>35.60</td><td>12.49</td><td>65.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>44.33</td><td>68.20</td><td>-23.87</td><td>58.06</td><td>37.53</td><td>15.61</td><td>66.87</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7026.49	46.32	68.20	-21.88	63.78	35.60	12.49	65.55	0.00	--	--	PEAK	2	10540.00	44.33	68.20	-23.87	58.06	37.53	15.61	66.87	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7026.49	53.87	68.20	-14.33	71.33	35.60	12.49	65.55	0.00	100	151	PEAK																																																																																																																		
2	10540.00	44.75	68.20	-23.45	58.43	37.55	15.63	66.86	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7026.49	46.32	68.20	-21.88	63.78	35.60	12.49	65.55	0.00	--	--	PEAK																																																																																																																		
2	10540.00	44.33	68.20	-23.87	58.06	37.53	15.61	66.87	0.00	--	--	PEAK																																																																																																																		



		22																																																				
Mode		Band Edge - L																																																				
		U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5108.80</td><td>54.23</td><td>74.00</td><td>-19.77</td><td>46.01</td><td>34.36</td><td>10.57</td><td>36.71</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5108.80	54.23	74.00	-19.77	46.01	34.36	10.57	36.71	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5108.80	54.23	74.00	-19.77	46.01	34.36	10.57	36.71	0.00	100	147	PEAK																																										
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>103.79</td><td>-----</td><td>-----</td><td>94.92</td><td>34.56</td><td>10.73</td><td>36.42</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.79	-----	-----	94.92	34.56	10.73	36.42	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5310.00	103.79	-----	-----	94.92	34.56	10.73	36.42	0.00	100	147	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.28</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>35.15</td><td>34.38</td><td>10.58</td><td>36.69</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.28	43.42	54.00	-10.58	35.15	34.38	10.58	36.69	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5125.28	43.42	54.00	-10.58	35.15	34.38	10.58	36.69	0.00	100	147	AVERAGE																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>94.77</td><td>-----</td><td>-----</td><td>85.93</td><td>34.55</td><td>10.72</td><td>36.43</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	94.77	-----	-----	85.93	34.55	10.72	36.43	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5310.00	94.77	-----	-----	85.93	34.55	10.72	36.43	0.00	100	147	AVERAGE																																										



Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>57.21</td><td>74.00</td><td>-16.79</td><td>48.24</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	57.21	74.00	-16.79	48.24	34.59	10.75	36.37	0.00	100	147	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	57.21	74.00	-16.79	48.24	34.59	10.75	36.37	0.00	100	147	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>39.48</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	48.45	54.00	-5.55	39.48	34.59	10.75	36.37	0.00	100	147	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	48.45	54.00	-5.55	39.48	34.59	10.75	36.37	0.00	100	147	AVERAGE																																											

22

Mode

Band Edge - L


U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz

Pol.

Vertical

Fundamental


Peak



Level (dBuV/m)

Frequency (MHz)

	Limit	Read	Ant	Cable	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB
1	5120.48	54.22	74.00	-19.78	45.96	34.38	10.58	36.70
					0.00		395	194 PEAK




Level (dBuV/m)

Frequency (MHz)

	Limit	Read	Ant	Cable	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB
1	5310.00	101.68	-----	-----	92.85	34.55	10.72	36.44
					0.00		395	194 PEAK


Avg



Level (dBuV/m)

Frequency (MHz)

	Limit	Read	Ant	Cable	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB
1	5108.64	43.24	54.00	-10.76	35.03	34.36	10.56	36.71
					0.00		395	194 AVERAGE



Level (dBuV/m)



Frequency (MHz)

	Limit	Read	Ant	Cable	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB
1	5310.00	93.87	-----	-----	85.00	34.56	10.73	36.42
					0.00		395	194 AVERAGE







Mode	22																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																								
Pol.	Vertical										Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.20</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>46.93</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>395</td><td>194</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.20	55.90	74.00	-18.10	46.93	34.59	10.75	36.37	0.00	395	194	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5351.20	55.90	74.00	-18.10	46.93	34.59	10.75	36.37	0.00	395	194	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>45.12</td><td>54.00</td><td>-8.88</td><td>36.15</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>395</td><td>194</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	45.12	54.00	-8.88	36.15	34.59	10.75	36.37	0.00	395	194	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5350.20	45.12	54.00	-8.88	36.15	34.59	10.75	36.37	0.00	395	194	AVERAGE																																													




		22																																																																						
Mode		Harmonic																																																																						
		U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																						
Pol.		Horizontal																																																																						
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7079.82</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>71.13</td><td>35.66</td><td>12.56</td><td>65.69</td><td>0.00</td><td>101</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.01</td><td>74.00</td><td>-29.99</td><td>57.54</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7079.82	53.66	68.20	-14.54	71.13	35.66	12.56	65.69	0.00	101	153	PEAK	2	10620.00	44.01	74.00	-29.99	57.54	37.60	15.69	66.82	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	7079.82	53.66	68.20	-14.54	71.13	35.66	12.56	65.69	0.00	101	153	PEAK																																																												
2	10620.00	44.01	74.00	-29.99	57.54	37.60	15.69	66.82	0.00	--	--	PEAK																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7079.82</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>71.13</td><td>35.66</td><td>12.56</td><td>65.69</td><td>0.00</td><td>101</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.01</td><td>74.00</td><td>-29.99</td><td>57.54</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7079.82	53.66	68.20	-14.54	71.13	35.66	12.56	65.69	0.00	101	153	PEAK	2	10620.00	44.01	74.00	-29.99	57.54	37.60	15.69	66.82	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	7079.82	53.66	68.20	-14.54	71.13	35.66	12.56	65.69	0.00	101	153	PEAK																																																												
2	10620.00	44.01	74.00	-29.99	57.54	37.60	15.69	66.82	0.00	--	--	PEAK																																																												
		Vertical																																																																						
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7079.82</td><td>47.33</td><td>68.20</td><td>-20.87</td><td>64.00</td><td>35.66</td><td>12.56</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>57.49</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7079.82	47.33	68.20	-20.87	64.00	35.66	12.56	65.69	0.00	--	--	PEAK	2	10620.00	43.96	74.00	-30.04	57.49	37.60	15.69	66.82	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	7079.82	47.33	68.20	-20.87	64.00	35.66	12.56	65.69	0.00	--	--	PEAK																																																												
2	10620.00	43.96	74.00	-30.04	57.49	37.60	15.69	66.82	0.00	--	--	PEAK																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7079.82</td><td>47.33</td><td>68.20</td><td>-20.87</td><td>64.00</td><td>35.66</td><td>12.56</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>57.49</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7079.82	47.33	68.20	-20.87	64.00	35.66	12.56	65.69	0.00	--	--	PEAK	2	10620.00	43.96	74.00	-30.04	57.49	37.60	15.69	66.82	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	7079.82	47.33	68.20	-20.87	64.00	35.66	12.56	65.69	0.00	--	--	PEAK																																																												
2	10620.00	43.96	74.00	-30.04	57.49	37.60	15.69	66.82	0.00	--	--	PEAK																																																												



		23									
Mode	Band Edge - L										
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz										
Pol.	Fundamental										
Peak	Horizontal										
	Fundamental										
Avg	Horizontal										
	Fundamental										

Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.12</td><td>56.64</td><td>74.00</td><td>-17.36</td><td>47.32</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>118</td><td>341 PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>61.03</td><td>68.20</td><td>-7.17</td><td>51.68</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>118</td><td>341 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.12	56.64	74.00	-17.36	47.32	34.70	10.84	36.22	0.00	118	341 PEAK	2	5467.76	61.03	68.20	-7.17	51.68	34.70	10.85	36.20	0.00	118	341 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
	1	5459.12	56.64	74.00	-17.36	47.32	34.70	10.84	36.22	0.00	118	341 PEAK																																																												
	2	5467.76	61.03	68.20	-7.17	51.68	34.70	10.85	36.20	0.00	118	341 PEAK																																																												
																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5510.00</td><td>105.54</td><td>-----</td><td>-----</td><td>96.03</td><td>34.75</td><td>10.90</td><td>36.14</td><td>0.00</td><td>118</td><td>341 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	105.54	-----	-----	96.03	34.75	10.90	36.14	0.00	118	341 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5510.00	105.54	-----	-----	96.03	34.75	10.90	36.14	0.00	118	341 PEAK																																																													
Avg																																																																								
																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.92</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>37.63</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>118</td><td>341 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.92	46.96	54.00	-7.04	37.63	34.70	10.84	36.21	0.00	118	341 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
	1	5459.92	46.96	54.00	-7.04	37.63	34.70	10.84	36.21	0.00	118	341 AVERAGE																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5510.00</td><td>96.32</td><td>-----</td><td>-----</td><td>86.81</td><td>34.75</td><td>10.90</td><td>36.14</td><td>0.00</td><td>118</td><td>341 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	96.32	-----	-----	86.81	34.75	10.90	36.14	0.00	118	341 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5510.00	96.32	-----	-----	86.81	34.75	10.90	36.14	0.00	118	341 AVERAGE																																																													




Mode	23																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>/MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.48</td><td>53.48</td><td>68.20</td><td>-14.72</td><td>44.79</td><td>34.96</td><td>11.19</td><td>37.46</td><td>0.00</td><td>118</td><td>341</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		/MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.48	53.48	68.20	-14.72	44.79	34.96	11.19	37.46	0.00	118	341	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	/MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5735.48	53.48	68.20	-14.72	44.79	34.96	11.19	37.46	0.00	118	341	PEAK																																											





		23																																																															
Mode	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5380.88</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>43.43</td><td>34.62</td><td>10.76</td><td>36.33</td><td>0.00</td><td>386 249 PEAK</td></tr><tr><td>2</td><td>5465.84</td><td>53.72</td><td>68.20</td><td>-14.48</td><td>44.38</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>386 249 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5380.88	52.48	74.00	-21.52	43.43	34.62	10.76	36.33	0.00	386 249 PEAK	2	5465.84	53.72	68.20	-14.48	44.38	34.70	10.85	36.21	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5380.88	52.48	74.00	-21.52	43.43	34.62	10.76	36.33	0.00	386 249 PEAK																																																							
2	5465.84	53.72	68.20	-14.48	44.38	34.70	10.85	36.21	0.00	386 249 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>100.79</td><td>-----</td><td>-----</td><td>91.28</td><td>34.75</td><td>10.90</td><td>36.14</td><td>0.00</td><td>386 249 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.79	-----	-----	91.28	34.75	10.90	36.14	0.00	386 249 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5510.00	100.79	-----	-----	91.28	34.75	10.90	36.14	0.00	386 249 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>42.86</td><td>54.00</td><td>-11.14</td><td>33.54</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>386 249 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	42.86	54.00	-11.14	33.54	34.70	10.84	36.22	0.00	386 249 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.44	42.86	54.00	-11.14	33.54	34.70	10.84	36.22	0.00	386 249 AVERAGE																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>91.95</td><td>-----</td><td>-----</td><td>82.47</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>386 249 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	91.95	-----	-----	82.47	34.74	10.89	36.15	0.00	386 249 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5510.00	91.95	-----	-----	82.47	34.74	10.89	36.15	0.00	386 249 AVERAGE																																																							





Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.84</td><td>52.63</td><td>68.20</td><td>-15.57</td><td>44.12</td><td>34.97</td><td>11.21</td><td>37.67</td><td>0.00</td><td>386</td><td>249</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.84	52.63	68.20	-15.57	44.12	34.97	11.21	37.67	0.00	386	249	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.84	52.63	68.20	-15.57	44.12	34.97	11.21	37.67	0.00	386	249	PEAK																																												







Mode	23																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>54.00</td><td>74.00</td><td>-19.20</td><td>72.68</td><td>35.79</td><td>12.72</td><td>66.39</td><td>0.00</td><td>108</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>53.22</td><td>54.00</td><td>-0.78</td><td>71.10</td><td>35.79</td><td>12.72</td><td>66.39</td><td>0.00</td><td>108</td><td>330</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>43.97</td><td>74.00</td><td>-30.03</td><td>56.63</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7346.48	54.00	74.00	-19.20	72.68	35.79	12.72	66.39	0.00	108	330	PEAK	2	7346.48	53.22	54.00	-0.78	71.10	35.79	12.72	66.39	0.00	108	330	AVERAGE	3	11020.00	43.97	74.00	-30.03	56.63	37.88	16.06	66.60	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>52.76</td><td>74.00</td><td>-21.24</td><td>70.64</td><td>35.79</td><td>12.72</td><td>66.39</td><td>0.00</td><td>283</td><td>188</td><td>PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>51.42</td><td>54.00</td><td>-2.58</td><td>69.30</td><td>35.79</td><td>12.72</td><td>66.39</td><td>0.00</td><td>283</td><td>188</td><td>AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>57.25</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7346.48	52.76	74.00	-21.24	70.64	35.79	12.72	66.39	0.00	283	188	PEAK	2	7346.48	51.42	54.00	-2.58	69.30	35.79	12.72	66.39	0.00	283	188	AVERAGE	3	11020.00	44.59	74.00	-29.41	57.25	37.88	16.06	66.60	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	7346.48	54.00	74.00	-19.20	72.68	35.79	12.72	66.39	0.00	108	330	PEAK																																																																																																																																		
2	7346.48	53.22	54.00	-0.78	71.10	35.79	12.72	66.39	0.00	108	330	AVERAGE																																																																																																																																		
3	11020.00	43.97	74.00	-30.03	56.63	37.88	16.06	66.60	0.00	--	--	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	7346.48	52.76	74.00	-21.24	70.64	35.79	12.72	66.39	0.00	283	188	PEAK																																																																																																																																		
2	7346.48	51.42	54.00	-2.58	69.30	35.79	12.72	66.39	0.00	283	188	AVERAGE																																																																																																																																		
3	11020.00	44.59	74.00	-29.41	57.25	37.88	16.06	66.60	0.00	--	--	PEAK																																																																																																																																		




Mode	24																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7400.40</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>69.63</td><td>35.80</td><td>12.73</td><td>66.53</td><td>0.00</td><td>106</td><td>328</td><td>Peak</td></tr><tr><td>2</td><td>7400.40</td><td>52.11</td><td>54.00</td><td>-1.89</td><td>70.11</td><td>35.80</td><td>12.73</td><td>66.53</td><td>0.00</td><td>106</td><td>328</td><td>AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>57.41</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>228</td><td>87</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7400.40	51.63	74.00	-22.37	69.63	35.80	12.73	66.53	0.00	106	328	Peak	2	7400.40	52.11	54.00	-1.89	70.11	35.80	12.73	66.53	0.00	106	328	AVERAGE	3	11100.00	44.77	74.00	-29.23	57.41	37.80	16.11	66.55	0.00	228	87	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7399.98</td><td>52.64</td><td>74.00</td><td>-21.36</td><td>70.64</td><td>35.80</td><td>12.73</td><td>66.53</td><td>0.00</td><td>270</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>7399.98</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>68.90</td><td>35.80</td><td>12.73</td><td>66.53</td><td>0.00</td><td>270</td><td>190</td><td>AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>57.55</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>234</td><td>2</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7399.98	52.64	74.00	-21.36	70.64	35.80	12.73	66.53	0.00	270	190	PEAK	2	7399.98	50.90	54.00	-3.10	68.90	35.80	12.73	66.53	0.00	270	190	AVERAGE	3	11100.00	44.91	74.00	-29.09	57.55	37.80	16.11	66.55	0.00	234	2	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7400.40	51.63	74.00	-22.37	69.63	35.80	12.73	66.53	0.00	106	328	Peak																																																																																																																																		
2	7400.40	52.11	54.00	-1.89	70.11	35.80	12.73	66.53	0.00	106	328	AVERAGE																																																																																																																																		
3	11100.00	44.77	74.00	-29.23	57.41	37.80	16.11	66.55	0.00	228	87	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7399.98	52.64	74.00	-21.36	70.64	35.80	12.73	66.53	0.00	270	190	PEAK																																																																																																																																		
2	7399.98	50.90	54.00	-3.10	68.90	35.80	12.73	66.53	0.00	270	190	AVERAGE																																																																																																																																		
3	11100.00	44.91	74.00	-29.09	57.55	37.80	16.11	66.55	0.00	234	2	PEAK																																																																																																																																		







		25																																																																																																																							
Mode		Band Edge - L																																																																																																																							
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																							
Pol.		Horizontal										Fundamental																																																																																																													
Peak																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5418.48</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>44.37</td><td>34.66</td><td>10.79</td><td>36.27</td><td>0.00</td><td>109</td><td>342</td><td>PEAK</td></tr><tr><td>2</td><td>5466.32</td><td>51.70</td><td>68.20</td><td>-16.50</td><td>42.36</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>109</td><td>342</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5418.48	53.55	74.00	-20.45	44.37	34.66	10.79	36.27	0.00	109	342	PEAK	2	5466.32	51.70	68.20	-16.50	42.36	34.70	10.85	36.21	0.00	109	342	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>104.69</td><td>-----</td><td>-----</td><td>95.17</td><td>34.90</td><td>11.11</td><td>36.49</td><td>0.00</td><td>109</td><td>342</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.69	-----	-----	95.17	34.90	11.11	36.49	0.00	109	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5418.48	53.55	74.00	-20.45	44.37	34.66	10.79	36.27	0.00	109	342	PEAK																																																																																																													
2	5466.32	51.70	68.20	-16.50	42.36	34.70	10.85	36.21	0.00	109	342	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5670.00	104.69	-----	-----	95.17	34.90	11.11	36.49	0.00	109	342	PEAK																																																																																																													
Avg																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.56</td><td>42.71</td><td>54.00</td><td>-11.29</td><td>33.42</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>109</td><td>342</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.56	42.71	54.00	-11.29	33.42	34.69	10.83	36.23	0.00	109	342	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>95.99</td><td>-----</td><td>-----</td><td>86.40</td><td>34.89</td><td>11.10</td><td>36.40</td><td>0.00</td><td>109</td><td>342</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.99	-----	-----	86.40	34.89	11.10	36.40	0.00	109	342	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5452.56	42.71	54.00	-11.29	33.42	34.69	10.83	36.23	0.00	109	342	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5670.00	95.99	-----	-----	86.40	34.89	11.10	36.40	0.00	109	342	AVERAGE																																																																																																													




Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.56</td><td>54.02</td><td>68.20</td><td>-14.18</td><td>45.28</td><td>34.95</td><td>11.19</td><td>37.40</td><td>0.00</td><td>109</td><td>342</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.56	54.02	68.20	-14.18	45.28	34.95	11.19	37.40	0.00	109	342	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5731.56	54.02	68.20	-14.18	45.28	34.95	11.19	37.40	0.00	109	342	PEAK																																		





Mode	25																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.72</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>43.38</td><td>34.63</td><td>10.77</td><td>36.32</td><td>0.00</td><td>315</td><td>23</td><td>PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>51.76</td><td>68.20</td><td>-16.44</td><td>42.42</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>315</td><td>23</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.72	52.46	74.00	-21.54	43.38	34.63	10.77	36.32	0.00	315	23	PEAK	2	5466.16	51.76	68.20	-16.44	42.42	34.70	10.85	36.21	0.00	315	23	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>101.53</td><td>-----</td><td>-----</td><td>92.01</td><td>34.90</td><td>11.11</td><td>36.49</td><td>0.00</td><td>315</td><td>23</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.53	-----	-----	92.01	34.90	11.11	36.49	0.00	315	23
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5384.72	52.46	74.00	-21.54	43.38	34.63	10.77	36.32	0.00	315	23	PEAK																																																																																																																
2	5466.16	51.76	68.20	-16.44	42.42	34.70	10.85	36.21	0.00	315	23	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5670.00	101.53	-----	-----	92.01	34.90	11.11	36.49	0.00	315	23	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.52</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>33.10</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>315</td><td>23</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	42.41	54.00	-11.59	33.10	34.69	10.84	36.22	0.00	315	23	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>93.13</td><td>-----</td><td>-----</td><td>83.54</td><td>34.89</td><td>11.10</td><td>36.40</td><td>0.00</td><td>315</td><td>23</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	93.13	-----	-----	83.54	34.89	11.10	36.40	0.00	315	23	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.52	42.41	54.00	-11.59	33.10	34.69	10.84	36.22	0.00	315	23	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5670.00	93.13	-----	-----	83.54	34.89	11.10	36.40	0.00	315	23	AVERAGE																																																																																																																







Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.16</td><td>53.34</td><td>68.20</td><td>-14.86</td><td>44.64</td><td>34.96</td><td>11.19</td><td>37.45</td><td>0.00</td><td>315</td><td>23</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.16	53.34	68.20	-14.86	44.64	34.96	11.19	37.45	0.00	315	23	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5735.16	53.34	68.20	-14.86	44.64	34.96	11.19	37.45	0.00	315	23	PEAK																																		





Mode	25																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.98</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>69.42</td><td>35.82</td><td>12.96</td><td>66.82</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr><tr><td>2</td><td>7559.98</td><td>49.54</td><td>54.00</td><td>-4.46</td><td>67.58</td><td>35.82</td><td>12.96</td><td>66.82</td><td>0.00</td><td>100</td><td>329</td><td>AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>57.12</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>100</td><td>48</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7559.98	51.38	74.00	-22.62	69.42	35.82	12.96	66.82	0.00	100	329	PEAK	2	7559.98	49.54	54.00	-4.46	67.58	35.82	12.96	66.82	0.00	100	329	AVERAGE	3	11340.00	44.90	74.00	-29.10	57.12	37.94	16.26	66.42	0.00	100	48	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.98</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>68.42</td><td>35.82</td><td>12.96</td><td>66.82</td><td>0.00</td><td>100</td><td>249</td><td>PEAK</td></tr><tr><td>2</td><td>7559.98</td><td>48.28</td><td>54.00</td><td>-5.72</td><td>66.32</td><td>35.82</td><td>12.96</td><td>66.82</td><td>0.00</td><td>100</td><td>249</td><td>AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>57.35</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7559.98	50.38	74.00	-23.62	68.42	35.82	12.96	66.82	0.00	100	249	PEAK	2	7559.98	48.28	54.00	-5.72	66.32	35.82	12.96	66.82	0.00	100	249	AVERAGE	3	11340.00	45.13	74.00	-28.87	57.35	37.94	16.26	66.42	0.00	100	232	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	7559.98	51.38	74.00	-22.62	69.42	35.82	12.96	66.82	0.00	100	329	PEAK																																																																																																																																		
2	7559.98	49.54	54.00	-4.46	67.58	35.82	12.96	66.82	0.00	100	329	AVERAGE																																																																																																																																		
3	11340.00	44.90	74.00	-29.10	57.12	37.94	16.26	66.42	0.00	100	48	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	7559.98	50.38	74.00	-23.62	68.42	35.82	12.96	66.82	0.00	100	249	PEAK																																																																																																																																		
2	7559.98	48.28	54.00	-5.72	66.32	35.82	12.96	66.82	0.00	100	249	AVERAGE																																																																																																																																		
3	11340.00	45.13	74.00	-28.87	57.35	37.94	16.26	66.42	0.00	100	232	PEAK																																																																																																																																		



Mode	26																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.88</td><td>60.89</td><td>74.00</td><td>-13.11</td><td>52.55</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.88	60.89	74.00	-13.11	52.55	34.40	10.60	36.66	0.00	100	109	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>100.03</td><td>-----</td><td>-----</td><td>91.47</td><td>34.46</td><td>10.67</td><td>36.57</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	100.03	-----	-----	91.47	34.46	10.67	36.57	0.00	100	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5142.88	60.89	74.00	-13.11	52.55	34.40	10.60	36.66	0.00	100	109	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5210.00	100.03	-----	-----	91.47	34.46	10.67	36.57	0.00	100	109	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>42.53</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	50.89	54.00	-3.11	42.53	34.40	10.61	36.65	0.00	100	109	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>91.00</td><td>-----</td><td>-----</td><td>82.50</td><td>34.47</td><td>10.67</td><td>36.56</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	91.00	-----	-----	82.50	34.47	10.67	36.56	0.00	100	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5149.92	50.89	54.00	-3.11	42.53	34.40	10.61	36.65	0.00	100	109	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5210.00	91.00	-----	-----	82.50	34.47	10.67	36.56	0.00	100	109	AVERAGE																																																																																																			





Mode	26																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5370.30</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>43.54</td><td>34.61</td><td>10.76</td><td>36.34</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.30	52.57	74.00	-21.43	43.54	34.61	10.76	36.34	0.00	100	109	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5370.30	52.57	74.00	-21.43	43.54	34.61	10.76	36.34	0.00	100	109	PEAK																																											
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.92</td><td>42.65</td><td>54.00</td><td>-11.35</td><td>33.67</td><td>34.60</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.92	42.65	54.00	-11.35	33.67	34.60	10.75	36.37	0.00	100	109	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.92	42.65	54.00	-11.35	33.67	34.60	10.75	36.37	0.00	100	109	AVERAGE																																											





		26																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																													
Pol.	Vertical										Fundamental																																																																																			
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5147.68</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>46.67</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5147.68	55.02	74.00	-18.98	46.67	34.40	10.61	36.66	0.00	300	273 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>95.61</td><td>-----</td><td>-----</td><td>87.05</td><td>34.46</td><td>10.67</td><td>36.57</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	95.61	-----	-----	87.05	34.46	10.67	36.57	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5147.68	55.02	74.00	-18.98	46.67	34.40	10.61	36.66	0.00	300	273 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5210.00	95.61	-----	-----	87.05	34.46	10.67	36.57	0.00	300	273 PEAK																																																																																				
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.60</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>37.48</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>300</td><td>273 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.60	45.84	54.00	-8.16	37.48	34.40	10.61	36.65	0.00	300	273 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>87.49</td><td>-----</td><td>-----</td><td>78.91</td><td>34.47</td><td>10.67</td><td>36.56</td><td>0.00</td><td>300</td><td>273 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	87.49	-----	-----	78.91	34.47	10.67	36.56	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5149.60	45.84	54.00	-8.16	37.48	34.40	10.61	36.65	0.00	300	273 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5210.00	87.49	-----	-----	78.91	34.47	10.67	36.56	0.00	300	273 AVERAGE																																																																																				







Mode	26																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.66</td><td>51.97</td><td>74.00</td><td>-22.03</td><td>43.00</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>300</td><td>273</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.66	51.97	74.00	-22.03	43.00	34.59	10.75	36.37	0.00	300	273	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.66	51.97	74.00	-22.03	43.00	34.59	10.75	36.37	0.00	300	273	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.98</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>33.34</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>300</td><td>273</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.98	42.33	54.00	-11.67	33.34	34.60	10.75	36.36	0.00	300	273	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5356.98	42.33	54.00	-11.67	33.34	34.60	10.75	36.36	0.00	300	273	AVERAGE																																											



Mode	26																																																																																																							
	Harmonic																																																																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>43.43</td><td>68.20</td><td>-24.77</td><td>57.53</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	43.43	68.20	-24.77	57.53	37.38	15.47	66.95	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.44</td><td>68.20</td><td>-23.76</td><td>58.42</td><td>37.43</td><td>15.51</td><td>66.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	44.44	68.20	-23.76	58.42	37.43	15.51	66.92	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	10420.00	43.43	68.20	-24.77	57.53	37.38	15.47	66.95	0.00	--	--	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	10420.00	44.44	68.20	-23.76	58.42	37.43	15.51	66.92	0.00	--	--	PEAK																																																																																												



		27																																																																																																	
Mode	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.48</td><td>54.03</td><td>74.00</td><td>-19.97</td><td>45.71</td><td>34.39</td><td>10.60</td><td>36.67</td><td>0.00</td><td>116</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.48	54.03	74.00	-19.97	45.71	34.39	10.60	36.67	0.00	116	144	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.30</td><td>-----</td><td>-----</td><td>89.49</td><td>34.54</td><td>10.72</td><td>36.45</td><td>0.00</td><td>116</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.30	-----	-----	89.49	34.54	10.72	36.45	0.00	116	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5140.48	54.03	74.00	-19.97	45.71	34.39	10.60	36.67	0.00	116	144	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	98.30	-----	-----	89.49	34.54	10.72	36.45	0.00	116	144	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.76</td><td>43.91</td><td>54.00</td><td>-10.09</td><td>35.57</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>116</td><td>144</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.76	43.91	54.00	-10.09	35.57	34.40	10.60	36.66	0.00	116	144	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.84</td><td>-----</td><td>-----</td><td>82.03</td><td>34.54</td><td>10.72</td><td>36.45</td><td>0.00</td><td>116</td><td>144</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.84	-----	-----	82.03	34.54	10.72	36.45	0.00	116	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5145.76	43.91	54.00	-10.09	35.57	34.40	10.60	36.66	0.00	116	144	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	90.84	-----	-----	82.03	34.54	10.72	36.45	0.00	116	144	AVERAGE																																																																																							