

RF Test Data for 2.4G WiFi (Conducted Measurements)


General Description of EUT	
Product Name:	AI Bird Camera
Test Model:	BC01
Sample ID:	202212-0193-1-2#
Environmental Conditions	
Temperature:	23℃
Relative Humidity:	50%
Test Voltage:	DC 3.7V
Test Engineer:	LiuJiming
Note: For a more detailed features description, please refer to the report TBR-C-202212-0193-20. The report only show the worst case data.	

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.82	0.01	0.06
NVNT	b	2437	Ant1	99.82	0.01	0.06
NVNT	b	2462	Ant1	99.82	0.01	0.06
NVNT	g	2412	Ant1	98.92	0.05	0.36
NVNT	g	2437	Ant1	98.91	0.05	0.37
NVNT	g	2462	Ant1	98.91	0.05	0.37
NVNT	n(HT20)	2412	Ant1	98.83	0.05	0.39
NVNT	n(HT20)	2437	Ant1	98.83	0.05	0.39
NVNT	n(HT20)	2462	Ant1	98.44	0.07	0.4

Test Graphs


Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1




Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1




Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1




Duty Cycle NVNT n(HT20) 2412MHz Ant1



Duty Cycle NVNT n(HT20) 2437MHz Ant1





Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	17.331	30	Pass
NVNT	b	2437	Ant1	14.774	30	Pass
NVNT	b	2462	Ant1	17.821	30	Pass
NVNT	g	2412	Ant1	16.845	30	Pass
NVNT	g	2437	Ant1	14.675	30	Pass
NVNT	g	2462	Ant1	15.078	30	Pass
NVNT	n(HT20)	2412	Ant1	16.476	30	Pass
NVNT	n(HT20)	2437	Ant1	14.35	30	Pass
NVNT	n(HT20)	2462	Ant1	14.817	30	Pass

-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	9.57	0.5	Pass
NVNT	b	2437	Ant1	10.02	0.5	Pass
NVNT	b	2462	Ant1	9.55	0.5	Pass
NVNT	g	2412	Ant1	16.41	0.5	Pass
NVNT	g	2437	Ant1	16.4	0.5	Pass
NVNT	g	2462	Ant1	15.97	0.5	Pass
NVNT	n(HT20)	2412	Ant1	17.16	0.5	Pass
NVNT	n(HT20)	2437	Ant1	17.6	0.5	Pass
NVNT	n(HT20)	2462	Ant1	16.31	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1




-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1






Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	13.553
NVNT	b	2437	Ant1	13.105
NVNT	b	2462	Ant1	13.469
NVNT	g	2412	Ant1	16.408
NVNT	g	2437	Ant1	16.541
NVNT	g	2462	Ant1	16.632
NVNT	n(HT20)	2412	Ant1	17.639
NVNT	n(HT20)	2437	Ant1	17.682
NVNT	n(HT20)	2462	Ant1	17.691

Test Graphs


OBW NVNT b 2412MHz Ant1




OBW NVNT b 2437MHz Ant1




OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1




OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1




OBW NVNT n(HT20) 2412MHz Ant1



OBW NVNT n(HT20) 2437MHz Ant1






Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-5.975	8	Pass
NVNT	b	2437	Ant1	-9.049	8	Pass
NVNT	b	2462	Ant1	-5.374	8	Pass
NVNT	g	2412	Ant1	-7.444	8	Pass
NVNT	g	2437	Ant1	-10.015	8	Pass
NVNT	g	2462	Ant1	-9.414	8	Pass
NVNT	n(HT20)	2412	Ant1	-8.53	8	Pass
NVNT	n(HT20)	2437	Ant1	-10.864	8	Pass
NVNT	n(HT20)	2462	Ant1	-9.697	8	Pass

Test Graphs


PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1




PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1




PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1




PSD NVNT n(HT20) 2412MHz Ant1



PSD NVNT n(HT20) 2437MHz Ant1






Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-56.41	-20	Pass
NVNT	b	2462	Ant1	-55.14	-20	Pass
NVNT	g	2412	Ant1	-52.69	-20	Pass
NVNT	g	2462	Ant1	-36.93	-20	Pass
NVNT	n(HT20)	2412	Ant1	-47.79	-20	Pass
NVNT	n(HT20)	2462	Ant1	-35.19	-20	Pass

Test Graphs


Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission




Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission




Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission




Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission




Band Edge NVNT n(HT20) 2412MHz Ant1 Ref




Band Edge NVNT n(HT20) 2412MHz Ant1 Emission



Band Edge NVNT n(HT20) 2462MHz Ant1 Ref



Band Edge NVNT n(HT20) 2462MHz Ant1 Emission




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-50.06	-20	Pass
NVNT	b	2437	Ant1	-47	-20	Pass
NVNT	b	2462	Ant1	-50.05	-20	Pass
NVNT	g	2412	Ant1	-42.25	-20	Pass
NVNT	g	2437	Ant1	-44.19	-20	Pass
NVNT	g	2462	Ant1	-47.04	-20	Pass
NVNT	n(HT20)	2412	Ant1	-47.11	-20	Pass
NVNT	n(HT20)	2437	Ant1	-44.1	-20	Pass
NVNT	n(HT20)	2462	Ant1	-47.65	-20	Pass

Test Graphs


Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission




Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission




Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission




Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission




Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission




Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Ref



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Emission




Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-52.34	2	44.92	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-62.05	2	35.21	Average	54	Pass
NVNT	b	2412	Ant1	2386.518	-44.87	2	52.39	Peak	74	Pass
NVNT	b	2412	Ant1	2387.103	-53.29	2	43.97	Average	54	Pass
NVNT	b	2412	Ant1	2390	-46.83	2	50.43	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-55.77	2	41.49	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-41.79	2	55.47	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-50.36	2	46.9	Average	54	Pass
NVNT	b	2462	Ant1	2484.1	-40.74	2	56.52	Peak	74	Pass
NVNT	b	2462	Ant1	2483.517	-50.36	2	46.9	Average	54	Pass
NVNT	b	2462	Ant1	2500	-49.61	2	47.65	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-60.69	2	36.57	Average	54	Pass
NVNT	g	2412	Ant1	2310	-50.58	2	46.68	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-61.08	2	36.18	Average	54	Pass
NVNT	g	2412	Ant1	2389.911	-41.09	2	56.17	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-55.11	2	42.15	Average	54	Pass
NVNT	g	2412	Ant1	2390	-41.61	2	55.65	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-55.02	2	42.24	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-27.32	2	69.94	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-45.17	2	52.09	Average	54	Pass
NVNT	g	2462	Ant1	2483.835	-25.53	2	71.73	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-45.17	2	52.09	Average	54	Pass
NVNT	g	2462	Ant1	2500	-51.35	2	45.91	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-60.71	2	36.55	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2310	-51.76	2	45.5	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2310	-61.04	2	36.22	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2389.911	-28.49	2	68.77	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2389.911	-46.67	2	50.59	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2390	-29.32	2	67.94	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2390	-46.45	2	50.81	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-24.29	2	72.97	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-43.74	2	53.52	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.517	-24.29	2	72.97	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.517	-43.74	2	53.52	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2500	-51.06	2	46.2	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2500	-60.75	2	36.51	Average	54	Pass

Test Graphs


Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average




Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average




Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average




Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average




Restrict Band NVNT n(HT20) 2412MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2412MHz Ant1 Average



Restrict Band NVNT n(HT20) 2462MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2462MHz Ant1 Average

