


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT X_2TX
Setting 17.75
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3935G	59.08	74.00	-14.92	39.26	3	Horizontal	227	2.24	-	38.79	11.69	30.66			
AV	11.4005G	47.23	54.00	-6.77	27.39	3	Horizontal	227	2.24	-	38.80	11.70	30.66			
PK	17.1208G	65.96	68.20	-2.24	44.10	3	Horizontal	286	3.00	-	41.62	12.40	32.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 13.5
02-R-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3105G	63.09	68.20	-5.11	53.05	3	Vertical	86	1.00	-	33.90	6.98	30.84					
AV	5.35G	50.50	54.00	-3.50	40.44	3	Vertical	86	1.00	-	33.90	6.97	30.81					
PK	5.4565G	64.77	74.00	-9.23	54.36	3	Vertical	86	1.00	-	34.01	7.15	30.75					
AV	5.4555G	52.02	54.00	-1.98	41.62	3	Vertical	86	1.00	-	34.01	7.14	30.75					
PK	5.4625G	64.60	68.20	-3.60	54.16	3	Vertical	86	1.00	-	34.02	7.17	30.75					
PK	5.529G	106.90	Inf	-Inf	96.19	3	Vertical	86	1.00	-	34.04	7.39	30.72					
AV	5.5315G	94.75	Inf	-Inf	84.04	3	Vertical	86	1.00	-	34.04	7.39	30.72					
PK	5.761G	65.57	68.20	-2.63	54.46	3	Vertical	86	1.00	-	34.02	7.76	30.67					

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 13.5
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3305G	62.38	68.20	-5.82	52.32	3	Horizontal	304	2.33	-	33.90	6.98	30.82			
AV	5.35G	50.50	54.00	-3.50	40.44	3	Horizontal	304	2.33	-	33.90	6.97	30.81			
PK	5.455G	66.58	74.00	-7.42	56.19	3	Horizontal	304	2.33	-	34.01	7.14	30.76			
AV	5.4575G	52.50	54.00	-1.50	42.08	3	Horizontal	304	2.33	-	34.02	7.15	30.75			
PK	5.463G	66.75	68.20	-1.45	56.30	3	Horizontal	304	2.33	-	34.03	7.17	30.75			
PK	5.531G	108.99	Inf	-Inf	98.28	3	Horizontal	304	2.33	-	34.04	7.39	30.72			
AV	5.533G	97.26	Inf	-Inf	86.55	3	Horizontal	304	2.33	-	34.03	7.40	30.72			
PK	5.7785G	65.01	68.20	-3.19	53.83	3	Horizontal	304	2.33	-	34.06	7.78	30.66			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 13.5
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0126G	58.91	74.00	-15.09	39.35	3	Vertical	65	1.29	-	38.60	11.45	30.49			
AV	11.0115G	45.95	54.00	-8.05	26.39	3	Vertical	65	1.29	-	38.60	11.45	30.49			
PK	16.6325G	58.18	68.20	-10.02	38.35	3	Vertical	4	1.57	-	39.73	12.17	32.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 13.5
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0181G	58.53	74.00	-15.47	38.96	3	Horizontal	234	1.86	-	38.60	11.46	30.49			
AV	11.0184G	45.98	54.00	-8.02	26.41	3	Horizontal	234	1.86	-	38.60	11.46	30.49			
PK	16.636G	58.83	68.20	-9.37	38.99	3	Horizontal	202	2.05	-	39.74	12.17	32.07			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 16.25
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4225G	63.16	74.00	-10.84	52.90	3	Vertical	82	1.16	-	34.00	7.03	30.77			
PK	5.47G	63.28	68.20	-4.92	52.80	3	Vertical	82	1.16	-	34.04	7.19	30.75			
AV	5.4595G	51.58	54.00	-2.42	41.15	3	Vertical	82	1.16	-	34.02	7.16	30.75			
PK	5.619G	109.63	Inf	-Inf	98.69	3	Vertical	82	1.16	-	34.00	7.64	30.70			
AV	5.6165G	98.75	Inf	-Inf	87.82	3	Vertical	82	1.16	-	34.00	7.63	30.70			
PK	5.7275G	66.58	68.20	-1.62	55.53	3	Vertical	82	1.16	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 16.25
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	63.29	74.00	-10.71	52.89	3	Horizontal	305	2.58	-	34.01	7.14	30.75			
AV	5.4595G	51.58	54.00	-2.42	41.15	3	Horizontal	305	2.58	-	34.02	7.16	30.75			
PK	5.467G	62.86	68.20	-5.34	52.40	3	Horizontal	305	2.58	-	34.03	7.18	30.75			
PK	5.6085G	110.95	Inf	-Inf	100.02	3	Horizontal	305	2.58	-	34.00	7.63	30.70			
AV	5.6115G	100.33	Inf	-Inf	89.40	3	Horizontal	305	2.58	-	34.00	7.63	30.70			
PK	5.7265G	66.73	68.20	-1.47	55.68	3	Horizontal	305	2.58	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 16.25
02-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.213G	58.43	74.00	-15.57	38.80	3	Vertical	279	1.56	-	38.63	11.58	30.58				
AV	11.2687G	46.62	54.00	-7.38	26.90	3	Vertical	279	1.56	-	38.70	11.62	30.60				
PK	16.8369G	61.28	68.20	-6.92	40.59	3	Vertical	204	2.39	-	40.52	12.27	32.10				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 16.25
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2688G	58.33	74.00	-15.67	38.61	3	Horizontal	138	1.43	-	38.70	11.62	30.60			
AV	11.2681G	46.52	54.00	-7.48	26.80	3	Horizontal	138	1.43	-	38.70	11.62	30.60			
PK	16.8331G	61.25	68.20	-6.95	40.58	3	Horizontal	102	2.38	-	40.50	12.27	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 16.25
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4425G	63.28	74.00	-10.72	52.94	3	Vertical	83	1.01	-	34.00	7.10	30.76			
PK	5.468G	63.52	68.20	-4.68	53.05	3	Vertical	83	1.01	-	34.04	7.18	30.75			
AV	5.4595G	51.58	54.00	-2.42	41.15	3	Vertical	83	1.01	-	34.02	7.16	30.75			
PK	5.6915G	111.86	Inf	-Inf	100.84	3	Vertical	83	1.01	-	34.00	7.70	30.68			
AV	5.684G	100.18	Inf	-Inf	89.17	3	Vertical	83	1.01	-	34.00	7.70	30.69			
PK	5.857G	67.06	68.20	-1.14	55.83	3	Vertical	83	1.01	-	34.03	7.84	30.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 16.25
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.449G	63.72	74.00	-10.28	53.36	3	Horizontal	303	2.32	-	34.00	7.12	30.76			
PK	5.4685G	63.41	68.20	-4.79	52.93	3	Horizontal	303	2.32	-	34.04	7.19	30.75			
AV	5.4595G	51.58	54.00	-2.42	41.15	3	Horizontal	303	2.32	-	34.02	7.16	30.75			
PK	5.689G	113.55	Inf	-Inf	102.53	3	Horizontal	303	2.32	-	34.00	7.70	30.68			
AV	5.6865G	102.15	Inf	-Inf	91.14	3	Horizontal	303	2.32	-	34.00	7.70	30.69			
PK	5.8585G	67.16	68.20	-1.04	55.93	3	Horizontal	303	2.32	-	34.03	7.84	30.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 16.25
02-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.3905G	59.40	74.00	-14.60	39.59	3	Vertical	28	2.40	-	38.78	11.69	30.66				
AV	11.3989G	47.14	54.00	-6.86	27.30	3	Vertical	28	2.40	-	38.80	11.70	30.66				
PK	17.1179G	61.01	68.20	-7.19	39.16	3	Vertical	97	2.89	-	41.61	12.40	32.16				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 16.25
02-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3849G	59.66	74.00	-14.34	39.86	3	Horizontal	294	1.47	-	38.77	11.69	30.66			
AV	11.3977G	47.13	54.00	-6.87	27.29	3	Horizontal	294	1.47	-	38.80	11.70	30.66			
PK	17.0645G	62.30	68.20	-5.90	40.63	3	Horizontal	276	3.00	-	41.43	12.38	32.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 11.5
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2244G	64.74	68.20	-3.46	54.87	3	Vertical	85	1.23	-	33.75	7.00	30.88			
PK	5.4372G	66.12	74.00	-7.88	55.81	3	Vertical	85	1.23	-	34.00	7.08	30.77			
AV	5.35G	50.50	54.00	-3.50	40.44	3	Vertical	85	1.23	-	33.90	6.97	30.81			
AV	5.446G	52.16	54.00	-1.84	41.81	3	Vertical	85	1.23	-	34.00	7.11	30.76			
PK	5.4684G	63.41	68.20	-4.79	52.93	3	Vertical	85	1.23	-	34.04	7.19	30.75			
PK	5.5772G	101.55	Inf	-Inf	90.72	3	Vertical	85	1.23	-	34.00	7.54	30.71			
AV	5.5588G	90.76	Inf	-Inf	80.00	3	Vertical	85	1.23	-	34.00	7.48	30.72			
PK	5.726G	66.88	68.20	-1.32	55.83	3	Vertical	85	1.23	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 11.5
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3372G	62.50	68.20	-5.70	52.44	3	Horizontal	308	2.35	-	33.90	6.98	30.82			
AV	5.35G	50.50	54.00	-3.50	40.44	3	Horizontal	308	2.35	-	33.90	6.97	30.81			
PK	5.4284G	70.17	74.00	-3.83	59.89	3	Horizontal	308	2.35	-	34.00	7.05	30.77			
AV	5.4244G	52.97	54.00	-1.03	42.70	3	Horizontal	308	2.35	-	34.00	7.04	30.77			
PK	5.4676G	64.47	68.20	-3.73	54.00	3	Horizontal	308	2.35	-	34.04	7.18	30.75			
PK	5.5684G	104.35	Inf	-Inf	93.54	3	Horizontal	308	2.35	-	34.00	7.52	30.71			
AV	5.5684G	93.13	Inf	-Inf	82.32	3	Horizontal	308	2.35	-	34.00	7.52	30.71			
PK	5.7284G	66.60	68.20	-1.60	55.54	3	Horizontal	308	2.35	-	34.00	7.74	30.68			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 11.5
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14252G	57.98	74.00	-16.02	38.39	3	Vertical	292	1.94	-	38.60	11.54	30.55			
AV	11.13948G	45.75	54.00	-8.25	26.16	3	Vertical	292	1.94	-	38.60	11.53	30.54			
PK	16.71724G	59.81	68.20	-8.39	39.75	3	Vertical	360	2.03	-	39.93	12.21	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_X_2TX
Setting 11.5
02-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13274G	58.18	74.00	-15.82	38.59	3	Horizontal	86	2.54	-	38.60	11.53	30.54			
AV	11.13376G	45.80	54.00	-8.20	26.21	3	Horizontal	86	2.54	-	38.60	11.53	30.54			
PK	16.70914G	60.00	68.20	-8.20	39.95	3	Horizontal	220	1.93	-	39.92	12.21	32.08			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT X_2TX
Setting 23
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.522G	64.32	68.20	-3.88	53.62	3	Vertical	82	1.12	-	34.06	7.36	30.72				
PK	5.747G	119.41	Inf	-Inf	108.33	3	Vertical	82	1.12	-	34.00	7.75	30.67				
AV	5.7445G	110.79	Inf	-Inf	99.71	3	Vertical	82	1.12	-	34.00	7.75	30.67				
PK	5.9885G	65.92	68.20	-2.28	54.33	3	Vertical	82	1.12	-	34.28	7.92	30.61				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_X_2TX
Setting 23
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6365G	65.13	68.20	-3.07	54.18	3	Horizontal	312	2.36	-	34.00	7.65	30.70				
PK	5.7465G	120.31	Inf	-Inf	109.23	3	Horizontal	312	2.36	-	34.00	7.75	30.67				
AV	5.744G	111.02	Inf	-Inf	99.94	3	Horizontal	312	2.36	-	34.00	7.75	30.67				
PK	5.938G	65.60	68.20	-2.60	54.13	3	Horizontal	312	2.36	-	34.20	7.89	30.62				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT X_2TX
Setting 14
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48204G	58.14	74.00	-15.86	38.13	3	Vertical	33	2.75	-	38.96	11.75	30.70			
AV	11.4833G	45.89	54.00	-8.11	25.87	3	Vertical	33	2.75	-	38.97	11.75	30.70			
PK	17.23458G	62.54	68.20	-5.66	40.07	3	Vertical	23	1.23	-	42.21	12.46	32.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_X_2TX
Setting 14
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48724G	59.31	74.00	-14.69	39.29	3	Horizontal	88	1.77	-	38.97	11.75	30.70			
AV	11.4851G	45.87	54.00	-8.13	25.85	3	Horizontal	88	1.77	-	38.97	11.75	30.70			
PK	17.2372G	66.02	68.20	-2.18	43.55	3	Horizontal	283	2.97	-	42.22	12.46	32.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_X_2TX
Setting 23
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6355G	63.93	68.20	-4.27	52.98	3	Vertical	83	1.40	-	34.00	7.65	30.70				
PK	5.785G	119.52	Inf	-Inf	108.32	3	Vertical	83	1.40	-	34.07	7.79	30.66				
AV	5.785G	110.96	Inf	-Inf	99.76	3	Vertical	83	1.40	-	34.07	7.79	30.66				
PK	6.002G	65.60	68.20	-2.60	53.98	3	Vertical	83	1.40	-	34.30	7.93	30.61				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_X_2TX
Setting 23
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.574G	64.28	68.20	-3.92	53.46	3	Horizontal	349	2.25	-	34.00	7.53	30.71				
PK	5.7865G	118.37	Inf	-Inf	107.17	3	Horizontal	349	2.25	-	34.07	7.79	30.66				
AV	5.784G	109.72	Inf	-Inf	98.52	3	Horizontal	349	2.25	-	34.07	7.79	30.66				
PK	5.9705G	65.58	68.20	-2.62	54.05	3	Horizontal	349	2.25	-	34.24	7.91	30.62				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_X_2TX
Setting 14.25
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5672G	59.43	74.00	-14.57	39.22	3	Vertical	175	2.78	-	39.17	11.81	30.77			
AV	11.56492G	47.29	54.00	-6.71	27.09	3	Vertical	175	2.78	-	39.16	11.80	30.76			
PK	17.35314G	62.66	68.20	-5.54	39.38	3	Vertical	128	1.10	-	43.02	12.51	32.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_X_2TX
Setting 14.25
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57102G	60.08	74.00	-13.92	39.86	3	Horizontal	279	2.87	-	39.18	11.81	30.77			
AV	11.57226G	47.37	54.00	-6.63	27.14	3	Horizontal	279	2.87	-	39.19	11.81	30.77			
PK	17.36294G	65.85	68.20	-2.35	42.50	3	Horizontal	284	2.95	-	43.08	12.52	32.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_X_2TX
Setting 23
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.631G	64.34	68.20	-3.86	53.39	3	Vertical	85	1.00	-	34.00	7.65	30.70				
PK	5.8245G	119.47	Inf	-Inf	108.25	3	Vertical	85	1.00	-	34.05	7.82	30.65				
AV	5.8245G	110.41	Inf	-Inf	99.19	3	Vertical	85	1.00	-	34.05	7.82	30.65				
PK	6G	66.14	68.20	-2.06	54.52	3	Vertical	85	1.00	-	34.30	7.93	30.61				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_X_2TX
Setting 23
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.632G	64.28	68.20	-3.92	53.33	3	Horizontal	352	2.15	-	34.00	7.65	30.70				
PK	5.824G	118.13	Inf	-Inf	106.91	3	Horizontal	352	2.15	-	34.05	7.82	30.65				
AV	5.824G	106.94	Inf	-Inf	95.72	3	Horizontal	352	2.15	-	34.05	7.82	30.65				
PK	5.9295G	66.09	68.20	-2.11	54.64	3	Horizontal	352	2.15	-	34.20	7.88	30.63				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_X_2TX
Setting 13.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64726G	60.01	74.00	-13.99	39.68	3	Vertical	249	2.68	-	39.30	11.86	30.83			
AV	11.65434G	47.00	54.00	-7.00	26.66	3	Vertical	249	2.68	-	39.32	11.86	30.84			
PK	17.47526G	64.71	68.20	-3.49	40.48	3	Vertical	3	1.95	-	43.95	12.57	32.29			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_X_2TX
Setting 13.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65108G	59.19	74.00	-14.81	38.87	3	Horizontal	219	2.38	-	39.30	11.86	30.84			
AV	11.64874G	47.09	54.00	-6.91	26.76	3	Horizontal	219	2.38	-	39.30	11.86	30.83			
PK	17.47384G	66.03	68.20	-2.17	41.81	3	Horizontal	282	2.95	-	43.94	12.57	32.29			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT X_2TX
Setting 23
02-R-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6345G	64.24	68.20	-3.96	53.29	3	Vertical	82	1.00	-	34.00	7.65	30.70			
PK	5.747G	120.06	Inf	-Inf	108.98	3	Vertical	82	1.00	-	34.00	7.75	30.67			
AV	5.745G	109.88	Inf	-Inf	98.80	3	Vertical	82	1.00	-	34.00	7.75	30.67			
PK	5.9515G	65.82	68.20	-2.38	54.34	3	Vertical	82	1.00	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT X_2TX
Setting 23
02-R-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5955G	63.91	68.20	-4.29	53.01	3	Horizontal	306	2.21	-	34.00	7.61	30.71				
PK	5.744G	121.14	Inf	-Inf	110.06	3	Horizontal	306	2.21	-	34.00	7.75	30.67				
AV	5.744G	110.27	Inf	-Inf	99.19	3	Horizontal	306	2.21	-	34.00	7.75	30.67				
PK	5.9355G	65.22	68.20	-2.98	53.76	3	Horizontal	306	2.21	-	34.20	7.89	30.63				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_X_2TX
Setting 15.25
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49432G	58.53	74.00	-15.47	38.49	3	Vertical	344	2.39	-	38.99	11.76	30.71			
AV	11.4923G	45.94	54.00	-8.06	25.91	3	Vertical	344	2.39	-	38.98	11.76	30.71			
PK	17.23834G	63.87	68.20	-4.33	41.39	3	Vertical	178	1.84	-	42.23	12.46	32.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_X_2TX
Setting 15.25
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48892G	57.98	74.00	-16.02	37.94	3	Horizontal	308	1.87	-	38.98	11.76	30.70			
AV	11.48984G	46.35	54.00	-7.65	26.32	3	Horizontal	308	1.87	-	38.98	11.76	30.71			
PK	17.23386G	66.06	68.20	-2.14	43.60	3	Horizontal	282	2.97	-	42.20	12.46	32.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_X_2TX
Setting 23
02-R-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6085G	64.18	68.20	-4.02	53.25	3	Vertical	80	1.21	-	34.00	7.63	30.70				
PK	5.787G	121.21	Inf	-Inf	110.01	3	Vertical	80	1.21	-	34.07	7.79	30.66				
AV	5.787G	110.83	Inf	-Inf	99.63	3	Vertical	80	1.21	-	34.07	7.79	30.66				
PK	5.9765G	65.91	68.20	-2.29	54.37	3	Vertical	80	1.21	-	34.25	7.91	30.62				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_X_2TX
Setting 23
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6255G	64.59	68.20	-3.61	53.65	3	Horizontal	309	2.14	-	34.00	7.64	30.70			
PK	5.787G	120.37	Inf	-Inf	109.17	3	Horizontal	309	2.14	-	34.07	7.79	30.66			
AV	5.7865G	110.41	Inf	-Inf	99.21	3	Horizontal	309	2.14	-	34.07	7.79	30.66			
PK	5.9415G	65.57	68.20	-2.63	54.10	3	Horizontal	309	2.14	-	34.20	7.89	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_X_2TX
Setting 15.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56978G	59.75	74.00	-14.25	39.53	3	Vertical	349	1.76	-	39.18	11.81	30.77			
AV	11.56906G	47.47	54.00	-6.53	27.25	3	Vertical	349	1.76	-	39.18	11.81	30.77			
PK	17.3485G	63.09	68.20	-5.11	39.84	3	Vertical	103	2.73	-	42.99	12.51	32.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_X_2TX
Setting 15.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56298G	59.73	74.00	-14.27	39.54	3	Horizontal	194	1.15	-	39.15	11.80	30.76			
AV	11.56904G	47.47	54.00	-6.53	27.25	3	Horizontal	194	1.15	-	39.18	11.81	30.77			
PK	17.35638G	65.85	68.20	-2.35	42.55	3	Horizontal	284	2.97	-	43.04	12.51	32.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_X_2TX
Setting 23
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.641G	64.53	68.20	-3.67	53.57	3	Vertical	273	1.95	-	34.00	7.66	30.70			
PK	5.8275G	117.32	Inf	-Inf	106.10	3	Vertical	273	1.95	-	34.05	7.82	30.65			
AV	5.8265G	107.77	Inf	-Inf	96.55	3	Vertical	273	1.95	-	34.05	7.82	30.65			
PK	6.039G	66.73	68.20	-1.47	55.09	3	Vertical	273	1.95	-	34.30	7.99	30.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_X_2TX
Setting 23
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	64.03	68.20	-4.17	53.06	3	Horizontal	360	2.22	-	34.00	7.66	30.69			
PK	5.8295G	118.20	Inf	-Inf	106.99	3	Horizontal	360	2.22	-	34.04	7.82	30.65			
AV	5.8265G	106.32	Inf	-Inf	95.10	3	Horizontal	360	2.22	-	34.05	7.82	30.65			
PK	6.0545G	65.83	68.20	-2.37	54.17	3	Horizontal	360	2.22	-	34.32	8.01	30.67			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_X_2TX
Setting 14.25
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.6576G	59.35	74.00	-14.65	39.00	3	Vertical	102	2.56	-	39.33	11.86	30.84				
AV	11.64854G	47.01	54.00	-6.99	26.68	3	Vertical	102	2.56	-	39.30	11.86	30.83				
PK	17.47194G	64.67	68.20	-3.53	40.47	3	Vertical	217	2.34	-	43.92	12.57	32.29				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_X_2TX
Setting 14.25
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64748G	59.54	74.00	-14.46	39.21	3	Horizontal	69	1.63	-	39.30	11.86	30.83			
AV	11.65754G	47.09	54.00	-6.91	26.74	3	Horizontal	69	1.63	-	39.33	11.86	30.84			
PK	17.47598G	65.95	68.20	-2.25	41.71	3	Horizontal	280	2.95	-	43.96	12.57	32.29			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
Setting 20.5
02-R-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6345G	65.23	68.20	-2.97	54.28	3	Vertical	88	1.00	-	34.00	7.65	30.70				
PK	5.7495G	116.60	Inf	-Inf	105.52	3	Vertical	88	1.00	-	34.00	7.75	30.67				
AV	5.7545G	105.48	Inf	-Inf	94.38	3	Vertical	88	1.00	-	34.01	7.76	30.67				
PK	5.931G	66.09	68.20	-2.11	54.63	3	Vertical	88	1.00	-	34.20	7.89	30.63				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
Setting 20.5
02-R-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.647G	66.94	68.20	-1.26	55.97	3	Horizontal	307	2.20	-	34.00	7.66	30.69				
PK	5.759G	117.88	Inf	-Inf	106.77	3	Horizontal	307	2.20	-	34.02	7.76	30.67				
AV	5.754G	107.08	Inf	-Inf	95.98	3	Horizontal	307	2.20	-	34.01	7.76	30.67				
PK	5.937G	66.22	68.20	-1.98	54.76	3	Horizontal	307	2.20	-	34.20	7.89	30.63				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_X_2TX
Setting 17
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5576G	59.72	74.00	-14.28	39.55	3	Vertical	239	1.08	-	39.13	11.80	30.76			
AV	11.5585G	47.20	54.00	-6.80	27.03	3	Vertical	239	1.08	-	39.13	11.80	30.76			
PK	17.2661G	65.78	68.20	-2.42	43.10	3	Vertical	176	1.95	-	42.43	12.47	32.22			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_X_2TX
Setting 17
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5592G	59.03	74.00	-14.97	38.85	3	Horizontal	176	2.25	-	39.14	11.80	30.76			
AV	11.5591G	47.11	54.00	-6.89	26.93	3	Horizontal	176	2.25	-	39.14	11.80	30.76			
PK	17.2651G	66.09	68.20	-2.11	43.42	3	Horizontal	281	2.97	-	42.42	12.47	32.22			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
Setting 22.5
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6185G	64.00	68.20	-4.20	53.06	3	Vertical	82	1.19	-	34.00	7.64	30.70			
PK	5.799G	118.51	Inf	-Inf	107.27	3	Vertical	82	1.19	-	34.10	7.80	30.66			
AV	5.794G	107.38	Inf	-Inf	96.16	3	Vertical	82	1.19	-	34.09	7.79	30.66			
PK	5.9725G	66.95	68.20	-1.25	55.42	3	Vertical	82	1.19	-	34.24	7.91	30.62			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
Setting 22.5
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6435G	65.24	68.20	-2.96	54.28	3	Horizontal	311	2.09	-	34.00	7.66	30.70			
PK	5.799G	118.96	Inf	-Inf	107.72	3	Horizontal	311	2.09	-	34.10	7.80	30.66			
AV	5.7935G	107.25	Inf	-Inf	96.03	3	Horizontal	311	2.09	-	34.09	7.79	30.66			
PK	5.927G	66.99	68.20	-1.21	55.54	3	Horizontal	311	2.09	-	34.20	7.88	30.63			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_X_2TX
Setting 17
02-R-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.569G	58.85	74.00	-15.15	38.63	3	Vertical	16	2.13	-	39.18	11.81	30.77			
AV	11.5671G	47.10	54.00	-6.90	26.89	3	Vertical	16	2.13	-	39.17	11.81	30.77			
PK	17.4094G	63.17	68.20	-5.03	39.52	3	Vertical	207	2.18	-	43.38	12.54	32.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_X_2TX
Setting 17
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5976G	59.60	74.00	-14.40	39.28	3	Horizontal	228	1.02	-	39.29	11.82	30.79			
AV	11.5688G	47.11	54.00	-6.89	26.89	3	Horizontal	228	1.02	-	39.18	11.81	30.77			
PK	17.3776G	66.08	68.20	-2.12	42.65	3	Horizontal	279	2.98	-	43.17	12.52	32.26			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
Setting 16.75
02-R-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.645G	64.49	68.20	-3.71	53.53	3	Vertical	262	1.79	-	34.00	7.66	30.70				
PK	5.774G	108.62	Inf	-Inf	97.45	3	Vertical	262	1.79	-	34.05	7.78	30.66				
AV	5.779G	97.55	Inf	-Inf	86.37	3	Vertical	262	1.79	-	34.06	7.78	30.66				
PK	5.9555G	66.33	68.20	-1.87	54.84	3	Vertical	262	1.79	-	34.21	7.90	30.62				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
Setting 16.75
02-R-M-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6505G	67.33	68.57	-1.24	56.35	3	Horizontal	310	2.29	-	34.00	7.67	30.69			
PK	5.7785G	110.88	Inf	-Inf	99.70	3	Horizontal	310	2.29	-	34.06	7.78	30.66			
AV	5.7735G	99.39	Inf	-Inf	88.22	3	Horizontal	310	2.29	-	34.05	7.78	30.66			
PK	5.967G	66.88	68.20	-1.32	55.36	3	Horizontal	310	2.29	-	34.23	7.91	30.62			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT X_2TX
Setting 16.75
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54775G	59.28	74.00	-14.72	39.14	3	Vertical	33	1.61	-	39.10	11.79	30.75			
AV	11.54886G	47.02	54.00	-6.98	26.88	3	Vertical	33	1.61	-	39.10	11.79	30.75			
PK	17.31655G	63.48	68.20	-4.72	40.41	3	Vertical	60	1.80	-	42.80	12.50	32.23			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_X_2TX
Setting 16.75
02-R-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56445G	59.54	74.00	-14.46	39.34	3	Horizontal	253	2.26	-	39.16	11.80	30.76			
AV	11.55875G	47.12	54.00	-6.88	26.94	3	Horizontal	253	2.26	-	39.14	11.80	30.76			
PK	17.3195G	63.23	68.20	-4.97	40.15	3	Horizontal	121	1.62	-	42.82	12.50	32.24			