

Report No.: FYCR220300001903

Page: 1 of 123

TEST REPORT

Application No.: FYCR2203000019AT **Applicant:** Wyze Labs, Inc.

Address of Applicant: 5808 Lake Washington Blvd NE Ste 300, Kirkland, Washington 98033

United States

Manufacturer: Wyze Labs, Inc.

Address of Manufacturer: 5808 Lake Washington Blvd NE Ste 300, Kirkland, Washington 98033

United States

Equipment Under Test (EUT):

EUT Name: Wyze Plug **Model No.:** WLPP1CFH

Trade Mark: WYZE

FCC ID: 2AUIUWLPP1CFHA

Standard(s): 47 CFR Part 15, Subpart C 15.247

Date of Receipt: 2022-03-10

Date of Test: 2022-03-30 to 2022-05-23

Date of Issue: 2022-05-26

Test Result: Pass*

Kidd Yang EMC Laboratory Manager



^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: FYCR220300001903

Page: 2 of 123

| | Revision Record | | | | | | |
|---------|------------------------------------|------------|--|----------|--|--|--|
| Version | Version Chapter Date Modifier Rema | | | | | | |
| 01 | | 2022-05-26 | | Original | | | |
| | | | | | | | |
| | | | | | | | |

| Authorized for issue by: | | |
|--------------------------|----------------------------|---|
| | Tree Zhan | |
| | Tree Zhan/Project Engineer | - |
| | WinkeyWang | |
| | Winkey Wang/Reviewer | - |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 3 of 123

2 Test Summary

| Radio Spectrum Technical Requirement | | | | | |
|--|-------------------------------------|-----|---|------|--|
| Item Standard Method Requirement Resul | | | | | |
| Antenna Requirement | 47 CFR Part 15, Subpart C 15.247 | N/A | 47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4) | Pass | |

| Radio Spectrum Matter Part | | | | | |
|---|------------------|---|--|--------|--|
| Item | Standard | Method | Requirement | Result | |
| Conducted Emissions at AC Power Line (150kHz-30MHz) | | ANSI C63.10 (2013) Section 6.2 | 47 CFR Part 15, Subpart C 15.207 | Pass | |
| Conducted Peak Output Power | | ANSI C63.10 (2013) Section 11.9.2 | 47 CFR Part 15, Subpart C 15.247(b)(3) | Pass | |
| Minimum 6dB Bandwidth | 47 CFR Part 15, | ANSI C63.10 (2013) Section 11.8.1 | 47 CFR Part 15, Subpart C 15.247a(2) | Pass | |
| Power Spectrum Density | | ANSI C63.10 (2013) Section 11.10.2 | 47 CFR Part 15, Subpart C 15.247(e) | Pass | |
| Conducted Band Edges Measurement | | ANSI C63.10 (2013) Section 11.13.3.2 | 47 CFR Part 15, Subpart C 15.247(d) | Pass | |
| Conducted Spurious Emissions | Subpart C 15.247 | ANSI C63.10 (2013) Section 11.11 | 47 CFR Part 15, Subpart C 15.247(d) | Pass | |
| Radiated Emissions which fall in the restricted bands | | ANSI C63.10 (2013) Section 6.10.5 | 47 CFR Part 15, Subpart C 15.205 & 15.209 | Pass | |
| Radiated Spurious Emissions Below 1GHz | | ANSI C63.10 (2013) Section 6.4,6.5 | 47 CFR Part 15, Subpart C 15.205 & 15.209 | Pass | |
| Radiated Spurious Emissions Above 1GHz | | ANSI C63.10 (2013) Section 6.6 | 47 CFR Part 15, Subpart C 15.205 & 15.209 | Pass | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CND Docebeck@ses.com



Report No.: FYCR220300001903

Page: 4 of 123

3 Contents

| | | Pa | age |
|---|-----------------------|--|-----|
| 1 | COVE | R PAGE | 1 |
| 2 | TEST S | SUMMARY | 3 |
| | | | |
| 3 | CONTE | ENTS | 4 |
| 4 | GENE | RAL INFORMATION | є |
| | | ETAILS OF E.U.T. | |
| | | ESCRIPTION OF SUPPORT UNITS | |
| | | leasurement Uncertainty | |
| | | EST LOCATION | |
| | | EST FACILITY | |
| | | EVIATION FROM STANDARDS | |
| | | BNORMALITIES FROM STANDARD CONDITIONS | |
| 5 | EQUIP | MENT LIST | 8 |
| | | | |
| 6 | | SPECTRUM TECHNICAL REQUIREMENT | |
| | 6.1 A | NTENNA REQUIREMENT | |
| | 6.1.1 | Test Requirement: | |
| | 6.1.2 | Conclusion | 13 |
| 7 | RADIO | SPECTRUM MATTER TEST RESULTS | 14 |
| | 7.1 C | ONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz) | 14 |
| | 7.1.1 | E.U.T. Operation | 14 |
| | 7.1.2 | Test Mode Description | |
| | 7.1.3 | Test Setup Diagram | |
| | 7.1.4 | Measurement Procedure and Data | |
| | | ONDUCTED PEAK OUTPUT POWER | |
| | 7.2.1 | E.U.T. Operation | |
| | 7.2.2 | Test Mode Description | |
| | 7.2.3 | Test Setup Diagram | |
| | 7.2.4 | Measurement Procedure and Data | |
| | 7.3 M <i>7.3.1</i> | IINIMUM 6DB BANDWIDTH | |
| | | Test Mode Description | |
| | 7.3.2 7.3.3 | Test Node Description Test Setup Diagram | |
| | 7.3.3 7.3.4 | Measurement Procedure and Data | |
| | | OWER SPECTRUM DENSITY | |
| | 7.4.1 | E.U.T. Operation | |
| | 7.4.2 | Test Mode Description | |
| | 7.4.3 | Test Setup Diagram | |
| | 7.4.4 | Measurement Procedure and Data | |
| | | ONDUCTED BAND EDGES MEASUREMENT | |
| | 7.5.1 | E.U.T. Operation | |
| | 7.5.2 | Test Mode Description | |
| | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CND Docebeck@ses.com



Report No.: FYCR220300001903

Page: 5 of 123

| | 7.5.3 | Test Setup Diagram | 22 |
|----|-------|---|-----|
| | 7.5.4 | Measurement Procedure and Data | 23 |
| 7 | .6 C | CONDUCTED SPURIOUS EMISSIONS | 24 |
| | 7.6.1 | E.U.T. Operation | 24 |
| | 7.6.2 | Test Mode Description | |
| | 7.6.3 | Test Setup Diagram | |
| | 7.6.4 | Measurement Procedure and Data | |
| 7 | .7 R | RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS | |
| | 7.7.1 | E.U.T. Operation | 26 |
| | 7.7.2 | Test Mode Description | |
| | 7.7.3 | Test Setup Diagram | 27 |
| | 7.7.4 | Measurement Procedure and Data | |
| 7 | .8 R | RADIATED SPURIOUS EMISSIONS BELOW 1GHZ | 52 |
| | 7.8.1 | E.U.T. Operation | 52 |
| | 7.8.2 | Test Mode Description | 52 |
| | 7.8.3 | Test Setup Diagram | |
| | 7.8.4 | Measurement Procedure and Data | 53 |
| 7 | .9 R | RADIATED SPURIOUS EMISSIONS ABOVE 1GHZ | 56 |
| | 7.9.1 | E.U.T. Operation | 56 |
| | 7.9.2 | Test Mode Description | 56 |
| | 7.9.3 | Test Setup Diagram | 56 |
| | 7.9.4 | Measurement Procedure and Data | |
| 8 | TEST | SETUP PHOTO | 76 |
| 9 | EUT C | ONSTRUCTIONAL DETAILS (EUT PHOTOS) | 76 |
| 10 | A DDE | NIDIY | 7- |
| IU | APPEI | NDIX | / / |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 6 of 123

4 General Information

4.1 Details of E.U.T.

| Power Supply: | Input: 120V 60Hz |
|----------------------|--|
| | Output: 120V 15A Max. |
| Operation Frequency: | 802.11b/g/n(HT20): 2412MHz to 2462MHz |
| Modulation Type: | 802.11b: DSSS (CCK, DQPSK, DBPSK);802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK) |
| Number of Channels: | 802.11b/g/n(HT20):11 |
| Channel Spacing: | 5MHz |
| Antenna Type: | PCB Antenna |
| Antenna Gain: | 2dBi |

4.2 Description of Support Units

| Description | Manufacturer | Model No. | Serial No. | | | |
|---|--------------|-----------|------------|--|--|--|
| | | | | | | |
| The EUT has been tested as an independent unit. | | | | | | |

4.3 Measurement Uncertainty

| Test Item | Measurement Uncertainty |
|---|--------------------------|
| Conducted Emissions at AC Power Line (150kHz-30MHz) | ± 2.1 dB (9kHz to 30MHz) |
| Conducted Peak Output Power | ± 0.8dB |
| Minimum 6dB Bandwidth | ± 0.3% |
| Power Spectrum Density | ± 0.4dB |
| Conducted Band Edges Measurement | ± 2.7dB |
| Conducted Spurious Emissions | ± 2.7dB |
| Radiated Emissions which fall in the restricted bands | ± 4.4dB (Above 1GHz) |
| Radiated Spurious Emissions Below 1GHz | ± 3.1dB (Below 1GHz) |
| Radiated Spurious Emissions Above 1GHz | ± 4.4dB (Above 1GHz) |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defines—and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalia CMD Doceback/Base.com



Report No.: FYCR220300001903

Page: 7 of 123

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone; (86-755) 8307 1443, **Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone; (86-755) 8307 1443, **Termina and the company and



Report No.: FYCR220300001903

Page: 8 of 123

5 Equipment List

| Conducted Emissions at AC Power Line (150kHz-30MHz) | | | | | | |
|---|-----------------|----------|--------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date | |
| Shielding Room | CRT | N/A | SEM001-14 | 2021/7/13 | 2024/7/12 | |
| EMI Test Receiver(9kHz-3GHz) | Rohde & Schwarz | ESCI | SEM004-01 | 2021/7/13 | 2022/7/12 | |
| Two-Line V- Network(9kHz-30MHz) | Rohde & Schwarz | ENV216 | SEM007-16 | 2021/7/13 | 2022/7/12 | |
| Two-Line V- Network(9kHz-30MHz) | Rohde & Schwarz | ESH3-Z5 | SEM007-22 | 2021/7/13 | 2022/7/12 | |

| Conducted Peak Output Power | | | | | | |
|---|------------------------------------|-------------------|--------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 | |

| Minimum 6dB Bandwidth | | | | | | |
|---|------------------------------------|-------------------|--------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 | |
| MXA Signal Analyzer | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CND Docebeck@ses.com



Report No.: FYCR220300001903

Page: 9 of 123

| Power Spectrum Density | | | | | | | | |
|---|------------------------------------|-------------------|--------------|-----------|--------------|--|--|--|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date | | | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 | | | |
| MXA Signal Analyzer | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 | | | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 | | | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 | | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 | | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 | | | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 | | | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 | | | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 | | | |

| Conducted Band Edges Measurement | | | | | | | | |
|---|------------------------------------|-------------------|--------------|-----------|--------------|--|--|--|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date | | | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 | | | |
| MXA Signal Analyzer | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 | | | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 | | | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 | | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 | | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 | | | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 | | | |
| Programmable DC Source | - Chroma | | SEM011-09 | 2021/7/13 | 2022/7/12 | | | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 10 of 123

| Conducted Spurious Emissions | | | | | | | | |
|---|------------------------------------|-------------------|--------------|-----------|--------------|--|--|--|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date | | | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 | | | |
| MXA Signal Analyzer | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 | | | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 | | | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 | | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 | | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 | | | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 | | | |
| Programmable DC Source | Unioma 162024P-80 | | SEM011-09 | 2021/7/13 | 2022/7/12 | | | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 | | | |

| Radiated Emissions which fall in the restricted bands | | | | | | | | | |
|---|-----------------|-----------------------|-----------|--------------|------------|--|--|--|--|
| Equipment | Manufacturer | Inventory No | Cal Date | Cal Due Date | | | | | |
| Trilog-Broadband Antenna(25MHz-2GHz) | Schwarzbeck | VULB9168 | SEM003-33 | 2021/9/25 | 2024/9/24 | | | | |
| Biconical Antenna(150MHz-1GHz) | Schwarzbeck | VUBA9117 | SEM003-35 | 2021/12/26 | 2024/12/25 | | | | |
| Loop Antenna(9kHz- 30MHz) | ETS-LINDGREN | 6502 | SEM003-36 | 2021/9/26 | 2024/9/25 | | | | |
| MXE EMI receiver(20Hz- 8.4GHz) | Agilent | N9038A | SEM004-05 | 2021/7/13 | 2022/7/12 | | | | |
| Pre-amplifier (0.1- 1.3GHz) | HP | 8447D | SEM005-02 | 2021/7/13 | 2022/7/12 | | | | |
| Broad-Band Horn Antenna (15-40GHz) | Schwarzbeck | BBHA 9170 | SEM003-15 | 2021/7/11 | 2024/7/10 | | | | |
| Broad-Band Horn Antenna (1-18GHz) | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 | | | | |
| Double-ridged waveguide horn (1- 18GHz) | ETS-LINDGREN | 3117 | SEM003-34 | 2021/9/25 | 2024/9/24 | | | | |
| Spectrum Analyzer(20Hz-43GHz) | Rohde & Schwarz | 101288 | SEM004-08 | 2021/7/13 | 2022/7/12 | | | | |
| Low Noise Amplifier(100MHz- 18GHz) | CLAVIIO | BDLNA-0118- 352810 | SHM005-05 | | 2022/7/12 | | | | |
| Pre-amplifier(26GHz- | Compliance | PAP-2640-50 | SEM005-08 | 2021/7/13 | 2022/7/12 | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 11 of 123

| 40GHz) | Directions Systems Inc. | | | | |
|--------------------------------|-------------------------|-----------|-----------|-----------|-----------|
| Pre-amplifier(18GHz- 26GHz) | Rohde & Schwarz | CH14-H052 | SEM005-17 | 2021/7/13 | 2022/7/12 |

| Radiated Spurious Emissions Below 1GHz | | | | | | | | |
|--|-----------------|-----------------------|--------------|------------|--------------|--|--|--|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date | | | |
| Trilog-Broadband Antenna(25MHz-2GHz) | Schwarzbeck | VULB9168 | SEM003-33 | 2021/9/25 | 2024/9/24 | | | |
| Biconical Antenna(150MHz-1GHz) | Schwarzbeck | VUBA9117 | SEM003-35 | 2021/12/26 | 2024/12/25 | | | |
| Loop Antenna(9kHz- 30MHz) | ETS-LINDGREN | 6502 | SEM003-36 | 2021/9/26 | 2024/9/25 | | | |
| MXE EMI receiver(20Hz- 8.4GHz) | Agilent | N9038A | SEM004-05 | 2021/7/13 | 2022/7/12 | | | |
| Pre-amplifier (0.1- 1.3GHz) | HP | 8447D | SEM005-02 | 2021/7/13 | 2022/7/12 | | | |
| Spectrum Analyzer(20Hz-43GHz) | Rohde & Schwarz | 101288 | SEM004-08 | 2021/7/13 | 2022/7/12 | | | |
| Low Noise Amplifier(100MHz- 18GHz) | CLAVIIO | BDLNA-0118- 352810 | SEM005-05 | 2021/7/13 | 2022/7/12 | | | |

| Radiated Spurious Emissions Above 1GHz | | | | | | | | | |
|---|----------------------------------|-----------------------|--------------|-----------|--------------|--|--|--|--|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date | | | | |
| Trilog-Broadband Antenna(25MHz-2GHz) | Schwarzbeck | VULB9168 | SEM003-33 | 2021/9/25 | 2024/9/24 | | | | |
| MXE EMI receiver(20Hz- 8.4GHz) | Agilent | N9038A | SEM004-05 | 2021/7/13 | 2022/7/12 | | | | |
| Pre-amplifier (0.1- 1.3GHz) | HP | 8447D | SEM005-02 | 2021/7/13 | 2022/7/12 | | | | |
| Broad-Band Horn Antenna (15-40GHz) | Schwarzbeck | BBHA 9170 | SEM003-15 | 2021/7/11 | 2024/7/10 | | | | |
| Broad-Band Horn Antenna (1-18GHz) | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 | | | | |
| Double-ridged waveguide horn (1- 18GHz) | ETS-LINDGREN | 3117 | SEM003-34 | 2021/9/25 | 2024/9/24 | | | | |
| Spectrum Analyzer(20Hz-43GHz) | Rohde & Schwarz | 101288 | SEM004-08 | 2021/7/13 | 2022/7/12 | | | | |
| Low Noise Amplifier(100MHz- 18GHz) | CLAVIIO | BDLNA-0118- 352810 | SEM005-05 | 2021/7/13 | 2022/7/12 | | | | |
| Pre-amplifier(26GHz- 40GHz) | Compliance Directions Systems | PAP-2640-50 | SEM005-08 | 2021/7/13 | 2022/7/12 | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 12 of 123

| | Inc. | | | | |
|--------------------------------|-----------------|-----------|-----------|-----------|-----------|
| Pre-amplifier(18GHz- 26GHz) | Rohde & Schwarz | CH14-H052 | SEM005-17 | 2021/7/13 | 2022/7/12 |

| General used equipment | | | | | | | | | |
|------------------------------------|--------------|----------|--------------|------------|--------------|--|--|--|--|
| Equipment | Manufacturer | Model No | Inventory No | Cal Date | Cal Due Date | | | | |
| Humidity/ Temperature Indicator | Mingle | TH607 | SEM002-22 | 2021-07-13 | 2022-07-12 | | | | |
| Humidity/ Temperature Indicator | Mingle | TH607 | SEM002-23 | 2021-07-13 | 2022-07-12 | | | | |
| Barometer | DUMAI | DYM3 | SEM002-24 | 2021-07-13 | 2022-07-12 | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 13 of 123

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 2 dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact 30 days only.



Report No.: FYCR220300001903

Page: 14 of 123

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

| Francisco (AALL-) | Conducted limit(dBµV) | | | | | | |
|------------------------------------|--|-----------|--|--|--|--|--|
| Frequency of emission(MHz) | Quasi-peak | Average | | | | | |
| 0.15-0.5 | 66 to 56* | 56 to 46* | | | | | |
| 0.5-5 | 56 | 46 | | | | | |
| 5-30 | 60 | 50 | | | | | |
| *Decreases with the logarithm of t | *Decreases with the logarithm of the frequency. | | | | | | |
| Detector: Peak for pre-scan (9kHz | Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz | | | | | | |

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 21.6 °C Humidity: 52.3 % RH Atmospheric Pressure: 1015 mbar

7.1.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 01 | TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20). Only the data of worst case is recorded in the report. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 15 of 123

7.1.3 Test Setup Diagram



7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as the tree subject to Terms and Conditions for Electronic Documents after the tree subject to the Imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 16 of 123

Test Mode: 01; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00019AT

Test mode: 01

| | Freq | Cable Loss | LISN Factor | Read Level | Level | Limit Line | Over Limit | Remark |
|----|--------|---------------|----------------|---------------|-------|---------------|---------------|---------|
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | 0.3410 | 0.07 | 0.27 | 38.41 | 38.75 | 49.18 | -10.43 | Average |
| 2 | 0.3410 | 0.07 | 0.27 | 48.18 | 48.52 | 59.18 | -10.66 | QP |
| 3 | 0.4171 | 0.07 | 0.27 | 37.98 | 38.32 | 47.51 | -9.19 | Average |
| 4 | 0.4171 | 0.07 | 0.27 | 48.02 | 48.36 | 57.51 | -9.15 | QP |
| 5 | 0.4837 | 0.09 | 0.27 | 36.65 | 37.01 | 46.27 | -9.26 | Average |
| 6 | 0.4837 | 0.09 | 0.27 | 47.67 | 48.03 | 56.27 | -8.24 | QP |
| 7 | 0.5265 | 0.09 | 0.26 | 38.96 | 39.31 | 46.00 | -6.69 | Average |
| 8 | 0.5265 | 0.09 | 0.26 | 47.64 | 47.99 | 56.00 | -8.01 | QP |
| 9 | 0.5701 | 0.09 | 0.25 | 39.69 | 40.03 | 46.00 | -5.97 | Average |
| 10 | 0.5701 | 0.09 | 0.25 | 47.89 | 48.23 | 56.00 | -7.77 | QP |
| 11 | 0.6271 | 0.10 | 0.24 | 32.60 | 32.94 | 46.00 | -13.06 | Average |
| 12 | 0.6271 | 0.10 | 0.24 | 46.80 | 47.14 | 56.00 | -8.86 | QP |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditi



Report No.: FYCR220300001903

Page: 17 of 123

Test Mode: 01; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00019AT

Test mode: 01

| | Freq | Cable Loss | LISN Factor | Read Level | Level | Limit Line | Over Limit | Remark |
|----|--------|---------------|----------------|---------------|-------|---------------|---------------|---------|
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | 0.3321 | 0.07 | 0.28 | 38.21 | 38.56 | 49.40 | -10.84 | Average |
| 2 | 0.3321 | 0.07 | 0.28 | 47.99 | 48.34 | 59.40 | -11.06 | QP |
| 3 | 0.3791 | 0.06 | 0.28 | 37.23 | 37.57 | 48.30 | -10.73 | Average |
| 4 | 0.3791 | 0.06 | 0.28 | 47.99 | 48.33 | 58.30 | -9.97 | QP |
| 5 | 0.4171 | 0.07 | 0.27 | 37.43 | 37.77 | 47.51 | -9.74 | Average |
| 6 | 0.4171 | 0.07 | 0.27 | 47.71 | 48.05 | 57.51 | -9.46 | QP |
| 7 | 0.4889 | 0.10 | 0.27 | 37.98 | 38.35 | 46.19 | -7.84 | Average |
| 8 | 0.4889 | 0.10 | 0.27 | 47.35 | 47.72 | 56.19 | -8.47 | QP |
| 9 | 0.5322 | 0.09 | 0.25 | 39.42 | 39.76 | 46.00 | -6.24 | Average |
| 10 | 0.5322 | 0.09 | 0.25 | 47.34 | 47.68 | 56.00 | -8.32 | QP |
| 11 | 0.6719 | 0.12 | 0.17 | 37.42 | 37.71 | 46.00 | -8.29 | Average |
| 12 | 0.6719 | 0.12 | 0.17 | 45.88 | 46.17 | 56.00 | -9.83 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CPU Doccheck@ss.com.



Report No.: FYCR220300001903

Page: 18 of 123

7.2 Conducted Peak Output Power

Test Requirement 47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method: ANSI C63.10 (2013) Section 11.9.2

Limit:

| Frequency range(MHz) | Output power of the intentional radiator(watt) |
|----------------------|--|
| | 1 for ≥50 hopping channels |
| 902-928 | 0.25 for 25≤ hopping channels <50 |
| | 1 for digital modulation |
| | 1 for ≥75 non-overlapping hopping channels |
| 2400-2483.5 | 0.125 for all other frequency hopping systems |
| | 1 for digital modulation |
| 5725-5850 | 1 for frequency hopping systems and digital modulation |

7.2.1 E.U.T. Operation


Operating Environment:

Temperature: 24.3 °C Humidity: 57.2 % RH Atmospheric Pressure: 1015 mbar

7.2.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 01 | TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20). Only the data of worst case is recorded in the report. |

7.2.3 Test Setup Diagram



Ground Reference Plane



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).



Report No.: FYCR220300001903

Page: 19 of 123

7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 20 of 123

7.3 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
Test Method: ANSI C63.10 (2013) Section 11.8.1

Limit:

≥500 kHz

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 24.3 °C Humidity: 57.2 % RH Atmospheric Pressure: 1015 mbar

7.3.2 Test Mode Description

| 11012 11011 11010 1100 1100 11000 11000 11000 11000 11000 11000 11000 11000 110 | | | | | | |
|---|--------------|--|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | | |
| Final test | 01 | TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20). Only the data of worst case is recorded in the report. | | | | |

7.3.3 Test Setup Diagram



Ground Reference Plane

7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 21 of 123

7.4 Power Spectrum Density

Test Requirement 47 CFR Part 15, Subpart C 15.247(e)
Test Method: ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission

7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 24.3 °C Humidity: 57.2 % RH Atmospheric Pressure: 1015 mbar

7.4.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 01 | TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20). Only the data of worst case is recorded in the report. |

7.4.3 Test Setup Diagram



Ground Reference Plane

7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)



Report No.: FYCR220300001903

Page: 22 of 123

7.5 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.5.1 E.U.T. Operation


Operating Environment:

Temperature: 24.3 °C Humidity: 57.2 % RH Atmospheric Pressure: 1015 mbar

7.5.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description | | | | |
|--------------------------|--------------|--|--|--|--|--|
| Final test | 01 | TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20). Only the data of worst case is recorded in the report. | | | | |

7.5.3 Test Setup Diagram



Ground Reference Plane



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (66-755) 8307 1443.



Report No.: FYCR220300001903

Page: 23 of 123

7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 24 of 123

7.6 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.6.1 E.U.T. Operation


Operating Environment:

Temperature: 24.3 °C Humidity: 57.2 % RH Atmospheric Pressure: 1015 mbar

7.6.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description | | | | |
|--------------------------|--------------|--|--|--|--|--|
| Final test | 01 | TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20). Only the data of worst case is recorded in the report. | | | | |

7.6.3 Test Setup Diagram



Ground Reference Plane



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (66-755) 8307 1443.



Report No.: FYCR220300001903

Page: 25 of 123

7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 26 of 123

7.7 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.10.5

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30.0 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 21.6 °C Humidity: 52.3 % RH Atmospheric Pressure: 1015 mbar

7.7.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 01 | TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20). Only the data of worst case is recorded in the report. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)




Report No.: FYCR220300001903

Page: 27 of 123

7.7.3 Test Setup Diagram





30MHz-1GHz

Above 1GHz

7.7.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And-Conditions-And-Conditions-And-Conditions-And-Conditions-And-Conditions-And-Conditions-A



Report No.: FYCR220300001903

Page: 28 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|--------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2374.285 | 5.04 | 27.12 | 46.51 | 64.14 | 49.79 | 74.00 | -24.21 | Peak | |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 63.57 | 49.26 | 74.00 | -24.74 | peak | |
| з. | 2412.000 | 5.07 | 27.21 | 46.53 | 122.54 | 108.29 | 74.00 | 34.29 | peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@esc.com.



Report No.: FYCR220300001903

Page: 29 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|---------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | _ |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2375.368 | 5.04 | 27.12 | 46.51 | 51.51 | 37.16 | 54.00 | -16.84 | Average | |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 51.17 | 36.86 | 54.00 | -17.14 | Average | |
| 3. | 2412.000 | 5.07 | 27.21 | 46.53 | 111.95 | 97.70 | 54.00 | 43.70 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).



Report No.: FYCR220300001903

Page: 30 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2412 Band edge Note : 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|--------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | _ |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2383.079 | 5.05 | 27.14 | 46.52 | 67.26 | 52.93 | 74.00 | -21.07 | Peak | |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 67.43 | 53.12 | 74.00 | -20.88 | Peak | |
| 3. | 2412.000 | 5.07 | 27.21 | 46.53 | 124.67 | 110.42 | 74.00 | 36.42 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 31 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2412 Band edge Note : 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|---------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | _ |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2375.969 | 5.04 | 27.13 | 46.51 | 54.07 | 39.73 | 54.00 | -14.27 | Average | |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 55.50 | 41.19 | 54.00 | -12.81 | Average | |
| 3. | 2412.000 | 5.07 | 27.21 | 46.53 | 116.46 | 102.21 | 54.00 | 48.21 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 32 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | _ |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2462.000 | 5.10 | 27.32 | 46.56 | 119.56 | 105.42 | 74.00 | 31.42 | peak | |
| 2 | 2483.500 | 5.12 | 27.36 | 46.57 | 64.66 | 50.57 | 74.00 | -23.43 | peak | |
| 3 | 2498.031 | 5.13 | 27.40 | 46.57 | 66.35 | 52.31 | 74.00 | -21.69 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).



Report No.: FYCR220300001903

Page: 33 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11B

| | Freq | | | | Read Level | | | | Remark |
|-----|------------|------|-------|-------|---------------|-------|-------|--------|---------|
| | | | | | —dBuV | | | | |
| 1 . | . 2462.000 | 5.10 | 27.32 | 46.56 | 111.59 | 97.45 | 54.00 | 43.45 | Average |
| | 2483.500 | | | | | | | | _ |
| 3 | 2490.472 | 5.12 | 27.38 | 46.57 | 55.06 | 40.99 | 54.00 | -13.01 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 34 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2462 Band edge Note : 2.4G WIFI 11B

| | _ | | | | | | | | | | |
|---|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|--|
| | | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
| | | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | | |
| | | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | | |
| 1 | | 2462.000 | 5.10 | 27.32 | 46.56 | 117.68 | 103.54 | 74.00 | 29.54 | Peak | |
| 2 | | 2483.500 | 5.12 | 27.36 | 46.57 | 64.33 | 50.24 | 74.00 | -23.76 | Peak | |
| 3 | | 2485.647 | 5.12 | 27.37 | 46.57 | 64.99 | 50.91 | 74.00 | -23.09 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 35 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber
Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2462 Band edge Note : 2.4G WIFI 11B

| | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----------|-------------------------------|--|--|--|--|---|---|--|---|
| Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | |
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | |
| 2462.000 | 5.10 | 27.32 | 46.56 | 109.85 | 95.71 | 54.00 | 41.71 | Average | |
| 2483.500 | 5.12 | 27.36 | 46.57 | 52.04 | 37.95 | 54.00 | -16.05 | Average | |
| 2488.461 | 5.12 | 27.38 | 46.57 | 54.18 | 40.11 | 54.00 | -13.89 | Average | |
| | MHz . 2462.000 2483.500 | Freq Loss MHz dB . 2462.000 5.10 2483.500 5.12 | Freq Loss Factor MHz dB dB/m . 2462.000 5.10 27.32 2483.500 5.12 27.36 | Freq Loss Factor Factor MHz dB dB/m dB . 2462.000 5.10 27.32 46.56 2483.500 5.12 27.36 46.57 | Freq Loss Factor Factor Level MHz dB dB/m dB dBuV . 2462.000 5.10 27.32 46.56 109.85 2483.500 5.12 27.36 46.57 52.04 | Freq Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 2462.000 5.10 27.32 46.56 109.85 95.71 2483.500 5.12 27.36 46.57 52.04 37.95 | Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m 2462.000 5.10 27.32 46.56 109.85 95.71 54.00 2483.500 5.12 27.36 46.57 52.04 37.95 54.00 | MHz dB dB/m dB dBuV dBuV/m dBuV/m dB . 2462.000 5.10 27.32 46.56 109.85 95.71 54.00 41.71 . 2483.500 5.12 27.36 46.57 52.04 37.95 54.00 -16.05 | Freq Loss Factor Factor Level Level Line Limit Remark |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditi



Report No.: FYCR220300001903

Page: 36 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11G

| | Freq | | | | | | Limit Line | | |
|----|----------|------|-------|-------|--------|--------|---------------|-------|------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 2388.032 | 5.05 | 27.15 | 46.52 | 78.55 | 64.23 | 74.00 | -9.77 | Peak |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 80.70 | 66.39 | 74.00 | -7.61 | peak |
| з. | 2412.000 | 5.07 | 27.21 | 46.53 | 117.77 | 103.52 | 74.00 | 29.52 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 37 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|---------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | _ |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2389.726 | 5.05 | 27.16 | 46.52 | 59.94 | 45.63 | 54.00 | -8.37 | Average | |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 60.03 | 45.72 | 54.00 | -8.28 | Average | |
| 3. | 2412.000 | 5.07 | 27.21 | 46.53 | 107.96 | 93.71 | 54.00 | 39.71 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).



Report No.: FYCR220300001903

Page: 38 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2412 Band edge Note : 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|--------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2388.395 | 5.05 | 27.15 | 46.52 | 83.07 | 68.75 | 74.00 | -5.25 | Peak | |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 84.35 | 70.04 | 74.00 | -3.96 | Peak | |
| 3. | 2412.000 | 5.07 | 27.21 | 46.53 | 119.83 | 105.58 | 74.00 | 31.58 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 39 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2412 Band edge Note : 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|---------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | _ |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2389.726 | 5.05 | 27.16 | 46.52 | 63.27 | 48.96 | 54.00 | -5.04 | Average | |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 63.19 | 48.88 | 54.00 | -5.12 | Average | |
| 3. | 2412.000 | 5.07 | 27.21 | 46.53 | 110.60 | 96.35 | 54.00 | 42.35 | Average | |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as the tree of the tre



Report No.: FYCR220300001903

Page: 40 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11G

| | Freq | | | | | | Limit Line | | | |
|---|------------|------|-------|-------|-------|--------|---------------|-------|------|--|
| | MHz | dB | dB/m | ——dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | . 2462.000 | | | | | | | | • | |
| 2 | 2483.500 | 5.12 | 27.36 | 46.57 | 81.77 | 67.68 | 74.00 | -6.32 | peak | |
| 3 | 2484.292 | 5.12 | 27.37 | 46.57 | 82.19 | 68.11 | 74.00 | -5.89 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 41 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|------------|-------|--------|--------|--------|--------|--------|-------|---------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | . 2462.000 | 5.10 | 27.32 | 46.56 | 107.04 | 92.90 | 54.00 | 38.90 | Average | |
| 2 | 2483.500 | 5.12 | 27.36 | 46.57 | 59.36 | 45.27 | 54.00 | -8.73 | Average | |
| 3 | 2484.593 | 5.12 | 27.37 | 46.57 | 59.19 | 45.11 | 54.00 | -8.89 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 42 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2462 Band edge Note : 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|--------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1. | 2462.000 | 5.10 | 27.32 | 46.56 | 119.17 | 105.03 | 74.00 | 31.03 | Peak | |
| 2 | 2483.500 | 5.12 | 27.36 | 46.57 | 83.68 | 69.59 | 74.00 | -4.41 | Peak | |
| 3 | 2484.492 | 5.12 | 27.37 | 46.57 | 84.55 | 70.47 | 74.00 | -3.53 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 43 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2462 Band edge Note : 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1. | 2462.000 | 5.10 | 27.32 | 46.56 | 109.71 | 95.57 | 54.00 | 41.57 | Average |
| 2 | 2483.500 | 5.12 | 27.36 | 46.57 | 63.95 | 49.86 | 54.00 | -4.14 | Average |
| 3 | 2484.342 | 5.12 | 27.37 | 46.57 | 63.27 | 49.19 | 54.00 | -4.81 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CPU Doccheck@ss.com.



Report No.: FYCR220300001903

Page: 44 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11N20

| | | | | _ | | | | | |
|----|----------|------|-------|-------|--------|--------|---------------|-------|------|
| | Freq | | | | | | Limit Line | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 2387.670 | 5.05 | 27.15 | 46.52 | 80.72 | 66.40 | 74.00 | -7.60 | Peak |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 80.91 | 66.60 | 74.00 | -7.40 | peak |
| з. | 2412.000 | 5.07 | 27.21 | 46.53 | 119.34 | 105.09 | 74.00 | 31.09 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).



Report No.: FYCR220300001903

Page: 45 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2412 Band edge
Note : 2.4G WIFI 11N20

| | | | | _ | | | | | |
|----|----------|------|-------|-------|--------|--------|---------------|-------|---------|
| | Freq | | | | | | Limit Line | | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 2389.000 | 5.05 | 27.16 | 46.52 | 61.70 | 47.39 | 54.00 | -6.61 | Average |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 62.05 | 47.74 | 54.00 | -6.26 | Average |
| з. | 2412.000 | 5.07 | 27.21 | 46.53 | 108.88 | 94.63 | 54.00 | 40.63 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 46 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2412 Band edge Note : 2.4G WIFI 11N20

| | | | | _ | | | | | | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|--------|--|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2386.340 | 5.05 | 27.15 | 46.52 | 82.32 | 68.00 | 74.00 | -6.00 | Peak | |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 82.03 | 67.72 | 74.00 | -6.28 | Peak | |
| з. | 2412.000 | 5.07 | 27.21 | 46.53 | 119.74 | 105.49 | 74.00 | 31.49 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 47 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2412 Band edge Note : 2.4G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 2389.605 | 5.05 | 27.16 | 46.52 | 64.83 | 50.52 | 54.00 | -3.48 | Average |
| 2 | 2390.000 | 5.05 | 27.16 | 46.52 | 64.86 | 50.55 | 54.00 | -3.45 | Average |
| 3. | 2412.000 | 5.07 | 27.21 | 46.53 | 110.02 | 95.77 | 54.00 | 41.77 | Average |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as the tree of the tre



Report No.: FYCR220300001903

Page: 48 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11N20

| | | | | _ | | | | | | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|--------|---|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | _ |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2462.000 | 5.10 | 27.32 | 46.56 | 117.37 | 103.23 | 74.00 | 29.23 | Peak | |
| 2 | 2483.500 | 5.12 | 27.36 | 46.57 | 81.01 | 66.92 | 74.00 | -7.08 | peak | |
| 3 | 2484.442 | 5.12 | 27.37 | 46.57 | 80.26 | 66.18 | 74.00 | -7.82 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).



Report No.: FYCR220300001903

Page: 49 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2462 Band edge
Note : 2.4G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1. | 2462.000 | 5.10 | 27.32 | 46.56 | 107.45 | 93.31 | 54.00 | 39.31 | Average |
| 2 | 2483.500 | 5.12 | 27.36 | 46.57 | 59.34 | 45.25 | 54.00 | -8.75 | Average |
| 3 | 2484.241 | 5.12 | 27.37 | 46.57 | 59.44 | 45.36 | 54.00 | -8.64 | Average |
| 2 | | 5.12 | 27.36 | 46.57 | 59.34 | 45.25 | 54.00 | -8.75 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).



Report No.: FYCR220300001903

Page: 50 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2462 Band edge Note : 2.4G WIFI 11N20

| | | | | _ | | | | | | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|--------|--|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 2462.000 | 5.10 | 27.32 | 46.56 | 118.75 | 104.61 | 74.00 | 30.61 | Peak | |
| 2 | 2483.500 | 5.12 | 27.36 | 46.57 | 84.06 | 69.97 | 74.00 | -4.03 | Peak | |
| 3 | 2483.689 | 5.12 | 27.36 | 46.57 | 83.38 | 69.29 | 74.00 | -4.71 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or appail CPA Doccheck@asc.com.



Report No.: FYCR220300001903

Page: 51 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2462 Band edge Note : 2.4G WIFI 11N20

| Cable | Ant | Preamp | Read | | Limit | 0ver | |
|-----------|----------------------------|--|---|--------|--------|-------|---|
| Freq Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | |
| MHz dE | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | |
| .000 5.10 | 27.32 | 46.56 | 109.26 | 95.12 | 54.00 | 41.12 | Average |
| .500 5.12 | 27.36 | 46.57 | 64.28 | 50.19 | 54.00 | -3.81 | Average |
| COO E 13 | 27 26 | AC E7 | 63 99 | 40 70 | 54 00 | / 21 | Λυοροσο |
| | MHz dB .000 5.10 .500 5.12 | MHz dB dB/m .000 5.10 27.32 .500 5.12 27.36 | MHz dB dB/m dB .000 5.10 27.32 46.56 .500 5.12 27.36 46.57 | NHz | Treq | Treq | Cable Ant Preamp Read Limit Over Freq Loss Factor Factor Level Level Line Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dB .000 5.10 27.32 46.56 109.26 95.12 54.00 41.12 .500 5.12 27.36 46.57 64.28 50.19 54.00 -3.81 .689 5.12 27.36 46.57 63.88 49.79 54.00 -4.21 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 52 of 123

7.8 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4,6.5

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) | | |
|----------------|----------------------------------|------------------------------|--|--|
| 0.009-0.490 | 2400/F(kHz) | 300 | | |
| 0.490-1.705 | 24000/F(kHz) | 30 | | |
| 1.705-30.0 | 30 | 30 | | |
| 30-88 | 100 | 3 | | |
| 88-216 | 150 | 3 | | |
| 216-960 | 200 | 3 | | |
| 960-1000 | 500 | 3 | | |

7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 21.6 °C Humidity: 52.3 % RH Atmospheric Pressure: 1015 mbar

7.8.2 Test Mode Description

| 7.0.2 Test mode besorption | | | | | | | | | |
|----------------------------|--------------|--|--|--|--|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | | | | | |
| Final test | 01 | TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20). Only the data of worst case is recorded in the report. | | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




Report No.: FYCR220300001903

Page: 53 of 123

7.8.3 Test Setup Diagram





Below 30MHz

30MHz-1GHz

7.8.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Remark:


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co



Report No.: FYCR220300001903

Page: 54 of 123

Test Mode: 01; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00019AT

Mode : 01

| IOUC | | | | | | | | | |
|------|---------|-------|--------|--------|-------|--------|--------|--------|--------|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| _ | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 41.567 | 0.20 | 17.07 | 24.93 | 27.48 | 19.82 | 40.00 | -20.18 | QP |
| 2 | 52.391 | 0.22 | 17.28 | 24.89 | 28.80 | 21.41 | 40.00 | -18.59 | QP |
| 3 | 68.872 | 0.28 | 16.18 | 24.83 | 25.04 | 16.67 | 40.00 | -23.33 | QP |
| 4 p | 189.074 | 0.68 | 15.57 | 25.56 | 40.03 | 30.72 | 43.50 | -12.78 | QP |
| 5 | 580.703 | 2.01 | 23.97 | 25.70 | 25.85 | 26.13 | 46.00 | -19.87 | QP |
| 6 | 827.493 | 2.83 | 27.71 | 25.65 | 24.76 | 29.65 | 46.00 | -16.35 | OP . |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 55 of 123

Test Mode: 01; Polarity: Vertical



Site : chamber Condition: 3m VERTICAL Job No : 00019AT

Mode : 01

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|-----|---------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| _ | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 41.422 | 0.20 | 17.04 | 24.94 | 35.67 | 27.97 | 40.00 | -12.03 | QP |
| 2 p | 52.391 | 0.22 | 17.28 | 24.89 | 36.11 | 28.72 | 40.00 | -11.28 | QP |
| 3 | 58.819 | 0.24 | 16.88 | 24.87 | 30.48 | 22.73 | 40.00 | -17.27 | QP |
| 4 | 130.379 | 0.92 | 16.65 | 25.52 | 27.98 | 20.03 | 43.50 | -23.47 | QP |
| 5 | 191.074 | 0.68 | 15.46 | 25.56 | 41.52 | 32.10 | 43.50 | -11.40 | QP |
| 6 | 827.493 | 2.83 | 27.71 | 25.65 | 25.23 | 30.12 | 46.00 | -15.88 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 56 of 123

7.9 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.6

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| Above 1000 | 500 | 3 |

7.9.1 E.U.T. Operation


Operating Environment:

Temperature: 21.6 °C Humidity: 52.3 % RH Atmospheric Pressure: 1015 mbar

7.9.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 01 | TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20). Only the data of worst case is recorded in the report. |

7.9.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare relating for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 57 of 123

7.9.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.
 Remark:
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 58 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2412 TX RSE

: 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1587.975 | 3.96 | 24.77 | 46.40 | 57.87 | 40.20 | 74.00 | -33.80 | peak |
| 2 | 4145.664 | 7.48 | 29.71 | 45.99 | 59.26 | 50.46 | 74.00 | -23.54 | peak |
| 3 | 4824.000 | 8.02 | 30.99 | 46.81 | 56.32 | 48.52 | 54.00 | -5.48 | Average |
| 4 | 4824.000 | 8.02 | 30.99 | 46.81 | 62.76 | 54.96 | 74.00 | -19.04 | peak |
| 5 | 6874.906 | 8.07 | 35.51 | 46.68 | 56.03 | 52.93 | 74.00 | -21.07 | peak |
| 6 | 7236.000 | 8.31 | 36.09 | 46.48 | 53.89 | 51.81 | 74.00 | -22.19 | peak |
| 7 | 9648.000 | 11.38 | 37.62 | 47.16 | 50.89 | 52.73 | 74.00 | -21.27 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@esc.com.



Report No.: FYCR220300001903

Page: 59 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00019AT/00020AT

Mode : 2412 TX RSE

: 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1667.951 | 4.13 | 24.94 | 46.38 | 62.53 | 45.22 | 74.00 | -28.78 | peak |
| 2 | 4254.921 | 7.48 | 29.87 | 46.13 | 57.64 | 48.86 | 74.00 | -25.14 | peak |
| 3 | 4824.000 | 8.02 | 30.99 | 46.81 | 57.21 | 49.41 | 54.00 | -4.59 | Average |
| 4 | 4824.000 | 8.02 | 30.99 | 46.81 | 62.79 | 54.99 | 74.00 | -19.01 | peak |
| 5 | 6894.806 | 8.09 | 35.55 | 46.68 | 54.89 | 51.85 | 74.00 | -22.15 | peak |
| 6 | 7236.000 | 8.31 | 36.09 | 46.48 | 53.69 | 51.61 | 74.00 | -22.39 | peak |
| 7 | 9648.000 | 11.38 | 37.62 | 47.16 | 51.31 | 53.15 | 74.00 | -20.85 | peak |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co



Report No.: FYCR220300001903

Page: 60 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2437 TX RSE

: 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1692.231 | 4.18 | 24.99 | 46.37 | 56.64 | 39.44 | 74.00 | -34.56 | peak |
| 2 | 4206.011 | 7.48 | 29.80 | 46.07 | 58.85 | 50.06 | 74.00 | -23.94 | peak |
| 3 | 4874.000 | 8.10 | 31.11 | 46.86 | 56.71 | 49.06 | 54.00 | -4.94 | Average |
| 4 | 4874.000 | 8.10 | 31.11 | 46.86 | 65.31 | 57.66 | 74.00 | -16.34 | peak |
| 5 | 6756.708 | 7.96 | 35.23 | 46.65 | 54.03 | 50.57 | 74.00 | -23.43 | peak |
| 6 | 7311.000 | 8.34 | 36.18 | 46.41 | 52.99 | 51.10 | 74.00 | -22.90 | peak |
| 7 | 9748.000 | 11.30 | 37.84 | 47.23 | 51.14 | 53.05 | 74.00 | -20.95 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 61 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL Job No : 00019AT/00020AT

Mode : 2437 TX RSE

: 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1658.337 | 4.11 | 24.92 | 46.38 | 61.53 | 44.18 | 74.00 | -29.82 | peak |
| 2 | 4329.354 | 7.48 | 29.97 | 46.23 | 59.86 | 51.08 | 74.00 | -22.92 | peak |
| 3 | 4874.000 | 8.10 | 31.11 | 46.86 | 56.93 | 49.28 | 54.00 | -4.72 | Average |
| 4 | 4874.000 | 8.10 | 31.11 | 46.86 | 62.01 | 54.36 | 74.00 | -19.64 | peak |
| 5 | 6954.852 | 8.15 | 35.70 | 46.69 | 53.96 | 51.12 | 74.00 | -22.88 | peak |
| 6 | 7311.000 | 8.34 | 36.18 | 46.41 | 53.65 | 51.76 | 74.00 | -22.24 | peak |
| 7 | 9748.000 | 11.30 | 37.84 | 47.23 | 50.34 | 52.25 | 74.00 | -21.75 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 62 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2462 TX RSE

: 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1587.975 | 3.96 | 24.77 | 46.40 | 58.50 | 40.83 | 74.00 | -33.17 | peak |
| 2 | 4367.058 | 7.48 | 30.02 | 46.27 | 59.19 | 50.42 | 74.00 | -23.58 | peak |
| 3 | 4924.000 | 8.18 | 31.23 | 46.92 | 58.40 | 50.89 | 54.00 | -3.11 | Average |
| 4 | 4924.000 | 8.18 | 31.23 | 46.92 | 63.66 | 56.15 | 74.00 | -17.85 | peak |
| 5 | 6488.754 | 7.70 | 34.55 | 46.60 | 55.00 | 50.65 | 74.00 | -23.35 | peak |
| 6 | 7386.000 | 8.38 | 36.27 | 46.34 | 53.36 | 51.67 | 74.00 | -22.33 | peak |
| 7 | 9848.000 | 11.23 | 38.07 | 47.30 | 50.81 | 52.81 | 74.00 | -21.19 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@esc.com.



Report No.: FYCR220300001903

Page: 63 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00019AT/00020AT

Mode : 2462 TX RSE

: 2.4G WIFI 11B

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1494.455 | 3.76 | 24.49 | 46.43 | 59.48 | 41.30 | 74.00 | -32.70 | peak |
| 2 | 4341.886 | 7.48 | 29.99 | 46.24 | 56.65 | 47.88 | 74.00 | -26.12 | peak |
| 3 | 4924.000 | 8.18 | 31.23 | 46.92 | 56.48 | 48.97 | 54.00 | -5.03 | Average |
| 4 | 4924.000 | 8.18 | 31.23 | 46.92 | 58.96 | 51.45 | 74.00 | -22.55 | peak |
| 5 | 6974.982 | 8.17 | 35.74 | 46.70 | 53.76 | 50.97 | 74.00 | -23.03 | peak |
| 6 | 7386.000 | 8.38 | 36.27 | 46.34 | 51.89 | 50.20 | 74.00 | -23.80 | peak |
| 7 | 9848.000 | 11.23 | 38.07 | 47.30 | 49.96 | 51.96 | 74.00 | -22.04 | peak |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as the tree of the tre



Report No.: FYCR220300001903

Page: 64 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

1

2

3

4

5

6

7

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2412 TX RSE

: 2.4G WIFI 11G

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line MHz dΒ dB/m dΒ dBuV dBuV/m dBuV/m dB 1677.621 4.15 24.96 46.38 56.90 39.63 74.00 -34.37 peak 4456.315 7.47 30.14 46.38 61.44 52.67 74.00 -21.33 peak 4824.000 8.02 30.99 46.81 57.65 49.85 54.00 -4.15 Average 4824.000 8.02 30.99 46.81 62.86 55.06 74.00 -18.94 peak 8.11 35.60 46.68 54.12 51.15 74.00 -22.85 peak 6914.763 7236.000 8.31 36.09 46.48 53.96 51.88 74.00 -22.12 peak

9648.000 11.38 37.62 47.16 50.85 52.69 74.00 -21.31 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Document as full this forward to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 65 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00019AT/00020AT

Mode : 2412 TX RSE

: 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1672.779 | 4.14 | 24.95 | 46.38 | 60.03 | 42.74 | 74.00 | -31.26 | peak |
| 2 | 4133.699 | 7.48 | 29.70 | 45.98 | 59.20 | 50.40 | 74.00 | -23.60 | peak |
| 3 | 4824.000 | 8.02 | 30.99 | 46.81 | 55.12 | 47.32 | 54.00 | -6.68 | Average |
| 4 | 4824.000 | 8.02 | 30.99 | 46.81 | 61.93 | 54.13 | 74.00 | -19.87 | peak |
| 5 | 6914.763 | 8.11 | 35.60 | 46.68 | 54.96 | 51.99 | 74.00 | -22.01 | peak |
| 6 | 7236.000 | 8.31 | 36.09 | 46.48 | 53.30 | 51.22 | 74.00 | -22.78 | peak |
| 7 | 9648.000 | 11.38 | 37.62 | 47.16 | 50.62 | 52.46 | 74.00 | -21.54 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or a mail: CPU Doccheck@ass.com.



Report No.: FYCR220300001903

Page: 66 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2437 TX RSE

: 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1653.550 | 4.10 | 24.91 | 46.38 | 58.94 | 41.57 | 74.00 | -32.43 | peak |
| 2 | 4304.400 | 7.48 | 29.94 | 46.19 | 58.85 | 50.08 | 74.00 | -23.92 | peak |
| 3 | 4874.000 | 8.10 | 31.11 | 46.86 | 56.56 | 48.91 | 54.00 | -5.09 | Average |
| 4 | 4874.000 | 8.10 | 31.11 | 46.86 | 63.52 | 55.87 | 74.00 | -18.13 | peak |
| 5 | 6934.778 | 8.13 | 35.65 | 46.69 | 52.97 | 50.06 | 74.00 | -23.94 | peak |
| 6 | 7311.000 | 8.34 | 36.18 | 46.41 | 53.00 | 51.11 | 74.00 | -22.89 | peak |
| 7 | 9748.000 | 11.30 | 37.84 | 47.23 | 50.11 | 52.02 | 74.00 | -21.98 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 67 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Site : chamber
Condition: 3m VERTICAL

Job No : 00019AT/00020AT Mode : 2437 TX RSE

: 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1697.129 | 4.19 | 25.00 | 46.37 | 58.66 | 41.48 | 74.00 | -32.52 | peak |
| 2 | 4354.454 | 7.48 | 30.00 | 46.26 | 58.83 | 50.05 | 74.00 | -23.95 | peak |
| 3 | 4874.000 | 8.10 | 31.11 | 46.86 | 59.82 | 52.17 | 74.00 | -21.83 | Peak |
| 4 | 6934.778 | 8.13 | 35.65 | 46.69 | 53.44 | 50.53 | 74.00 | -23.47 | peak |
| 5 | 7311.000 | 8.34 | 36.18 | 46.41 | 52.95 | 51.06 | 74.00 | -22.94 | peak |
| 6 | 9748.000 | 11.30 | 37.84 | 47.23 | 49.99 | 51.90 | 74.00 | -22.10 | peak |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as the tree of the tre



Report No.: FYCR220300001903

Page: 68 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2462 TX RSE

: 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1327.446 | 3.43 | 24.23 | 46.48 | 60.63 | 41.81 | 74.00 | -32.19 | peak |
| 2 | 4392.376 | 7.47 | 30.06 | 46.30 | 59.98 | 51.21 | 74.00 | -22.79 | peak |
| 3 | 4924.000 | 8.18 | 31.23 | 46.92 | 56.33 | 48.82 | 54.00 | -5.18 | Average |
| 4 | 4924.000 | 8.18 | 31.23 | 46.92 | 62.73 | 55.22 | 74.00 | -18.78 | peak |
| 5 | 6717.762 | 7.92 | 35.13 | 46.65 | 54.09 | 50.49 | 74.00 | -23.51 | peak |
| 6 | 7386.000 | 8.38 | 36.27 | 46.34 | 52.85 | 51.16 | 74.00 | -22.84 | peak |
| 7 | 9848.000 | 11.23 | 38.07 | 47.30 | 50.94 | 52.94 | 74.00 | -21.06 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@esc.com.



Report No.: FYCR220300001903

Page: 69 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00019AT/00020AT

Mode : 2462 TX RSE

: 2.4G WIFI 11G

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1692.231 | 4.18 | 24.99 | 46.37 | 59.63 | 42.43 | 74.00 | -31.57 | peak |
| 2 | 4304.400 | 7.48 | 29.94 | 46.19 | 58.86 | 50.09 | 74.00 | -23.91 | peak |
| 3 | 4924.000 | 8.18 | 31.23 | 46.92 | 58.43 | 50.92 | 74.00 | -23.08 | Peak |
| 4 | 6995.172 | 8.19 | 35.79 | 46.70 | 51.87 | 49.15 | 74.00 | -24.85 | peak |
| 5 | 7386.000 | 8.38 | 36.27 | 46.34 | 52.96 | 51.27 | 74.00 | -22.73 | peak |
| 6 | 9848.000 | 11.23 | 38.07 | 47.30 | 50.92 | 52.92 | 74.00 | -21.08 | peak |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as the tree of the tre



Report No.: FYCR220300001903

Page: 70 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2412 TX RSE

: 2.4G WIFI 11N20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line MHz dΒ dB/m dΒ dBuV dBuV/m dBuV/m dB 1 1677.621 4.15 24.96 46.38 59.30 42.03 74.00 -31.97 peak 2 4482.150 7.47 30.18 46.41 59.85 51.09 74.00 -22.91 peak 3 4824.000 8.02 30.99 46.81 56.99 49.19 54.00 -4.81 Average 4 4824.000 8.02 30.99 46.81 62.30 54.50 74.00 -19.50 peak 5 8.11 35.60 46.68 54.90 51.93 74.00 -22.07 peak 6914.763 6 7236.000 8.31 36.09 46.48 53.14 51.06 74.00 -22.94 peak 7 9648.000 11.38 37.62 47.16 51.02 52.86 74.00 -21.14 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Document as full this forward to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 71 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT

Mode : 2412 TX RSE

: 2.4G WIFI 11N20

| | | | | _ | | | | | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1162.182 | 3.06 | 24.26 | 46.53 | 62.74 | 43.53 | 74.00 | -30.47 | peak |
| 2 | 4392.376 | 7.47 | 30.06 | 46.30 | 60.01 | 51.24 | 74.00 | -22.76 | peak |
| 3 | 4824.000 | 8.02 | 30.99 | 46.81 | 55.93 | 48.13 | 54.00 | -5.87 | Average |
| 4 | 4824.000 | 8.02 | 30.99 | 46.81 | 62.43 | 54.63 | 74.00 | -19.37 | peak |
| 5 | 6874.906 | 8.07 | 35.51 | 46.68 | 52.29 | 49.19 | 74.00 | -24.81 | peak |
| 6 | 7236.000 | 8.31 | 36.09 | 46.48 | 53.76 | 51.68 | 74.00 | -22.32 | peak |
| 7 | 9648.000 | 11.38 | 37.62 | 47.16 | 50.98 | 52.82 | 74.00 | -21.18 | peak |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as the tree of the tre



Report No.: FYCR220300001903

Page: 72 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1327.446 | 3.43 | 24.23 | 46.48 | 62.35 | 43.53 | 74.00 | -30.47 | peak |
| 2 | 4193.872 | 7.48 | 29.78 | 46.05 | 60.09 | 51.30 | 74.00 | -22.70 | peak |
| 3 | 4874.000 | 8.10 | 31.11 | 46.86 | 54.93 | 47.28 | 54.00 | -6.72 | Average |
| 4 | 4874.000 | 8.10 | 31.11 | 46.86 | 63.10 | 55.45 | 74.00 | -18.55 | peak |
| 5 | 6874.906 | 8.07 | 35.51 | 46.68 | 55.81 | 52.71 | 74.00 | -21.29 | peak |
| 6 | 7311.000 | 8.34 | 36.18 | 46.41 | 53.34 | 51.45 | 74.00 | -22.55 | peak |
| 7 | 9748,000 | 11.30 | 37.84 | 47.23 | 51.66 | 53.57 | 74.00 | -20.43 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@excenter.



Report No.: FYCR220300001903

Page: 73 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL

1

2

3

4

5

6

Job No : 00019AT/00020AT Mode : 2437 TX RSE

: 2.4G WIFI 11N20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line MHz dΒ dB/m dΒ dBuV dBuV/m dBuV/m dB 1327.446 3.43 24.23 46.48 62.99 44.17 74.00 -29.83 peak 4469.214 7.47 30.16 46.40 60.36 51.59 74.00 -22.41 peak 4874.000 8.10 31.11 46.86 60.97 53.32 74.00 -20.68 peak 5830.640 7.85 32.47 46.58 56.96 50.70 74.00 -23.30 peak 8.34 36.18 46.41 53.00 51.11 74.00 -22.89 peak 7311.000 9748.000 11.30 37.84 47.23 49.96 51.87 74.00 -22.13 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Document as full this forward to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 74 of 123

Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00019AT/00020AT
Mode : 2462 TX RSE

: 2.4G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1663.137 | 4.12 | 24.93 | 46.38 | 59.94 | 42.61 | 74.00 | -31.39 | peak |
| 2 | 4456.315 | 7.47 | 30.14 | 46.38 | 60.00 | 51.23 | 74.00 | -22.77 | peak |
| 3 | 4924.000 | 8.18 | 31.23 | 46.92 | 61.38 | 53.87 | 74.00 | -20.13 | peak |
| 4 | 6914.763 | 8.11 | 35.60 | 46.68 | 55.00 | 52.03 | 74.00 | -21.97 | peak |
| 5 | 7386.000 | 8.38 | 36.27 | 46.34 | 53.00 | 51.31 | 74.00 | -22.69 | peak |
| 6 | 9848.000 | 11.23 | 38.07 | 47.30 | 50.30 | 52.30 | 74.00 | -21.70 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@esc.com.



Report No.: FYCR220300001903

Page: 75 of 123

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00019AT/00020AT

Mode : 2462 TX RSE

: 2.4G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1431.047 | 3.64 | 24.30 | 46.44 | 61.35 | 42.85 | 74.00 | -31.15 | peak |
| 2 | 3981.257 | 7.47 | 29.47 | 45.82 | 59.23 | 50.35 | 74.00 | -23.65 | peak |
| 3 | 4924.000 | 8.18 | 31.23 | 46.92 | 58.69 | 51.18 | 74.00 | -22.82 | peak |
| 4 | 6835.278 | 8.03 | 35.41 | 46.67 | 55.00 | 51.77 | 74.00 | -22.23 | peak |
| 5 | 7386.000 | 8.38 | 36.27 | 46.34 | 51.88 | 50.19 | 74.00 | -23.81 | peak |
| 6 | 9848.000 | 11.23 | 38.07 | 47.30 | 50.99 | 52.99 | 74.00 | -21.01 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 76 of 123

8 Test Setup Photo

Refer to Appendix - Test Setup Photos for FYCR2203000019AT.

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for FYCR2203000019AT.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applie (24) Doccheck@esc.com.



Report No.: FYCR220300001903

Page: 77 of 123

10 Appendix

1. Duty Cycle

1.1 Ant1

1.1.1 Test Result

| | Ant1 | | | | | | | | | |
|-------------------|------------|--------------------|--------------|----------------|-------------------|--------------------------------------|--------------------------|------|--|--|
| Mode | TX Type | Frequency (MHz) | T_on (ms) | Period (ms) | Duty Cycle (%) | Duty Cycle Correction Factor (dB) | Max. DC Variation (%) | | | |
| | | 2412 | 32.953 | 32.973 | 99.94 | 0.00 | 0.00 | | | |
| 802.11b | SISO | 2437 | 32.953 | 32.973 | 99.94 | 0.00 | 0.01 | | | |
| | | 2462 | 32.953 | 32.973 | 99.94 | 0.00 | 0.01 | | | |
| | SISO | | 2412 | 5.484 | 5.510 | 99.53 | 0.02 | 0.00 | | |
| 802.11g | | 2437 | 5.486 | 5.510 | 99.56 | 0.02 | 0.00 | | | |
| | | 2462 | 5.484 | 5.510 | 99.53 | 0.02 | 0.00 | | | |
| 802.11n (HT20) | | 2412 | 5.080 | 5.105 | 99.51 | 0.02 | 0.00 | | | |
| | SISO | 2437 | 5.079 | 5.104 | 99.51 | 0.02 | 0.00 | | | |
| (11120) | | 2462 | 5.079 | 5.105 | 99.49 | 0.02 | 0.04 | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 78 of 123

1.1.2 Test Graph






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



Report No.: FYCR220300001903

Page: 79 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for lectronic format documents, subject to Terms and Conditions for Electronic Documents and this first standard to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finaspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 80 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CMD Docebeck@ges.com.



Report No.: FYCR220300001903

Page: 81 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ges.com.



Report No.: FYCR220300001903

Page: 82 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalic CND Doccheck@ges.com.



Report No.: FYCR220300001903

Page: 83 of 123





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification in sues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate** (Additional Company and the company and the certificate of the company and the certificate of the company and the certificate of the cer



Report No.: FYCR220300001903

Page: 84 of 123

2. Bandwidth

2.1 OBW

2.1.1 Test Result

| Mode | TX | Frequency | ANIT | 99% Occupied Bandwidth (MHz) | \/ordiot | | |
|-------------------|------|-----------|------|------------------------------|----------|--------|------|
| iviode | Type | (MHz) | ANT | Result | Verdict | | |
| | | 2412 | 1 | 13.090 | Pass | | |
| 802.11b | SISO | 2437 | 1 | 13.091 | Pass | | |
| | | 2462 | | 13.094 | Pass | | |
| | SISO | 2412 | 1 | 18.368 | Pass | | |
| 802.11g | | 2437 | 1 | 18.387 | Pass | | |
| | | 2462 | 1 | 18.444 | Pass | | |
| 802.11n (HT20) | SISO | | | 2412 | 1 | 19.017 | Pass |
| | | 2437 | 1 | 19.028 | Pass | | |
| | | 2462 | 1 | 19.053 | Pass | | |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit



Report No.: FYCR220300001903

Page: 85 of 123

2.1.2 Test Graph






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for lectronic format documents, subject to Terms and Conditions for Electronic Documents and this first standard to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finaspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 86 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for lectronic format documents, subject to Terms and Conditions for Electronic Documents and this first standard to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finaspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 87 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ges.com.



Report No.: FYCR220300001903

Page: 88 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ges.com.



Report No.: FYCR220300001903

Page: 89 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CMD Docebeck@ges.com.



Report No.: FYCR220300001903

Page: 90 of 123





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for lectronic format documents, subject to Terms and Conditions for Electronic Documents and this first standard to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finaspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 91 of 123

2.2 6dB BW

2.2.1 Test Result

| Mode | TX | Frequency | A NIT | 6dB Bandv | \/oudiet | | | |
|-------------------|----------|-----------|-------|-----------|----------|---------|-------|------|
| Mode | Type | (MHz) | ANT | Result | Limit | Verdict | | |
| | | 2412 | 1 | 9.569 | >=0.5 | Pass | | |
| 802.11b | SISO | 2437 | 1 | 9.976 | >=0.5 | Pass | | |
| | | 2462 | 1 | 9.040 | >=0.5 | Pass | | |
| | SISO | | 2412 | 1 | 16.403 | >=0.5 | Pass | |
| 802.11g | | 2437 | 1 | 16.391 | >=0.5 | Pass | | |
| | | 2462 | 1 | 16.392 | >=0.5 | Pass | | |
| 802.11n (HT20) | ··· SIGO | | | 2412 | 1 | 17.671 | >=0.5 | Pass |
| | | 2437 | 1 | 17.652 | >=0.5 | Pass | | |
| | | 2462 | 1 | 17.634 | >=0.5 | Pass | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 92 of 123

2.2.2 Test Graph






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, 1431



Report No.: FYCR220300001903

Page: 93 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for lectronic format documents, subject to Terms and Conditions for Electronic Documents and this first standard to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finaspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 94 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalic CND Doccheck@ges.com.



Report No.: FYCR220300001903

Page: 95 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare relating for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CMD Descheek@ascom"



Report No.: FYCR220300001903

Page: 96 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare relating for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CMD Descheek@ascom"



Report No.: FYCR220300001903

Page: 97 of 123





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



Report No.: FYCR220300001903

Page: 98 of 123

3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

| Mode | TX | Frequency | Maximum Average Condu | Verdict | | | |
|-------------------|------|-----------|-----------------------|---------|---------|------|------|
| Mode | Type | (MHz) | ANT1 | Limit | verdict | | |
| | | 2412 | 16.73 | <=30 | Pass | | |
| 802.11b | SISO | 2437 | 16.87 | <=30 | Pass | | |
| | | 2462 | 17.06 | <=30 | Pass | | |
| | SISO | | | 2412 | 15.95 | <=30 | Pass |
| 802.11g | | 2437 | 16.30 | <=30 | Pass | | |
| | | 2462 | 16.38 | <=30 | Pass | | |
| 222.11 | | 2412 | 15.81 | <=30 | Pass | | |
| 802.11n (HT20) | SISO | 2437 | 15.95 | <=30 | Pass | | |
| (11120) | | 2462 | 16.15 | <=30 | Pass | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ss.com



Report No.: FYCR220300001903

Page: 99 of 123

4. Maximum Power Spectral Density

4.1 PSD

4.1.1 Test Result

| Mode | TX | Frequency | Maximum PS | Verdict | | |
|-------------------|------|-----------|------------|---------|---------|------|
| iviode | Type | (MHz) | ANT1 | Limit | verdict | |
| | | 2412 | -5.40 | <=8 | Pass | |
| 802.11b | SISO | 2437 | -4.51 | <=8 | Pass | |
| | | 2462 | -6.72 | <=8 | Pass | |
| | SISO | 2412 | -9.57 | <=8 | Pass | |
| 802.11g | | 2437 | -9.37 | <=8 | Pass | |
| | | 2462 | -8.83 | <=8 | Pass | |
| 222.44 | SISO | | 2412 | -9.16 | <=8 | Pass |
| 802.11n (HT20) | | 2437 | -8.85 | <=8 | Pass | |
| (H120) | | 2462 | -9.39 | <=8 | Pass | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ss.com



Report No.: FYCR220300001903

Page: 100 of 123

4.1.2 Test Graph






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 101 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 102 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions



Report No.: FYCR220300001903

Page: 103 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Document as full this forward to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 104 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Document as full this forward to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 105 of 123





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Castili (2012).



Report No.: FYCR220300001903

Page: 106 of 123

5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Ref

5.1.1 Test Result

| Mode | TX Type | Frequency (MHz) | ANT | Level of Reference (dBm) |
|-------------------|------------|--------------------|-----|-----------------------------|
| | | 2412 | 1 | 9.09 |
| 802.11b | SISO | 2437 | 1 | 9.22 |
| | | 2462 | 1 | 8.78 |
| | SISO | 2412 | 1 | 4.18 |
| 802.11g | | 2437 | 1 | 4.65 |
| 33 <u>2</u> .1.19 | | 2462 | 1 | 5.18 |
| 802.11n (HT20) | | 2412 | 1 | 4.60 |
| | SISO | 2437 | 1 | 4.61 |
| | 3.30 | 2462 | 1 | 4.69 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate, Please Contact us at telephone: (86-755) 8307 1443, **Certificate,



Report No.: FYCR220300001903

Page: 107 of 123

5.1.2 Test Graph






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 108 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terma-d-Conditions/Terms-a-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443,



Report No.: FYCR220300001903

Page: 109 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare relating for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CMD Descheek@ascom"



Report No.: FYCR220300001903

Page: 110 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare relating for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CMD Descheek@ascom"



Report No.: FYCR220300001903

Page: 111 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare relating for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CMD Descheek@ascom"



Report No.: FYCR220300001903

Page: 112 of 123





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terma-d-Conditions/Terms-a-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443,



Report No.: FYCR220300001903

Page: 113 of 123

5.2 CSE

5.2.1 Test Result

| Mode | TX Type | Frequency (MHz) | ANT | Level of Reference (dBm) | Limit (dBm) | Verdict |
|-------------------|------------|--------------------|-----|-----------------------------|----------------|---------|
| 802.11b | SISO | 2412 | 1 | 9.22 | -20.78 | Pass |
| | | 2437 | 1 | 9.22 | -20.78 | Pass |
| | | 2462 | 1 | 9.22 | -20.78 | Pass |
| 802.11g | SISO | 2412 | 1 | 5.18 | -24.82 | Pass |
| | | 2437 | 1 | 5.18 | -24.82 | Pass |
| | | 2462 | 1 | 5.18 | -24.82 | Pass |
| 802.11n (HT20) | SISO | 2412 | 1 | 4.69 | -25.31 | Pass |
| | | 2437 | 1 | 4.69 | -25.31 | Pass |
| | | 2462 | 1 | 4.69 | -25.31 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CMD Docebeck@ses.com



Report No.: FYCR220300001903

Page: 114 of 123

5.2.2 Test Graph






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 115 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for lectronic format documents, subject to Terms and Conditions for Electronic Documents and this first standard to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finaspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 116 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ges.com.



Report No.: FYCR220300001903

Page: 117 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ges.com.



Report No.: FYCR220300001903

Page: 118 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ges.com.



Report No.: FYCR220300001903

Page: 119 of 123





-80 | 30.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CMD Descheck@ges.com.

Frequency (MHz)


| Fuyong lab. Xinlong TechnoPark, Fanglang Road, Fuyong Subdistind, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

25000.0



Report No.: FYCR220300001903

Page: 120 of 123





-30

-40

-50

-60

-70

-80 30.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Textile Company Attentions of the content of the sample of the content of the substitution of the substitution

Frequency (MHz)


Fuyong lab. Xirilong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bad'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

25000.0



Report No.: FYCR220300001903

Page: 121 of 123






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CAD Doccheck@ges.com.



Report No.: FYCR220300001903

Page: 122 of 123





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for lectronic format documents, subject to Terms and Conditions for Electronic Documents and this first standard to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finaspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220300001903

Page: 123 of 123

6. Form731

6.1 Form731

6.1.1 Test Result

| Lower Freq (MHz) | High Freq (MHz) | MAX Power (W) | MAX Power (dBm) |
|------------------|-----------------|---------------|-----------------|
| 2412 | 2462 | 0.0508 | 17.06 |

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CMD Docebeck@ses.com