




CH134004_15k_QPSK_1RB0_Below 1G




CH134004_15k_QPSK_1RB0_Above 1G




CH134092_15k_QPSK_1RB0_Below 1G




CH134092_15k_QPSK_1RB0_Above 1G



CH134180_15k_QPSK_1RB0_Below 1G




CH134180_15k_QPSK_1RB0_Above 1G



Appendix D.2 Test Result of Radiated Spurious Emission

Mode 1: LTE Cat-M1 Band 2 / 25

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band25_CH26140
Test By :Cyril




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3720.000	-34.41	-13.00	-21.41	-27.26	-7.15	Peak
2	5580.000	-43.50	-13.00	-30.50	-41.69	-1.81	Peak
3	7440.000	-37.50	-13.00	-24.50	-41.57	4.07	Peak
4	9300.000	-38.47	-13.00	-25.47	-45.33	6.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band25_CH26140
Test By :Cyril




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3720.000	-35.16	-13.00	-22.16	-28.01	-7.15	Peak
2	5580.000	-47.10	-13.00	-34.10	-45.29	-1.81	Peak
3	7440.000	-45.48	-13.00	-32.48	-49.55	4.07	Peak
4	9300.000	-40.76	-13.00	-27.76	-47.62	6.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band25_CH26365
Test By :Cyril




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3765.000	-34.82	-13.00	-21.82	-27.89	-6.93	Peak
2	5647.500	-44.61	-13.00	-31.61	-43.00	-1.61	Peak
3	7530.000	-36.05	-13.00	-23.05	-40.20	4.15	Peak
4	9412.500	-37.39	-13.00	-24.39	-44.35	6.96	Peak
5	11295.000	-34.74	-13.00	-21.74	-44.45	9.71	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band25_CH26365
Test By :Cyril




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3765.000	-36.44	-13.00	-23.44	-29.51	-6.93	Peak
2	5647.500	-44.88	-13.00	-31.88	-43.27	-1.61	Peak
3	7530.000	-45.63	-13.00	-32.63	-49.78	4.15	Peak
4	9412.500	-38.41	-13.00	-25.41	-45.37	6.96	Peak
5	11295.000	-36.90	-13.00	-23.90	-46.61	9.71	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band25_CH26590
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3810.000	-36.09	-13.00	-23.09	-29.37	-6.72	Peak
2	5715.000	-44.43	-13.00	-31.43	-43.03	-1.40	Peak
3	7620.000	-39.80	-13.00	-26.80	-44.01	4.21	Peak
4	9525.000	-36.67	-13.00	-23.67	-43.74	7.07	Peak
5	11430.000	-35.61	-13.00	-22.61	-45.55	9.94	Peak
6	13335.000	-38.41	-13.00	-25.41	-51.14	12.73	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band25_CH26590
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3810.000	-38.57	-13.00	-25.57	-31.85	-6.72	Peak
2	5715.000	-47.89	-13.00	-34.89	-46.49	-1.40	Peak
3	7620.000	-45.04	-13.00	-32.04	-49.25	4.21	Peak
4	9525.000	-38.34	-13.00	-25.34	-45.41	7.07	Peak
5	11430.000	-32.24	-13.00	-19.24	-42.18	9.94	Peak
6	13335.000	-38.92	-13.00	-25.92	-51.65	12.73	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 2: LTE Cat-M1 Band 4 / 66

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band66_CH132072
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3440.000	-32.47	-13.00	-19.47	-24.11	-8.36	Peak
2	5160.000	-43.12	-13.00	-30.12	-40.98	-2.14	Peak
3	6880.000	-33.98	-13.00	-20.98	-37.30	3.32	Peak
4	8600.000	-44.05	-13.00	-31.05	-49.86	5.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band66_CH132072
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3440.000	-29.16	-13.00	-16.16	-20.80	-8.36	Peak
2	5160.000	-49.43	-13.00	-36.43	-47.29	-2.14	Peak
3	6880.000	-45.84	-13.00	-32.84	-49.16	3.32	Peak
4	8600.000	-43.72	-13.00	-30.72	-49.53	5.81	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band66_CH132322
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3490.000	-31.08	-13.00	-18.08	-22.85	-8.23	Peak
2	5235.000	-42.02	-13.00	-29.02	-39.89	-2.13	Peak
3	6980.000	-29.60	-13.00	-16.60	-33.14	3.54	Peak
4	8725.000	-44.52	-13.00	-31.52	-50.59	6.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band66_CH132322
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3490.000	-29.54	-13.00	-16.54	-21.31	-8.23	Peak
2	5235.000	-49.51	-13.00	-36.51	-47.38	-2.13	Peak
3	6980.000	-45.10	-13.00	-32.10	-48.64	3.54	Peak
4	8725.000	-44.07	-13.00	-31.07	-50.14	6.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band66_CH132572
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3540.000	-33.29	-13.00	-20.29	-25.28	-8.01	Peak
2	5310.000	-43.48	-13.00	-30.48	-41.37	-2.11	Peak
3	7080.000	-36.52	-13.00	-23.52	-40.19	3.67	Peak
4	8850.000	-43.67	-13.00	-30.67	-50.00	6.33	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band66_CH132572
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3540.000	-32.56	-13.00	-19.56	-24.55	-8.01	Peak
2	5310.000	-49.96	-13.00	-36.96	-47.85	-2.11	Peak
3	7080.000	-43.70	-13.00	-30.70	-47.37	3.67	Peak
4	8850.000	-43.63	-13.00	-30.63	-49.96	6.33	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 3: LTE Cat-M1 Band 5 / 26 (Part 22)

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band26_CH26865
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1663.000	-44.43	-13.00	-31.43	-29.87	-14.56	Peak
2	2494.500	-53.20	-13.00	-40.20	-41.70	-11.50	Peak
3	3326.000	-37.10	-13.00	-24.10	-28.41	-8.69	Peak
4	4157.500	-46.97	-13.00	-33.97	-41.68	-5.29	Peak
5	4989.000	-44.33	-13.00	-31.33	-42.11	-2.22	Peak
6	5820.500	-48.85	-13.00	-35.85	-47.79	-1.06	Peak
7	6652.000	-38.87	-13.00	-25.87	-41.70	2.83	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band26_CH26865
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1663.000	-38.28	-13.00	-25.28	-23.72	-14.56	Peak
2	2494.500	-41.05	-13.00	-28.05	-29.55	-11.50	Peak
3	3326.000	-32.09	-13.00	-19.09	-23.40	-8.69	Peak
4	4157.500	-41.20	-13.00	-28.20	-35.91	-5.29	Peak
5	4989.000	-49.38	-13.00	-36.38	-47.16	-2.22	Peak
6	5820.500	-49.60	-13.00	-36.60	-48.54	-1.06	Peak
7	6652.000	-47.38	-13.00	-34.38	-50.21	2.83	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band26_CH26915
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1673.000	-44.70	-13.00	-31.70	-30.18	-14.52	Peak
2	2509.500	-51.15	-13.00	-38.15	-39.71	-11.44	Peak
3	3346.000	-35.58	-13.00	-22.58	-26.95	-8.63	Peak
4	4182.500	-43.91	-13.00	-30.91	-38.71	-5.20	Peak
5	5019.000	-46.94	-13.00	-33.94	-44.76	-2.18	Peak
6	5855.500	-47.28	-13.00	-34.28	-46.32	-0.96	Peak
7	6692.000	-37.85	-13.00	-24.85	-40.76	2.91	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band26_CH26915
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1673.000	-36.53	-13.00	-23.53	-22.01	-14.52	Peak
2	2509.500	-38.57	-13.00	-25.57	-27.13	-11.44	Peak
3	3346.000	-32.53	-13.00	-19.53	-23.90	-8.63	Peak
4	4182.500	-40.28	-13.00	-27.28	-35.08	-5.20	Peak
5	5019.000	-49.71	-13.00	-36.71	-47.53	-2.18	Peak
6	5855.500	-49.01	-13.00	-36.01	-48.05	-0.96	Peak
7	6692.000	-46.45	-13.00	-33.45	-49.36	2.91	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band26_CH26965
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1683.000	-43.78	-13.00	-30.78	-29.30	-14.48	Peak
2	2524.500	-51.10	-13.00	-38.10	-39.70	-11.40	Peak
3	3366.000	-34.69	-13.00	-21.69	-26.11	-8.58	Peak
4	4207.500	-45.26	-13.00	-32.26	-40.14	-5.12	Peak
5	5049.000	-44.32	-13.00	-31.32	-42.15	-2.17	Peak
6	5890.500	-48.72	-13.00	-35.72	-47.87	-0.85	Peak
7	6732.000	-36.54	-13.00	-23.54	-39.55	3.01	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band26_CH26965
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1683.000	-35.24	-13.00	-22.24	-20.76	-14.48	Peak
2	2524.500	-39.54	-13.00	-26.54	-28.14	-11.40	Peak
3	3366.000	-31.43	-13.00	-18.43	-22.85	-8.58	Peak
4	4207.500	-41.47	-13.00	-28.47	-36.35	-5.12	Peak
5	5049.000	-49.39	-13.00	-36.39	-47.22	-2.17	Peak
6	5890.500	-48.62	-13.00	-35.62	-47.77	-0.85	Peak
7	6732.000	-45.18	-13.00	-32.18	-48.19	3.01	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 4: LTE Cat-M1 Band 12

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band12_CH23060
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1408.000	-45.66	-13.00	-32.66	-30.05	-15.61	Peak
2	2112.000	-44.98	-13.00	-31.98	-32.26	-12.72	Peak
3	2816.000	-55.57	-13.00	-42.57	-45.28	-10.29	Peak
4	3520.000	-42.58	-13.00	-29.58	-34.48	-8.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band12_CH23060
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1408.000	-37.61	-13.00	-24.61	-22.00	-15.61	Peak
2	2112.000	-38.27	-13.00	-25.27	-25.55	-12.72	Peak
3	2816.000	-55.20	-13.00	-42.20	-44.91	-10.29	Peak
4	3520.000	-39.90	-13.00	-26.90	-31.80	-8.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band12_CH23095
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1415.000	-48.30	-13.00	-35.30	-32.72	-15.58	Peak
2	2122.500	-47.88	-13.00	-34.88	-35.20	-12.68	Peak
3	2830.000	-55.63	-13.00	-42.63	-45.40	-10.23	Peak
4	3537.500	-40.23	-13.00	-27.23	-32.21	-8.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band12_CH23095
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1415.000	-41.13	-13.00	-28.13	-25.55	-15.58	Peak
2	2122.500	-42.74	-13.00	-29.74	-30.06	-12.68	Peak
3	2830.000	-52.00	-13.00	-39.00	-41.77	-10.23	Peak
4	3537.500	-38.70	-13.00	-25.70	-30.68	-8.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band12_CH23130
Test By :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1422.000	-48.54	-13.00	-35.54	-32.98	-15.56	Peak
2	2133.000	-45.65	-13.00	-32.65	-33.00	-12.65	Peak
3	2844.000	-54.49	-13.00	-41.49	-44.31	-10.18	Peak
4	3555.000	-42.47	-13.00	-29.47	-34.54	-7.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band12_CH23130
Test By :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1422.000	-38.18	-13.00	-25.18	-22.62	-15.56	Peak
2	2133.000	-39.28	-13.00	-26.28	-26.63	-12.65	Peak
3	2844.000	-52.49	-13.00	-39.49	-42.31	-10.18	Peak
4	3555.000	-39.30	-13.00	-26.30	-31.37	-7.93	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 5: LTE Cat-M1 Band 13

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band13_CH23230
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1564.000	-47.31	-40.00	-7.31	-66.53	19.22	Peak
2	2346.000	-52.03	-13.00	-39.03	-75.51	23.48	Peak
3	3128.000	-46.82	-13.00	-33.82	-74.05	27.23	Peak
4	3910.000	-44.08	-13.00	-31.08	-75.73	31.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band13_CH23230
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1564.000	-40.37	-40.00	-0.37	-59.59	19.22	Peak
2	2346.000	-45.91	-13.00	-32.91	-69.39	23.48	Peak
3	3128.000	-47.39	-13.00	-34.39	-74.62	27.23	Peak
4	3910.000	-43.48	-13.00	-30.48	-75.13	31.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 6: LTE Cat-M1 Band 26 (Part 90)

Site :HC-CB02
Condition :3m Horizontal
Mode :Cat-M1_Band26_CH26740
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1638.000	-43.58	-13.00	-30.58	-28.90	-14.68	Peak
2	2457.000	-53.03	-13.00	-40.03	-41.41	-11.62	Peak
3	3276.000	-41.54	-13.00	-28.54	-32.71	-8.83	Peak
4	4095.000	-45.15	-13.00	-32.15	-39.65	-5.50	Peak
5	4914.000	-39.00	-13.00	-26.00	-36.48	-2.52	Peak
6	5733.000	-47.66	-13.00	-34.66	-46.32	-1.34	Peak
7	6552.000	-39.41	-13.00	-26.41	-42.01	2.60	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :Cat-M1_Band26_CH26740
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1638.000	-39.15	-13.00	-26.15	-24.47	-14.68	Peak
2	2457.000	-44.15	-13.00	-31.15	-32.53	-11.62	Peak
3	3276.000	-32.16	-13.00	-19.16	-23.33	-8.83	Peak
4	4095.000	-41.29	-13.00	-28.29	-35.79	-5.50	Peak
5	4914.000	-49.74	-13.00	-36.74	-47.22	-2.52	Peak
6	5733.000	-49.07	-13.00	-36.07	-47.85	-1.22	Peak
7	6552.000	-45.65	-13.00	-32.65	-48.25	2.60	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 7: LTE NB-IoT Band 2 / 25


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band25_CH26042
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3700.400	-32.23	-13.00	-19.23	-24.98	-7.25	Peak
2	5550.600	-46.26	-13.00	-33.26	-44.35	-1.91	Peak
3	7400.800	-45.62	-13.00	-32.62	-49.64	4.02	Peak
4	9251.000	-43.68	-13.00	-30.68	-50.51	6.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band25_CH26042
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3700.400	-36.35	-13.00	-23.35	-29.10	-7.25	Peak
2	5550.600	-48.53	-13.00	-35.53	-46.62	-1.91	Peak
3	7400.800	-45.00	-13.00	-32.00	-49.02	4.02	Peak
4	9251.000	-43.70	-13.00	-30.70	-50.53	6.83	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band25_CH26365
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3765.000	-32.64	-13.00	-19.64	-25.71	-6.93	Peak
2	5647.500	-50.17	-13.00	-37.17	-48.56	-1.61	Peak
3	7530.000	-44.99	-13.00	-31.99	-49.14	4.15	Peak
4	9412.500	-32.64	-13.00	-19.64	-39.60	6.96	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band25_CH26365
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3765.000	-37.37	-13.00	-24.37	-30.44	-6.93	Peak
2	5647.500	-49.92	-13.00	-36.92	-48.31	-1.61	Peak
3	7530.000	-45.07	-13.00	-32.07	-49.22	4.15	Peak
4	9412.500	-43.40	-13.00	-30.40	-50.36	6.96	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band25_CH26688
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3829.600	-33.94	-13.00	-20.94	-27.32	-6.62	Peak
2	5744.400	-48.83	-13.00	-35.83	-47.53	-1.30	Peak
3	7659.200	-43.98	-13.00	-30.98	-48.20	4.22	Peak
4	9574.000	-43.04	-13.00	-30.04	-50.21	7.17	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band25_CH26688
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3829.600	-39.34	-13.00	-26.34	-32.72	-6.62	Peak
2	5744.400	-49.39	-13.00	-36.39	-48.09	-1.30	Peak
3	7659.200	-44.86	-13.00	-31.86	-49.08	4.22	Peak
4	9574.000	-43.40	-13.00	-30.40	-50.57	7.17	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 8: LTE NB-IoT Band 4 / 66

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band66_CH131974
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3420.400	-40.67	-13.00	-27.67	-32.24	-8.43	Peak
2	5130.600	-50.75	-13.00	-37.75	-48.60	-2.15	Peak
3	6840.800	-43.04	-13.00	-30.04	-46.28	3.24	Peak
4	8551.000	-44.76	-13.00	-31.76	-50.48	5.72	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band66_CH131974
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3420.400	-38.75	-13.00	-25.75	-30.32	-8.43	Peak
2	5130.600	-51.38	-13.00	-38.38	-49.23	-2.15	Peak
3	6840.800	-38.75	-13.00	-25.75	-41.99	3.24	Peak
4	8551.000	-45.01	-13.00	-32.01	-50.73	5.72	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band66_CH132322
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3490.000	-37.98	-13.00	-24.98	-29.75	-8.23	Peak
2	5235.000	-44.11	-13.00	-31.11	-41.98	-2.13	Peak
3	6980.000	-42.68	-13.00	-29.68	-46.22	3.54	Peak
4	8725.000	-44.46	-13.00	-31.46	-50.53	6.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band66_CH132322
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3490.000	-37.51	-13.00	-24.51	-29.28	-8.23	Peak
2	5235.000	-50.89	-13.00	-37.89	-48.76	-2.13	Peak
3	6980.000	-45.68	-13.00	-32.68	-49.22	3.54	Peak
4	8725.000	-43.98	-13.00	-30.98	-50.05	6.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band66_CH132670
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3559.600	-35.95	-13.00	-22.95	-28.04	-7.91	Peak
2	5339.400	-45.08	-13.00	-32.08	-42.97	-2.11	Peak
3	7119.200	-41.62	-13.00	-28.62	-45.35	3.73	Peak
4	8899.000	-43.45	-13.00	-30.45	-49.88	6.43	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band66_CH132670
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	3559.600	-38.81	-13.00	-25.81	-30.90	-7.91	Peak
2	5339.400	-50.12	-13.00	-37.12	-48.01	-2.11	Peak
3	7119.200	-38.81	-13.00	-25.81	-42.54	3.73	Peak
4	8899.000	-42.90	-13.00	-29.90	-49.33	6.43	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 9: LTE NB-IoT Band 5 / 26 (Part 22)

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band26_CH26792
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1648.400	-41.16	-13.00	-28.16	-26.53	-14.63	Peak
2	2472.600	-55.23	-13.00	-42.23	-43.67	-11.56	Peak
3	3296.800	-50.85	-13.00	-37.85	-42.08	-8.77	Peak
4	4121.000	-49.42	-13.00	-36.42	-44.01	-5.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band26_CH26792
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1648.400	-38.11	-13.00	-25.11	-23.48	-14.63	Peak
2	2472.600	-48.72	-13.00	-35.72	-37.16	-11.56	Peak
3	3296.800	-49.79	-13.00	-36.79	-41.02	-8.77	Peak
4	4121.000	-48.51	-13.00	-35.51	-43.10	-5.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band26_CH26915
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1673.000	-38.84	-13.00	-25.84	-24.32	-14.52	Peak
2	2509.500	-53.71	-13.00	-40.71	-42.27	-11.44	Peak
3	3346.000	-49.16	-13.00	-36.16	-40.53	-8.63	Peak
4	4182.500	-46.93	-13.00	-33.93	-41.73	-5.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band26_CH26915
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1673.000	-35.45	-13.00	-22.45	-20.93	-14.52	Peak
2	2509.500	-46.73	-13.00	-33.73	-35.29	-11.44	Peak
3	3346.000	-47.97	-13.00	-34.97	-39.34	-8.63	Peak
4	4182.500	-46.88	-13.00	-33.88	-41.68	-5.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band26_CH27038
Test By :Luffy



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1697.600	-38.79	-13.00	-25.79	-24.37	-14.42	Peak
2	2546.400	-52.19	-13.00	-39.19	-40.88	-11.31	Peak
3	3395.200	-46.29	-13.00	-33.29	-37.79	-8.50	Peak
4	4244.000	-45.57	-13.00	-32.57	-40.57	-5.00	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band26_CH27038
Test By :Luffy




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1697.600	-38.03	-13.00	-25.03	-23.61	-14.42	Peak
2	2546.400	-46.00	-13.00	-33.00	-34.69	-11.31	Peak
3	3395.200	-45.44	-13.00	-32.44	-36.94	-8.50	Peak
4	4244.000	-45.88	-13.00	-32.88	-40.88	-5.00	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 10: LTE NB-IoT Band 12

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band12_CH23012
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1398.400	-51.75	-13.00	-38.75	-36.11	-15.64	Peak
2	2097.600	-52.88	-13.00	-39.88	-40.12	-12.76	Peak
3	2796.800	-55.29	-13.00	-42.29	-44.92	-10.37	Peak
4	3496.000	-52.45	-13.00	-39.45	-44.25	-8.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band12_CH23012
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1398.400	-51.24	-13.00	-38.24	-35.60	-15.64	Peak
2	2097.600	-49.32	-13.00	-36.32	-36.56	-12.76	Peak
3	2796.800	-55.20	-13.00	-42.20	-44.83	-10.37	Peak
4	3496.000	-52.23	-13.00	-39.23	-44.03	-8.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band12_CH23095
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1415.000	-51.12	-13.00	-38.12	-35.54	-15.58	Peak
2	2122.500	-55.01	-13.00	-42.01	-42.33	-12.68	Peak
3	2830.000	-55.22	-13.00	-42.22	-44.99	-10.23	Peak
4	3537.500	-48.98	-13.00	-35.98	-40.96	-8.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band12_CH23095
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1415.000	-55.14	-13.00	-42.14	-39.56	-15.58	Peak
2	2122.500	-51.87	-13.00	-38.87	-39.19	-12.68	Peak
3	2830.000	-54.72	-13.00	-41.72	-44.49	-10.23	Peak
4	3537.500	-50.44	-13.00	-37.44	-42.42	-8.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band12_CH23178
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1431.600	-49.72	-13.00	-36.72	-34.20	-15.52	Peak
2	2147.400	-54.95	-13.00	-41.95	-42.34	-12.61	Peak
3	2863.200	-55.54	-13.00	-42.54	-45.43	-10.11	Peak
4	3579.000	-46.37	-13.00	-33.37	-38.55	-7.82	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band12_CH23178
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1431.600	-52.76	-13.00	-39.76	-37.24	-15.52	Peak
2	2147.400	-51.13	-13.00	-38.13	-38.52	-12.61	Peak
3	2863.200	-54.02	-13.00	-41.02	-43.91	-10.11	Peak
4	3579.000	-48.44	-13.00	-35.44	-40.62	-7.82	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 11: LTE NB-IoT Band 13


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band13_CH23182
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1554.400	-45.08	-13.00	-32.08	-30.03	-15.05	Peak
2	2331.600	-55.81	-13.00	-42.81	-43.79	-12.02	Peak
3	3108.800	-51.31	-13.00	-38.31	-42.02	-9.29	Peak
4	3886.000	-46.71	-13.00	-33.71	-40.35	-6.36	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band13_CH23182
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1554.400	-43.94	-13.00	-30.94	-28.89	-15.05	Peak
2	2331.600	-50.07	-13.00	-37.07	-38.05	-12.02	Peak
3	3108.800	-50.97	-13.00	-37.97	-41.68	-9.29	Peak
4	3886.000	-49.45	-13.00	-36.45	-43.09	-6.36	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band13_CH23230
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1564.000	-44.12	-40.00	-4.12	-29.11	-15.01	Peak
2	2346.000	-57.31	-13.00	-44.31	-45.34	-11.97	Peak
3	3128.000	-50.87	-13.00	-37.87	-41.62	-9.25	Peak
4	3910.000	-46.85	-13.00	-33.85	-40.61	-6.24	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band13_CH23230
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1564.000	-42.86	-40.00	-2.86	-27.85	-15.01	Peak
2	2346.000	-50.64	-13.00	-37.64	-38.67	-11.97	Peak
3	3128.000	-50.31	-13.00	-37.31	-41.06	-9.25	Peak
4	3910.000	-49.70	-13.00	-36.70	-43.46	-6.24	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band13_CH23278
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1573.600	-45.18	-40.00	-5.18	-30.22	-14.96	Peak
2	2368.400	-56.95	-13.00	-43.95	-45.02	-11.93	Peak
3	3147.200	-50.36	-13.00	-37.36	-41.18	-9.18	Peak
4	3934.000	-49.45	-13.00	-36.45	-43.33	-6.12	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band13_CH23278
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1573.600	-43.00	-40.00	-3.00	-28.04	-14.96	Peak
2	2368.400	-50.18	-13.00	-37.18	-38.25	-11.93	Peak
3	3147.200	-48.75	-13.00	-35.75	-39.57	-9.18	Peak
4	3934.000	-49.80	-13.00	-36.80	-43.68	-6.12	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 12: LTE NB-IoT 1 Band 26 (Part 90)

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band26_CH26692
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1628.400	-43.40	-13.00	-30.40	-28.68	-14.72	Peak
2	2442.600	-55.59	-13.00	-42.59	-43.94	-11.65	Peak
3	3256.800	-50.65	-13.00	-37.65	-41.77	-8.88	Peak
4	4071.000	-48.79	-13.00	-35.79	-43.22	-5.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band26_CH26692
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1628.400	-39.91	-13.00	-26.91	-25.19	-14.72	Peak
2	2442.600	-49.91	-13.00	-36.91	-38.26	-11.65	Peak
3	3256.800	-49.27	-13.00	-36.27	-40.39	-8.88	Peak
4	4071.000	-49.12	-13.00	-36.12	-43.55	-5.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band26_CH26740
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1638.000	-43.39	-13.00	-30.39	-28.71	-14.68	Peak
2	2457.000	-55.14	-13.00	-42.14	-43.52	-11.62	Peak
3	3276.000	-51.18	-13.00	-38.18	-42.35	-8.83	Peak
4	4095.000	-49.67	-13.00	-36.67	-44.17	-5.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band26_CH26740
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1638.000	-39.05	-13.00	-26.05	-24.37	-14.68	Peak
2	2457.000	-49.78	-13.00	-36.78	-38.16	-11.62	Peak
3	3276.000	-49.08	-13.00	-36.08	-40.25	-8.83	Peak
4	4095.000	-48.87	-13.00	-35.87	-43.37	-5.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band26_CH26788
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1647.600	-41.54	-13.00	-28.54	-26.90	-14.64	Peak
2	2471.400	-54.82	-13.00	-41.82	-43.25	-11.57	Peak
3	3295.200	-49.69	-13.00	-36.69	-40.91	-8.78	Peak
4	4119.000	-48.61	-13.00	-35.61	-43.20	-5.41	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band26_CH26788
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1647.600	-37.33	-13.00	-24.33	-22.69	-14.64	Peak
2	2471.400	-48.54	-13.00	-35.54	-36.97	-11.57	Peak
3	3295.200	-49.42	-13.00	-36.42	-40.64	-8.78	Peak
4	4119.000	-48.57	-13.00	-35.57	-43.16	-5.41	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 13: LTE NB-IoT Band 70

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band70_CH132974
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3390.400	-40.39	-13.00	-27.39	-31.88	-8.51	Peak
2	5085.600	-45.58	-13.00	-32.58	-43.42	-2.16	Peak
3	6780.800	-41.97	-13.00	-28.97	-45.07	3.10	Peak
4	8476.000	-44.65	-13.00	-31.65	-50.21	5.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band70_CH132974
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3390.400	-37.64	-13.00	-24.64	-29.13	-8.51	Peak
2	5085.600	-49.70	-13.00	-36.70	-47.54	-2.16	Peak
3	6780.800	-46.50	-13.00	-33.50	-49.60	3.10	Peak
4	8476.000	-43.97	-13.00	-30.97	-49.53	5.56	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band70_CH133047
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3405.000	-40.38	-13.00	-27.38	-31.92	-8.46	Peak
2	5107.500	-44.73	-13.00	-31.73	-42.58	-2.15	Peak
3	6810.000	-43.79	-13.00	-30.79	-46.97	3.18	Peak
4	8512.500	-44.05	-13.00	-31.05	-49.69	5.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band70_CH133047
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3405.000	-38.43	-13.00	-25.43	-29.97	-8.46	Peak
2	5107.500	-49.98	-13.00	-36.98	-47.83	-2.15	Peak
3	6810.000	-45.57	-13.00	-32.57	-48.75	3.18	Peak
4	8512.500	-44.09	-13.00	-31.09	-49.73	5.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band70_CH133120
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3419.600	-40.21	-13.00	-27.21	-31.78	-8.43	Peak
2	5129.400	-51.19	-13.00	-38.19	-49.04	-2.15	Peak
3	6839.200	-44.06	-13.00	-31.06	-47.30	3.24	Peak
4	8549.000	-44.68	-13.00	-31.68	-50.39	5.71	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band70_CH133120
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3419.600	-37.52	-13.00	-24.52	-29.09	-8.43	Peak
2	5129.400	-51.32	-13.00	-38.32	-49.17	-2.15	Peak
3	6839.200	-46.04	-13.00	-33.04	-49.28	3.24	Peak
4	8549.000	-37.52	-13.00	-24.52	-43.23	5.71	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 14: LTE NB-IoT Band 85

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band85_CH134004
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1396.400	-52.26	-13.00	-39.26	-36.61	-15.65	Peak
2	2094.600	-56.21	-13.00	-43.21	-43.44	-12.77	Peak
3	2792.800	-55.46	-13.00	-42.46	-45.08	-10.38	Peak
4	3491.000	-52.76	-13.00	-39.76	-44.53	-8.23	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band85_CH134004
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1396.400	-52.20	-13.00	-39.20	-36.55	-15.65	Peak
2	2094.600	-51.91	-13.00	-38.91	-39.14	-12.77	Peak
3	2792.800	-55.98	-13.00	-42.98	-45.60	-10.38	Peak
4	3491.000	-50.64	-13.00	-37.64	-42.41	-8.23	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band85_CH134092
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1414.000	-51.05	-13.00	-38.05	-35.47	-15.58	Peak
2	2121.000	-54.40	-13.00	-41.40	-41.71	-12.69	Peak
3	2828.000	-55.41	-13.00	-42.41	-45.16	-10.25	Peak
4	3535.000	-49.64	-13.00	-36.64	-41.61	-8.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band85_CH134092
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1414.000	-53.41	-13.00	-40.41	-37.83	-15.58	Peak
2	2121.000	-49.96	-13.00	-36.96	-37.27	-12.69	Peak
3	2828.000	-55.23	-13.00	-42.23	-44.98	-10.25	Peak
4	3535.000	-50.27	-13.00	-37.27	-42.24	-8.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= $107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :NB-IOT_Band85_CH134180
Test By :Luffy



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1431.600	-49.82	-13.00	-36.82	-34.30	-15.52	Peak
2	2147.400	-55.26	-13.00	-42.26	-42.65	-12.61	Peak
3	2863.200	-54.75	-13.00	-41.75	-44.64	-10.11	Peak
4	3579.000	-45.93	-13.00	-32.93	-38.11	-7.82	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :NB-IOT_Band85_CH134180
Test By :Luffy




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1431.600	-52.95	-13.00	-39.95	-37.43	-15.52	Peak
2	2147.400	-51.41	-13.00	-38.41	-38.80	-12.61	Peak
3	2863.200	-54.72	-13.00	-41.72	-44.61	-10.11	Peak
4	3579.000	-48.94	-13.00	-35.94	-41.12	-7.82	Peak


Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Appendix E. Test Result of Conducted Band Edge


Mode 1: LTE Cat-M1 Band 2 / 25



CH26055_3M_QPSK_6RB0




CH26675_3M_QPSK_6RB0




CH26065_5M_QPSK_1RB0




CH26665_5M_QPSK_1RB5




CH26065_5M_QPSK_6RB0




CH26665_5M_QPSK_6RB0




CH26090_10M_QPSK_1RB0



CH26640_10M_QPSK_1RB5




CH26090_10M_QPSK_6RB0




CH26640_10M_QPSK_6RB0




CH26115_10M_QPSK_1RB0




CH26615_10M_QPSK_1RB5




CH26115_10M_QPSK_6RB0




CH26615_10M_QPSK_6RB0




CH26140_15M_QPSK_1RB0



CH26590_15M_QPSK_1RB5



CH26140_15M_QPSK_6RB0




CH26590_15M_QPSK_6RB0




Mode 2: LTE Cat-M1 Band 4 / 66


CH131979_1.4M_QPSK_1RB0




CH132665_1.4M_QPSK_1RB5




CH131979_1.4M_QPSK_6RB0




CH132665_1.4M_QPSK_6RB0




CH131987_3M_QPSK_1RB0



CH132657_3M_QPSK_1RB5




CH131987_3M_QPSK_6RB0




Date: 2 APR 2024 11:21:55

CH132657_3M_QPSK_6RB0




Date: 2 APR 2024 11:20:40

CH131997_5M_QPSK_1RB0




Date: 2 APR 2024 11:23:59

CH132647_5M_QPSK_1RB5




Date: 2 APR 2024 11:31:45

CH131997_5M_QPSK_6RB0




Date: 2 APR 2024 11:28:28

CH132647_5M_QPSK_6RB0




Date: 2 APR 2024 11:30:31


CH132022_10M_QPSK_1RB0




CH132622_10M_QPSK_1RB5




CH132022_10M_QPSK_6RB0




CH132622_10M_QPSK_6RB0




CH132047_15M_QPSK_1RB0



CH1325977_15M_QPSK_1RB5




CH1320477_15M_QPSK_6RB0




Date: 2 APR 2024 11:36:32

CH1325977_15M_QPSK_6RB0




Date: 2 APR 2024 11:38:43

CH132072_20M_QPSK_1RB0




Date: 2 APR 2024 11:42:15

CH132572_20M_QPSK_1RB5




Date: 2 APR 2024 11:39:43

CH132072_20M_QPSK_6RB0



Date: 2 APR 2024 11:41:33


CH132572_20M_QPSK_6RB0




Date: 2 APR 2024 11:40:27

Mode 3: LTE Cat-M1 Band 5 / 26 (Part 22)


CH26797_1.4M_QPSK_1RB0




CH27033_1.4M_QPSK_1RB5




CH26797_1.4M_QPSK_6RB0




CH27033_1.4M_QPSK_6RB0




CH26805_3M_QPSK_1RB0



CH27025_3M_QPSK_1RB5




CH26805_3M_QPSK_6RB0




Date: 2 APR 2024 14:16:50

CH27025_3M_QPSK_6RB0




Date: 2 APR 2024 14:15:34

CH26815_5M_QPSK_1RB0




Date: 2 APR 2024 14:19:06

CH27015_5M_QPSK_1RB5




Date: 2 APR 2024 14:22:37

CH26815_5M_QPSK_6RB0




Date: 2 APR 2024 14:19:59

CH27015_5M_QPSK_6RB0




Date: 2 APR 2024 14:21:51


CH26840_10M_QPSK_1RB0




CH26990_10M_QPSK_1RB5




CH26840_10M_QPSK_6RB0




CH26990_10M_QPSK_6RB0




CH26865_15M_QPSK_1RB0




CH26965_15M_QPSK_1RB5






Mode 4: LTE Cat-M1 Band 12


CH23017_1.4M_QPSK_1RB0




CH23173_1.4M_QPSK_1RB5




CH23017_1.4M_QPSK_6RB0




CH23173_1.4M_QPSK_6RB0




CH23025_3M_QPSK_1RB0




CH23165_3M_QPSK_1RB5




CH23025_3M_QPSK_6RB0




CH23165_3M_QPSK_6RB0




CH23035_5M_QPSK_1RB0




CH23155_5M_QPSK_1RB5




CH23035_5M_QPSK_6RB0




CH23155_5M_QPSK_6RB0




CH23060_10M_QPSK_1RB0




CH23130_10M_QPSK_1RB5




CH23060_10M_QPSK_6RB0




CH23130_10M_QPSK_6RB0




Mode 5: LTE Cat-M1 Band 13






Mode 6: LTE Cat-M1 Band 26 (Part 90)


CH26697_1.4M_QPSK_1RB0




CH26783_1.4M_QPSK_1RB5




CH26697_1.4M_QPSK_6RB0




CH26783_1.4M_QPSK_6RB0




CH26705_3M_QPSK_1RB0



CH26775_3M_QPSK_1RB5




CH26705_3M_QPSK_6RB0




Date: 2 APR 2024 13:46:06

CH26775_3M_QPSK_6RB0




Date: 2 APR 2024 13:42:34

CH26715_5M_QPSK_1RB0




Date: 2 APR 2024 12:59:56

CH26765_5M_QPSK_1RB5




Date: 2 APR 2024 14:03:39

CH26715_5M_QPSK_6RB0




Date: 2 APR 2024 14:01:45

CH26765_5M_QPSK_6RB0




Date: 2 APR 2024 14:02:51


CH26740_10M_QPSK_1RB0




CH26740_10M_QPSK_1RB5



CH26740_10M_QPSK_6RB0




CH26740_10M_QPSK_6RB0




Mode 7: LTE NB-IoT Band 2 / 25


3.75k_CH26042_BPSK_1RB0




3.75k_CH26688_BPSK_1RB47




3.75k_CH26042_QPSK_1RB0




3.75k_CH26688_QPSK_1RB47




15k_CH26042_BPSK_1RB0




15k_CH26688_BPSK_1RB11




15k_CH26042_QPSK_1RB0




15k_CH26688_QPSK_1RB11



15k_CH26042_QPSK_12RB0




15k_CH26688_QPSK_12RB0




Mode 8: LTE NB-IoT Band 4 / 66


3.75k_CH131974_BPSK_1RB0




3.75k_CH132670_BPSK_1RB47




3.75k_CH131974_QPSK_1RB0




3.75k_CH132670_QPSK_1RB47




15k_CH131974_BPSK_1RB0




15k_CH132670_BPSK_1RB11




15k_CH131974_QPSK_1RB0




15k_CH132670_QPSK_1RB11



15k_CH131974_QPSK_12RB0




15k_CH132670_QPSK_12RB0




Mode 9: LTE NB-IoT Band 5 / 26 (Part 22)


3.75k_CH26792_BPSK_1RB0




3.75k_CH27038_BPSK_1RB47




3.75k_CH26792_QPSK_1RB0




3.75k_CH27038_QPSK_1RB47




15k_CH26792_BPSK_1RB0




15k_CH27038_BPSK_1RB11




15k_CH26792_QPSK_1RB0




15k_CH27038_QPSK_1RB11



15k_CH26792_QPSK_12RB0




15k_CH27038_QPSK_12RB0




Mode 10: LTE NB-IoT Band 12


3.75K_CH23012_BPSK_1RB0




3.75K_CH23178_BPSK_1RB47




3.75K_CH23012_QPSK_1RB0




3.75K_CH23178_QPSK_1RB47




15K_CH23012_BPSK_1RB0




15K_CH23178_BPSK_1RB11




15K_CH23012_QPSK_1RB0




15K_CH23178_QPSK_1RB11



15K_CH23012_QPSK_12RB0




15K_CH23178_QPSK_12RB0




Mode 11: LTE NB-IoT Band 13


3.75K_CH23182_BPSK_1RB0




3.75K_CH23278_BPSK_1RB47




3.75K_CH23182_QPSK_1RB0




3.75K_CH23278_QPSK_1RB47




15K_CH23182_BPSK_1RB0




15K_CH23278_BPSK_1RB11




15K_CH23182_QPSK_1RB0




15K_CH23278_QPSK_1RB11



15K_CH23182_QPSK_12RB0




15K_CH23278_QPSK_12RB0




Mode 12: LTE NB-IoT 1 Band 26 (Part 90)


3.75k_CH26692_BPSK_1RB0




3.75k_CH26788_BPSK_1RB47




3.75k_CH26692_QPSK_1RB0




3.75k_CH26788_QPSK_1RB47




15k_CH26692_BPSK_1RB0




15k_CH26788_BPSK_1RB11




15k_CH26692_QPSK_1RB0





15k_CH26692_QPSK_12RB0



15k_CH26788_QPSK_1RB11




15k_CH26788_QPSK_12RB0




Mode 13: LTE NB-IoT Band 70


3.75k_CH132974_BPSK_1RB0




3.75k_CH133120_BPSK_1RB47




3.75k_CH132974_QPSK_1RB0




3.75k_CH133120_QPSK_1RB47




15k_CH132974_BPSK_1RB0




15k_CH133120_BPSK_1RB11




15k_CH132974_QPSK_1RB0




15k_CH133120_QPSK_1RB11



15k_CH132974_QPSK_12RB0




15k_CH133120_QPSK_12RB0




Mode 14: LTE NB-IoT Band 85


3.75k_Ch134004_BPSK_1RB0




3.75k_Ch134180_BPSK_1RB47




3.75k_Ch134004_QPSK_1RB0




3.75k_Ch134180_QPSK_1RB47




15k_Ch134004_BPSK_1RB0




15k_Ch134180_BPSK_1RB11




15k_Ch134004_QPSK_1RB0




15k_Ch134180_QPSK_1RB11



15k_Ch134004_QPSK_12RB0



15k_Ch134180_QPSK_12RB0



Appendix F. Test Result of Frequency Stability

Mode 1: LTE Cat-M1 Band 2 / 25

LTE Cat-M1 Band 2 / 25 / 1.4 MHz / 1850.7 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.86	0.0010
3.70	1.54	0.0008
2.50	1.14	0.0006

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.42	0.0008
-20	1.45	0.0008
-10	1.28	0.0007
0	0.14	0.0001
10	0.23	0.0001
20	1.65	0.0009
30	0.47	0.0003
40	0.54	0.0003
50	0.52	0.0003
60	1.41	0.0008
70	1.66	0.0009

LTE Cat-M1 Band 2 / 25 / 1.4 MHz / 1882.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	0.74	0.0004
3.70	1.75	0.0009
2.50	1.00	0.0005

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.30	0.0007
-20	1.75	0.0009
-10	1.11	0.0006
0	1.04	0.0006
10	1.30	0.0007
20	1.74	0.0009
30	1.61	0.0009
40	1.60	0.0008
50	1.27	0.0007
60	2.29	0.0012
70	2.29	0.0012

LTE Cat-M1 Band 2 / 25 / 1.4 MHz / 1914.3 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	2.56	0.0013
3.70	2.96	0.0015
2.50	2.63	0.0014

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	2.39	0.0012
-20	2.59	0.0014
-10	2.47	0.0013
0	2.15	0.0011
10	2.27	0.0012
20	2.84	0.0015
30	3.01	0.0016
40	1.44	0.0008
50	2.32	0.0012
60	2.27	0.0012
70	2.92	0.0015

LTE Cat-M1 Band 2 / 25 / 3 MHz / 1851.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.09	0.0006
3.70	1.54	0.0008
2.50	1.57	0.0008

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.17	0.0001
-20	0.61	0.0003
-10	0.71	0.0004
0	0.54	0.0003
10	0.91	0.0005
20	1.01	0.0005
30	0.67	0.0004
40	1.63	0.0009
50	0.74	0.0004
60	1.91	0.0010
70	1.84	0.0010

LTE Cat-M1 Band 2 / 25 / 3 MHz / 1882.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	2.05	0.0011
3.70	1.75	0.0009
2.50	1.26	0.0007

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	2.12	0.0011
-20	0.82	0.0004
-10	1.87	0.0010
0	1.19	0.0006
10	0.22	0.0001
20	1.21	0.0006
30	1.81	0.0010
40	0.92	0.0005
50	1.19	0.0006
60	1.62	0.0009
70	1.22	0.0006

LTE Cat-M1 Band 2 / 25 / 3 MHz / 1913.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	2.43	0.0013
3.70	2.96	0.0015
2.50	2.06	0.0011

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	3.01	0.0016
-20	2.57	0.0013
-10	2.79	0.0015
0	1.44	0.0008
10	2.57	0.0013
20	2.43	0.0013
30	2.40	0.0013
40	1.78	0.0009
50	2.46	0.0013
60	3.44	0.0018
70	1.90	0.0010

LTE Cat-M1 Band 2 / 25 / 5 MHz / 1852.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.19	0.0006
3.70	1.54	0.0008
2.50	0.76	0.0004

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.33	0.0007
-20	0.97	0.0005
-10	0.36	0.0002
0	1.19	0.0006
10	1.53	0.0008
20	1.61	0.0009
30	0.48	0.0003
40	0.83	0.0004
50	0.61	0.0003
60	0.42	0.0002
70	1.38	0.0007

LTE Cat-M1 Band 2 / 25 / 5 MHz / 1882.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.57	0.0008
3.70	1.75	0.0009
2.50	1.27	0.0007

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.89	0.0010
-20	1.84	0.0010
-10	1.05	0.0006
0	0.31	0.0002
10	0.47	0.0002
20	0.88	0.0005
30	1.32	0.0007
40	1.79	0.0010
50	1.10	0.0006
60	1.01	0.0005
70	1.32	0.0007

LTE Cat-M1 Band 2 / 25 / 5 MHz / 1912.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.91	0.0010
3.70	2.96	0.0015
2.50	2.90	0.0015

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	2.96	0.0015
-20	1.99	0.0010
-10	2.29	0.0012
0	2.34	0.0012
10	2.83	0.0015
20	2.19	0.0011
30	2.58	0.0013
40	2.28	0.0012
50	3.28	0.0017
60	2.66	0.0014
70	2.18	0.0011

LTE Cat-M1 Band 2 / 25 / 10 MHz / 1855 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	0.75	0.0004
3.70	1.54	0.0008
2.50	1.38	0.0007

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.52	0.0008
-20	0.93	0.0005
-10	0.57	0.0003
0	1.56	0.0008
10	0.73	0.0004
20	1.17	0.0006
30	0.70	0.0004
40	0.61	0.0003
50	1.39	0.0007
60	0.75	0.0004
70	1.23	0.0007

LTE Cat-M1 Band 2 / 25 / 10 MHz / 1882.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.79	0.0010
3.70	1.75	0.0009
2.50	1.52	0.0008

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.73	0.0009
-20	0.81	0.0004
-10	1.13	0.0006
0	1.56	0.0008
10	1.84	0.0010
20	1.28	0.0007
30	1.04	0.0006
40	0.99	0.0005
50	1.89	0.0010
60	1.60	0.0008
70	0.76	0.0004

LTE Cat-M1 Band 2 / 25 / 10 MHz / 1910 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	2.08	0.0011
3.70	2.96	0.0015
2.50	2.15	0.0011

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	2.20	0.0012
-20	3.16	0.0017
-10	2.43	0.0013
0	2.24	0.0012
10	2.82	0.0015
20	3.11	0.0016
30	1.88	0.0010
40	2.21	0.0012
50	2.94	0.0015
60	2.26	0.0012
70	2.07	0.0011

LTE Cat-M1 Band 2 / 25 / 15 MHz / 1857.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.57	0.0008
3.70	1.54	0.0008
2.50	0.58	0.0003

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.82	0.0010
-20	0.63	0.0003
-10	0.66	0.0004
0	2.23	0.0012
10	0.98	0.0005
20	0.45	0.0002
30	0.43	0.0002
40	0.62	0.0003
50	0.75	0.0004
60	1.13	0.0006
70	1.42	0.0008

LTE Cat-M1 Band 2 / 25 / 15 MHz / 1882.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	0.66	0.0004
3.70	1.75	0.0009
2.50	1.81	0.0010

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	-0.17	-0.0001
-20	1.53	0.0008
-10	1.70	0.0009
0	1.27	0.0007
10	0.66	0.0004
20	1.39	0.0007
30	0.76	0.0004
40	1.48	0.0008
50	1.33	0.0007
60	1.74	0.0009
70	2.00	0.0011

LTE Cat-M1 Band 2 / 25 / 15 MHz / 1907.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	2.50	0.0013
3.70	2.96	0.0016
2.50	2.60	0.0014

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	2.89	0.0015
-20	2.83	0.0015
-10	3.14	0.0016
0	3.32	0.0017
10	2.64	0.0014
20	2.51	0.0013
30	2.98	0.0016
40	2.19	0.0011
50	2.91	0.0015
60	2.80	0.0015
70	2.54	0.0013

LTE Cat-M1 Band 2 / 25 / 20 MHz / 1860 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	0.85	0.0005
3.70	1.54	0.0008
2.50	0.85	0.0005

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.00	0.0005
-20	1.76	0.0009
-10	0.87	0.0005
0	1.27	0.0007
10	1.42	0.0008
20	0.07	0.0000
30	0.34	0.0002
40	0.57	0.0003
50	1.27	0.0007
60	0.75	0.0004
70	1.16	0.0006

LTE Cat-M1 Band 2 / 25 / 20 MHz / 1882.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	0.96	0.0005
3.70	1.75	0.0009
2.50	0.96	0.0005

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.80	0.0004
-20	0.68	0.0004
-10	1.74	0.0009
0	1.37	0.0007
10	0.18	0.0001
20	1.52	0.0008
30	1.59	0.0008
40	1.42	0.0008
50	1.36	0.0007
60	0.78	0.0004
70	1.90	0.0010

LTE Cat-M1 Band 2 / 25 / 20 MHz / 1905 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	2.47	0.0013
3.70	2.96	0.0016
2.50	2.04	0.0011

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.50	0.0008
-20	2.46	0.0013
-10	3.46	0.0018
0	2.63	0.0014
10	1.85	0.0010
20	3.17	0.0017
30	2.33	0.0012
40	2.09	0.0011
50	2.99	0.0016
60	2.67	0.0014
70	2.04	0.0011

Mode 2: LTE Cat-M1 Band 4 / 66
LTE Cat-M1 Band 4 / 66 / 1.4 MHz / 1710.7 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.41	0.0008
3.70	2.03	0.0012
2.50	1.67	0.0010

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.45	0.0008
-20	1.58	0.0009
-10	1.58	0.0009
0	2.09	0.0012
10	1.92	0.0011
20	0.55	0.0003
30	2.14	0.0013
40	1.69	0.0010
50	1.04	0.0006
60	1.03	0.0006
70	1.18	0.0007

LTE Cat-M1 Band 4 / 66 / 1.4 MHz / 1745 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.27	0.0007
3.70	1.59	0.0009
2.50	1.61	0.0009

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.86	0.0005
-20	1.74	0.0010
-10	1.09	0.0006
0	1.83	0.0010
10	0.99	0.0006
20	0.39	0.0002
30	1.42	0.0008
40	0.65	0.0004
50	1.02	0.0006
60	0.87	0.0005
70	0.27	0.0002

LTE Cat-M1 Band 4 / 66 / 1.4 MHz / 1779.3 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.24	0.0007
3.70	1.60	0.0009
2.50	0.86	0.0005

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.73	0.0010
-20	1.55	0.0009
-10	1.14	0.0006
0	0.66	0.0004
10	1.06	0.0006
20	1.65	0.0009
30	1.65	0.0009
40	0.42	0.0002
50	0.53	0.0003
60	1.42	0.0008
70	0.73	0.0004

LTE Cat-M1 Band 4 / 66 / 3 MHz / 1711.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.66	0.0010
3.70	2.03	0.0012
2.50	1.21	0.0007

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.50	0.0009
-20	0.83	0.0005
-10	1.19	0.0007
0	1.10	0.0006
10	1.93	0.0011
20	0.59	0.0003
30	1.10	0.0006
40	0.94	0.0005
50	1.84	0.0011
60	1.78	0.0010
70	1.35	0.0008

LTE Cat-M1 Band 4 / 66 / 3 MHz / 1745 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	0.61	0.0003
3.70	1.59	0.0009
2.50	1.24	0.0007

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.83	0.0005
-20	0.96	0.0006
-10	1.63	0.0009
0	0.95	0.0005
10	1.50	0.0009
20	0.49	0.0003
30	0.49	0.0003
40	1.02	0.0006
50	0.88	0.0005
60	0.85	0.0005
70	1.11	0.0006

LTE Cat-M1 Band 4 / 66 / 3 MHz / 1778.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	0.99	0.0006
3.70	1.60	0.0009
2.50	0.67	0.0004

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.85	0.0010
-20	1.87	0.0011
-10	1.04	0.0006
0	0.93	0.0005
10	1.61	0.0009
20	0.75	0.0004
30	1.32	0.0007
40	1.84	0.0010
50	0.89	0.0005
60	0.26	0.0001
70	1.24	0.0007

LTE Cat-M1 Band 4 / 66 / 5 MHz / 1712.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.56	0.0009
3.70	2.03	0.0012
2.50	2.21	0.0013

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	2.21	0.0013
-20	1.46	0.0009
-10	1.18	0.0007
0	2.05	0.0012
10	2.36	0.0014
20	1.05	0.0006
30	2.00	0.0012
40	1.55	0.0009
50	1.11	0.0006
60	2.46	0.0014
70	1.91	0.0011

LTE Cat-M1 Band 4 / 66 / 5 MHz / 1745 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.25	0.0007
3.70	1.59	0.0009
2.50	1.19	0.0007

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.42	0.0008
-20	1.36	0.0008
-10	1.32	0.0008
0	1.35	0.0008
10	2.40	0.0014
20	1.38	0.0008
30	0.54	0.0003
40	0.75	0.0004
50	1.53	0.0009
60	0.57	0.0003
70	1.49	0.0009

LTE Cat-M1 Band 4 / 66 / 5 MHz / 1777.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.07	0.0006
3.70	1.60	0.0009
2.50	0.87	0.0005

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.81	0.0005
-20	0.17	0.0001
-10	1.88	0.0011
0	1.19	0.0007
10	0.35	0.0002
20	0.67	0.0004
30	0.92	0.0005
40	0.64	0.0004
50	1.20	0.0007
60	0.84	0.0005
70	1.32	0.0007

LTE Cat-M1 Band 4 / 66 / 10 MHz / 1715 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.90	0.0011
3.70	2.03	0.0012
2.50	0.77	0.0004

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.73	0.0010
-20	0.78	0.0005
-10	1.12	0.0007
0	1.76	0.0010
10	2.31	0.0013
20	1.18	0.0007
30	1.50	0.0009
40	2.26	0.0013
50	2.20	0.0013
60	2.29	0.0013
70	1.80	0.0010

LTE Cat-M1 Band 4 / 66 / 10 MHz / 1745 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.06	0.0006
3.70	1.59	0.0009
2.50	0.58	0.0003

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.81	0.0005
-20	1.00	0.0006
-10	1.14	0.0007
0	1.25	0.0007
10	2.02	0.0012
20	1.00	0.0006
30	0.89	0.0005
40	1.03	0.0006
50	1.12	0.0006
60	-0.07	0.0000
70	1.16	0.0007

LTE Cat-M1 Band 4 / 66 / 10 MHz / 1775 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	0.52	0.0003
3.70	1.60	0.0009
2.50	0.19	0.0001

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.58	0.0003
-20	0.94	0.0005
-10	1.40	0.0008
0	0.78	0.0004
10	2.09	0.0012
20	1.25	0.0007
30	0.19	0.0001
40	0.83	0.0005
50	0.80	0.0005
60	1.00	0.0006
70	0.55	0.0003

LTE Cat-M1 Band 4 / 66 / 15 MHz / 1717.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.95	0.0011
3.70	2.03	0.0012
2.50	1.57	0.0009

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.10	0.0006
-20	0.90	0.0005
-10	2.22	0.0013
0	1.53	0.0009
10	0.68	0.0004
20	2.13	0.0012
30	1.80	0.0010
40	0.78	0.0005
50	1.15	0.0007
60	0.92	0.0005
70	2.07	0.0012

LTE Cat-M1 Band 4 / 66 / 15 MHz / 1745 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.01	0.0006
3.70	1.59	0.0009
2.50	0.91	0.0005

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.36	0.0002
-20	0.73	0.0004
-10	1.99	0.0011
0	1.41	0.0008
10	1.11	0.0006
20	1.34	0.0008
30	1.84	0.0011
40	0.64	0.0004
50	1.14	0.0007
60	2.01	0.0012
70	2.12	0.0012

LTE Cat-M1 Band 4 / 66 / 15 MHz / 1772.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	2.22	0.0013
3.70	1.60	0.0009
2.50	0.36	0.0002

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.40	0.0008
-20	1.46	0.0008
-10	0.60	0.0003
0	0.16	0.0001
10	1.03	0.0006
20	1.14	0.0006
30	1.42	0.0008
40	1.12	0.0006
50	1.91	0.0011
60	0.86	0.0005
70	1.24	0.0007

LTE Cat-M1 Band 4 / 66 / 20 MHz / 1720 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.91	0.0011
3.70	2.03	0.0012
2.50	1.73	0.0010

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.37	0.0002
-20	1.70	0.0010
-10	2.28	0.0013
0	2.22	0.0013
10	1.69	0.0010
20	1.66	0.0010
30	1.54	0.0009
40	0.78	0.0005
50	1.23	0.0007
60	2.19	0.0013
70	1.60	0.0009

LTE Cat-M1 Band 4 / 66 / 20 MHz / 1745 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.84	0.0011
3.70	1.59	0.0009
2.50	0.76	0.0004

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.32	0.0008
-20	1.17	0.0007
-10	1.56	0.0009
0	1.28	0.0007
10	1.45	0.0008
20	1.07	0.0006
30	1.68	0.0010
40	1.51	0.0009
50	0.13	0.0001
60	0.34	0.0002
70	1.78	0.0010

LTE Cat-M1 Band 4 / 66 / 20 MHz / 1770 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	1.24	0.0007
3.70	1.60	0.0009
2.50	0.88	0.0005

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	0.76	0.0004
-20	2.03	0.0011
-10	0.60	0.0003
0	2.22	0.0013
10	1.38	0.0008
20	1.24	0.0007
30	0.49	0.0003
40	1.23	0.0007
50	1.45	0.0008
60	1.52	0.0009
70	1.03	0.0006

Mode 3: LTE Cat-M1 Band 5 / 26 (Part 22)

LTE Cat-M1 Band 5 / 26 (Part 22) / 1.4 MHz / 824.7 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	2.59	0.0031
3.70	2.88	0.0035
2.50	2.36	0.0029

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.94	0.0024
-20	1.63	0.0020
-10	2.36	0.0029
0	1.80	0.0022
10	2.40	0.0029
20	2.83	0.0034
30	2.29	0.0028
40	2.32	0.0028
50	2.01	0.0024
60	2.35	0.0028
70	2.13	0.0026

LTE Cat-M1 Band 5 / 26 (Part 22) / 1.4 MHz / 836.5 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	0.96	0.0011
3.70	1.75	0.0021
2.50	0.61	0.0007

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	1.19	0.0014
-20	1.37	0.0016
-10	2.30	0.0027
0	1.76	0.0021
10	0.49	0.0006
20	1.45	0.0017
30	1.44	0.0017
40	0.36	0.0004
50	1.24	0.0015
60	1.40	0.0017
70	1.00	0.0012

LTE Cat-M1 Band 5 / 26 (Part 22) / 1.4 MHz / 848.3 MHz

Voltage (VDC)	Frequency Stability (Hz)	Frequency Stability (ppm)
4.35	4.36	0.0051
3.70	4.11	0.0048
2.50	4.84	0.0057

Temperature (°C)	Frequency Stability (Hz)	Frequency Stability (ppm)
-30	3.39	0.0040
-20	3.06	0.0036
-10	3.29	0.0039
0	4.41	0.0052
10	3.42	0.0040
20	3.63	0.0043
30	3.39	0.0040
40	3.93	0.0046
50	3.65	0.0043
60	4.72	0.0056
70	3.57	0.0042