Report No.: HR/2018/B000301

Page: 1 of 43

Appendix B

E-UTRA BAND 17

Report No.: HR/2018/B000301 Page: 2 of 43

CONTENT

1.	. Effective (Isotropic) Radiated Power	3
	1.1. Test Result	3
2.	. Peak-to-Average Ratio(CCDF)	7
	2.1. Test Result	7
	2.2. Test Plots	7
3.	. Modulation Characteristics	11
	3.1. Test BAND = LTE BAND17	11
	3.1.1. Test Mode = LTE /TM1 10MHz	11
	3.1.1.1. Test Channel = MCH	11
	3.1.2. Test Mode = LTE /TM2 10MHz	12
	3.1.2.1. Test Channel = MCH	12
	3.1.1. Test Mode = LTE /TM3 10MHz	13
	3.1.1.1. Test Channel = MCH	13
4.	. 26dB Bandwidth and Occupied Bandwidth	14
	4.1. Test Result	14
	4.2. Test Plots	14
5.	. BAND EDGE COMPLIANCE	21
	5.1. Test Plots	21
6.	. Spurious Emission at Antenna Terminal	30
	6.1. Test Plots	30
7.	. FIELD STRENGTH OF SPURIOUS RADIATION	37
	7.1. Test BAND = LTE BAND 17	37
	7.1.1. Test Mode =LTE/TM1 10MHz	37
	7.1.1.1. Test Channel = LCH	37
	7.1.1.1.1 Polarity=Horizontal	37
	7.1.1.1.2. Polarity=Vertical	38
	7.1.1.2. Test Channel = MCH	38
	7.1.1.2.1. Polarity=Horizontal	38
	7.1.1.2.2. Polarity=Vertical	39
	7.1.1.3. Test Channel = HCH	39
	7.1.1.3.1. Polarity=Horizontal	39
	7.1.1.3.2. Polarity=Vertical	40
8.	. Frequency Stability	41
	8.1. Frequency Vs Voltage	41
	8.2. Frequency Vs Temperature	41

Report No.: HR/2018/B000301 Page: 3 of 43

1. Effective (Isotropic) Radiated Power

1.1.Test Result

BAND	Bandwi	Modulation	Channel	RB Configuration	Result	ERP	Limit	Verdict
	dth				(dBm)	(dBm)	(dBm)	
Band17	5MHz	QPSK	23755	1RB#0	22.60	18.45	36.98	PASS
Band17	5MHz	QPSK	23755	1RB#12	22.66	18.51	36.98	PASS
Band17	5MHz	QPSK	23755	1RB#24	22.54	18.39	36.98	PASS
Band17	5MHz	QPSK	23755	12RB#0	21.64	17.49	36.98	PASS
Band17	5MHz	QPSK	23755	12RB#6	21.62	17.47	36.98	PASS
Band17	5MHz	QPSK	23755	12RB#13	21.62	17.47	36.98	PASS
Band17	5MHz	QPSK	23755	25RB#0	21.61	17.46	36.98	PASS
Band17	5MHz	QPSK	23790	1RB#0	22.57	18.42	36.98	PASS
Band17	5MHz	QPSK	23790	1RB#12	22.64	18.49	36.98	PASS
Band17	5MHz	QPSK	23790	1RB#24	22.56	18.41	36.98	PASS
Band17	5MHz	QPSK	23790	12RB#0	21.59	17.44	36.98	PASS
Band17	5MHz	QPSK	23790	12RB#6	21.66	17.51	36.98	PASS
Band17	5MHz	QPSK	23790	12RB#13	21.66	17.51	36.98	PASS
Band17	5MHz	QPSK	23790	25RB#0	21.63	17.48	36.98	PASS
Band17	5MHz	QPSK	23825	1RB#0	22.63	18.48	36.98	PASS
Band17	5MHz	QPSK	23825	1RB#12	22.66	18.51	36.98	PASS
Band17	5MHz	QPSK	23825	1RB#24	22.56	18.41	36.98	PASS
Band17	5MHz	QPSK	23825	12RB#0	21.64	17.49	36.98	PASS
Band17	5MHz	QPSK	23825	12RB#6	21.68	17.53	36.98	PASS
Band17	5MHz	QPSK	23825	12RB#13	21.66	17.51	36.98	PASS
Band17	5MHz	QPSK	23825	25RB#0	21.64	17.49	36.98	PASS
Band17	5MHz	64QAM	23755	1RB#0	20.63	16.48	36.98	PASS
Band17	5MHz	64QAM	23755	1RB#12	20.70	16.55	36.98	PASS
Band17	5MHz	64QAM	23755	1RB#24	20.56	16.41	36.98	PASS
Band17	5MHz	64QAM	23755	12RB#0	19.55	15.40	36.98	PASS
Band17	5MHz	64QAM	23755	12RB#6	19.58	15.43	36.98	PASS
Band17	5MHz	64QAM	23755	12RB#13	19.53	15.38	36.98	PASS
Band17	5MHz	64QAM	23755	25RB#0	19.58	15.43	36.98	PASS
Band17	5MHz	64QAM	23790	1RB#0	20.56	16.41	36.98	PASS
Band17	5MHz	64QAM	23790	1RB#12	20.66	16.51	36.98	PASS
Band17	5MHz	64QAM	23790	1RB#24	20.62	16.47	36.98	PASS
Band17	5MHz	64QAM	23790	12RB#0	19.57	15.42	36.98	PASS
Band17	5MHz	64QAM	23790	12RB#6	19.64	15.49	36.98	PASS
Band17	5MHz	64QAM	23790	12RB#13	19.58	15.43	36.98	PASS
Band17	5MHz	64QAM	23790	25RB#0	19.63	15.48	36.98	PASS
Band17	5MHz	64QAM	23825	1RB#0	20.69	16.54	36.98	PASS
		4	1	:: -				1



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: HR/2018/B000301 Page: 4 of 43

	T	T	T	T	1	ı	ı	T
Band17	5MHz	64QAM	23825	1RB#12	20.72	16.57	36.98	PASS
Band17	5MHz	64QAM	23825	1RB#24	20.63	16.48	36.98	PASS
Band17	5MHz	64QAM	23825	12RB#0	19.61	15.46	36.98	PASS
Band17	5MHz	64QAM	23825	12RB#6	19.62	15.47	36.98	PASS
Band17	5MHz	64QAM	23825	12RB#13	19.59	15.44	36.98	PASS
Band17	5MHz	64QAM	23825	25RB#0	19.63	15.48	36.98	PASS
Band17	5MHz	16QAM	23755	1RB#0	21.71	17.56	36.98	PASS
Band17	5MHz	16QAM	23755	1RB#12	21.84	17.69	36.98	PASS
Band17	5MHz	16QAM	23755	1RB#24	21.69	17.54	36.98	PASS
Band17	5MHz	16QAM	23755	12RB#0	20.56	16.41	36.98	PASS
Band17	5MHz	16QAM	23755	12RB#6	20.58	16.43	36.98	PASS
Band17	5MHz	16QAM	23755	12RB#13	20.57	16.42	36.98	PASS
Band17	5MHz	16QAM	23755	25RB#0	20.50	16.35	36.98	PASS
Band17	5MHz	16QAM	23790	1RB#0	21.65	17.50	36.98	PASS
Band17	5MHz	16QAM	23790	1RB#12	21.77	17.62	36.98	PASS
Band17	5MHz	16QAM	23790	1RB#24	21.72	17.57	36.98	PASS
Band17	5MHz	16QAM	23790	12RB#0	20.61	16.46	36.98	PASS
Band17	5MHz	16QAM	23790	12RB#6	20.64	16.49	36.98	PASS
Band17	5MHz	16QAM	23790	12RB#13	20.63	16.48	36.98	PASS
Band17	5MHz	16QAM	23790	25RB#0	20.58	16.43	36.98	PASS
Band17	5MHz	16QAM	23825	1RB#0	21.75	17.60	36.98	PASS
Band17	5MHz	16QAM	23825	1RB#12	21.85	17.70	36.98	PASS
Band17	5MHz	16QAM	23825	1RB#24	21.75	17.60	36.98	PASS
Band17	5MHz	16QAM	23825	12RB#0	20.58	16.43	36.98	PASS
Band17	5MHz	16QAM	23825	12RB#6	20.61	16.46	36.98	PASS
Band17	5MHz	16QAM	23825	12RB#13	20.59	16.44	36.98	PASS
Band17	5MHz	16QAM	23825	25RB#0	20.55	16.40	36.98	PASS
Band17	10MHz	QPSK	23780	1RB#0	22.52	18.37	36.98	PASS
Band17	10MHz	QPSK	23780	1RB#24	22.57	18.42	36.98	PASS
Band17	10MHz	QPSK	23780	1RB#49	22.48	18.33	36.98	PASS
Band17	10MHz	QPSK	23780	25RB#0	21.55	17.40	36.98	PASS
Band17	10MHz	QPSK	23780	25RB#12	21.62	17.47	36.98	PASS
Band17	10MHz	QPSK	23780	25RB#25	21.58	17.43	36.98	PASS
Band17	10MHz	QPSK	23780	50RB#0	21.59	17.44	36.98	PASS
Band17	10MHz	QPSK	23790	1RB#0	22.50	18.35	36.98	PASS
Band17	10MHz	QPSK	23790	1RB#24	22.62	18.47	36.98	PASS
Band17	10MHz	QPSK	23790	1RB#49	22.48	18.33	36.98	PASS
Band17	10MHz	QPSK	23790	25RB#0	21.61	17.46	36.98	PASS
Band17	10MHz	QPSK	23790	25RB#12	21.59	17.44	36.98	PASS
Band17	10MHz	QPSK	23790	25RB#25	21.57	17.42	36.98	PASS
Band17	10MHz	QPSK	23790	50RB#0	21.55	17.40	36.98	PASS
Band17	10MHz	QPSK	23800	1RB#0	22.51	18.36	36.98	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf,-available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: HR/2018/B000301 Page: 5 of 43

	1		T		T		T	T
Band17	10MHz	QPSK	23800	1RB#24	22.60	18.45	36.98	PASS
Band17	10MHz	QPSK	23800	1RB#49	22.50	18.35	36.98	PASS
Band17	10MHz	QPSK	23800	25RB#0	21.54	17.39	36.98	PASS
Band17	10MHz	QPSK	23800	25RB#12	21.63	17.48	36.98	PASS
Band17	10MHz	QPSK	23800	25RB#25	21.55	17.40	36.98	PASS
Band17	10MHz	QPSK	23800	50RB#0	21.57	17.42	36.98	PASS
Band17	10MHz	64QAM	23780	1RB#0	20.66	16.51	36.98	PASS
Band17	10MHz	64QAM	23780	1RB#24	20.78	16.63	36.98	PASS
Band17	10MHz	64QAM	23780	1RB#49	20.63	16.48	36.98	PASS
Band17	10MHz	64QAM	23780	25RB#0	19.58	15.43	36.98	PASS
Band17	10MHz	64QAM	23780	25RB#12	19.55	15.40	36.98	PASS
Band17	10MHz	64QAM	23780	25RB#25	19.53	15.38	36.98	PASS
Band17	10MHz	64QAM	23780	50RB#0	19.53	15.38	36.98	PASS
Band17	10MHz	64QAM	23790	1RB#0	20.57	16.42	36.98	PASS
Band17	10MHz	64QAM	23790	1RB#24	20.79	16.64	36.98	PASS
Band17	10MHz	64QAM	23790	1RB#49	20.57	16.42	36.98	PASS
Band17	10MHz	64QAM	23790	25RB#0	19.56	15.41	36.98	PASS
Band17	10MHz	64QAM	23790	25RB#12	19.61	15.46	36.98	PASS
Band17	10MHz	64QAM	23790	25RB#25	19.55	15.40	36.98	PASS
Band17	10MHz	64QAM	23790	50RB#0	19.52	15.37	36.98	PASS
Band17	10MHz	64QAM	23800	1RB#0	20.64	16.49	36.98	PASS
Band17	10MHz	64QAM	23800	1RB#24	20.71	16.56	36.98	PASS
Band17	10MHz	64QAM	23800	1RB#49	20.60	16.45	36.98	PASS
Band17	10MHz	64QAM	23800	25RB#0	19.52	15.37	36.98	PASS
Band17	10MHz	64QAM	23800	25RB#12	19.60	15.45	36.98	PASS
Band17	10MHz	64QAM	23800	25RB#25	19.55	15.40	36.98	PASS
Band17	10MHz	64QAM	23800	50RB#0	19.55	15.40	36.98	PASS
Band17	10MHz	16QAM	23780	1RB#0	21.75	17.60	36.98	PASS
Band17	10MHz	16QAM	23780	1RB#24	21.70	17.55	36.98	PASS
Band17	10MHz	16QAM	23780	1RB#49	21.63	17.48	36.98	PASS
Band17	10MHz	16QAM	23780	25RB#0	20.55	16.40	36.98	PASS
Band17	10MHz	16QAM	23780	25RB#12	20.58	16.43	36.98	PASS
Band17	10MHz	16QAM	23780	25RB#25	20.55	16.40	36.98	PASS
Band17	10MHz	16QAM	23780	50RB#0	20.55	16.40	36.98	PASS
Band17	10MHz	16QAM	23790	1RB#0	21.65	17.50	36.98	PASS
Band17	10MHz	16QAM	23790	1RB#24	21.73	17.58	36.98	PASS
Band17	10MHz	16QAM	23790	1RB#49	21.55	17.40	36.98	PASS
Band17	10MHz	16QAM	23790	25RB#0	20.51	16.36	36.98	PASS
Band17	10MHz	16QAM	23790	25RB#12	20.52	16.37	36.98	PASS
Band17	10MHz	16QAM	23790	25RB#25	20.54	16.39	36.98	PASS
Band17	10MHz	16QAM	23790	50RB#0	20.51	16.36	36.98	PASS
Band17	10MHz	16QAM	23800	1RB#0	21.62	17.47	36.98	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf,-available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report No.: HR/2018/B000301 Page: 6 of 43

Band17	10MHz	16QAM	23800	1RB#24	21.68	17.53	36.98	PASS
Band17	10MHz	16QAM	23800	1RB#49	21.57	17.42	36.98	PASS
Band17	10MHz	16QAM	23800	25RB#0	20.47	16.32	36.98	PASS
Band17	10MHz	16QAM	23800	25RB#12	20.58	16.43	36.98	PASS
Band17	10MHz	16QAM	23800	25RB#25	20.53	16.38	36.98	PASS
Band17	10MHz	16QAM	23800	50RB#0	20.54	16.39	36.98	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]

EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]

b: SGP=Signal Generator Level

Report No.: HR/2018/B000301


Page: 7 of 43

2. Peak-to-Average Ratio(CCDF)


2.1.Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band17	10MHz	QPSK	23780	50RB#0	5.01	13	PASS
Band17	10MHz	QPSK	23790	50RB#0	5.01	13	PASS
Band17	10MHz	QPSK	23800	50RB#0	5.01	13	PASS
Band17	10MHz	64QAM	23780	50RB#0	5.54	13	PASS
Band17	10MHz	64QAM	23790	50RB#0	5.54	13	PASS
Band17	10MHz	64QAM	23800	50RB#0	5.54	13	PASS
Band17	10MHz	16QAM	23780	50RB#0	5.01	13	PASS
Band17	10MHz	16QAM	23790	50RB#0	5.01	13	PASS
Band17	10MHz	16QAM	23800	50RB#0	5.01	13	PASS


2.2. Test Plots




Report No.: HR/2018/B000301 Page: 8 of 43



Report No.: HR/2018/B000301 Page: 9 of 43



Report No.: HR/2018/B000301 Page: 10 of 43




Report No.: HR/2018/B000301 Page: 11 of 43

3. Modulation Characteristics

3.1.Test BAND = LTE BAND17

3.1.1. Test Mode = LTE /TM1 10MHz


3.1.1.1. Test Channel = MCH



Report No.: HR/2018/B000301 Page: 12 of 43

3.1.2. Test Mode = LTE /TM2 10MHz


3.1.2.1. Test Channel = MCH



Report No.: HR/2018/B000301 Page: 13 of 43

3.1.1. Test Mode = LTE /TM3 10MHz

3.1.1.1. Test Channel = MCH




Report No.: HR/2018/B000301 Page: 14 of 43

4. 26dB Bandwidth and Occupied Bandwidth


4.1.Test Result

BAND	Bandwidth	Modulation	Modulation Channel		Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band17	5MHz	QPSK	23755	25RB#0	4.476	4.910	PASS
Band17	5MHz	QPSK	23790	25RB#0	4.486	4.930	PASS
Band17	5MHz	QPSK	23825	25RB#0	4.476	4.870	PASS
Band17	5MHz	64QAM	23755	25RB#0	4.476	4.920	PASS
Band17	5MHz	64QAM	23790	25RB#0	4.476	4.890	PASS
Band17	5MHz	64QAM	23825	25RB#0	4.476	4.900	PASS
Band17	5MHz	16QAM	23755	25RB#0	4.486	4.930	PASS
Band17	5MHz	16QAM	23790	25RB#0	4.476	4.900	PASS
Band17	5MHz	16QAM	23825	25RB#0	4.476	4.890	PASS
Band17	10MHz	QPSK	23780	50RB#0	8.951	9.760	PASS
Band17	10MHz	QPSK	23790	50RB#0	8.931	9.820	PASS
Band17	10MHz	QPSK	23800	50RB#0	8.931	9.740	PASS
Band17	10MHz	64QAM	23780	50RB#0	8.951	9.800	PASS
Band17	10MHz	64QAM	23790	50RB#0	8.951	9.840	PASS
Band17	10MHz	64QAM	23800	50RB#0	8.931	9.740	PASS
Band17	10MHz	16QAM	23780	50RB#0	8.971	9.840	PASS
Band17	10MHz	16QAM	23790	50RB#0	8.951	9.800	PASS
Band17	10MHz	16QAM	23800	50RB#0	8.931	9.780	PASS


4.2. Test Plots




Report No.: HR/2018/B000301 Page: 15 of 43




Report No.: HR/2018/B000301 Page: 16 of 43




Report No.: HR/2018/B000301 Page: 17 of 43




Report No.: HR/2018/B000301 Page: 18 of 43



Report No.: HR/2018/B000301 Page: 19 of 43




Report No.: HR/2018/B000301 Page: 20 of 43




Report No.: HR/2018/B000301 Page: 21 of 43

5. Band Edge Compliance


5.1. Test Plots




Report No.: HR/2018/B000301 Page: 22 of 43




Report No.: HR/2018/B000301 Page: 23 of 43




Report No.: HR/2018/B000301 Page: 24 of 43




Report No.: HR/2018/B000301 Page: 25 of 43




Report No.: HR/2018/B000301 Page: 26 of 43



Report No.: HR/2018/B000301 Page: 27 of 43



Report No.: HR/2018/B000301 Page: 28 of 43



Report No.: HR/2018/B000301 Page: 29 of 43




Report No.: HR/2018/B000301 Page: 30 of 43

6. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k = 4 * (Span / RBW) with k = 4 * (Span / RBW).

Remark2: only the worst case data displayed in this report.


6.1. Test Plots




Report No.: HR/2018/B000301 Page: 31 of 43




Report No.: HR/2018/B000301 Page: 32 of 43




Report No.: HR/2018/B000301 Page: 33 of 43




Report No.: HR/2018/B000301 Page: 34 of 43



Report No.: HR/2018/B000301 Page: 35 of 43



Report No.: HR/2018/B000301 Page: 36 of 43



Report No.: HR/2018/B000301 Page: 37 of 43

7. Field Strength of Spurious Radiation


7.1.Test BAND = LTE BAND 17

7.1.1. Test Mode =LTE/TM1 10MHz

7.1.1.1. Test Channel = LCH

7.1.1.1.1 Polarity=Horizontal


Full Spectrum



Report No.: HR/2018/B000301 Page: 38 of 43

7.1.1.1.2. Polarity=Vertical


Full Spectrum



7.1.1.2. Test Channel = MCH

7.1.1.2.1. Polarity=Horizontal


Full Spectrum



Report No.: HR/2018/B000301 Page: 39 of 43

7.1.1.2.2. Polarity=Vertical






7.1.1.3. Test Channel = HCH

7.1.1.3.1. Polarity=Horizontal


Full Spectrum



Report No.: HR/2018/B000301 Page: 40 of 43

7.1.1.3.2. Polarity=Vertical

Full Spectrum



Remark:

- 1) The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.
- 2) We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.

Report No.: HR/2018/B000301 Page: 41 of 43

8. Frequency Stability

8.1. Frequency Vs Voltage

				\	Voltage					
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band17	10MHz	QPSK	23780	50RB#0	VL	NT	2.25	0.003173	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	VN	NT	-2.57	-0.003625	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	VH	NT	2.25	0.003173	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	VL	NT	2.43	0.003423	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	VN	NT	2.60	0.003662	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	VH	NT	3.05	0.004296	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	VL	NT	-2.82	-0.003966	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	VN	NT	-3.00	-0.004219	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	VH	NT	-2.66	-0.003741	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	VL	NT	-0.90	-0.001269	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	VN	NT	0.00	0.000000	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	VH	NT	0.00	0.000000	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	VL	NT	-0.50	-0.000704	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	VN	NT	0.40	0.000563	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	VH	NT	-0.30	-0.000423	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	VL	NT	0.00	0.000000	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	VN	NT	-0.50	-0.000703	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	VH	NT	-0.20	-0.000281	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	VL	NT	-2.75	-0.003879	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	VN	NT	-2.76	-0.003893	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	VH	NT	2.17	0.003061	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	VL	NT	-2.39	-0.003366	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	VN	NT	-2.79	-0.003930	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	VH	NT	-3.63	-0.005113	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	VL	NT	-2.42	-0.003404	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	VN	NT	-3.52	-0.004951	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	VH	NT	-2.36	-0.003319	±2.5	PASS

8.2. Frequency Vs Temperature

	Temperature													
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict				
Band17	10MHz	QPSK	23780	50RB#0	NV	-30	2.19	0.003089	±2.5	PASS				
Band17	10MHz	QPSK	23780	50RB#0	NV	-20	2.23	0.003145	±2.5	PASS				
Band17	10MHz	QPSK	23780	50RB#0	NV	0	3.03	0.004274	±2.5	PASS				
Band17	10MHz	QPSK	23780	50RB#0	NV	10	2.29	0.003230	±2.5	PASS				
Band17	10MHz	QPSK	23780	50RB#0	NV	20	-2.66	-0.003752	±2.5	PASS				
Band17	10MHz	QPSK	23780	50RB#0	NV	30	3.16	0.004457	±2.5	PASS				
Band17	10MHz	QPSK	23780	50RB#0	NV	40	2.40	0.003385	±2.5	PASS				
Band17	10MHz	QPSK	23780	50RB#0	NV	50	2.65	0.003738	±2.5	PASS				
Band17	10MHz	QPSK	23790	50RB#0	NV	-30	-2.57	-0.003620	±2.5	PASS				
Band17	10MHz	QPSK	23790	50RB#0	NV	-20	-2.32	-0.003268	±2.5	PASS				
Band17	10MHz	QPSK	23790	50RB#0	NV	0	2.86	0.004028	±2.5	PASS				



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: HR/2018/B000301 Page: 42 of 43

Band17	10MHz	QPSK	23790	50RB#0	NV	10	-2.83	-0.003986	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	20	-2.68	-0.003775	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	30	-2.45	-0.003451	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	40	-2.16	-0.003042	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	50	-3.40	-0.004789	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	-30	-3.16	-0.004444	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	-20	-3.13	-0.004402	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	0	-2.33	-0.003277	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	10	-3.81	-0.005359	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	20	-3.09	-0.004346	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	30	-2.32	-0.003263	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	40	-3.13	-0.004402	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	50	-2.65	-0.003727	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	NV	-30	0.30	0.000423	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	NV	-20	0.20	0.000282	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	NV	0	0.20	0.000282	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	NV	10	-0.10	-0.000141	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	NV	20	0.10	0.000141	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	NV	30	-0.60	-0.000846	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	NV	40	0.10	0.000141	±2.5	PASS
Band17	10MHz	64QAM	23780	50RB#0	NV	50	0.40	0.000564	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	NV	-30	-0.30	-0.000423	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	NV	-20	-0.40	-0.000563	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	NV	0	-0.70	-0.000986	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	NV	10	-1.20	-0.001690	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	NV	20	0.00	0.000000	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	NV	30	0.20	0.000282	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	NV	40	0.10	0.000141	±2.5	PASS
Band17	10MHz	64QAM	23790	50RB#0	NV	50	-0.40	-0.000563	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	NV	-30	-0.40	-0.000563	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	NV	-20	0.00	0.000000	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	NV	0	-0.40	-0.000563	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	NV	10	-0.30	-0.000422	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	NV	20	-0.90	-0.001266	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	NV	30	-0.40	-0.000563	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	NV	40	-0.20	-0.000281	±2.5	PASS
Band17	10MHz	64QAM	23800	50RB#0	NV	50	-1.00	-0.001406	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	-30	2.42	0.003413	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	-20	-3.08	-0.004344	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	0	-2.09	-0.002948	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	10	-2.80	-0.003949	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	20	-3.40	-0.004795	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	30	-3.13	-0.004415	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	40	-2.66	-0.003752	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	50	2.50	0.003526	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	-30	-2.95	-0.004155	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	-20	-2.98	-0.004197	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	0	-2.10	-0.002958	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	10	-3.06	-0.004310	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	20	-2.52	-0.003549	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	30	-2.39	-0.003366	±2.5	PASS
	·				l					

This document is issued by the Company subject to its General Conditions of Service printed overleaf,-available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HR/2018/B000301 Page: 43 of 43

Band17	10MHz	16QAM	23790	50RB#0	NV	40	-3.33	-0.004690	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	50	-3.22	-0.004535	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	-30	-2.93	-0.004121	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	-20	-2.42	-0.003404	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	0	-2.39	-0.003361	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	10	-2.80	-0.003938	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	20	-2.43	-0.003418	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	30	-2.78	-0.003910	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	40	-2.62	-0.003685	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	50	2.26	0.003179	±2.5	PASS

The End