



## TEST REPORT

**Application No.:** GZCR2108020821AT  
**Applicant:** Dspread Technology (Beijing) Inc  
**Address of Applicant:** Rm.407, B12C, #10 (Universal Business Park), Jiuxianqiao Road, Chaoyang District, Beijing, China  
**Manufacturer:** Dspread Technology (Beijing) Inc  
**Address of Manufacturer:** Rm.407, B12C, #10 (Universal Business Park) Jiuxianqiao Road, Chaoyang District, Beijing, China  
**Factory:** SHENZHEN WINSTAR PRECISION ELECTRONICS CO., LTD.  
**Address of factory:** The East Side of the Floor 6, Floor 5, Building 28, Shancheng Industrial Park, Shixin Community, Langxin Community, Shiyan Street, Bao'an District, Shenzhen City, Guangdong Province, P. R. China  
**Equipment Under Test (EUT):**  
**EUT Name:** Mobile POS  
**Model No.:** QPOS Plus  
**Trade Mark:** DSPREAD  
**FCC ID:** 2AGQ6-QPOS-PLUS  
**Standard(s) :** 47 CFR Part 2  
47 CFR Part 22 subpart H  
47 CFR Part 24 subpart E  
47 CFR Part 27 subpart C  
**Date of Receipt:** 2021-08-05  
**Date of Test:** 2021-08-06 to 2021-08-27  
**Date of Issue:** 2021-09-01

<b>Test Result:</b>	<b>Pass</b>
---------------------	-------------

\* In the configuration tested, the EUT complied with the standards specified above.

Kobe Jian  
EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Guangzhou Branch**

Report No.: GZCR210802082106

Page: 2 of 27

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2021-09-01		Original

Authorized for issue by				
				
		Curry Wu/Project Engineer		
				
		Ricky Liu/Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. | No. 198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn  
Guangzhou Branch Testing Center, CEC Laboratory, 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

## 2 Test Summary

Test Item	FCC Rule No.	Requirements	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046 §22.913 §24.232 §27.50(d) §27.50(h)	ERP≤ 7W(LTE Band 5) EIRP≤ 2W(LTE Band 2) EIRP≤ 1W(LTE Band 4, 66) EIRP≤ 2W(LTE Band 7)	PASS
Peak-Average Ratio	§22.913 §24.232 §27.50(d)	≤13dB	PASS
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049(h)	OBW: No limit EBW: No limit	PASS
Band Edge Compliance	§2.1051 §22.917 §24.238 §27.53(h) §27.53(m)	≤ -13dBm (LTE Band5) ≤ -13dBm (LTE Band2) ≤ -13dBm (LTE Band4,66) Refer to clause 6.4 for LTE Band7	PASS
Spurious emissions at antenna terminals	§2.1051 §22.917 §24.238 §27.53(h) §27.53(m)	≤ -13dBm(LTE Band5) ≤ -13dBm(LTE Band2) ≤ -13dBm(LTE Band4,66) ≤ -25dBm(LTE Band7)	PASS
Field strength of spurious radiation	§2.1051 §22.917 §24.238 §27.53(h) §27.53(m)	≤ -13dBm(LTE Band5) ≤ -13dBm(LTE Band2) ≤ -13dBm(LTE Band4,66) ≤ -25dBm(LTE Band7)	PASS
Frequency stability	§2.1055 §22.355 §24.235 §27.54	≤ ±2.5ppm.	PASS

### 3 Contents

	Page
<b>1 COVER PAGE .....</b>	<b>1</b>
<b>2 TEST SUMMARY .....</b>	<b>3</b>
<b>3 CONTENTS .....</b>	<b>4</b>
<b>4 GENERAL INFORMATION .....</b>	<b>6</b>
4.1 Details of E.U.T. ....	6
4.2 Test Frequency .....	6
4.3 Test Environment .....	8
4.4 Description of Support Units .....	8
4.5 Measurement Uncertainty .....	8
4.6 Test Location .....	9
4.7 Test Facility .....	9
4.8 Deviation from Standards .....	10
4.9 Abnormalities from Standard Conditions .....	10
<b>5 EQUIPMENT LIST .....</b>	<b>11</b>
<b>6 RADIO SPECTRUM MATTER TEST RESULTS .....</b>	<b>13</b>
6.1 Effective (Isotropic) Radiated Power Output Data .....	13
6.1.1 E.U.T. Operation .....	13
6.1.2 Test Setup Diagram .....	13
6.1.3 Measurement Data .....	13
6.2 Peak-Average Ratio .....	14
6.2.1 E.U.T. Operation .....	14
6.2.2 Test Setup Diagram .....	14
6.2.3 Measurement Data .....	14
6.3 Bandwidth .....	15
6.3.1 E.U.T. Operation .....	15
6.3.2 Test Setup Diagram .....	15
6.3.3 Measurement Data .....	15
6.4 Band Edge Compliance .....	16
6.4.1 E.U.T. Operation .....	16
6.4.2 Test Setup Diagram .....	16
6.4.3 Measurement Data .....	16
6.5 Spurious emissions at antenna terminals .....	17
6.5.1 E.U.T. Operation .....	17
6.5.2 Test Setup Diagram .....	17
6.5.3 Measurement Data .....	17
6.6 Field strength of spurious radiation .....	18
6.6.1 E.U.T. Operation .....	18
6.6.2 Test Setup Diagram .....	18
6.6.3 Measurement Procedure and Data .....	19
6.7 Frequency stability .....	25
6.7.1 E.U.T. Operation .....	25
6.7.2 Test Setup Diagram .....	25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)





**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Guangzhou Branch**

Report No.: GZCR210802082106

Page: 5 of 27

6.7.3	Measurement Data.....	25
6.8	Modulation Characteristics.....	26
6.8.1	E.U.T. Operation.....	26
6.8.2	Test Setup Diagram.....	26
6.8.3	Measurement Data.....	26
<b>7</b>	<b>PHOTOGRAPHS .....</b>	<b>27</b>
7.1	Test Setup.....	27
7.2	EUT Constructional Details (EUT Photos).....	27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. | No. 198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn  
Guangzhou Branch Testing Center, EEC Laboratory. 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

## 4 General Information

### 4.1 Details of E.U.T.

Power supply:	DC 3.7V by rechargeable lithium battery. Adapter model: TPA-46B050100UU Input: AC 100-240V 50/60Hz 0.2A Output: DC 5V 1A
Cable(s):	USB type C cable: 1m shielded cable without ferrite core
LTE Operation Frequency Band:	LTE FDD Band 2, 4, 5, 7, 66
Modulation Type:	QPSK, 16QAM
LTE Power Class:	Level 3
Antenna Type:	PIFA Antenna
Antenna Gain:	LTE Band2: -0.33dBi; LTE Band4: 2.53dBi; LTE Band5: 0.33dBi; LTE Band7: 0.59dBi; LTE Band66: 2.53dBi
SIM Card:	This device has dual SIM Card sockets. Both the SIM sockets have been tested. SIM1 was worst case, only record SIM1.
Extreme temp. Tolerance:	-30°C to +50°C
Extreme vol. Limits:	3.4VDC to 4.2VDC (nominal: 3.7VDC)

### 4.2 Test Frequency

Test Mode	Nominal Bandwidth (MHz)	RF Channel		
		Low (L)	Middle (M)	High (H)
		MHz	MHz	MHz
LTE FDD Band 2	1.4	1850.7	1880	1909.3
	3	1851.5	1880	1908.5
	5	1852.5	1880	1907.5
	10	1855.0	1880	1905.0
	15	1857.5	1880	1902.5
	20	1860.0	1880	1900.0
Test Mode	Nominal Bandwidth (MHz)	RF Channel		
		Low (L)	Middle (M)	High (H)
		MHz	MHz	MHz
LTE FDD Band 4	1.4	1710.7	1732.5	1754.3
	3	1711.5	1732.5	1753.5
	5	1712.5	1732.5	1752.5
	10	1715.0	1732.5	1750.0
	15	1717.5	1732.5	1747.5
	20	1720.0	1732.5	1745.0
Test Mode		RF Channel		



	Nominal Bandwidth (MHz)	Low (L)	Middle (M)	High (H)
		MHz	MHz	MHz
LTE FDD Band 5	1.4	824.7	836.5	848.3
	3	825.5	836.5	847.5
	5	826.5	836.5	846.5
	10	829.0	836.5	844.0
Test Mode	Nominal Bandwidth (MHz)	RF Channel		
		Low (L)	Middle (M)	High (H)
		MHz	MHz	MHz
LTE FDD Band 7	5	2502.5	2535.0	2567.5
	10	2505.0	2535.0	2565.0
	15	2507.5	2535.0	2562.5
	20	2510.0	2535.0	2560.0

Test Mode	Nominal Bandwidth (MHz)	RF Channel		
		Low (L)	Middle (M)	High (H)
		MHz	MHz	MHz
LTE FDD Band 66	1.4	1710.7	1745.0	1779.3
	3	1711.5	1745.0	1778.5
	5	1712.5	1745.0	1777.5
	10	1715.0	1745.0	1775.0
	15	1717.5	1745.0	1772.5
	20	1720.0	1745.0	1770.0



#### 4.3 Test Environment

Environment Parameter	Selected Values During Tests	
Relative Humidity	52%	
Atmospheric Pressure:	1015Pa	
Temperature:	TN	20 °C
Voltage:	VL	3.4 V
	VN	3.7 V
	VH	4.2 V

NOTE: VL= lower extreme test voltage  
 VN= nominal voltage  
 VH= upper extreme test voltage  
 TN= normal temperature

#### 4.4 Description of Support Units

The EUT has been tested independent unit.

#### 4.5 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	$7.25 \times 10^{-8}$
2	Duty cycle	0.37%
3	Occupied Bandwidth	3%
4	RF conducted power	0.75dB
5	RF power density	2.84dB
6	Conducted Spurious emissions	0.75dB
7	RF Radiated power	5.14dB (below 1GHz)
		5.08dB (above 1GHz)
8	Radiated Spurious emission test	5.14dB (below 1GHz)
		5.08dB (above 1GHz)
9	Temperature test	1°C
10	Humidity test	3%
11	Supply voltages	1.5%
12	Time	3%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. | No. 198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 | t (86-20) 82155555 f (86-20) 82075058 | [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 Guangzhou branch Testing Center, EEC Laboratory | 中国·广州·经济技术开发区科学城科珠路198号 | 邮编: 510663 | t (86-20) 82155555 f (86-20) 82075058 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



#### 4.6 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory,  
198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District,  
Guangzhou, China 510663

Tel: +86 20 82155555

Fax: +86 20 82075059

No tests were sub-contracted.

#### 4.7 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **NVLAP (Lab Code: 200611-0)**

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200611-0.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

- **ACMA**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

- **SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO**

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

- **CNAS (Lab Code: L0167)**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been assessed and in compliance with CNAS-CL01:2018 accreditation criteria for testing laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of Testing Laboratories.

- **FCC Recognized Accredited Test Firm(Registration No.: 486818)**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

- **ISED (Registration No.: 4620B, CAB identifier: CN0052)**

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

- **VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)**

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

- **CBTL (Lab Code: TL129)**

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



**4.8 Deviation from Standards**

None

**4.9 Abnormalities from Standard Conditions**

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## 5 Equipment List

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
EXA Signal Analyzer(10Hz-44GHz)	Agilent Technologies	N9010A	EMC2138	2020-09-17	2021-09-16
6dB Attenuator	HP	8491A	EMC2062	2020-04-15	2022-04-14
Measurement Software	TST	TST PASS V1.0.5	N/A	N/A	N/A
MI CABLE	SGS-EMC	0.8M	EMC2136	2019-11-02	2021-11-01
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Wideband Radio Communication Tester(CMW500)	R&S	CMW500	EMC2215	2020-09-20	2021-09-19
Power Meter (U2021XA_Ch2)	Agilent Technologies	U2021XA_Ch 2	SEM009-02	2021-05-19	2022-05-18

RE in Chamber(below 1GHz)					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Chamber cable	HangTianXing	N/A	EMC0542	2020-09-09	2022-09-08
Trilog Broadband Antenna(25MHz-1GHz)-Lab	SCHWARZBECK MESS-ELEKTRONIK	VULB 9168	SEM003-18	2019-02-22	2022-02-22
Amplifier(9kHz-1.3GHz)	HP	8447F	EMC2065	2021-05-19	2022-05-18
10m Semi-Anechoic Chamber	ETS	N/A	EMC0530	2019-10-20	2022-10-19
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A
EMI Test Receiver(1Hz-8GHz)	Rohde & Schwarz	ESW8	EMC2220	2021-05-26	2022-05-25
Chamber cable	HangTianXing	N/A	EMC0542	2020-09-09	2022-09-08
Trilog Broadband Antenna(25MHz-1GHz)	SCHWARZBECK	VULB 9160	EMC2025	2020-09-24	2023-09-23
Signal Generator (10MHz-20GHz)	Rohde & Schwarz	SMR20	EMC0516	2021-01-11	2022-01-10
Wideband Radio Communication Tester(CMW500)	R&S	CMW500	EMC2215	2020-09-20	2021-09-19





# SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Report No.: GZCR210802082106

Page: 12 of 27

RE in Chamber(above 1GHz)					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Chamber cable(Above 1GHz)	Scoflex	KMKM-8.0m	EMC0545	2020-09-09	2022-09-08
Horn Antenna(1GHz-18GHz)	SCHWARZBECK MESS- ELEKTRONIK	BBHA 9120D	EMC2026	2019-09-25	2022-09-24
1GHz-26.5 GHz Pre-Amplifier	Agilent	8449B	EMC0521	2021-01-08	2022-01-07
966 Anechoic Chamber	C.R.T	9m x 6m x 6m	EMC2142	2020-12-20	2023-12-19
EXA Signal Analyzer(10Hz-44GHz)	Keysight	N9010A	EMC2138	2020-09-17	2021-09-16
Test Software E3	Audix	Ver.6.120110a	GZE100-61	N/A	N/A
Horn Antenna(14-40GHz)	SCHWARZBECK	BBHA 9170	EMC2041	2020-06-28	2023-06-27
Microwave Broadband Preamplifier (18-40GHz)	SCHWARZBECK	BBV 9721	EMC2172	2020-09-09	2021-09-08
Wideband Radio Communication Tester(CMW500)	R&S	CMW500	EMC2215	2020-09-20	2021-09-19
Substitution Antenna	SCHWARZBECK MESS- ELEKTRONIK	BBHA 9120D	EMC2026	2019-09-25	2022-09-24
Signal Generator (10MHz-20GHz)	Rohde & Schwarz	SMR20	EMC0516	2021-01-11	2022-01-10

General used equipment					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
DMM	Fluke	73	EMC0006	2021-07-05	2022-07-04
DMM	Fluke	73	EMC0007	2021-07-05	2022-07-04



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. | No. 198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 | t (86-20) 82155555 f (86-20) 82075058 | [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
Guangzhou branch Testing Center, EEC Laboratory | 中国·广州·经济技术开发区科学城科珠路198号 | 邮编: 510663 | t (86-20) 82155555 f (86-20) 82075058 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



## 6 Radio Spectrum Matter Test Results

### 6.1 Effective (Isotropic) Radiated Power Output Data

Test Requirement: §2.1046, §22.913, §24.232, §27.50(d), §27.50(h)

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit:  
 $ERP \leq 7W$  (LTE Band 5)  
 $EIRP \leq 2W$  (LTE Band 2)  
 $EIRP \leq 1W$  (LTE Band 4, 66)  
 $EIRP \leq 2W$  (LTE Band 7)


#### 6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 18.6 °C Humidity: 29.1 % RH Atmospheric Pressure: 1025 mbar

Test mode j: Tx mode, Keep the EUT in transmitting mode.

#### 6.1.2 Test Setup Diagram



#### 6.1.3 Measurement Data

Please refer to Appendix\_LTE\_RF power






## 6.2 Peak-Average Ratio

Test Requirement: §22.913, §24.232, §27.50(d)  
 Test Method: ANSI C63.26, KDB 971168 D01 v03  
 Limit: ≤13dB

### 6.2.1 E.U.T. Operation

Operating Environment:  
 Temperature: 18.6 °C Humidity: 29.1 % RH Atmospheric Pressure: 1025 mbar  
 Test mode j: Tx mode, Keep the EUT in transmitting mode.

### 6.2.2 Test Setup Diagram



### 6.2.3 Measurement Data

Please refer to Appendix\_4G\_Peak-Average Ratio


### 6.3 Bandwidth

Test Requirement: §2.1049(h)  
 Test Method: ANSI C63.26, KDB 971168 D01 v03  
 Limit: OBW: No limit  
 EBW: No limit

#### 6.3.1 E.U.T. Operation

Operating Environment:  
 Temperature: 18.6 °C Humidity: 29.1 % RH Atmospheric Pressure: 1025 mbar  
 Test mode j: Tx mode, Keep the EUT in transmitting mode.

#### 6.3.2 Test Setup Diagram



#### 6.3.3 Measurement Data

Please refer to Appendix\_LTE\_99% & 26dB Bandwidth

#### 6.4 Band Edge Compliance

Test Requirement: §2.1051, §22.917, §24.238, §27.53(h), §27.53(m)

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit:  $\leq -13\text{dBm}$  (LTE Band2,4,5,66)

For mobile digital stations, the attenuation factor shall be not less than  $40 + 10 \log (P)$  dB on all frequencies between the channel edge and 5 megahertz from the channel edge,  $43 + 10 \log (P)$  dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and  $55 + 10 \log (P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than  $43 + 10 \log (P)$  dB on all frequencies between 2490.5 MHz and 2496 MHz and  $55 + 10 \log (P)$  dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees. (LTE Band7)

##### 6.4.1 E.U.T. Operation

Operating Environment:


Temperature: 18.6 °C

Humidity: 29.1 % RH

Atmospheric Pressure: 1025 mbar

Test mode j: Tx mode, Keep the EUT in transmitting mode.

##### 6.4.2 Test Setup Diagram



##### 6.4.3 Measurement Data

Please refer to Appendix\_LTE\_Spurious Emission at antenna port

## 6.5 Spurious emissions at antenna terminals

Test Requirement: §2.1051, §22.917, §24.238, §27.53(h), §27.53(m)

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit:  
 $\leq -13\text{dBm}(\text{LTE Band5})$   
 $\leq -13\text{dBm}(\text{LTE Band2})$   
 $\leq -13\text{dBm}(\text{LTE Band4,66})$   
 $\leq -25\text{dBm}(\text{LTE Band7})$


### 6.5.1 E.U.T. Operation

Operating Environment:

Temperature: 18.6 °C Humidity: 29.1 % RH Atmospheric Pressure: 1025 mbar

Test mode j: Tx mode, Keep the EUT in transmitting mode.

### 6.5.2 Test Setup Diagram



### 6.5.3 Measurement Data

Please refer to Appendix\_LTE\_Spurious Emission at antenna port



## 6.6 Field strength of spurious radiation

Test Requirement: §2.1051, §22.917, §24.238, §27.53(h), §27.53(m)

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit:  
 $\leq -13\text{dBm}(\text{LTE Band5})$   
 $\leq -13\text{dBm}(\text{LTE Band2})$   
 $\leq -13\text{dBm}(\text{LTE Band4,66})$   
 $\leq -25\text{dBm}(\text{LTE Band7})$


### 6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 18.6 °C Humidity: 29.1 % RH Atmospheric Pressure: 1025 mbar

Test mode j: Tx mode, Keep the EUT in transmitting mode.

### 6.6.2 Test Setup Diagram



EUT

Substiute Antenna+Signal Generator



### 6.6.3 Measurement Procedure and Data

#### Test Procedure:

- (1) On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall then be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13) If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15) The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

LTE Band 2-20M Low channel, Modulation: QPSK, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3700.14	-33.06	-13	-20.06	-39.95	0.71	7.6	Horizontal	Pass
5550.21	-42.1	-13	-29.1	-51.55	0.85	10.3	Horizontal	Pass
7400.28	-33.77	-13	-20.77	-45.67	1	12.9	Horizontal	Pass
3700.14	-34.88	-13	-21.88	-41.77	0.71	7.6	Vertical	Pass
5550.21	-38.32	-13	-25.32	-47.77	0.85	10.3	Vertical	Pass
7400.28	-32.21	-13	-19.21	-44.11	1	12.9	Vertical	Pass

LTE Band 2-20M Middle channel, Modulation: QPSK, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3758.74	-35.81	-13	-22.81	-42.7	0.71	7.6	Horizontal	Pass
5638.11	-46.37	-13	-33.37	-55.82	0.85	10.3	Horizontal	Pass
7517.48	-39.25	-13	-26.25	-51.46	0.99	13.2	Horizontal	Pass
3758.74	-38.69	-13	-25.69	-45.58	0.71	7.6	Vertical	Pass
5638.11	-45.14	-13	-32.14	-54.59	0.85	10.3	Vertical	Pass
7517.48	-33.95	-13	-20.95	-46.16	0.99	13.2	Vertical	Pass

LTE Band 2-20M High channel, Modulation: QPSK, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3817.34	-37.05	-13	-24.05	-43.94	0.71	7.6	Horizontal	Pass
5726.01	-39.77	-13	-26.77	-49.22	0.85	10.3	Horizontal	Pass
7634.68	-38.95	-13	-25.95	-51.16	0.99	13.2	Horizontal	Pass
3817.34	-37.57	-13	-24.57	-44.46	0.71	7.6	Vertical	Pass
5726.01	-40.52	-13	-27.52	-49.97	0.85	10.3	Vertical	Pass
7634.68	-35.13	-13	-22.13	-47.34	0.99	13.2	Vertical	Pass



LTE Band 4-20M Low channel, Modulation: QPSK, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3420.14	-26.92	-13	-13.92	-32.47	0.65	6.2	Horizontal	Pass
5130.21	-43.52	-13	-30.52	-52.3	0.82	9.6	Horizontal	Pass
6840.28	-35.87	-13	-22.87	-46.72	0.95	11.8	Horizontal	Pass
3420.14	-31.86	-13	-18.86	-37.41	0.65	6.2	Vertical	Pass
5130.21	-43.69	-13	-30.69	-52.47	0.82	9.6	Vertical	Pass
6840.28	-38.33	-13	-25.33	-49.18	0.95	11.8	Vertical	Pass

LTE Band 4-20M Middle channel, Modulation: QPSK, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3463.74	-27.77	-13	-14.77	-33.32	0.65	6.2	Horizontal	Pass
5195.61	-45.68	-13	-32.68	-54.46	0.82	9.6	Horizontal	Pass
6927.48	-37.25	-13	-24.25	-48.1	0.95	11.8	Horizontal	Pass
3463.74	-33	-13	-20	-38.55	0.65	6.2	Vertical	Pass
5195.61	-46.03	-13	-33.03	-54.81	0.82	9.6	Vertical	Pass
6927.48	-38.99	-13	-25.99	-49.84	0.95	11.8	Vertical	Pass

LTE Band 4-20M High channel, Modulation: QPSK, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3507.34	-28.68	-13	-15.68	-35.57	0.71	7.6	Horizontal	Pass
5261.01	-43.57	-13	-30.57	-52.35	0.82	9.6	Horizontal	Pass
7014.68	-35.64	-13	-22.64	-47.54	1	12.9	Horizontal	Pass
3507.34	-32.21	-13	-19.21	-39.1	0.71	7.6	Vertical	Pass
5261.01	-43.27	-13	-30.27	-52.05	0.82	9.6	Vertical	Pass
7014.68	-38.12	-13	-25.12	-50.02	1	12.9	Vertical	Pass





FDD LTE Band 5-Low channel, Modulation: QPSK, Bandwidth: 10MHz, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1648.14	-17.33	-13	-4.33	-22.81	0.52	6	Horizontal	Pass
2472.21	-42.09	-13	-29.09	-47.36	0.53	5.8	Horizontal	Pass
3296.28	-44.16	-13	-31.16	-49.71	0.65	6.2	Horizontal	Pass
1648.14	-19.66	-13	-6.66	-25.14	0.52	6	Vertical	Pass
2472.21	-33.66	-13	-20.66	-38.93	0.53	5.8	Vertical	Pass
3296.28	-47.22	-13	-34.22	-52.77	0.65	6.2	Vertical	Pass

FDD LTE Band 5-Middle channel, Modulation: QPSK, Bandwidth: 10MHz, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1671.74	-18.28	-13	-5.28	-23.76	0.52	6	Horizontal	Pass
2507.61	-44.2	-13	-31.2	-48.91	0.59	5.3	Horizontal	Pass
3343.48	-42.24	-13	-29.24	-47.79	0.65	6.2	Horizontal	Pass
1671.74	-20.9	-13	-7.9	-26.38	0.52	6	Vertical	Pass
2507.61	-51.12	-13	-38.12	-55.83	0.59	5.3	Vertical	Pass
3343.48	-45.5	-13	-32.5	-51.05	0.65	6.2	Vertical	Pass

FDD LTE Band 5-High channel, Modulation: QPSK, Bandwidth: 10MHz, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1695.34	-20.67	-13	-7.67	-26.15	0.52	6	Horizontal	Pass
2543.01	-45.39	-13	-32.39	-50.1	0.59	5.3	Horizontal	Pass
3390.68	-43.66	-13	-30.66	-49.21	0.65	6.2	Horizontal	Pass
1695.34	-25.77	-13	-12.77	-31.25	0.52	6	Vertical	Pass
2543.01	-48.01	-13	-35.01	-52.72	0.59	5.3	Vertical	Pass
3390.68	-45.25	-13	-32.25	-50.8	0.65	6.2	Vertical	Pass



FDD LTE Band 7-Low channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5000.5	-42.89	-25	-17.89	-51.67	0.82	9.6	Horizontal	Pass
7500.75	-37.89	-25	-12.89	-50.1	0.99	13.2	Horizontal	Pass
10001	-40.64	-25	-15.64	-52.08	1.26	12.7	Horizontal	Pass
5000.5	-43.07	-25	-18.07	-51.85	0.82	9.6	Vertical	Pass
7500.75	-32.2	-25	-7.2	-44.41	0.99	13.2	Vertical	Pass
10001	-42.54	-25	-17.54	-53.98	1.26	12.7	Vertical	Pass

FDD LTE Band 7-Middle channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5065.5	-43.83	-25	-18.83	-52.61	0.82	9.6	Horizontal	Pass
7598.25	-37.39	-25	-12.39	-49.6	0.99	13.2	Horizontal	Pass
10131	-41.43	-25	-16.43	-52.87	1.26	12.7	Horizontal	Pass
5065.5	-42.28	-25	-17.28	-51.06	0.82	9.6	Vertical	Pass
7598.25	-31.59	-25	-6.59	-43.8	0.99	13.2	Vertical	Pass
10131	-39.62	-25	-14.62	-51.06	1.26	12.7	Vertical	Pass

FDD LTE Band 7-High channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5130.5	-41.44	-25	-16.44	-50.22	0.82	9.6	Horizontal	Pass
7695.75	-37.15	-25	-12.15	-49.36	0.99	13.2	Horizontal	Pass
10261	-43.14	-25	-18.14	-54.58	1.26	12.7	Horizontal	Pass
5130.5	-41	-25	-16	-49.78	0.82	9.6	Vertical	Pass
7695.75	-33.35	-25	-8.35	-45.56	0.99	13.2	Vertical	Pass
10261	-42.5	-25	-17.5	-53.94	1.26	12.7	Vertical	Pass





FDD LTE Band66- Low channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3420.14	-50.42	-13	-37.42	-55.97	0.65	6.2	Horizontal	Pass
5130.21	-46.1	-13	-33.1	-54.88	0.82	9.6	Horizontal	Pass
6840.28	-44.73	-13	-31.73	-55.58	0.95	11.8	Horizontal	Pass
3420.14	-50.13	-13	-37.13	-55.68	0.65	6.2	Vertical	Pass
5130.21	-47.11	-13	-34.11	-55.89	0.82	9.6	Vertical	Pass
6840.28	-45.05	-13	-32.05	-55.9	0.95	11.8	Vertical	Pass

FDD LTE Band66-Middle channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3488.74	-51.4	-13	-38.4	-56.95	0.65	6.2	Horizontal	Pass
5233.11	-47.12	-13	-34.12	-55.9	0.82	9.6	Horizontal	Pass
6977.48	-46.13	-13	-33.13	-56.98	0.95	11.8	Horizontal	Pass
3488.74	-50.77	-13	-37.77	-56.32	0.65	6.2	Vertical	Pass
5233.11	-46.25	-13	-33.25	-55.03	0.82	9.6	Vertical	Pass
6977.48	-45.65	-13	-32.65	-56.5	0.95	11.8	Vertical	Pass

FDD LTE Band66-Middle channel, Modulation: QPSK, Bandwidth: 20MHz, 1 RB0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3557.34	-51.15	-13	-38.15	-58.04	0.71	7.6	Horizontal	Pass
5336.01	-46.5	-13	-33.5	-55.28	0.82	9.6	Horizontal	Pass
7114.68	-45.67	-13	-32.67	-57.57	1	12.9	Horizontal	Pass
3557.34	-50.86	-13	-37.86	-57.75	0.71	7.6	Vertical	Pass
5336.01	-46.95	-13	-33.95	-55.73	0.82	9.6	Vertical	Pass
7114.68	-44.63	-13	-31.63	-56.53	1	12.9	Vertical	Pass

Note: EIRP= S.G. Power- Cable loss+ Antenna Gain

All modes have been tested and we found QPSK test mode has the worst test result. Only record the worst test result.



## 6.7 Frequency stability

Test Requirement: §2.1055, §22.355, §24.235, §27.54  
 Test Method: ANSI C63.26, KDB 971168 D01 v03  
 Limit:  $\leq \pm 2.5\text{ppm}$ .


### 6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 18.6 °C Humidity: 29.1 % RH Atmospheric Pressure: 1025 mbar

Test mode j: Tx mode, Keep the EUT in transmitting mode.

### 6.7.2 Test Setup Diagram



### 6.7.3 Measurement Data

Please refer to Appendix\_LTE\_Frequency stability


## 6.8 Modulation Characteristics

Test Requirement: §2.1047  
 Test Method: ANSI C63.26, KDB 971168 D01 v03  
 Limit: Digital modulation

### 6.8.1 E.U.T. Operation

Operating Environment:  
 Temperature: 18.6 °C Humidity: 29.1 % RH Atmospheric Pressure: 1025 mbar  
 Test mode j: Tx mode, Keep the EUT in transmitting mode.

### 6.8.2 Test Setup Diagram



### 6.8.3 Measurement Data

Please refer to Appendix\_LTE\_Modulation Characteristics



## 7 Photographs

### 7.1 Test Setup

Refer to Appendix – Test Setup Photos for GZCR2108020821AT

### 7.2 EUT Constructional Details (EUT Photos)

Refer to Appendix - external and internal photos for GZCR2108020821AT

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)