

This product complies with the radio interference requirements of the European Community.

Product name: MT12

duct model: M 1 12 ELRS

Manufacturer: Shenzhen Radiomaster Co.,Ltd

Frequency Range: BT: 2402~2480MHz;WIFI: 2412~2472MHz;2.4G: 2402.4~2479.4 MHz Max_output Power: BT: -0.94dRm: WIFI: 15.22dRm: 2.4G-17.42dRm

Max. output Power: B1: -0.94dBm; WIF1: 15.22dBm; 2.4G:17.42dBm SIMPLIFIED FILDECLARATION OF CONFORMITY

SIMPLIFIED EU DECLARATION OF CONFORMITY

The simplified EU declaration of conformity referred to in Article 10(9) shall be

The simplified EU declaration of conformity referred to in provided as follows:

provided as rollows: Hereby, Shenzhen Radiomaster Co., Ltd declares that radio equipment type M T 1.2 EL.R.S. is in compliance with Directive 2014/53/EU, and this product is allowed to be used in all EU member states.

The full text of the EU declaration of conformity is available at following. This product can be used across EU member states.

Product name: MT12

Product model: MT 12 4 I N 1

Manufacturer: Shenzhen Radiomaster Co.,Ltd

Frequency Range: 2.4G : 2406.2~2461.6 MHz

SIMPLIFIED ELLIPECI ADATION DE CONFORMITY

This product can be used across EU member states.

The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:

Hereby, Shenzhen Radiomaster Co., Ltd declares that radio equipment type M T 1 2 4 I N 1 is in compliance with Directive 2014/53/EU, and this product is allowed to be used in all EU member states. The full text of the EU declaration of conformity is variable at following.

eVatmaster Consulting GmbH

Add (1915): Rettinastr 30 60325 Frankfurt am Main Germany

Zip Code (邮编): 60325 E-mail (邮箱): contact@evatmaster.com

Tel (联系电话):+496995179070

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and (2) this device must accept any interference
- received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could

void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device.

pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection

against harmful interference in a residential installation. This equipment generates uses and can radiate

radio frequency energy and, if not installed and used in accordance with the instructions, may cause

harmful interference to radio communications. However, there is no guarantee that interference will not

occur in a particular installation. If this equipment does cause harmful interference to radio or television

reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reori ent or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is

connect ed.

- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in

portable exposure condition without restriction.

Specific Absorption Rate (SAR) information:

This MT12 ELRS meets the government's requirements for exposure to radio waves. The guidelines

are based on standards that were developed by independent scientific organizations through periodic and

thorough evaluation of scientific studies. The standards include a substantial safety margin designed to

assure the safety of all persons regardless of age or health.

FCC RF Exposure Information and Statement

- This radio is designed for and classified as "General population/uncontrolled Use", the guidelines are
- based on standards that were developed by independent scientific organizations through periodic and

thorough evaluation of scientific studies. The standards include a substantial safety margin designed to

assure the safety of all persons regardless of age or health. The exposure standard for wireless radio

employs a unit of measurement known as the Specific Absorption Rate, or SAR, the SAR limit set 1.6Wkg.

- Body-worn operation; this device was tested for typical body-worn operations with the back of the handset
- kept 0mm for body worn. To maintain compliance with RF exposure requirements, use accessories that

maintain a 0mm for body worn. The use of belt clips, holsters and similar accessories should not contain

metallic components in its assembly. The use of accessories that do not satisfy these requirements may not

- comply with RF exposure requirements, and should be avoided.
- The highest reported SAR value for worn on the body is 0.675 Wkg.

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference

received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could

void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device,

pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection

against harmful interference in a residential installation. This equipment generates uses and can radiate

radio frequency energy and, if not installed and used in accordance with the instructions, may cause

harmful interference to radio communications. However, there is no guarantee that interference will not

occur in a particular installation. If this equipment does cause harmful interference to radio or television

reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reori ent or rel ocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is

connect ed.

- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in

portable exposure condition without restriction.

Specific Absorption Rate (SAR) information:

This MT12 41 N1 meets the government's requirements for exposure to radio waves. The guidelines

are based on standards that were developed by independent scientific organizations through periodic and

thorough evaluation of scientific studies. The standards include a substantial safety margin designed to

assure the safety of all persons regardless of age or health.

FCC RF Exposure Information and Statement

This radio is designed for and classified as "General population/uncontrolled Use", the guidelines are

based on standards that were developed by independent scientific organizations through periodic and

thorough evaluation of scientific studies. The standards include a substantial safety margin designed to

assure the safety of all persons regardless of age or health. The exposure standard for wireless radio

employs a unit of measurement known as the Specific Absorption Rate, or SAR, the SAR limit set 1.6Wkg.

Body-worn operation; this device was tested for typical body-worn operations with the back of the handset

kept 0mm for body worn. To maintain compliance with RF exposure requirements, use

accessories that maintain a 0mm for body worn. The use of belt clips, holsters and similar accessories should not contain

metallic components in its assembly. The use of accessories that do not satisfy these requirements may not

comply with RF exposure requirements, and should be avoided.

- The highest reported SAR value for worn on the body is 0.490 Wkg.