



Nokia Inc.
12278 Scripps Summit Drive
San Diego, CA 92131
Tel. (858) 831 5000

October 17, 2005

INDUSTRY CANADA
Certification & Engineering Bureau
1241 Clyde Avenue
Ottawa, Ontario K2C 1Y3
CANADA

Attention: Certification Section

ESN PROTECTION OF NOKIA MODEL 2855i

The Electronic Serial Number (ESN) for each transceiver is unique. The ESN host component is permanently attached to a main circuit board of the mobile transmitter and the integrity of the unit's operating software is not alterable. The ESN is isolated from fraudulent contact and tampering.

- ☐ The host component does not contain other information, it is not removable and its electrical connections are not accessible.
- ☒ The host component does contain other information, and the ESN information is encoded using:
 - ☐ (1) Multiplication or division by a polynomial.
 - ☒ (2) Cyclic coding.
 - ☒ (3) The spreading of ESN bits over various non-sequential memory locations.

The ESN is factory set and is not alterable, transferable, removable, or otherwise able to be manipulated. Cellular mobile equipment is designed such that any attempt to remove, tamper with, or change the ESN chip, its logic system, or firmware originally programmed by the manufacturer will render the mobile transmitter inoperative.

A handwritten signature in cursive script, appearing to read "Kim Schulze".

Kim Schulze
R & D Technical Manager
Product Development, San Diego
Nokia Inc.