


Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 1-2	Test Date	:2020-08-07
Test Frequency	:5250 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	39.55	0.07	39.62	54.00	-14.38
5350.00	Peak	52.46	0.07	52.53	74.00	-21.47
5372.98	Average	39.62	0.34	39.96	54.00	-14.04
5372.98	Peak	53.78	0.34	54.12	74.00	-19.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :26.7/59  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5447.70	Average	47.26	1.09	48.35	54.00	-5.65
5447.70	Peak	63.77	1.09	64.86	74.00	-9.14
5460.00	Average	47.19	1.18	48.37	54.00	-5.63
5460.00	Peak	60.20	1.18	61.38	74.00	-12.62
5468.91	Peak	62.42	1.24	63.66	68.20	-4.54
5470.00	Peak	61.20	1.26	62.46	68.20	-5.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ac160 / Band 3  
 Test Frequency :5570 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-07-14  
 Temp./Humi. :26.7/59  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5448.12	Average	41.58	1.09	42.67	54.00	-11.33
5448.12	Peak	57.10	1.09	58.19	74.00	-15.81
5460.00	Average	41.90	1.18	43.08	54.00	-10.92
5460.00	Peak	54.09	1.18	55.27	74.00	-18.73
5467.23	Peak	55.71	1.23	56.94	68.20	-11.26
5470.00	Peak	54.75	1.26	56.01	68.20	-12.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :26.7/59  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level			FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	61.26	0.98	62.24	68.20	-5.96
5727.92	Peak	62.85	0.98	63.83	68.20	-4.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :26.7/59  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5725.00	Peak	54.88	0.98	55.86	68.20	-12.34
5736.53	Peak	57.53	0.98	58.51	68.20	-9.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 1  
Test Frequency :5180 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5146.24	Average	44.97	0.43	45.40	54.00	-8.60
5146.24	Peak	57.23	0.43	57.66	74.00	-16.34
5150.00	Average	45.57	0.45	46.02	54.00	-7.98
5150.00	Peak	56.83	0.45	57.28	74.00	-16.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax20 / Band 1  
 Test Frequency :5180 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-07  
 Temp./Humi. :23.4/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5145.04	Average	41.98	0.42	42.40	54.00	-11.60
5145.04	Peak	54.36	0.42	54.78	74.00	-19.22
5150.00	Average	42.86	0.45	43.31	54.00	-10.69
5150.00	Peak	53.41	0.45	53.86	74.00	-20.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-07
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	42.35	0.45	42.80	54.00	-11.20
5150.00	Peak	57.03	0.45	57.48	74.00	-16.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-07
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	42.08	0.45	42.53	54.00	-11.47
5150.00	Peak	55.30	0.45	55.75	74.00	-18.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5148.52	Average	42.71	0.44	43.15	54.00	-10.85
5148.52	Peak	59.93	0.44	60.37	74.00	-13.63
5150.00	Average	42.96	0.45	43.41	54.00	-10.59
5150.00	Peak	59.76	0.45	60.21	74.00	-13.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	42.10	0.45	42.55	54.00	-11.45
5150.00	Peak	55.57	0.45	56.02	74.00	-17.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5146.12	Average	42.78	0.42	43.20	54.00	-10.80
5146.12	Peak	58.14	0.42	58.56	74.00	-15.44
5150.00	Average	43.73	0.45	44.18	54.00	-9.82
5150.00	Peak	57.16	0.45	57.61	74.00	-16.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5147.80	Average	42.98	0.43	43.41	54.00	-10.59
5147.80	Peak	56.50	0.43	56.93	74.00	-17.07
5150.00	Average	43.03	0.45	43.48	54.00	-10.52
5150.00	Peak	55.85	0.45	56.30	74.00	-17.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	44.16	0.07	44.23	54.00	-9.77
5350.00	Peak	55.56	0.07	55.63	74.00	-18.37
5351.64	Average	44.33	0.08	44.41	54.00	-9.59
5351.64	Peak	56.39	0.08	56.47	74.00	-17.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.52	0.07	42.59	54.00	-11.41
5350.00	Peak	53.21	0.07	53.28	74.00	-20.72
5356.44	Average	42.66	0.15	42.81	54.00	-11.19
5356.44	Peak	55.63	0.15	55.78	74.00	-18.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH RU 26/8  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.91	0.07	41.98	54.00	-12.02
5350.00	Peak	56.79	0.07	56.86	74.00	-17.14
5352.48	Average	42.04	0.09	42.13	54.00	-11.87
5352.48	Peak	57.18	0.09	57.27	74.00	-16.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
 Operation Mode :802.11ax20 / Band 2  
 Test Frequency :5320 MHz  
 Test Mode :BE CH HIGH RU 26/8  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-08  
 Temp./Humi. :23.4/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.15	0.07	41.22	54.00	-12.78
5350.00	Peak	54.13	0.07	54.20	74.00	-19.80
5352.84	Average	41.07	0.10	41.17	54.00	-12.83
5352.84	Peak	54.80	0.10	54.90	74.00	-19.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5350.00	Average	42.01	0.07	42.08	54.00	-11.92
5350.00	Peak	56.78	0.07	56.85	74.00	-17.15
5351.76	Average	42.15	0.09	42.24	54.00	-11.76
5351.76	Peak	57.65	0.09	57.74	74.00	-16.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH RU 52/40  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.28	0.07	41.35	54.00	-12.65
5350.00	Peak	54.53	0.07	54.60	74.00	-19.40
5350.44	Average	41.84	0.07	41.91	54.00	-12.09
5350.44	Peak	55.84	0.07	55.91	74.00	-18.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5350.00	Average	42.29	0.07	42.36	54.00	-11.64
5350.00	Peak	56.91	0.07	56.98	74.00	-17.02
5350.56	Average	42.84	0.07	42.91	54.00	-11.09
5350.56	Peak	57.88	0.07	57.95	74.00	-16.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.40	0.07	41.47	54.00	-12.53
5350.00	Peak	54.87	0.07	54.94	74.00	-19.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.9/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5457.20	Average	41.56	1.17	42.73	54.00	-11.27
5457.20	Peak	56.80	1.17	57.97	74.00	-16.03
5460.00	Average	41.98	1.18	43.16	54.00	-10.84
5460.00	Peak	55.24	1.18	56.42	74.00	-17.58
5468.36	Peak	59.12	1.24	60.36	68.20	-7.84
5470.00	Peak	57.84	1.26	59.10	68.20	-9.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-07-14
Test Frequency	:5500 MHz	Temp./Humi.	:25.9/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5438.12	Average	39.01	1.01	40.02	54.00	-13.98
5438.12	Peak	54.04	1.01	55.05	74.00	-18.95
5460.00	Average	39.36	1.18	40.54	54.00	-13.46
5460.00	Peak	52.54	1.18	53.72	74.00	-20.28
5468.12	Peak	54.42	1.24	55.66	68.20	-12.54
5470.00	Peak	53.61	1.26	54.87	68.20	-13.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax20 / Band 3  
 Test Frequency :5500 MHz  
 Test Mode :BE CH LOW RU 26/0  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-08  
 Temp./Humi. :23.4/62  
 Antenna Pol. :VERTICAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5448.08	Average	41.30	1.09	42.39	54.00	-11.61
5448.08	Peak	55.57	1.09	56.66	74.00	-17.34
5460.00	Average	41.45	1.18	42.63	54.00	-11.37
5460.00	Peak	53.36	1.18	54.54	74.00	-19.46
5468.72	Peak	58.45	1.24	59.69	68.20	-8.51
5470.00	Peak	57.75	1.26	59.01	68.20	-9.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
 Operation Mode :802.11ax20 / Band 3  
 Test Frequency :5500 MHz  
 Test Mode :BE CH LOW RU 26/0  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-08  
 Temp./Humi. :23.4/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5437.76	Average	40.59	1.01	41.60	54.00	-12.40
5437.76	Peak	53.28	1.01	54.29	74.00	-19.71
5460.00	Average	40.92	1.18	42.10	54.00	-11.90
5460.00	Peak	51.89	1.18	53.07	74.00	-20.93
5467.04	Peak	54.09	1.23	55.32	68.20	-12.88
5470.00	Peak	53.38	1.26	54.64	68.20	-13.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5448.20	Average	41.45	1.09	42.54	54.00	-11.46
5448.20	Peak	54.68	1.09	55.77	74.00	-18.23
5460.00	Average	42.10	1.18	43.28	54.00	-10.72
5460.00	Peak	53.56	1.18	54.74	74.00	-19.26
5468.84	Peak	57.92	1.24	59.16	68.20	-9.04
5470.00	Peak	58.29	1.26	59.55	68.20	-8.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5444.48	Average	41.00	1.07	42.07	54.00	-11.93
5444.48	Peak	53.81	1.07	54.88	74.00	-19.12
5460.00	Average	41.30	1.18	42.48	54.00	-11.52
5460.00	Peak	52.52	1.18	53.70	74.00	-20.30
5466.92	Peak	54.23	1.23	55.46	68.20	-12.74
5470.00	Peak	54.17	1.26	55.43	68.20	-12.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5452.40	Average	43.02	1.13	44.15	54.00	-9.85
5452.40	Peak	58.34	1.13	59.47	74.00	-14.53
5460.00	Average	43.41	1.18	44.59	54.00	-9.41
5460.00	Peak	54.21	1.18	55.39	74.00	-18.61
5468.84	Peak	58.73	1.24	59.97	68.20	-8.23
5470.00	Peak	58.34	1.26	59.60	68.20	-8.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax20 / Band 3  
 Test Frequency :5500 MHz  
 Test Mode :BE CH LOW RU 106/53  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-08  
 Temp./Humi. :23.4/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5452.64	Average	41.70	1.14	42.84	54.00	-11.16
5452.64	Peak	55.31	1.14	56.45	74.00	-17.55
5460.00	Average	41.94	1.18	43.12	54.00	-10.88
5460.00	Peak	52.98	1.18	54.16	74.00	-19.84
5465.48	Peak	56.06	1.22	57.28	68.20	-10.92
5470.00	Peak	54.78	1.26	56.04	68.20	-12.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.8/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	59.29	0.98	60.27	68.20	-7.93
5725.40	Peak	61.84	0.98	62.82	68.20	-5.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-07-14
Test Frequency	:5700 MHz	Temp./Humi.	:25.8/61
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.86	0.98	53.84	68.20	-14.36
5725.52	Peak	53.84	0.98	54.82	68.20	-13.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5725.00	Peak	57.16	0.98	58.14	68.20	-10.06
5728.04	Peak	59.45	0.98	60.43	68.20	-7.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.57	0.98	53.55	68.20	-14.65
5729.12	Peak	56.52	0.99	57.51	68.20	-10.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5725.00	Peak	55.98	0.98	56.96	68.20	-11.24
5726.00	Peak	56.39	0.98	57.37	68.20	-10.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH RU 52/40  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.62	0.98	53.60	68.20	-14.60
5728.28	Peak	55.47	0.98	56.45	68.20	-11.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	57.25	0.98	58.23	68.20	-9.97
5728.52	Peak	59.70	0.98	60.68	68.20	-7.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	53.26	0.98	54.24	68.20	-13.96
5726.48	Peak	55.95	0.99	56.94	68.20	-11.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq. MHz	Detector Mode	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5628.21	Peak	54.22	0.71	54.93	68.20	-13.27
5650.00	Peak	52.36	0.79	53.15	68.20	-15.05
5700.00	Peak	54.20	1.00	55.20	105.20	-50.00
5720.00	Peak	56.98	0.99	57.97	110.80	-52.83
5725.00	Peak	59.22	0.98	60.20	122.20	-62.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5631.47	Peak	54.02	0.71	54.73	68.20	-13.47
5650.00	Peak	52.26	0.79	53.05	68.20	-15.15
5700.00	Peak	52.68	1.00	53.68	105.20	-51.52
5720.00	Peak	54.72	0.99	55.71	110.80	-55.09
5725.00	Peak	56.26	0.98	57.24	122.20	-64.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW RU 26/0  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5646.19	Peak	53.91	0.77	54.68	68.20	-13.52
5650.00	Peak	52.53	0.79	53.32	68.20	-14.88
5700.00	Peak	55.67	1.00	56.67	105.20	-48.53
5720.00	Peak	60.08	0.99	61.07	110.80	-49.73
5725.00	Peak	58.01	0.98	58.99	122.20	-63.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
 Operation Mode :802.11ax20 / Band 4  
 Test Frequency :5745 MHz  
 Test Mode :BE CH LOW RU 26/0  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.5/68  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5617.83	Peak	54.08	0.66	54.74	68.20	-13.46
5650.00	Peak	52.55	0.79	53.34	68.20	-14.86
5700.00	Peak	53.51	1.00	54.51	105.20	-50.69
5720.00	Peak	54.57	0.99	55.56	110.80	-55.24
5725.00	Peak	54.13	0.98	55.11	122.20	-67.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level	dB	FS	@3m	dB
	PK/QP/AV	dBμV		dBμV/m	dBμV/m	
5636.74	Peak	54.20	0.73	54.93	68.20	-13.27
5650.00	Peak	52.55	0.79	53.34	68.20	-14.86
5700.00	Peak	53.51	1.00	54.51	105.20	-50.69
5720.00	Peak	56.01	0.99	57.00	110.80	-53.80
5725.00	Peak	58.50	0.98	59.48	122.20	-62.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBμV/m	dB
5636.27	Peak	53.51	0.73	54.24	68.20	-13.96
5650.00	Peak	51.98	0.79	52.77	68.20	-15.43
5700.00	Peak	52.22	1.00	53.22	105.20	-51.98
5720.00	Peak	54.27	0.99	55.26	110.80	-55.54
5725.00	Peak	55.07	0.98	56.05	122.20	-66.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5601.86	Peak	54.39	0.58	54.97	68.20	-13.23
5650.00	Peak	53.04	0.79	53.83	68.20	-14.37
5700.00	Peak	53.31	1.00	54.31	105.20	-50.89
5720.00	Peak	57.30	0.99	58.29	110.80	-52.51
5725.00	Peak	59.57	0.98	60.55	122.20	-61.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax20 / Band 4  
 Test Frequency :5745 MHz  
 Test Mode :BE CH LOW RU 106/53  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.5/68  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5607.75	Peak	54.44	0.61	55.05	68.20	-13.15
5650.00	Peak	52.16	0.79	52.95	68.20	-15.25
5700.00	Peak	52.33	1.00	53.33	105.20	-51.87
5720.00	Peak	52.99	0.99	53.98	110.80	-56.82
5725.00	Peak	56.21	0.98	57.19	122.20	-65.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax20 / Band 4  
 Test Frequency :5825 MHz  
 Test Mode :BE CH HIGH Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.5/61  
 Antenna Pol. :VERTICAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	68.01	1.13	69.14	122.20	-53.06
5855.00	Peak	65.08	1.15	66.23	110.80	-44.57
5875.00	Peak	57.58	1.26	58.84	105.20	-46.36
5925.00	Peak	53.85	1.27	55.12	68.20	-13.08
5937.94	Peak	55.28	1.21	56.49	68.20	-11.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5825 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/61  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	61.00	1.13	62.13	122.20	-60.07
5855.00	Peak	58.13	1.15	59.28	110.80	-51.52
5875.00	Peak	53.23	1.26	54.49	105.20	-50.71
5925.00	Peak	52.57	1.27	53.84	68.20	-14.36
5937.94	Peak	53.94	1.21	55.15	68.20	-13.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 1  
Test Frequency :5190 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.00	Average	51.87	0.44	52.31	54.00	-1.69
5149.00	Peak	67.47	0.44	67.91	74.00	-6.09
5150.00	Average	51.95	0.45	52.40	54.00	-1.60
5150.00	Peak	63.92	0.45	64.37	74.00	-9.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.72	Average	49.34	0.44	49.78	54.00	-4.22
5149.72	Peak	62.80	0.44	63.24	74.00	-10.76
5150.00	Average	49.68	0.45	50.13	54.00	-3.87
5150.00	Peak	60.93	0.45	61.38	74.00	-12.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5147.08	Average	46.71	0.43	47.14	54.00	-6.86
5147.08	Peak	59.61	0.43	60.04	74.00	-13.96
5150.00	Average	46.56	0.45	47.01	54.00	-6.99
5150.00	Peak	58.12	0.45	58.57	74.00	-15.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	45.15	0.45	45.60	54.00	-8.40
5150.00	Peak	57.93	0.45	58.38	74.00	-15.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-08-10
Test Frequency	:5310 MHz	Temp./Humi.	:24.2/61
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	48.95	0.07	49.02	54.00	-4.98
5350.00	Peak	61.04	0.07	61.11	74.00	-12.89
5353.04	Average	48.62	0.10	48.72	54.00	-5.28
5353.04	Peak	62.90	0.10	63.00	74.00	-11.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 2  
Test Frequency :5310 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/61  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	46.62	0.07	46.69	54.00	-7.31
5350.00	Peak	57.72	0.07	57.79	74.00	-16.21
5356.76	Average	44.62	0.15	44.77	54.00	-9.23
5356.76	Peak	59.50	0.15	59.65	74.00	-14.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-08-10
Test Frequency	:5310 MHz	Temp./Humi.	:24.2/61
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	46.12	0.07	46.19	54.00	-7.81
5350.00	Peak	59.65	0.07	59.72	74.00	-14.28
5354.72	Average	44.15	0.12	44.27	54.00	-9.73
5354.72	Peak	60.85	0.12	60.97	74.00	-13.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-08-10
Test Frequency	:5310 MHz	Temp./Humi.	:24.2/61
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	43.26	0.07	43.33	54.00	-10.67
5350.00	Peak	57.48	0.07	57.55	74.00	-16.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 3  
Test Frequency :5510 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.7/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5450.64	Average	44.21	1.12	45.33	54.00	-8.67
5450.64	Peak	64.68	1.12	65.80	74.00	-8.20
5460.00	Average	45.42	1.18	46.60	54.00	-7.40
5460.00	Peak	63.07	1.18	64.25	74.00	-9.75
5467.32	Peak	65.21	1.23	66.44	68.20	-1.76
5470.00	Peak	65.02	1.26	66.28	68.20	-1.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
 Operation Mode :802.11ax40 / Band 3  
 Test Frequency :5510 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-07-14  
 Temp./Humi. :25.7/61  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5458.44	Average	41.28	1.18	42.46	54.00	-11.54
5458.44	Peak	58.09	1.18	59.27	74.00	-14.73
5460.00	Average	41.67	1.18	42.85	54.00	-11.15
5460.00	Peak	55.94	1.18	57.12	74.00	-16.88
5467.08	Peak	58.51	1.23	59.74	68.20	-8.46
5470.00	Peak	57.20	1.26	58.46	68.20	-9.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-08-10
Test Frequency	:5510 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5458.32	Average	46.61	1.18	47.79	54.00	-6.21
5458.32	Peak	62.66	1.18	63.84	74.00	-10.16
5460.00	Average	47.16	1.18	48.34	54.00	-5.66
5460.00	Peak	60.45	1.18	61.63	74.00	-12.37
5467.08	Peak	63.94	1.23	65.17	68.20	-3.03
5470.00	Peak	62.48	1.26	63.74	68.20	-4.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 3  
Test Frequency :5510 MHz  
Test Mode :BE CH LOW RU 242/61  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5460.00	Average	43.63	1.18	44.81	54.00	-9.19
5460.00	Peak	59.50	1.18	60.68	74.00	-13.32
5466.84	Peak	60.01	1.23	61.24	68.20	-6.96
5470.00	Peak	59.08	1.26	60.34	68.20	-7.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 3  
Test Frequency :5670 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.5/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	60.96	0.98	61.94	68.20	-6.26
5726.72	Peak	62.68	0.99	63.67	68.20	-4.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-07-14
Test Frequency	:5670 MHz	Temp./Humi.	:25.5/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	54.51	0.98	55.49	68.20	-12.71
5732.72	Peak	57.65	0.98	58.63	68.20	-9.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-08-10
Test Frequency	:5670 MHz	Temp./Humi.	:24.3/63
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	54.76	0.98	55.74	68.20	-12.46
5745.44	Peak	55.68	0.98	56.66	68.20	-11.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax40 / Band 3  
 Test Frequency :5670 MHz  
 Test Mode :BE CH HIGH RU 242/62  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.3/63  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.38	0.98	53.36	68.20	-14.84
5730.08	Peak	54.02	0.98	55.00	68.20	-13.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 4  
Test Frequency :5755 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5646.04	Peak	54.10	0.77	54.87	68.20	-13.33
5650.00	Peak	53.32	0.79	54.11	68.20	-14.09
5700.00	Peak	58.25	1.00	59.25	105.20	-45.95
5720.00	Peak	65.92	0.99	66.91	110.80	-43.89
5725.00	Peak	64.30	0.98	65.28	122.20	-56.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 4  
Test Frequency :5755 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBμV/m	dB
5646.86	Peak	53.46	0.78	54.24	68.20	-13.96
5650.00	Peak	51.92	0.79	52.71	68.20	-15.49
5700.00	Peak	54.26	1.00	55.26	105.20	-49.94
5720.00	Peak	60.38	0.99	61.37	110.80	-49.43
5725.00	Peak	62.30	0.98	63.28	122.20	-58.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-08-10
Test Frequency	:5755 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5649.01	Peak	54.69	0.79	55.48	68.20	-12.72
5650.00	Peak	51.99	0.79	52.78	68.20	-15.42
5700.00	Peak	56.05	1.00	57.05	105.20	-48.15
5720.00	Peak	61.07	0.99	62.06	110.80	-48.74
5725.00	Peak	64.05	0.98	65.03	122.20	-57.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax40 / Band 4  
 Test Frequency :5755 MHz  
 Test Mode :BE CH LOW RU 242/61  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.2/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5630.20	Peak	53.50	0.71	54.21	68.20	-13.99
5650.00	Peak	51.93	0.79	52.72	68.20	-15.48
5700.00	Peak	55.33	1.00	56.33	105.20	-48.87
5720.00	Peak	56.41	0.99	57.40	110.80	-53.40
5725.00	Peak	57.74	0.98	58.72	122.20	-63.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 4  
Test Frequency :5795 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	63.62	1.13	64.75	122.20	-57.45
5855.00	Peak	61.51	1.15	62.66	110.80	-48.14
5875.00	Peak	58.24	1.26	59.50	105.20	-45.70
5925.00	Peak	52.00	1.27	53.27	68.20	-14.93
5935.48	Peak	54.34	1.21	55.55	68.20	-12.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 4  
Test Frequency :5795 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	56.59	1.13	57.72	122.20	-64.48
5855.00	Peak	56.68	1.15	57.83	110.80	-52.97
5875.00	Peak	55.72	1.26	56.98	105.20	-48.22
5925.00	Peak	52.11	1.27	53.38	68.20	-14.82
5944.22	Peak	53.48	1.17	54.65	68.20	-13.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax80 / Band 1  
 Test Frequency :5210 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.2/62  
 Antenna Pol. :VERTICAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5149.30	Average	51.49	0.44	51.93	54.00	-2.07
5149.30	Peak	63.97	0.44	64.41	74.00	-9.59
5150.00	Average	51.45	0.45	51.90	54.00	-2.10
5150.00	Peak	63.08	0.45	63.53	74.00	-10.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax80 / Band 1  
 Test Frequency :5210 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.2/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.50	Average	47.96	0.44	48.40	54.00	-5.60
5149.50	Peak	60.80	0.44	61.24	74.00	-12.76
5150.00	Average	48.03	0.45	48.48	54.00	-5.52
5150.00	Peak	60.36	0.45	60.81	74.00	-13.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-08-10
Test Frequency	:5210 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.70	Average	50.32	0.44	50.76	54.00	-3.24
5149.70	Peak	72.02	0.44	72.46	74.00	-1.54
5150.00	Average	50.71	0.45	51.16	54.00	-2.84
5150.00	Peak	71.23	0.45	71.68	74.00	-2.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-08-10
Test Frequency	:5210 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	47.22	0.45	47.67	54.00	-6.33
5150.00	Peak	69.84	0.45	70.29	74.00	-3.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level			FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	45.73	0.07	45.80	54.00	-8.20
5350.00	Peak	59.76	0.07	59.83	74.00	-14.17
5350.90	Average	46.08	0.08	46.16	54.00	-7.84
5350.90	Peak	59.87	0.08	59.95	74.00	-14.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax80 / Band 2  
 Test Frequency :5290 MHz  
 Test Mode :BE CH HIGH Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-11  
 Temp./Humi. :23.4/60  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	43.75	0.07	43.82	54.00	-10.18
5350.00	Peak	56.34	0.07	56.41	74.00	-17.59
5350.80	Average	43.74	0.07	43.81	54.00	-10.19
5350.80	Peak	56.67	0.07	56.74	74.00	-17.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	49.44	0.07	49.51	54.00	-4.49
5350.00	Peak	62.98	0.07	63.05	74.00	-10.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	47.24	0.07	47.31	54.00	-6.69
5350.00	Peak	58.60	0.07	58.67	74.00	-15.33
5352.40	Average	45.63	0.09	45.72	54.00	-8.28
5352.40	Peak	60.52	0.09	60.61	74.00	-13.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 3  
Test Frequency :5530 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :24.1/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5451.80	Average	47.58	1.13	48.71	54.00	-5.29
5451.80	Peak	65.40	1.13	66.53	74.00	-7.47
5460.00	Average	48.50	1.18	49.68	54.00	-4.32
5460.00	Peak	61.42	1.18	62.60	74.00	-11.40
5469.20	Peak	65.21	1.25	66.46	68.20	-1.74
5470.00	Peak	64.77	1.26	66.03	68.20	-2.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax80 / Band 3  
 Test Frequency :5530 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-07-14  
 Temp./Humi. :24.1/61  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5446.90	Average	43.55	1.09	44.64	54.00	-9.36
5446.90	Peak	60.84	1.09	61.93	74.00	-12.07
5460.00	Average	44.66	1.18	45.84	54.00	-8.16
5460.00	Peak	58.40	1.18	59.58	74.00	-14.42
5464.50	Peak	60.66	1.22	61.88	68.20	-6.32
5470.00	Peak	60.44	1.26	61.70	68.20	-6.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-08-11
Test Frequency	:5530 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5460.00	Average	43.60	1.18	44.78	54.00	-9.22
5460.00	Peak	57.05	1.18	58.23	74.00	-15.77
5469.40	Peak	62.73	1.25	63.98	68.20	-4.22
5470.00	Peak	62.90	1.26	64.16	68.20	-4.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-08-11
Test Frequency	:5530 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5446.60	Average	41.77	1.09	42.86	54.00	-11.14
5446.60	Peak	54.75	1.09	55.84	74.00	-18.16
5460.00	Average	42.41	1.18	43.59	54.00	-10.41
5460.00	Peak	54.00	1.18	55.18	74.00	-18.82
5469.60	Peak	59.19	1.25	60.44	68.20	-7.76
5470.00	Peak	57.34	1.26	58.60	68.20	-9.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 4  
Test Frequency :5775 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5647.92	Peak	56.51	0.79	57.30	68.20	-10.90
5650.00	Peak	54.12	0.79	54.91	68.20	-13.29
5700.00	Peak	60.62	1.00	61.62	105.20	-43.58
5720.00	Peak	61.36	0.99	62.35	110.80	-48.45
5725.00	Peak	68.31	0.98	69.29	122.20	-52.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-08-11
Test Frequency	:5775 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBμV/m	dB
5646.44	Peak	55.72	0.77	56.49	68.20	-11.71
5650.00	Peak	54.14	0.79	54.93	68.20	-13.27
5700.00	Peak	59.92	1.00	60.92	105.20	-44.28
5720.00	Peak	61.04	0.99	62.03	110.80	-48.77
5725.00	Peak	67.71	0.98	68.69	122.20	-53.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 4  
Test Frequency :5775 MHz  
Test Mode :BE CH LOW RU 484/65  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level			FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5625.16	Peak	54.48	0.69	55.17	68.20	-13.03
5650.00	Peak	53.87	0.79	54.66	68.20	-13.54
5700.00	Peak	65.52	1.00	66.52	105.20	-38.68
5720.00	Peak	66.03	0.99	67.02	110.80	-43.78
5725.00	Peak	65.72	0.98	66.70	122.20	-55.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax80 / Band 4  
 Test Frequency :5775 MHz  
 Test Mode :BE CH LOW RU 484/65  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-11  
 Temp./Humi. :23.4/60  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5640.15	Peak	54.70	0.74	55.44	68.20	-12.76
5650.00	Peak	53.98	0.79	54.77	68.20	-13.43
5700.00	Peak	64.85	1.00	65.85	105.20	-39.35
5720.00	Peak	66.88	0.99	67.87	110.80	-42.93
5725.00	Peak	66.74	0.98	67.72	122.20	-54.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5144.92	Average	42.20	0.42	42.62	54.00	-11.38
5144.92	Peak	55.31	0.42	55.73	74.00	-18.27
5150.00	Average	42.61	0.45	43.06	54.00	-10.94
5150.00	Peak	54.36	0.45	54.81	74.00	-19.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5146.18	Average	42.36	0.43	42.79	54.00	-11.21
5146.18	Peak	55.24	0.43	55.67	74.00	-18.33
5150.00	Average	42.63	0.45	43.08	54.00	-10.92
5150.00	Peak	54.04	0.45	54.49	74.00	-19.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.47	0.07	42.54	54.00	-11.46
5350.00	Peak	53.62	0.07	53.69	74.00	-20.31
5367.00	Average	41.62	0.27	41.89	54.00	-12.11
5367.00	Peak	54.28	0.27	54.55	74.00	-19.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 1-2  
Test Frequency :5250 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	41.41	0.07	41.48	54.00	-12.52
5350.00	Peak	52.37	0.07	52.44	74.00	-21.56
5371.55	Average	41.15	0.33	41.48	54.00	-12.52
5371.55	Peak	54.22	0.33	54.55	74.00	-19.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	47.74	0.45	48.19	54.00	-5.81
5150.00	Peak	61.03	0.45	61.48	74.00	-12.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.54	Average	44.48	0.44	44.92	54.00	-9.08
5149.54	Peak	56.91	0.44	57.35	74.00	-16.65
5150.00	Average	44.35	0.45	44.80	54.00	-9.20
5150.00	Peak	56.76	0.45	57.21	74.00	-16.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level	dB	FS	@3m	dB
	PK/QP/AV	dBuV		dBuV/m	dBuV/m	
5350.00	Average	41.68	0.07	41.75	54.00	-12.25
5350.00	Peak	52.44	0.07	52.51	74.00	-21.49
5353.22	Average	41.85	0.10	41.95	54.00	-12.05
5353.22	Peak	54.36	0.10	54.46	74.00	-19.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.04	0.07	41.11	54.00	-12.89
5350.00	Peak	53.36	0.07	53.43	74.00	-20.57
5375.45	Average	41.06	0.38	41.44	54.00	-12.56
5375.45	Peak	55.09	0.38	55.47	74.00	-18.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax160 / Band 3  
 Test Frequency :5570 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-07-14  
 Temp./Humi. :24.0/62  
 Antenna Pol. :VERTICAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5450.22	Average	44.42	1.12	45.54	54.00	-8.46
5450.22	Peak	60.76	1.12	61.88	74.00	-12.12
5460.00	Average	45.08	1.18	46.26	54.00	-7.74
5460.00	Peak	58.21	1.18	59.39	74.00	-14.61
5465.97	Peak	60.47	1.22	61.69	68.20	-6.51
5470.00	Peak	58.95	1.26	60.21	68.20	-7.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax160 / Band 3  
 Test Frequency :5570 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-07-14  
 Temp./Humi. :24.0/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5459.04	Average	40.35	1.18	41.53	54.00	-12.47
5459.04	Peak	53.95	1.18	55.13	74.00	-18.87
5460.00	Average	40.55	1.18	41.73	54.00	-12.27
5460.00	Peak	51.58	1.18	52.76	74.00	-21.24
5469.75	Peak	54.15	1.25	55.40	68.20	-12.80
5470.00	Peak	52.94	1.26	54.20	68.20	-14.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-07-14
Test Frequency	:5570 MHz	Temp./Humi.	:23.8/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	58.39	0.98	59.37	68.20	-8.83
5740.94	Peak	60.50	0.97	61.47	68.20	-6.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-07-14
Test Frequency	:5570 MHz	Temp./Humi.	:23.8/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.00	Peak	53.38	0.98	54.36	68.20	-13.84
5740.10	Peak	54.98	0.98	55.96	68.20	-12.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW RU 996/67  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5448.96	Average	41.22	1.11	42.33	54.00	-11.67
5448.96	Peak	54.33	1.11	55.44	74.00	-18.56
5460.00	Average	41.32	1.18	42.50	54.00	-11.50
5460.00	Peak	53.51	1.18	54.69	74.00	-19.31
5468.28	Peak	56.44	1.24	57.68	68.20	-10.52
5470.00	Peak	53.52	1.26	54.78	68.20	-13.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW RU 996/67  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 0 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5447.91	Average	40.98	1.09	42.07	54.00	-11.93
5447.91	Peak	53.80	1.09	54.89	74.00	-19.11
5460.00	Average	41.03	1.18	42.21	54.00	-11.79
5460.00	Peak	52.35	1.18	53.53	74.00	-20.47
5462.19	Peak	53.41	1.19	54.60	68.20	-13.60
5470.00	Peak	52.27	1.26	53.53	68.20	-14.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-08-11
Test Frequency	:5570 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.76	0.98	53.74	68.20	-14.46
5726.45	Peak	55.25	0.99	56.24	68.20	-11.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-08-11
Test Frequency	:5570 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 0 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	51.95	0.98	52.93	68.20	-15.27
5767.61	Peak	54.60	0.89	55.49	68.20	-12.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode: Chain 1

Report Number :E2/2020/70034  
Operation Mode :802.11a / Band 1  
Test Frequency :5180 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.5/69  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5147.56	Average	41.55	0.43	41.98	54.00	-12.02
5147.56	Peak	56.02	0.43	56.45	74.00	-17.55
5150.00	Average	41.91	0.45	42.36	54.00	-11.64
5150.00	Peak	54.05	0.45	54.50	74.00	-19.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11a / Band 1  
 Test Frequency :5180 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-06  
 Temp./Humi. :24.5/69  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.24	Average	40.71	0.44	41.15	54.00	-12.85
5149.24	Peak	54.82	0.44	55.26	74.00	-18.74
5150.00	Average	40.77	0.45	41.22	54.00	-12.78
5150.00	Peak	53.48	0.45	53.93	74.00	-20.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11a / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.5/69  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.74	0.07	42.81	54.00	-11.19
5350.00	Peak	56.39	0.07	56.46	74.00	-17.54
5351.64	Average	42.20	0.08	42.28	54.00	-11.72
5351.64	Peak	56.45	0.08	56.53	74.00	-17.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
 Operation Mode :802.11a / Band 2  
 Test Frequency :5320 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-06  
 Temp./Humi. :24.5/69  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.84	0.07	41.91	54.00	-12.09
5350.00	Peak	53.77	0.07	53.84	74.00	-20.16
5350.68	Average	40.98	0.07	41.05	54.00	-12.95
5350.68	Peak	55.42	0.07	55.49	74.00	-18.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11a / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.3/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5457.44	Average	43.62	1.17	44.79	54.00	-9.21
5457.44	Peak	55.59	1.17	56.76	74.00	-17.24
5460.00	Average	44.34	1.18	45.52	54.00	-8.48
5460.00	Peak	54.06	1.18	55.24	74.00	-18.76
5468.60	Peak	58.64	1.24	59.88	68.20	-8.32
5470.00	Peak	56.90	1.26	58.16	68.20	-10.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11a / Band 3  
 Test Frequency :5500 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-07-13  
 Temp./Humi. :24.3/60  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.60	Average	39.59	1.16	40.75	54.00	-13.25
5456.60	Peak	53.80	1.16	54.96	74.00	-19.04
5460.00	Average	39.72	1.18	40.90	54.00	-13.10
5460.00	Peak	53.22	1.18	54.40	74.00	-19.60
5466.20	Peak	54.96	1.23	56.19	68.20	-12.01
5470.00	Peak	52.69	1.26	53.95	68.20	-14.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11a / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.3/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	55.09	0.98	56.07	68.20	-12.13
5727.56	Peak	55.71	0.98	56.69	68.20	-11.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11a / Band 3	Test Date	:2020-07-13
Test Frequency	:5700 MHz	Temp./Humi.	:24.3/60
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	53.62	0.98	54.60	68.20	-13.60
5727.80	Peak	54.59	0.98	55.57	68.20	-12.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11a / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5612.87	Peak	55.66	0.64	56.30	68.20	-11.90
5650.00	Peak	52.82	0.79	53.61	68.20	-14.59
5700.00	Peak	54.08	1.00	55.08	105.20	-50.12
5720.00	Peak	57.07	0.99	58.06	110.80	-52.74
5725.00	Peak	62.24	0.98	63.22	122.20	-58.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11a / Band 4  
 Test Frequency :5745 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-06  
 Temp./Humi. :24.5/68  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5606.82	Peak	53.84	0.60	54.44	68.20	-13.76
5650.00	Peak	52.42	0.79	53.21	68.20	-14.99
5700.00	Peak	52.64	1.00	53.64	105.20	-51.56
5720.00	Peak	53.89	0.99	54.88	110.80	-55.92
5725.00	Peak	55.92	0.98	56.90	122.20	-65.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11a / Band 4  
Test Frequency :5825 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	60.09	1.13	61.22	122.20	-60.98
5855.00	Peak	57.61	1.15	58.76	110.80	-52.04
5875.00	Peak	54.46	1.26	55.72	105.20	-49.48
5925.00	Peak	52.10	1.27	53.37	68.20	-14.83
5934.20	Peak	54.25	1.22	55.47	68.20	-12.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
Operation Mode :802.11a / Band 4  
Test Frequency :5825 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.5/68  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	59.56	1.13	60.69	122.20	-61.51
5855.00	Peak	56.15	1.15	57.30	110.80	-53.50
5875.00	Peak	53.24	1.26	54.50	105.20	-50.70
5925.00	Peak	52.96	1.27	54.23	68.20	-13.97
5951.54	Peak	54.63	1.13	55.76	68.20	-12.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 1  
Test Frequency :5180 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.4/67  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	43.15	0.45	43.60	54.00	-10.40
5150.00	Peak	57.12	0.45	57.57	74.00	-16.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11n20 / Band 1  
 Test Frequency :5180 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-06  
 Temp./Humi. :24.4/67  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5145.04	Average	41.87	0.42	42.29	54.00	-11.71
5145.04	Peak	56.05	0.42	56.47	74.00	-17.53
5150.00	Average	41.95	0.45	42.40	54.00	-11.60
5150.00	Peak	54.66	0.45	55.11	74.00	-18.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.4/67  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5350.00	Average	43.12	0.07	43.19	54.00	-10.81
5350.00	Peak	55.34	0.07	55.41	74.00	-18.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n20 / Band 2	Test Date	:2020-08-06
Test Frequency	:5320 MHz	Temp./Humi.	:24.4/67
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.62	0.07	42.69	54.00	-11.31
5350.00	Peak	54.73	0.07	54.80	74.00	-19.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.3/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5459.36	Average	43.90	1.18	45.08	54.00	-8.92
5459.36	Peak	58.58	1.18	59.76	74.00	-14.24
5460.00	Average	44.08	1.18	45.26	54.00	-8.74
5460.00	Peak	57.40	1.18	58.58	74.00	-15.42
5462.12	Peak	60.22	1.19	61.41	68.20	-6.79
5470.00	Peak	58.42	1.26	59.68	68.20	-8.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.3/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5457.56	Average	40.69	1.18	41.87	54.00	-12.13
5457.56	Peak	55.17	1.18	56.35	74.00	-17.65
5460.00	Average	40.99	1.18	42.17	54.00	-11.83
5460.00	Peak	54.37	1.18	55.55	74.00	-18.45
5467.64	Peak	56.19	1.24	57.43	68.20	-10.77
5470.00	Peak	55.27	1.26	56.53	68.20	-11.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.1/58  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	62.53	0.98	63.51	68.20	-4.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.1/58  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	58.09	0.98	59.07	68.20	-9.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5624.80	Peak	54.58	0.68	55.26	68.20	-12.94
5650.00	Peak	52.63	0.79	53.42	68.20	-14.78
5700.00	Peak	53.97	1.00	54.97	105.20	-50.23
5720.00	Peak	58.45	0.99	59.44	110.80	-51.36
5725.00	Peak	65.15	0.98	66.13	122.20	-56.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n20 / Band 4	Test Date	:2020-08-06
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBμV/m	dB
5646.97	Peak	53.53	0.78	54.31	68.20	-13.89
5650.00	Peak	51.96	0.79	52.75	68.20	-15.45
5700.00	Peak	52.46	1.00	53.46	105.20	-51.74
5720.00	Peak	56.37	0.99	57.36	110.80	-53.44
5725.00	Peak	60.25	0.98	61.23	122.20	-60.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 4  
Test Frequency :5825 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	62.38	1.13	63.51	122.20	-58.69
5855.00	Peak	59.22	1.15	60.37	110.80	-50.43
5875.00	Peak	54.62	1.26	55.88	105.20	-49.32
5925.00	Peak	53.31	1.27	54.58	68.20	-13.62
5937.09	Peak	54.43	1.20	55.63	68.20	-12.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n20 / Band 4	Test Date	:2020-08-06
Test Frequency	:5825 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	59.64	1.13	60.77	122.20	-61.43
5855.00	Peak	57.95	1.15	59.10	110.80	-51.70
5875.00	Peak	53.43	1.26	54.69	105.20	-50.51
5925.00	Peak	52.18	1.27	53.45	68.20	-14.75
5931.31	Peak	53.93	1.23	55.16	68.20	-13.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 1  
Test Frequency :5190 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.3/67  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5148.76	Average	42.68	0.44	43.12	54.00	-10.88
5148.76	Peak	56.50	0.44	56.94	74.00	-17.06
5150.00	Average	42.78	0.45	43.23	54.00	-10.77
5150.00	Peak	54.57	0.45	55.02	74.00	-18.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 1  
Test Frequency :5190 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.3/67  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5140.72	Average	41.55	0.40	41.95	54.00	-12.05
5140.72	Peak	55.58	0.40	55.98	74.00	-18.02
5150.00	Average	41.74	0.45	42.19	54.00	-11.81
5150.00	Peak	53.13	0.45	53.58	74.00	-20.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 2  
Test Frequency :5310 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.3/67  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	45.62	0.07	45.69	54.00	-8.31
5350.00	Peak	61.40	0.07	61.47	74.00	-12.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n40 / Band 2	Test Date	:2020-08-06
Test Frequency	:5310 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBUV/m	dB
5350.00	Average	43.62	0.07	43.69	54.00	-10.31
5350.00	Peak	58.17	0.07	58.24	74.00	-15.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 3  
Test Frequency :5510 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.2/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5459.04	Average	42.99	1.18	44.17	54.00	-9.83
5459.04	Peak	58.10	1.18	59.28	74.00	-14.72
5460.00	Average	43.12	1.18	44.30	54.00	-9.70
5460.00	Peak	55.39	1.18	56.57	74.00	-17.43
5469.00	Peak	58.07	1.25	59.32	68.20	-8.88
5470.00	Peak	55.81	1.26	57.07	68.20	-11.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 3  
Test Frequency :5510 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.2/61  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5445.36	Average	40.07	1.07	41.14	54.00	-12.86
5445.36	Peak	55.25	1.07	56.32	74.00	-17.68
5460.00	Average	40.46	1.18	41.64	54.00	-12.36
5460.00	Peak	53.68	1.18	54.86	74.00	-19.14
5465.28	Peak	55.34	1.22	56.56	68.20	-11.64
5470.00	Peak	54.29	1.26	55.55	68.20	-12.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 3  
Test Frequency :5670 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.2/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	58.01	0.98	58.99	68.20	-9.21
5725.40	Peak	59.39	0.98	60.37	68.20	-7.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 3  
Test Frequency :5670 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.2/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	54.52	0.98	55.50	68.20	-12.70
5736.80	Peak	56.22	0.98	57.20	68.20	-11.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 4  
Test Frequency :5755 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.4/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5647.36	Peak	55.13	0.78	55.91	68.20	-12.29
5650.00	Peak	53.26	0.79	54.05	68.20	-14.15
5700.00	Peak	56.76	1.00	57.76	105.20	-47.44
5720.00	Peak	61.53	0.99	62.52	110.80	-48.28
5725.00	Peak	62.15	0.98	63.13	122.20	-59.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 4  
Test Frequency :5755 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.4/68  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBuV/m	Limit @3m dBμV/m	Margin dB
5632.18	Peak	54.03	0.71	54.74	68.20	-13.46
5650.00	Peak	52.27	0.79	53.06	68.20	-15.14
5700.00	Peak	54.45	1.00	55.45	105.20	-49.75
5720.00	Peak	58.97	0.99	59.96	110.80	-50.84
5725.00	Peak	58.04	0.98	59.02	122.20	-63.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 4  
Test Frequency :5795 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.4/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	62.30	1.13	63.43	122.20	-58.77
5855.00	Peak	60.02	1.15	61.17	110.80	-49.63
5875.00	Peak	57.83	1.26	59.09	105.20	-46.11
5925.00	Peak	53.38	1.27	54.65	68.20	-13.55
5926.55	Peak	54.53	1.26	55.79	68.20	-12.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n40 / Band 4	Test Date	:2020-08-06
Test Frequency	:5795 MHz	Temp./Humi.	:24.4/68
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	57.73	1.13	58.86	122.20	-63.34
5855.00	Peak	58.79	1.15	59.94	110.80	-50.86
5875.00	Peak	55.00	1.26	56.26	105.20	-48.94
5925.00	Peak	52.07	1.27	53.34	68.20	-14.86
5938.52	Peak	54.39	1.20	55.59	68.20	-12.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac80 / Band 1  
Test Frequency :5210 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :22.6/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5129.90	Average	43.51	0.34	43.85	54.00	-10.15
5129.90	Peak	60.45	0.34	60.79	74.00	-13.21
5150.00	Average	44.95	0.45	45.40	54.00	-8.60
5150.00	Peak	57.56	0.45	58.01	74.00	-15.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ac80 / Band 1  
 Test Frequency :5210 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-07  
 Temp./Humi. :22.6/60  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5130.90	Average	42.62	0.34	42.96	54.00	-11.04
5130.90	Peak	58.17	0.34	58.51	74.00	-15.49
5150.00	Average	42.74	0.45	43.19	54.00	-10.81
5150.00	Peak	53.57	0.45	54.02	74.00	-19.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac80 / Band 2  
Test Frequency :5290 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :22.6/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	49.71	0.07	49.78	54.00	-4.22
5350.00	Peak	61.98	0.07	62.05	74.00	-11.95
5360.40	Average	48.35	0.19	48.54	54.00	-5.46
5360.40	Peak	62.67	0.19	62.86	74.00	-11.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac80 / Band 2	Test Date	:2020-08-07
Test Frequency	:5290 MHz	Temp./Humi.	:22.6/61
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	45.62	0.07	45.69	54.00	-8.31
5350.00	Peak	57.01	0.07	57.08	74.00	-16.92
5369.80	Average	44.62	0.31	44.93	54.00	-9.07
5369.80	Peak	59.61	0.31	59.92	74.00	-14.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac80 / Band 3  
Test Frequency :5530 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.2/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5451.30	Average	41.91	1.13	43.04	54.00	-10.96
5451.30	Peak	60.38	1.13	61.51	74.00	-12.49
5460.00	Average	41.66	1.18	42.84	54.00	-11.16
5460.00	Peak	57.94	1.18	59.12	74.00	-14.88
5465.20	Peak	57.50	1.22	58.72	68.20	-9.48
5470.00	Peak	56.10	1.26	57.36	68.20	-10.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ac80 / Band 3  
 Test Frequency :5530 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-07-13  
 Temp./Humi. :24.2/61  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5450.90	Average	40.62	1.12	41.74	54.00	-12.26
5450.90	Peak	59.64	1.12	60.76	74.00	-13.24
5460.00	Average	40.72	1.18	41.90	54.00	-12.10
5460.00	Peak	56.25	1.18	57.43	74.00	-16.57
5466.80	Peak	56.60	1.23	57.83	68.20	-10.37
5470.00	Peak	54.94	1.26	56.20	68.20	-12.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac80 / Band 4  
Test Frequency :5775 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :24.3/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level			FS	@3m	
MHz	PK/QP/AV	dBUV	dB	dBUV/m	dBUV/m	dB
5647.55	Peak	62.37	0.79	63.16	68.20	-5.04
5650.00	Peak	58.90	0.79	59.69	68.20	-8.51
5700.00	Peak	60.43	1.00	61.43	105.20	-43.77
5720.00	Peak	65.55	0.99	66.54	110.80	-44.26
5725.00	Peak	71.18	0.98	72.16	122.20	-50.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac80 / Band 4	Test Date	:2020-08-07
Test Frequency	:5775 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5648.47	Peak	56.61	0.79	57.40	68.20	-10.80
5650.00	Peak	53.95	0.79	54.74	68.20	-13.46
5700.00	Peak	58.69	1.00	59.69	105.20	-45.51
5720.00	Peak	58.90	0.99	59.89	110.80	-50.91
5725.00	Peak	65.99	0.98	66.97	122.20	-55.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ac80 / Band 4  
 Test Frequency :5775 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-07  
 Temp./Humi. :24.3/62  
 Antenna Pol. :VERTICAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	65.86	1.13	66.99	122.20	-55.21
5855.00	Peak	65.78	1.15	66.93	110.80	-43.87
5875.00	Peak	59.88	1.26	61.14	105.20	-44.06
5925.00	Peak	56.51	1.27	57.78	68.20	-10.42
5943.80	Peak	57.18	1.18	58.36	68.20	-9.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac80 / Band 4	Test Date	:2020-08-07
Test Frequency	:5775 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	61.44	1.13	62.57	122.20	-59.63
5855.00	Peak	61.90	1.15	63.05	110.80	-47.75
5875.00	Peak	58.57	1.26	59.83	105.20	-45.37
5925.00	Peak	53.90	1.27	55.17	68.20	-13.03
5926.80	Peak	55.45	1.25	56.70	68.20	-11.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 1-2	Test Date	:2020-08-07
Test Frequency	:5250 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	42.15	0.45	42.60	54.00	-11.40
5150.00	Peak	55.19	0.45	55.64	74.00	-18.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 1-2	Test Date	:2020-08-07
Test Frequency	:5250 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5133.37	Average	40.65	0.35	41.00	54.00	-13.00
5133.37	Peak	55.73	0.35	56.08	74.00	-17.92
5150.00	Average	40.58	0.45	41.03	54.00	-12.97
5150.00	Peak	54.44	0.45	54.89	74.00	-19.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 1-2	Test Date	:2020-08-07
Test Frequency	:5250 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level			FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	44.51	0.07	44.58	54.00	-9.42
5350.00	Peak	56.64	0.07	56.71	74.00	-17.29
5378.18	Average	44.62	0.41	45.03	54.00	-8.97
5378.18	Peak	59.28	0.41	59.69	74.00	-14.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 1-2	Test Date	:2020-08-07
Test Frequency	:5250 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.87	0.07	42.94	54.00	-11.06
5350.00	Peak	55.22	0.07	55.29	74.00	-18.71
5375.45	Average	43.61	0.38	43.99	54.00	-10.01
5375.45	Peak	58.65	0.38	59.03	74.00	-14.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :26.7/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5448.75	Average	41.44	1.11	42.55	54.00	-11.45
5448.75	Peak	56.12	1.11	57.23	74.00	-16.77
5460.00	Average	41.79	1.18	42.97	54.00	-11.03
5460.00	Peak	53.36	1.18	54.54	74.00	-19.46
5464.50	Peak	57.45	1.22	58.67	68.20	-9.53
5470.00	Peak	56.25	1.26	57.51	68.20	-10.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 3	Test Date	:2020-07-14
Test Frequency	:5570 MHz	Temp./Humi.	:26.7/60
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5437.20	Average	39.89	1.01	40.90	54.00	-13.10
5437.20	Peak	53.74	1.01	54.75	74.00	-19.25
5460.00	Average	40.16	1.18	41.34	54.00	-12.66
5460.00	Peak	52.71	1.18	53.89	74.00	-20.11
5464.08	Peak	54.28	1.22	55.50	68.20	-12.70
5470.00	Peak	53.03	1.26	54.29	68.20	-13.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :26.7/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	57.44	0.98	58.42	68.20	-9.78
5728.55	Peak	59.11	0.98	60.09	68.20	-8.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 3	Test Date	:2020-07-14
Test Frequency	:5570 MHz	Temp./Humi.	:26.7/60
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	54.16	0.98	55.14	68.20	-13.06
5736.53	Peak	56.33	0.98	57.31	68.20	-10.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 1  
Test Frequency :5180 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.36	Average	42.15	0.44	42.59	54.00	-11.41
5149.36	Peak	55.68	0.44	56.12	74.00	-17.88
5150.00	Average	42.58	0.45	43.03	54.00	-10.97
5150.00	Peak	54.29	0.45	54.74	74.00	-19.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-07
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5148.88	Average	47.27	0.44	47.71	54.00	-6.29
5148.88	Peak	65.29	0.44	65.73	74.00	-8.27
5150.00	Average	47.55	0.45	48.00	54.00	-6.00
5150.00	Peak	62.60	0.45	63.05	74.00	-10.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 1  
Test Frequency :5180 MHz  
Test Mode :BE CH LOW RU 26/0  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5138.56	Average	42.14	0.38	42.52	54.00	-11.48
5138.56	Peak	54.82	0.38	55.20	74.00	-18.80
5150.00	Average	42.40	0.45	42.85	54.00	-11.15
5150.00	Peak	53.83	0.45	54.28	74.00	-19.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-07
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5137.96	Average	41.02	0.38	41.40	54.00	-12.60
5137.96	Peak	54.64	0.38	55.02	74.00	-18.98
5150.00	Average	41.53	0.45	41.98	54.00	-12.02
5150.00	Peak	52.47	0.45	52.92	74.00	-21.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5148.64	Average	42.32	0.44	42.76	54.00	-11.24
5148.64	Peak	56.34	0.44	56.78	74.00	-17.22
5150.00	Average	42.54	0.45	42.99	54.00	-11.01
5150.00	Peak	55.02	0.45	55.47	74.00	-18.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5143.36	Average	40.96	0.41	41.37	54.00	-12.63
5143.36	Peak	54.07	0.41	54.48	74.00	-19.52
5150.00	Average	41.66	0.45	42.11	54.00	-11.89
5150.00	Peak	53.12	0.45	53.57	74.00	-20.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5140.00	Average	43.26	0.39	43.65	54.00	-10.35
5140.00	Peak	56.43	0.39	56.82	74.00	-17.18
5150.00	Average	43.69	0.45	44.14	54.00	-9.86
5150.00	Peak	55.14	0.45	55.59	74.00	-18.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5144.56	Average	41.62	0.42	42.04	54.00	-11.96
5144.56	Peak	54.77	0.42	55.19	74.00	-18.81
5150.00	Average	41.14	0.45	41.59	54.00	-12.41
5150.00	Peak	52.57	0.45	53.02	74.00	-20.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	44.05	0.07	44.12	54.00	-9.88
5350.00	Peak	54.55	0.07	54.62	74.00	-19.38
5351.16	Average	44.25	0.08	44.33	54.00	-9.67
5351.16	Peak	55.93	0.08	56.01	74.00	-17.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.28	0.07	42.35	54.00	-11.65
5350.00	Peak	53.44	0.07	53.51	74.00	-20.49
5353.32	Average	41.99	0.10	42.09	54.00	-11.91
5353.32	Peak	54.94	0.10	55.04	74.00	-18.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.32	0.07	42.39	54.00	-11.61
5350.00	Peak	56.18	0.07	56.25	74.00	-17.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.41	0.07	41.48	54.00	-12.52
5350.00	Peak	52.80	0.07	52.87	74.00	-21.13
5389.56	Average	41.24	0.55	41.79	54.00	-12.21
5389.56	Peak	54.07	0.55	54.62	74.00	-19.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.20	0.07	42.27	54.00	-11.73
5350.00	Peak	53.58	0.07	53.65	74.00	-20.35
5356.80	Average	42.18	0.15	42.33	54.00	-11.67
5356.80	Peak	54.84	0.15	54.99	74.00	-19.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH RU 52/40  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.31	0.07	41.38	54.00	-12.62
5350.00	Peak	53.57	0.07	53.64	74.00	-20.36
5382.48	Average	41.63	0.45	42.08	54.00	-11.92
5382.48	Peak	53.85	0.45	54.30	74.00	-19.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.81	0.07	42.88	54.00	-11.12
5350.00	Peak	54.89	0.07	54.96	74.00	-19.04
5358.24	Average	42.74	0.17	42.91	54.00	-11.09
5358.24	Peak	55.18	0.17	55.35	74.00	-18.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH RU 106/54  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.52	0.07	41.59	54.00	-12.41
5350.00	Peak	54.00	0.07	54.07	74.00	-19.93
5354.88	Average	41.35	0.13	41.48	54.00	-12.52
5354.88	Peak	54.58	0.13	54.71	74.00	-19.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.9/59  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5459.60	Average	43.52	1.18	44.70	54.00	-9.30
5459.60	Peak	59.26	1.18	60.44	74.00	-13.56
5460.00	Average	43.44	1.18	44.62	54.00	-9.38
5460.00	Peak	57.26	1.18	58.44	74.00	-15.56
5468.84	Peak	59.68	1.24	60.92	68.20	-7.28
5470.00	Peak	58.55	1.26	59.81	68.20	-8.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-07-14
Test Frequency	:5500 MHz	Temp./Humi.	:25.9/59
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5458.16	Average	41.79	1.18	42.97	54.00	-11.03
5458.16	Peak	57.35	1.18	58.53	74.00	-15.47
5460.00	Average	42.10	1.18	43.28	54.00	-10.72
5460.00	Peak	55.06	1.18	56.24	74.00	-17.76
5469.08	Peak	57.82	1.25	59.07	68.20	-9.13
5470.00	Peak	56.34	1.26	57.60	68.20	-10.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW RU 26/0  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5455.28	Average	41.55	1.15	42.70	54.00	-11.30
5455.28	Peak	54.55	1.15	55.70	74.00	-18.30
5460.00	Average	41.89	1.18	43.07	54.00	-10.93
5460.00	Peak	53.56	1.18	54.74	74.00	-19.26
5464.52	Peak	54.38	1.22	55.60	68.20	-12.60
5470.00	Peak	53.62	1.26	54.88	68.20	-13.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5458.52	Average	41.06	1.18	42.24	54.00	-11.76
5458.52	Peak	53.34	1.18	54.52	74.00	-19.48
5460.00	Average	41.13	1.18	42.31	54.00	-11.69
5460.00	Peak	52.45	1.18	53.63	74.00	-20.37
5467.64	Peak	53.32	1.24	54.56	68.20	-13.64
5470.00	Peak	52.38	1.26	53.64	68.20	-14.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5460.00	Average	43.07	1.18	44.25	54.00	-9.75
5460.00	Peak	56.52	1.18	57.70	74.00	-16.30
5467.04	Peak	57.11	1.23	58.34	68.20	-9.86
5470.00	Peak	54.49	1.26	55.75	68.20	-12.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5459.12	Average	41.28	1.18	42.46	54.00	-11.54
5459.12	Peak	54.21	1.18	55.39	74.00	-18.61
5460.00	Average	41.77	1.18	42.95	54.00	-11.05
5460.00	Peak	53.67	1.18	54.85	74.00	-19.15
5462.60	Peak	55.02	1.20	56.22	68.20	-11.98
5470.00	Peak	53.10	1.26	54.36	68.20	-13.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5455.88	Average	42.04	1.15	43.19	54.00	-10.81
5455.88	Peak	54.88	1.15	56.03	74.00	-17.97
5460.00	Average	42.28	1.18	43.46	54.00	-10.54
5460.00	Peak	53.37	1.18	54.55	74.00	-19.45
5466.68	Peak	56.16	1.23	57.39	68.20	-10.81
5470.00	Peak	55.06	1.26	56.32	68.20	-11.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5447.48	Average	40.96	1.09	42.05	54.00	-11.95
5447.48	Peak	52.89	1.09	53.98	74.00	-20.02
5460.00	Average	41.38	1.18	42.56	54.00	-11.44
5460.00	Peak	51.65	1.18	52.83	74.00	-21.17
5467.04	Peak	54.23	1.23	55.46	68.20	-12.74
5470.00	Peak	52.16	1.26	53.42	68.20	-14.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.8/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5725.00	Peak	62.16	0.98	63.14	68.20	-5.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-07-14
Test Frequency	:5700 MHz	Temp./Humi.	:25.8/61
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5725.00	Peak	56.21	0.98	57.19	68.20	-11.01
5725.76	Peak	58.26	0.98	59.24	68.20	-8.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	53.91	0.98	54.89	68.20	-13.31
5726.12	Peak	55.68	0.98	56.66	68.20	-11.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	53.08	0.98	54.06	68.20	-14.14
5725.52	Peak	54.52	0.98	55.50	68.20	-12.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	54.68	0.98	55.66	68.20	-12.54
5725.52	Peak	56.39	0.98	57.37	68.20	-10.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	54.61	0.98	55.59	68.20	-12.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	56.59	0.98	57.57	68.20	-10.63
5727.20	Peak	57.04	0.99	58.03	68.20	-10.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	55.25	0.98	56.23	68.20	-11.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5623.56	Peak	54.59	0.68	55.27	68.20	-12.93
5650.00	Peak	52.81	0.79	53.60	68.20	-14.60
5700.00	Peak	54.36	1.00	55.36	105.20	-49.84
5720.00	Peak	58.54	0.99	59.53	110.80	-51.27
5725.00	Peak	64.89	0.98	65.87	122.20	-56.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBμV/m	dB
5645.73	Peak	53.76	0.77	54.53	68.20	-13.67
5650.00	Peak	52.21	0.79	53.00	68.20	-15.20
5700.00	Peak	53.10	1.00	54.10	105.20	-51.10
5720.00	Peak	57.21	0.99	58.20	110.80	-52.60
5725.00	Peak	60.93	0.98	61.91	122.20	-60.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW RU 26/0  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5643.25	Peak	54.09	0.77	54.86	68.20	-13.34
5650.00	Peak	53.40	0.79	54.19	68.20	-14.01
5700.00	Peak	52.95	1.00	53.95	105.20	-51.25
5720.00	Peak	54.69	0.99	55.68	110.80	-55.12
5725.00	Peak	54.79	0.98	55.77	122.20	-66.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5633.79	Peak	53.52	0.72	54.24	68.20	-13.96
5650.00	Peak	51.47	0.79	52.26	68.20	-15.94
5700.00	Peak	52.24	1.00	53.24	105.20	-51.96
5720.00	Peak	53.21	0.99	54.20	110.80	-56.60
5725.00	Peak	52.67	0.98	53.65	122.20	-68.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5615.97	Peak	55.06	0.65	55.71	68.20	-12.49
5650.00	Peak	53.92	0.79	54.71	68.20	-13.49
5700.00	Peak	54.28	1.00	55.28	105.20	-49.92
5720.00	Peak	56.62	0.99	57.61	110.80	-53.19
5725.00	Peak	59.94	0.98	60.92	122.20	-61.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5632.71	Peak	54.55	0.72	55.27	68.20	-12.93
5650.00	Peak	52.74	0.79	53.53	68.20	-14.67
5700.00	Peak	52.98	1.00	53.98	105.20	-51.22
5720.00	Peak	54.15	0.99	55.14	110.80	-55.66
5725.00	Peak	57.58	0.98	58.56	122.20	-63.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5612.25	Peak	54.92	0.63	55.55	68.20	-12.65
5650.00	Peak	52.95	0.79	53.74	68.20	-14.46
5700.00	Peak	54.98	1.00	55.98	105.20	-49.22
5720.00	Peak	59.24	0.99	60.23	110.80	-50.57
5725.00	Peak	63.55	0.98	64.53	122.20	-57.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5624.18	Peak	53.83	0.68	54.51	68.20	-13.69
5650.00	Peak	51.52	0.79	52.31	68.20	-15.89
5700.00	Peak	52.60	1.00	53.60	105.20	-51.60
5720.00	Peak	55.15	0.99	56.14	110.80	-54.66
5725.00	Peak	58.36	0.98	59.34	122.20	-62.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5825 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	64.63	1.13	65.76	122.20	-56.44
5855.00	Peak	58.70	1.15	59.85	110.80	-50.95
5875.00	Peak	55.07	1.26	56.33	105.20	-48.87
5925.00	Peak	53.34	1.27	54.61	68.20	-13.59
5936.41	Peak	54.43	1.21	55.64	68.20	-12.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5825 MHz	Temp./Humi.	:24.5/61
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	62.29	1.13	63.42	122.20	-58.78
5855.00	Peak	56.39	1.15	57.54	110.80	-53.26
5875.00	Peak	53.64	1.26	54.90	105.20	-50.30
5925.00	Peak	52.16	1.27	53.43	68.20	-14.77
5935.90	Peak	54.12	1.21	55.33	68.20	-12.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5142.64	Average	44.96	0.41	45.37	54.00	-8.63
5142.64	Peak	57.34	0.41	57.75	74.00	-16.25
5150.00	Average	44.98	0.45	45.43	54.00	-8.57
5150.00	Peak	56.50	0.45	56.95	74.00	-17.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5147.56	Average	42.62	0.43	43.05	54.00	-10.95
5147.56	Peak	56.80	0.43	57.23	74.00	-16.77
5150.00	Average	42.95	0.45	43.40	54.00	-10.60
5150.00	Peak	54.69	0.45	55.14	74.00	-18.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	45.95	0.45	46.40	54.00	-7.60
5150.00	Peak	58.50	0.45	58.95	74.00	-15.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	43.84	0.45	44.29	54.00	-9.71
5150.00	Peak	55.21	0.45	55.66	74.00	-18.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 2  
Test Frequency :5310 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	47.62	0.07	47.69	54.00	-6.31
5350.00	Peak	60.57	0.07	60.64	74.00	-13.36
5350.88	Average	46.89	0.08	46.97	54.00	-7.03
5350.88	Peak	62.74	0.08	62.82	74.00	-11.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-08-10
Test Frequency	:5310 MHz	Temp./Humi.	:24.2/61
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	44.26	0.07	44.33	54.00	-9.67
5350.00	Peak	58.43	0.07	58.50	74.00	-15.50
5351.96	Average	43.85	0.09	43.94	54.00	-10.06
5351.96	Peak	58.84	0.09	58.93	74.00	-15.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-08-10
Test Frequency	:5310 MHz	Temp./Humi.	:24.2/61
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	47.30	0.07	47.37	54.00	-6.63
5350.00	Peak	67.03	0.07	67.10	74.00	-6.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-08-10
Test Frequency	:5310 MHz	Temp./Humi.	:24.2/61
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBUV/m	dB
5350.00	Average	44.95	0.07	45.02	54.00	-8.98
5350.00	Peak	64.65	0.07	64.72	74.00	-9.28
5353.04	Average	43.78	0.10	43.88	54.00	-10.12
5353.04	Peak	66.93	0.10	67.03	74.00	-6.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-07-14
Test Frequency	:5510 MHz	Temp./Humi.	:25.7/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5451.36	Average	46.92	1.13	48.05	54.00	-5.95
5451.36	Peak	62.51	1.13	63.64	74.00	-10.36
5460.00	Average	47.95	1.18	49.13	54.00	-4.87
5460.00	Peak	60.56	1.18	61.74	74.00	-12.26
5469.24	Peak	63.95	1.25	65.20	68.20	-3.00
5470.00	Peak	63.25	1.26	64.51	68.20	-3.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-07-14
Test Frequency	:5510 MHz	Temp./Humi.	:25.7/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5458.32	Average	45.64	1.18	46.82	54.00	-7.18
5458.32	Peak	60.18	1.18	61.36	74.00	-12.64
5460.00	Average	45.66	1.18	46.84	54.00	-7.16
5460.00	Peak	58.23	1.18	59.41	74.00	-14.59
5468.40	Peak	61.89	1.24	63.13	68.20	-5.07
5470.00	Peak	61.36	1.26	62.62	68.20	-5.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-08-10
Test Frequency	:5510 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5460.00	Average	43.27	1.18	44.45	54.00	-9.55
5460.00	Peak	57.08	1.18	58.26	74.00	-15.74
5461.08	Peak	57.26	1.19	58.45	68.20	-9.75
5470.00	Peak	54.90	1.26	56.16	68.20	-12.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-08-10
Test Frequency	:5510 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5456.76	Average	40.92	1.16	42.08	54.00	-11.92
5456.76	Peak	54.96	1.16	56.12	74.00	-17.88
5460.00	Average	41.63	1.18	42.81	54.00	-11.19
5460.00	Peak	51.56	1.18	52.74	74.00	-21.26
5468.52	Peak	53.92	1.24	55.16	68.20	-13.04
5470.00	Peak	52.64	1.26	53.90	68.20	-14.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 3  
Test Frequency :5670 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.5/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	60.02	0.98	61.00	68.20	-7.20
5727.44	Peak	60.46	0.99	61.45	68.20	-6.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-07-14
Test Frequency	:5670 MHz	Temp./Humi.	:25.5/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	56.33	0.98	57.31	68.20	-10.89
5726.60	Peak	57.17	0.99	58.16	68.20	-10.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-08-10
Test Frequency	:5670 MHz	Temp./Humi.	:24.3/63
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	54.67	0.98	55.65	68.20	-12.55
5733.08	Peak	55.58	0.98	56.56	68.20	-11.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-08-10
Test Frequency	:5670 MHz	Temp./Humi.	:24.3/63
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	53.06	0.98	54.04	68.20	-14.16
5730.32	Peak	54.60	0.98	55.58	68.20	-12.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 4  
Test Frequency :5755 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5619.97	Peak	54.58	0.66	55.24	68.20	-12.96
5650.00	Peak	53.36	0.79	54.15	68.20	-14.05
5700.00	Peak	58.23	1.00	59.23	105.20	-45.97
5720.00	Peak	64.25	0.99	65.24	110.80	-45.56
5725.00	Peak	63.41	0.98	64.39	122.20	-57.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax40 / Band 4  
 Test Frequency :5755 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.2/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5627.89	Peak	53.82	0.70	54.52	68.20	-13.68
5650.00	Peak	52.02	0.79	52.81	68.20	-15.39
5700.00	Peak	56.25	1.00	57.25	105.20	-47.95
5720.00	Peak	61.03	0.99	62.02	110.80	-48.78
5725.00	Peak	60.89	0.98	61.87	122.20	-60.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-08-10
Test Frequency	:5755 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5635.31	Peak	54.10	0.73	54.83	68.20	-13.37
5650.00	Peak	52.72	0.79	53.51	68.20	-14.69
5700.00	Peak	55.89	1.00	56.89	105.20	-48.31
5720.00	Peak	62.33	0.99	63.32	110.80	-47.48
5725.00	Peak	68.22	0.98	69.20	122.20	-53.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-08-10
Test Frequency	:5755 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5636.30	Peak	54.29	0.73	55.02	68.20	-13.18
5650.00	Peak	52.69	0.79	53.48	68.20	-14.72
5700.00	Peak	54.32	1.00	55.32	105.20	-49.88
5720.00	Peak	59.65	0.99	60.64	110.80	-50.16
5725.00	Peak	65.12	0.98	66.10	122.20	-56.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 4  
Test Frequency :5795 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	61.55	1.13	62.68	122.20	-59.52
5855.00	Peak	61.60	1.15	62.75	110.80	-48.05
5875.00	Peak	58.90	1.26	60.16	105.20	-45.04
5925.00	Peak	52.59	1.27	53.86	68.20	-14.34
5956.57	Peak	54.52	1.09	55.61	68.20	-12.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-08-10
Test Frequency	:5795 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	60.64	1.13	61.77	122.20	-60.43
5855.00	Peak	57.01	1.15	58.16	110.80	-52.64
5875.00	Peak	57.50	1.26	58.76	105.20	-46.44
5925.00	Peak	51.90	1.27	53.17	68.20	-15.03
5943.84	Peak	54.15	1.18	55.33	68.20	-12.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 1  
Test Frequency :5210 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5131.80	Average	45.88	0.35	46.23	54.00	-7.77
5131.80	Peak	61.37	0.35	61.72	74.00	-12.28
5150.00	Average	47.48	0.45	47.93	54.00	-6.07
5150.00	Peak	57.90	0.45	58.35	74.00	-15.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-08-10
Test Frequency	:5210 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5130.10	Average	43.24	0.34	43.58	54.00	-10.42
5130.10	Peak	57.60	0.34	57.94	74.00	-16.06
5150.00	Average	43.39	0.45	43.84	54.00	-10.16
5150.00	Peak	54.54	0.45	54.99	74.00	-19.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-08-10
Test Frequency	:5210 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5148.60	Average	45.95	0.44	46.39	54.00	-7.61
5148.60	Peak	58.31	0.44	58.75	74.00	-15.25
5150.00	Average	46.36	0.45	46.81	54.00	-7.19
5150.00	Peak	57.70	0.45	58.15	74.00	-15.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-08-10
Test Frequency	:5210 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5140.90	Average	43.41	0.40	43.81	54.00	-10.19
5140.90	Peak	56.32	0.40	56.72	74.00	-17.28
5150.00	Average	43.88	0.45	44.33	54.00	-9.67
5150.00	Peak	54.70	0.45	55.15	74.00	-18.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	47.06	0.07	47.13	54.00	-6.87
5350.00	Peak	56.97	0.07	57.04	74.00	-16.96
5363.90	Average	45.70	0.23	45.93	54.00	-8.07
5363.90	Peak	60.26	0.23	60.49	74.00	-13.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5350.00	Average	43.96	0.07	44.03	54.00	-9.97
5350.00	Peak	55.53	0.07	55.60	74.00	-18.40
5364.60	Average	42.89	0.24	43.13	54.00	-10.87
5364.60	Peak	56.93	0.24	57.17	74.00	-16.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	45.69	0.07	45.76	54.00	-8.24
5350.00	Peak	72.33	0.07	72.40	74.00	-1.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	43.99	0.07	44.06	54.00	-9.94
5350.00	Peak	68.98	0.07	69.05	74.00	-4.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 3  
Test Frequency :5530 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :24.1/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5447.50	Average	43.30	1.09	44.39	54.00	-9.61
5447.50	Peak	63.95	1.09	65.04	74.00	-8.96
5460.00	Average	44.99	1.18	46.17	54.00	-7.83
5460.00	Peak	56.42	1.18	57.60	74.00	-16.40
5468.40	Peak	60.17	1.24	61.41	68.20	-6.79
5470.00	Peak	58.30	1.26	59.56	68.20	-8.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-07-14
Test Frequency	:5530 MHz	Temp./Humi.	:24.1/61
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5447.80	Average	40.63	1.09	41.72	54.00	-12.28
5447.80	Peak	59.78	1.09	60.87	74.00	-13.13
5460.00	Average	41.89	1.18	43.07	54.00	-10.93
5460.00	Peak	54.89	1.18	56.07	74.00	-17.93
5467.30	Peak	57.53	1.23	58.76	68.20	-9.44
5470.00	Peak	55.37	1.26	56.63	68.20	-11.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-08-11
Test Frequency	:5530 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5460.00	Average	44.55	1.18	45.73	54.00	-8.27
5460.00	Peak	58.21	1.18	59.39	74.00	-14.61
5469.10	Peak	64.88	1.25	66.13	68.20	-2.07
5470.00	Peak	62.61	1.26	63.87	68.20	-4.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-08-11
Test Frequency	:5530 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5454.80	Average	41.73	1.15	42.88	54.00	-11.12
5454.80	Peak	54.52	1.15	55.67	74.00	-18.33
5460.00	Average	42.28	1.18	43.46	54.00	-10.54
5460.00	Peak	53.03	1.18	54.21	74.00	-19.79
5469.80	Peak	62.08	1.25	63.33	68.20	-4.87
5470.00	Peak	58.71	1.26	59.97	68.20	-8.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 4  
Test Frequency :5775 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5638.48	Peak	53.94	0.74	54.68	68.20	-13.52
5650.00	Peak	53.28	0.79	54.07	68.20	-14.13
5700.00	Peak	54.53	1.00	55.53	105.20	-49.67
5720.00	Peak	60.79	0.99	61.78	110.80	-49.02
5725.00	Peak	67.75	0.98	68.73	122.20	-53.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-08-11
Test Frequency	:5775 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5633.86	Peak	54.22	0.72	54.94	68.20	-13.26
5650.00	Peak	52.86	0.79	53.65	68.20	-14.55
5700.00	Peak	52.96	1.00	53.96	105.20	-51.24
5720.00	Peak	55.30	0.99	56.29	110.80	-54.51
5725.00	Peak	63.54	0.98	64.52	122.20	-57.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-08-11
Test Frequency	:5775 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5646.81	Peak	54.43	0.78	55.21	68.20	-12.99
5650.00	Peak	52.42	0.79	53.21	68.20	-14.99
5700.00	Peak	58.01	1.00	59.01	105.20	-46.19
5720.00	Peak	64.52	0.99	65.51	110.80	-45.29
5725.00	Peak	61.95	0.98	62.93	122.20	-59.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-08-11
Test Frequency	:5775 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5610.55	Peak	54.09	0.63	54.72	68.20	-13.48
5650.00	Peak	52.56	0.79	53.35	68.20	-14.85
5700.00	Peak	55.37	1.00	56.37	105.20	-48.83
5720.00	Peak	60.72	0.99	61.71	110.80	-49.09
5725.00	Peak	61.92	0.98	62.90	122.20	-59.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5133.16	Average	42.85	0.35	43.20	54.00	-10.80
5133.16	Peak	55.78	0.35	56.13	74.00	-17.87
5150.00	Average	43.56	0.45	44.01	54.00	-9.99
5150.00	Peak	54.42	0.45	54.87	74.00	-19.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5144.71	Average	41.91	0.42	42.33	54.00	-11.67
5144.71	Peak	54.98	0.42	55.40	74.00	-18.60
5150.00	Average	42.15	0.45	42.60	54.00	-11.40
5150.00	Peak	54.18	0.45	54.63	74.00	-19.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	45.54	0.07	45.61	54.00	-8.39
5350.00	Peak	59.40	0.07	59.47	74.00	-14.53
5379.09	Average	47.04	0.41	47.45	54.00	-6.55
5379.09	Peak	61.50	0.41	61.91	74.00	-12.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.98	0.07	42.05	54.00	-11.95
5350.00	Peak	53.19	0.07	53.26	74.00	-20.74
5379.35	Average	42.29	0.43	42.72	54.00	-11.28
5379.35	Peak	56.52	0.43	56.95	74.00	-17.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5146.18	Average	44.10	0.43	44.53	54.00	-9.47
5146.18	Peak	56.38	0.43	56.81	74.00	-17.19
5150.00	Average	44.24	0.45	44.69	54.00	-9.31
5150.00	Peak	54.99	0.45	55.44	74.00	-18.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5127.70	Average	41.84	0.32	42.16	54.00	-11.84
5127.70	Peak	54.56	0.32	54.88	74.00	-19.12
5150.00	Average	41.91	0.45	42.36	54.00	-11.64
5150.00	Peak	52.95	0.45	53.40	74.00	-20.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level			FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	47.40	0.07	47.47	54.00	-6.53
5350.00	Peak	57.21	0.07	57.28	74.00	-16.72
5364.01	Average	45.34	0.23	45.57	54.00	-8.43
5364.01	Peak	59.64	0.23	59.87	74.00	-14.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	44.45	0.07	44.52	54.00	-9.48
5350.00	Peak	56.22	0.07	56.29	74.00	-17.71
5352.05	Average	46.25	0.09	46.34	54.00	-7.66
5352.05	Peak	57.64	0.09	57.73	74.00	-16.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :23.8/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5448.33	Average	41.65	1.10	42.75	54.00	-11.25
5448.33	Peak	58.49	1.10	59.59	74.00	-14.41
5460.00	Average	42.63	1.18	43.81	54.00	-10.19
5460.00	Peak	54.60	1.18	55.78	74.00	-18.22
5462.40	Peak	58.00	1.19	59.19	68.20	-9.01
5470.00	Peak	55.91	1.26	57.17	68.20	-11.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-07-14
Test Frequency	:5570 MHz	Temp./Humi.	:23.8/61
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5451.06	Average	39.99	1.12	41.11	54.00	-12.89
5451.06	Peak	54.47	1.12	55.59	74.00	-18.41
5460.00	Average	40.06	1.18	41.24	54.00	-12.76
5460.00	Peak	53.10	1.18	54.28	74.00	-19.72
5464.71	Peak	54.12	1.22	55.34	68.20	-12.86
5470.00	Peak	52.34	1.26	53.60	68.20	-14.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :23.8/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	58.42	0.98	59.40	68.20	-8.80
5730.23	Peak	61.30	0.98	62.28	68.20	-5.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-07-14
Test Frequency	:5570 MHz	Temp./Humi.	:23.8/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	54.78	0.98	55.76	68.20	-12.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW RU 996/67  
EUT Pol :NB Plane  
Ant Path / EUT :Chain 1 / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5435.31	Average	41.60	0.98	42.58	54.00	-11.42
5435.31	Peak	55.29	0.98	56.27	74.00	-17.73
5460.00	Average	42.47	1.18	43.65	54.00	-10.35
5460.00	Peak	53.78	1.18	54.96	74.00	-19.04
5468.70	Peak	55.70	1.24	56.94	68.20	-11.26
5470.00	Peak	54.03	1.26	55.29	68.20	-12.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-08-11
Test Frequency	:5570 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5435.10	Average	40.79	0.98	41.77	54.00	-12.23
5435.10	Peak	53.74	0.98	54.72	74.00	-19.28
5460.00	Average	40.72	1.18	41.90	54.00	-12.10
5460.00	Peak	52.46	1.18	53.64	74.00	-20.36
5460.30	Peak	54.00	1.19	55.19	68.20	-13.01
5470.00	Peak	52.59	1.26	53.85	68.20	-14.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-08-11
Test Frequency	:5570 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.87	0.98	53.85	68.20	-14.35
5725.61	Peak	54.33	0.98	55.31	68.20	-12.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-08-11
Test Frequency	:5570 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:Chain 1 / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.34	0.98	53.32	68.20	-14.88
5747.03	Peak	53.68	0.98	54.66	68.20	-13.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode: MIMO

Report Number :E2/2020/70034

Operation Mode :802.11n20 / Band 1

Test Frequency :5180 MHz

Test Mode :BE CH LOW

EUT Pol :NB Plane

Ant Path / EUT :MIMO / Config 1


Test Site :966 Chamber D

Test Date :2020-08-06

Temp./Humi. :24.4/67

Antenna Pol. :VERTICAL

Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	44.15	0.45	44.60	54.00	-9.40
5150.00	Peak	58.68	0.45	59.13	74.00	-14.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n20 / Band 1	Test Date	:2020-08-06
Test Frequency	:5180 MHz	Temp./Humi.	:24.4/67
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5148.64	Average	42.65	0.44	43.09	54.00	-10.91
5148.64	Peak	56.55	0.44	56.99	74.00	-17.01
5150.00	Average	43.15	0.45	43.60	54.00	-10.40
5150.00	Peak	55.81	0.45	56.26	74.00	-17.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.4/67  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5350.00	Average	44.11	0.07	44.18	54.00	-9.82
5350.00	Peak	59.69	0.07	59.76	74.00	-14.24
5351.88	Average	43.26	0.09	43.35	54.00	-10.65
5351.88	Peak	61.26	0.09	61.35	74.00	-12.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n20 / Band 2	Test Date	:2020-08-06
Test Frequency	:5320 MHz	Temp./Humi.	:24.4/67
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	43.26	0.07	43.33	54.00	-10.67
5350.00	Peak	55.44	0.07	55.51	74.00	-18.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.2/59  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5459.48	Average	42.26	1.18	43.44	54.00	-10.56
5459.48	Peak	56.86	1.18	58.04	74.00	-15.96
5460.00	Average	42.66	1.18	43.84	54.00	-10.16
5460.00	Peak	56.15	1.18	57.33	74.00	-16.67
5468.84	Peak	59.82	1.24	61.06	68.20	-7.14
5470.00	Peak	58.22	1.26	59.48	68.20	-8.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n20 / Band 3	Test Date	:2020-07-13
Test Frequency	:5500 MHz	Temp./Humi.	:24.2/59
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5440.64	Average	39.58	1.03	40.61	54.00	-13.39
5440.64	Peak	54.95	1.03	55.98	74.00	-18.02
5460.00	Average	39.79	1.18	40.97	54.00	-13.03
5460.00	Peak	53.71	1.18	54.89	74.00	-19.11
5467.40	Peak	55.22	1.23	56.45	68.20	-11.75
5470.00	Peak	54.67	1.26	55.93	68.20	-12.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.1/58  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	63.84	0.98	64.82	68.20	-3.38
5725.16	Peak	65.30	0.98	66.28	68.20	-1.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n20 / Band 3	Test Date	:2020-07-13
Test Frequency	:5700 MHz	Temp./Humi.	:24.1/58
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	56.57	0.98	57.55	68.20	-10.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5631.93	Peak	54.46	0.71	55.17	68.20	-13.03
5650.00	Peak	52.23	0.79	53.02	68.20	-15.18
5700.00	Peak	53.94	1.00	54.94	105.20	-50.26
5720.00	Peak	56.20	0.99	57.19	110.80	-53.61
5725.00	Peak	62.31	0.98	63.29	122.20	-58.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n20 / Band 4	Test Date	:2020-08-06
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5612.25	Peak	54.00	0.63	54.63	68.20	-13.57
5650.00	Peak	51.37	0.79	52.16	68.20	-16.04
5700.00	Peak	52.16	1.00	53.16	105.20	-52.04
5720.00	Peak	54.36	0.99	55.35	110.80	-55.45
5725.00	Peak	56.81	0.98	57.79	122.20	-64.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n20 / Band 4  
Test Frequency :5825 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5850.00	Peak	60.20	1.13	61.33	122.20	-60.87
5855.00	Peak	57.80	1.15	58.95	110.80	-51.85
5875.00	Peak	52.73	1.26	53.99	105.20	-51.21
5925.00	Peak	51.42	1.27	52.69	68.20	-15.51
5955.28	Peak	54.93	1.10	56.03	68.20	-12.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n20 / Band 4	Test Date	:2020-08-06
Test Frequency	:5825 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	55.39	1.13	56.52	122.20	-65.68
5855.00	Peak	53.50	1.15	54.65	110.80	-56.15
5875.00	Peak	51.57	1.26	52.83	105.20	-52.37
5925.00	Peak	50.94	1.27	52.21	68.20	-15.99
5945.42	Peak	53.54	1.17	54.71	68.20	-13.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 1  
Test Frequency :5190 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.3/67  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5148.40	Average	48.95	0.44	49.39	54.00	-4.61
5148.40	Peak	62.27	0.44	62.71	74.00	-11.29
5150.00	Average	48.93	0.45	49.38	54.00	-4.62
5150.00	Peak	60.54	0.45	60.99	74.00	-13.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 1  
Test Frequency :5190 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.3/67  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5138.80	Average	43.85	0.38	44.23	54.00	-9.77
5138.80	Peak	57.09	0.38	57.47	74.00	-16.53
5150.00	Average	44.85	0.45	45.30	54.00	-8.70
5150.00	Peak	56.19	0.45	56.64	74.00	-17.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 2  
Test Frequency :5310 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.3/67  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	48.15	0.07	48.22	54.00	-5.78
5350.00	Peak	64.00	0.07	64.07	74.00	-9.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n40 / Band 2	Test Date	:2020-08-06
Test Frequency	:5310 MHz	Temp./Humi.	:24.3/67
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	44.62	0.07	44.69	54.00	-9.31
5350.00	Peak	60.22	0.07	60.29	74.00	-13.71
5350.28	Average	43.62	0.07	43.69	54.00	-10.31
5350.28	Peak	60.46	0.07	60.53	74.00	-13.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 3  
Test Frequency :5510 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.3/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5457.84	Average	43.54	1.18	44.72	54.00	-9.28
5457.84	Peak	57.83	1.18	59.01	74.00	-14.99
5460.00	Average	43.82	1.18	45.00	54.00	-9.00
5460.00	Peak	56.12	1.18	57.30	74.00	-16.70
5467.68	Peak	60.91	1.24	62.15	68.20	-6.05
5470.00	Peak	60.20	1.26	61.46	68.20	-6.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 3  
Test Frequency :5510 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.3/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5459.52	Average	40.60	1.18	41.78	54.00	-12.22
5459.52	Peak	54.57	1.18	55.75	74.00	-18.25
5460.00	Average	40.69	1.18	41.87	54.00	-12.13
5460.00	Peak	53.13	1.18	54.31	74.00	-19.69
5468.04	Peak	56.38	1.24	57.62	68.20	-10.58
5470.00	Peak	55.37	1.26	56.63	68.20	-11.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 3  
Test Frequency :5670 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.2/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	56.23	0.98	57.21	68.20	-10.99
5727.68	Peak	56.89	0.98	57.87	68.20	-10.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n40 / Band 3	Test Date	:2020-07-13
Test Frequency	:5670 MHz	Temp./Humi.	:24.2/60
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.88	0.98	53.86	68.20	-14.34
5728.40	Peak	54.28	0.98	55.26	68.20	-12.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 4  
Test Frequency :5755 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.4/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5642.41	Peak	59.96	0.76	60.72	68.20	-7.48
5650.00	Peak	56.99	0.79	57.78	68.20	-10.42
5700.00	Peak	69.81	1.00	70.81	105.20	-34.39
5720.00	Peak	72.12	0.99	73.11	110.80	-37.69
5725.00	Peak	74.12	0.98	75.10	122.20	-47.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 4  
Test Frequency :5755 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.4/68  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBμV/m	dB
5644.72	Peak	57.54	0.77	58.31	68.20	-9.89
5650.00	Peak	55.26	0.79	56.05	68.20	-12.15
5700.00	Peak	65.65	1.00	66.65	105.20	-38.55
5720.00	Peak	70.27	0.99	71.26	110.80	-39.54
5725.00	Peak	70.97	0.98	71.95	122.20	-50.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11n40 / Band 4  
Test Frequency :5795 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-06  
Temp./Humi. :24.4/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	57.61	1.13	58.74	122.20	-63.46
5855.00	Peak	56.35	1.15	57.50	110.80	-53.30
5875.00	Peak	57.14	1.26	58.40	105.20	-46.80
5925.00	Peak	51.73	1.27	53.00	68.20	-15.20
5949.35	Peak	53.79	1.15	54.94	68.20	-13.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11n40 / Band 4	Test Date	:2020-08-06
Test Frequency	:5795 MHz	Temp./Humi.	:24.4/68
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	62.89	1.13	64.02	122.20	-58.18
5855.00	Peak	60.92	1.15	62.07	110.80	-48.73
5875.00	Peak	57.97	1.26	59.23	105.20	-45.97
5925.00	Peak	53.59	1.27	54.86	68.20	-13.34
5932.25	Peak	54.73	1.23	55.96	68.20	-12.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac80 / Band 1  
Test Frequency :5210 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :22.6/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5145.80	Average	49.84	0.42	50.26	54.00	-3.74
5145.80	Peak	63.61	0.42	64.03	74.00	-9.97
5150.00	Average	49.98	0.45	50.43	54.00	-3.57
5150.00	Peak	62.43	0.45	62.88	74.00	-11.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ac80 / Band 1  
 Test Frequency :5210 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-07  
 Temp./Humi. :22.6/60  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5146.10	Average	47.84	0.42	48.26	54.00	-5.74
5146.10	Peak	62.99	0.42	63.41	74.00	-10.59
5150.00	Average	48.95	0.45	49.40	54.00	-4.60
5150.00	Peak	60.33	0.45	60.78	74.00	-13.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac80 / Band 2	Test Date	:2020-08-07
Test Frequency	:5290 MHz	Temp./Humi.	:22.6/61
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.05	0.07	42.12	54.00	-11.88
5350.00	Peak	63.81	0.07	63.88	74.00	-10.12
5354.10	Average	42.02	0.11	42.13	54.00	-11.87
5354.10	Peak	65.94	0.11	66.05	74.00	-7.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac80 / Band 2	Test Date	:2020-08-07
Test Frequency	:5290 MHz	Temp./Humi.	:22.6/61
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	47.51	0.07	47.58	54.00	-6.42
5350.00	Peak	59.12	0.07	59.19	74.00	-14.81
5358.00	Average	47.51	0.17	47.68	54.00	-6.32
5358.00	Peak	61.10	0.17	61.27	74.00	-12.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac80 / Band 3  
Test Frequency :5530 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-13  
Temp./Humi. :24.2/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level			FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5452.60	Average	42.84	1.14	43.98	54.00	-10.02
5452.60	Peak	63.11	1.14	64.25	74.00	-9.75
5460.00	Average	43.63	1.18	44.81	54.00	-9.19
5460.00	Peak	59.98	1.18	61.16	74.00	-12.84
5461.20	Peak	60.53	1.19	61.72	68.20	-6.48
5470.00	Peak	58.26	1.26	59.52	68.20	-8.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac80 / Band 3	Test Date	:2020-07-13
Test Frequency	:5530 MHz	Temp./Humi.	:24.2/61
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5452.50	Average	40.37	1.13	41.50	54.00	-12.50
5452.50	Peak	59.08	1.13	60.21	74.00	-13.79
5460.00	Average	40.72	1.18	41.90	54.00	-12.10
5460.00	Peak	53.85	1.18	55.03	74.00	-18.97
5461.20	Peak	56.29	1.19	57.48	68.20	-10.72
5470.00	Peak	54.56	1.26	55.82	68.20	-12.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac80 / Band 4  
Test Frequency :5775 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :24.3/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5649.58	Peak	63.02	0.79	63.81	68.20	-4.39
5650.00	Peak	61.09	0.79	61.88	68.20	-6.32
5700.00	Peak	70.15	1.00	71.15	105.20	-34.05
5720.00	Peak	73.53	0.99	74.52	110.80	-36.28
5725.00	Peak	74.36	0.98	75.34	122.20	-46.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac80 / Band 4	Test Date	:2020-08-07
Test Frequency	:5775 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5646.44	Peak	54.79	0.77	55.56	68.20	-12.64
5650.00	Peak	53.65	0.79	54.44	68.20	-13.76
5700.00	Peak	63.67	1.00	64.67	105.20	-40.53
5720.00	Peak	67.75	0.99	68.74	110.80	-42.06
5725.00	Peak	69.11	0.98	70.09	122.20	-52.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac80 / Band 4  
Test Frequency :5775 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :24.3/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	69.04	1.13	70.17	122.20	-52.03
5855.00	Peak	70.58	1.15	71.73	110.80	-39.07
5875.00	Peak	67.24	1.26	68.50	105.20	-36.70
5925.00	Peak	60.24	1.27	61.51	68.20	-6.69
5928.00	Peak	60.53	1.26	61.79	68.20	-6.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac80 / Band 4	Test Date	:2020-08-07
Test Frequency	:5775 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	67.45	1.13	68.58	122.20	-53.62
5855.00	Peak	66.95	1.15	68.10	110.80	-42.70
5875.00	Peak	64.04	1.26	65.30	105.20	-39.90
5925.00	Peak	57.33	1.27	58.60	68.20	-9.60
5926.60	Peak	59.29	1.26	60.55	68.20	-7.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 1-2	Test Date	:2020-08-07
Test Frequency	:5250 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH LOW	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5133.37	Average	43.26	0.35	43.61	54.00	-10.39
5133.37	Peak	63.30	0.35	63.65	74.00	-10.35
5150.00	Average	43.26	0.45	43.71	54.00	-10.29
5150.00	Peak	60.49	0.45	60.94	74.00	-13.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 1-2	Test Date	:2020-08-07
Test Frequency	:5250 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH LOW	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5138.41	Average	42.62	0.38	43.00	54.00	-11.00
5138.41	Peak	59.89	0.38	60.27	74.00	-13.73
5150.00	Average	42.62	0.45	43.07	54.00	-10.93
5150.00	Peak	56.47	0.45	56.92	74.00	-17.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 1-2	Test Date	:2020-08-07
Test Frequency	:5250 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH HIGH	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	43.62	0.07	43.69	54.00	-10.31
5350.00	Peak	63.44	0.07	63.51	74.00	-10.49
5378.57	Average	44.62	0.41	45.03	54.00	-8.97
5378.57	Peak	64.17	0.41	64.58	74.00	-9.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 1-2	Test Date	:2020-08-07
Test Frequency	:5250 MHz	Temp./Humi.	:24.3/62
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.65	0.07	41.72	54.00	-12.28
5350.00	Peak	60.84	0.07	60.91	74.00	-13.09
5350.36	Average	41.62	0.07	41.69	54.00	-12.31
5350.36	Peak	60.87	0.07	60.94	74.00	-13.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :26.7/59  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5433.63	Average	42.69	0.97	43.66	54.00	-10.34
5433.63	Peak	60.85	0.97	61.82	74.00	-12.18
5460.00	Average	43.76	1.18	44.94	54.00	-9.06
5460.00	Peak	56.68	1.18	57.86	74.00	-16.14
5467.44	Peak	61.62	1.23	62.85	68.20	-5.35
5470.00	Peak	59.53	1.26	60.79	68.20	-7.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :26.7/59  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5448.54	Average	39.99	1.10	41.09	54.00	-12.91
5448.54	Peak	54.05	1.10	55.15	74.00	-18.85
5460.00	Average	40.06	1.18	41.24	54.00	-12.76
5460.00	Peak	52.61	1.18	53.79	74.00	-20.21
5463.24	Peak	54.37	1.22	55.59	68.20	-12.61
5470.00	Peak	53.53	1.26	54.79	68.20	-13.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ac160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH HIGH  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :26.7/59  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	56.14	0.98	57.12	68.20	-11.08
5725.82	Peak	57.81	0.98	58.79	68.20	-9.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ac160 / Band 3	Test Date	:2020-07-14
Test Frequency	:5570 MHz	Temp./Humi.	:26.7/59
Test Mode	:BE CH HIGH	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	53.85	0.98	54.83	68.20	-13.37
5737.79	Peak	55.55	0.98	56.53	68.20	-11.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 1  
Test Frequency :5180 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-07  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	46.05	0.45	46.50	54.00	-7.50
5150.00	Peak	58.71	0.45	59.16	74.00	-14.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-07
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5142.40	Average	42.98	0.40	43.38	54.00	-10.62
5142.40	Peak	55.62	0.40	56.02	74.00	-17.98
5150.00	Average	43.65	0.45	44.10	54.00	-9.90
5150.00	Peak	54.78	0.45	55.23	74.00	-18.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 1  
Test Frequency :5180 MHz  
Test Mode :BE CH LOW RU 26/0  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5148.76	Average	42.74	0.44	43.18	54.00	-10.82
5148.76	Peak	59.74	0.44	60.18	74.00	-13.82
5150.00	Average	42.63	0.45	43.08	54.00	-10.92
5150.00	Peak	57.79	0.45	58.24	74.00	-15.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	41.77	0.45	42.22	54.00	-11.78
5150.00	Peak	58.11	0.45	58.56	74.00	-15.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.72	Average	42.11	0.44	42.55	54.00	-11.45
5149.72	Peak	58.97	0.44	59.41	74.00	-14.59
5150.00	Average	42.67	0.45	43.12	54.00	-10.88
5150.00	Peak	58.44	0.45	58.89	74.00	-15.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.36	Average	41.65	0.44	42.09	54.00	-11.91
5149.36	Peak	57.42	0.44	57.86	74.00	-16.14
5150.00	Average	41.62	0.45	42.07	54.00	-11.93
5150.00	Peak	54.93	0.45	55.38	74.00	-18.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5148.04	Average	45.02	0.44	45.46	54.00	-8.54
5148.04	Peak	59.39	0.44	59.83	74.00	-14.17
5150.00	Average	44.96	0.45	45.41	54.00	-8.59
5150.00	Peak	58.56	0.45	59.01	74.00	-14.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 1	Test Date	:2020-08-08
Test Frequency	:5180 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.48	Average	43.11	0.44	43.55	54.00	-10.45
5149.48	Peak	57.64	0.44	58.08	74.00	-15.92
5150.00	Average	42.91	0.45	43.36	54.00	-10.64
5150.00	Peak	57.15	0.45	57.60	74.00	-16.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	45.72	0.07	45.79	54.00	-8.21
5350.00	Peak	56.49	0.07	56.56	74.00	-17.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	43.67	0.07	43.74	54.00	-10.26
5350.00	Peak	55.69	0.07	55.76	74.00	-18.24
5351.16	Average	43.55	0.08	43.63	54.00	-10.37
5351.16	Peak	56.68	0.08	56.76	74.00	-17.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH RU 26/8  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.82	0.07	42.89	54.00	-11.11
5350.00	Peak	59.46	0.07	59.53	74.00	-14.47
5352.72	Average	42.74	0.10	42.84	54.00	-11.16
5352.72	Peak	59.67	0.10	59.77	74.00	-14.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.60	0.07	41.67	54.00	-12.33
5350.00	Peak	56.79	0.07	56.86	74.00	-17.14
5350.20	Average	41.26	0.07	41.33	54.00	-12.67
5350.20	Peak	57.19	0.07	57.26	74.00	-16.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5350.00	Average	43.41	0.07	43.48	54.00	-10.52
5350.00	Peak	61.71	0.07	61.78	74.00	-12.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	41.93	0.07	42.00	54.00	-12.00
5350.00	Peak	55.83	0.07	55.90	74.00	-18.10
5351.16	Average	41.78	0.08	41.86	54.00	-12.14
5351.16	Peak	56.85	0.08	56.93	74.00	-17.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 2	Test Date	:2020-08-08
Test Frequency	:5320 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5350.00	Average	44.25	0.07	44.32	54.00	-9.68
5350.00	Peak	60.42	0.07	60.49	74.00	-13.51
5350.56	Average	44.09	0.07	44.16	54.00	-9.84
5350.56	Peak	61.25	0.07	61.32	74.00	-12.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 2  
Test Frequency :5320 MHz  
Test Mode :BE CH HIGH RU 106/54  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.56	0.07	42.63	54.00	-11.37
5350.00	Peak	56.77	0.07	56.84	74.00	-17.16
5352.24	Average	42.18	0.09	42.27	54.00	-11.73
5352.24	Peak	57.00	0.09	57.09	74.00	-16.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.9/59  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5456.48	Average	41.68	1.16	42.84	54.00	-11.16
5456.48	Peak	56.76	1.16	57.92	74.00	-16.08
5460.00	Average	41.89	1.18	43.07	54.00	-10.93
5460.00	Peak	54.73	1.18	55.91	74.00	-18.09
5469.32	Peak	59.42	1.25	60.67	68.20	-7.53
5470.00	Peak	58.65	1.26	59.91	68.20	-8.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.9/59  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5450.84	Average	39.79	1.12	40.91	54.00	-13.09
5450.84	Peak	54.34	1.12	55.46	74.00	-18.54
5460.00	Average	39.94	1.18	41.12	54.00	-12.88
5460.00	Peak	52.52	1.18	53.70	74.00	-20.30
5466.56	Peak	55.50	1.23	56.73	68.20	-11.47
5470.00	Peak	53.84	1.26	55.10	68.20	-13.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5500 MHz  
Test Mode :BE CH LOW RU 26/0  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5449.28	Average	41.99	1.11	43.10	54.00	-10.90
5449.28	Peak	56.79	1.11	57.90	74.00	-16.10
5460.00	Average	41.99	1.18	43.17	54.00	-10.83
5460.00	Peak	53.11	1.18	54.29	74.00	-19.71
5468.24	Peak	59.08	1.24	60.32	68.20	-7.88
5470.00	Peak	58.71	1.26	59.97	68.20	-8.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5450.00	Average	41.40	1.12	42.52	54.00	-11.48
5450.00	Peak	54.92	1.12	56.04	74.00	-17.96
5460.00	Average	41.41	1.18	42.59	54.00	-11.41
5460.00	Peak	52.85	1.18	54.03	74.00	-19.97
5468.72	Peak	55.82	1.24	57.06	68.20	-11.14
5470.00	Peak	55.13	1.26	56.39	68.20	-11.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5450.36	Average	42.00	1.12	43.12	54.00	-10.88
5450.36	Peak	57.27	1.12	58.39	74.00	-15.61
5460.00	Average	42.62	1.18	43.80	54.00	-10.20
5460.00	Peak	53.38	1.18	54.56	74.00	-19.44
5466.92	Peak	60.22	1.23	61.45	68.20	-6.75
5470.00	Peak	59.68	1.26	60.94	68.20	-7.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5450.00	Average	41.45	1.12	42.57	54.00	-11.43
5450.00	Peak	54.46	1.12	55.58	74.00	-18.42
5460.00	Average	41.78	1.18	42.96	54.00	-11.04
5460.00	Peak	53.45	1.18	54.63	74.00	-19.37
5469.44	Peak	57.64	1.25	58.89	68.20	-9.31
5470.00	Peak	56.78	1.26	58.04	68.20	-10.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5447.48	Average	42.12	1.09	43.21	54.00	-10.79
5447.48	Peak	56.79	1.09	57.88	74.00	-16.12
5460.00	Average	42.66	1.18	43.84	54.00	-10.16
5460.00	Peak	53.65	1.18	54.83	74.00	-19.17
5469.56	Peak	59.95	1.25	61.20	68.20	-7.00
5470.00	Peak	57.44	1.26	58.70	68.20	-9.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5500 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5454.56	Average	41.28	1.15	42.43	54.00	-11.57
5454.56	Peak	54.97	1.15	56.12	74.00	-17.88
5460.00	Average	41.69	1.18	42.87	54.00	-11.13
5460.00	Peak	52.77	1.18	53.95	74.00	-20.05
5469.08	Peak	55.97	1.25	57.22	68.20	-10.98
5470.00	Peak	53.48	1.26	54.74	68.20	-13.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.7/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	63.72	0.98	64.70	68.20	-3.50
5725.28	Peak	65.41	0.98	66.39	68.20	-1.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-07-14
Test Frequency	:5700 MHz	Temp./Humi.	:25.7/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	56.34	0.98	57.32	68.20	-10.88
5725.40	Peak	58.21	0.98	59.19	68.20	-9.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH RU 26/8  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	55.01	0.98	55.99	68.20	-12.21
5728.64	Peak	55.51	0.98	56.49	68.20	-11.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 26/8	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5725.00	Peak	52.26	0.98	53.24	68.20	-14.96
5768.84	Peak	54.02	0.89	54.91	68.20	-13.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	59.03	0.98	60.01	68.20	-8.19
5729.24	Peak	60.54	0.99	61.53	68.20	-6.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 52/40	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	53.31	0.98	54.29	68.20	-13.91
5726.60	Peak	56.58	0.99	57.57	68.20	-10.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 3	Test Date	:2020-08-08
Test Frequency	:5700 MHz	Temp./Humi.	:23.4/62
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	57.42	0.98	58.40	68.20	-9.80
5730.56	Peak	60.19	0.98	61.17	68.20	-7.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 3  
Test Frequency :5700 MHz  
Test Mode :BE CH HIGH RU 106/54  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-08  
Temp./Humi. :23.4/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBUV/m	dBUV/m	dB
5725.00	Peak	53.82	0.98	54.80	68.20	-13.40
5731.16	Peak	56.98	0.98	57.96	68.20	-10.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5607.29	Peak	54.96	0.60	55.56	68.20	-12.64
5650.00	Peak	52.70	0.79	53.49	68.20	-14.71
5700.00	Peak	54.11	1.00	55.11	105.20	-50.09
5720.00	Peak	58.78	0.99	59.77	110.80	-51.03
5725.00	Peak	65.63	0.98	66.61	122.20	-55.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/68  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5623.25	Peak	54.26	0.68	54.94	68.20	-13.26
5650.00	Peak	52.62	0.79	53.41	68.20	-14.79
5700.00	Peak	53.49	1.00	54.49	105.20	-50.71
5720.00	Peak	55.82	0.99	56.81	110.80	-53.99
5725.00	Peak	60.77	0.98	61.75	122.20	-60.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5745 MHz  
Test Mode :BE CH LOW RU 26/0  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/68  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5605.58	Peak	54.37	0.60	54.97	68.20	-13.23
5650.00	Peak	52.37	0.79	53.16	68.20	-15.04
5700.00	Peak	54.13	1.00	55.13	105.20	-50.07
5720.00	Peak	58.92	0.99	59.91	110.80	-50.89
5725.00	Peak	55.07	0.98	56.05	122.20	-66.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 26/0	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5617.52	Peak	54.66	0.66	55.32	68.20	-12.88
5650.00	Peak	53.02	0.79	53.81	68.20	-14.39
5700.00	Peak	53.04	1.00	54.04	105.20	-51.16
5720.00	Peak	54.95	0.99	55.94	110.80	-54.86
5725.00	Peak	53.73	0.98	54.71	122.20	-67.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5618.76	Peak	54.59	0.66	55.25	68.20	-12.95
5650.00	Peak	52.69	0.79	53.48	68.20	-14.72
5700.00	Peak	53.23	1.00	54.23	105.20	-50.97
5720.00	Peak	58.48	0.99	59.47	110.80	-51.33
5725.00	Peak	59.86	0.98	60.84	122.20	-61.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 52/37	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBμV/m	dB
5646.97	Peak	54.20	0.78	54.98	68.20	-13.22
5650.00	Peak	52.60	0.79	53.39	68.20	-14.81
5700.00	Peak	52.86	1.00	53.86	105.20	-51.34
5720.00	Peak	55.31	0.99	56.30	110.80	-54.50
5725.00	Peak	56.22	0.98	57.20	122.20	-65.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5642.32	Peak	54.46	0.76	55.22	68.20	-12.98
5650.00	Peak	53.12	0.79	53.91	68.20	-14.29
5700.00	Peak	54.84	1.00	55.84	105.20	-49.36
5720.00	Peak	58.22	0.99	59.21	110.80	-51.59
5725.00	Peak	60.85	0.98	61.83	122.20	-60.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5745 MHz	Temp./Humi.	:24.5/68
Test Mode	:BE CH LOW RU 106/53	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBμV/m	dB
5620.62	Peak	54.70	0.66	55.36	68.20	-12.84
5650.00	Peak	52.01	0.79	52.80	68.20	-15.40
5700.00	Peak	52.86	1.00	53.86	105.20	-51.34
5720.00	Peak	54.88	0.99	55.87	110.80	-54.93
5725.00	Peak	56.06	0.98	57.04	122.20	-65.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax20 / Band 4  
Test Frequency :5825 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5850.00	Peak	65.47	1.13	66.60	122.20	-55.60
5855.00	Peak	60.89	1.15	62.04	110.80	-48.76
5875.00	Peak	54.31	1.26	55.57	105.20	-49.63
5925.00	Peak	52.50	1.27	53.77	68.20	-14.43
5933.18	Peak	54.42	1.23	55.65	68.20	-12.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax20 / Band 4	Test Date	:2020-08-10
Test Frequency	:5825 MHz	Temp./Humi.	:24.5/61
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	61.19	1.13	62.32	122.20	-59.88
5855.00	Peak	58.19	1.15	59.34	110.80	-51.46
5875.00	Peak	53.28	1.26	54.54	105.20	-50.66
5925.00	Peak	51.75	1.27	53.02	68.20	-15.18
5929.61	Peak	53.90	1.24	55.14	68.20	-13.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 1  
Test Frequency :5190 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.5/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5146.12	Average	49.25	0.42	49.67	54.00	-4.33
5146.12	Peak	61.66	0.42	62.08	74.00	-11.92
5150.00	Average	49.62	0.45	50.07	54.00	-3.93
5150.00	Peak	60.29	0.45	60.74	74.00	-13.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5143.36	Average	46.15	0.41	46.56	54.00	-7.44
5143.36	Peak	58.99	0.41	59.40	74.00	-14.60
5150.00	Average	46.81	0.45	47.26	54.00	-6.74
5150.00	Peak	57.35	0.45	57.80	74.00	-16.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	45.15	0.45	45.60	54.00	-8.40
5150.00	Peak	65.78	0.45	66.23	74.00	-7.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 1	Test Date	:2020-08-10
Test Frequency	:5190 MHz	Temp./Humi.	:24.5/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.08	Average	42.81	0.45	43.26	54.00	-10.74
5150.08	Peak	63.02	0.45	63.47	74.00	-10.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 2  
Test Frequency :5310 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	48.65	0.07	48.72	54.00	-5.28
5350.00	Peak	63.83	0.07	63.90	74.00	-10.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-08-10
Test Frequency	:5310 MHz	Temp./Humi.	:24.2/61
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5350.00	Average	43.11	0.07	43.18	54.00	-10.82
5350.00	Peak	58.35	0.07	58.42	74.00	-15.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 2	Test Date	:2020-08-10
Test Frequency	:5310 MHz	Temp./Humi.	:24.2/61
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5350.00	Average	46.15	0.07	46.22	54.00	-7.78
5350.00	Peak	57.77	0.07	57.84	74.00	-16.16
5351.48	Average	46.62	0.08	46.70	54.00	-7.30
5351.48	Peak	58.92	0.08	59.00	74.00	-15.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax40 / Band 2  
 Test Frequency :5310 MHz  
 Test Mode :BE CH HIGH RU 242/62  
 EUT Pol :NB Plane  
 Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.2/61  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.61	0.07	42.68	54.00	-11.32
5350.00	Peak	52.72	0.07	52.79	74.00	-21.21
5353.16	Average	41.65	0.10	41.75	54.00	-12.25
5353.16	Peak	54.15	0.10	54.25	74.00	-19.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 3  
Test Frequency :5510 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.7/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5458.68	Average	48.85	1.18	50.03	54.00	-3.97
5458.68	Peak	64.24	1.18	65.42	74.00	-8.58
5460.00	Average	49.16	1.18	50.34	54.00	-3.66
5460.00	Peak	63.32	1.18	64.50	74.00	-9.50
5469.24	Peak	65.32	1.25	66.57	68.20	-1.63
5470.00	Peak	65.13	1.26	66.39	68.20	-1.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-07-14
Test Frequency	:5510 MHz	Temp./Humi.	:25.7/62
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5459.52	Average	43.40	1.18	44.58	54.00	-9.42
5459.52	Peak	60.25	1.18	61.43	74.00	-12.57
5460.00	Average	43.63	1.18	44.81	54.00	-9.19
5460.00	Peak	58.21	1.18	59.39	74.00	-14.61
5469.36	Peak	60.92	1.25	62.17	68.20	-6.03
5470.00	Peak	57.80	1.26	59.06	68.20	-9.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-08-10
Test Frequency	:5510 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5458.92	Average	43.26	1.18	44.44	54.00	-9.56
5458.92	Peak	56.25	1.18	57.43	74.00	-16.57
5460.00	Average	43.99	1.18	45.17	54.00	-8.83
5460.00	Peak	54.85	1.18	56.03	74.00	-17.97
5466.36	Peak	57.19	1.23	58.42	68.20	-9.78
5470.00	Peak	56.52	1.26	57.78	68.20	-10.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax40 / Band 3  
 Test Frequency :5510 MHz  
 Test Mode :BE CH LOW RU 242/61  
 EUT Pol :NB Plane  
 Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.2/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5460.00	Average	42.16	1.18	43.34	54.00	-10.66
5460.00	Peak	54.47	1.18	55.65	74.00	-18.35
5466.12	Peak	55.01	1.23	56.24	68.20	-11.96
5470.00	Peak	53.01	1.26	54.27	68.20	-13.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 3  
Test Frequency :5670 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :25.4/61  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	61.68	0.98	62.66	68.20	-5.54
5726.48	Peak	62.25	0.99	63.24	68.20	-4.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-07-14
Test Frequency	:5670 MHz	Temp./Humi.	:25.4/61
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	57.10	0.98	58.08	68.20	-10.12
5726.84	Peak	58.00	0.99	58.99	68.20	-9.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 3	Test Date	:2020-08-10
Test Frequency	:5670 MHz	Temp./Humi.	:24.3/63
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	56.36	0.98	57.34	68.20	-10.86
5726.24	Peak	57.30	0.98	58.28	68.20	-9.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax40 / Band 3  
 Test Frequency :5670 MHz  
 Test Mode :BE CH HIGH RU 242/62  
 EUT Pol :NB Plane  
 Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.3/63  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	53.45	0.98	54.43	68.20	-13.77
5727.68	Peak	55.95	0.98	56.93	68.20	-11.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 4  
Test Frequency :5755 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5639.77	Peak	56.24	0.74	56.98	68.20	-11.22
5650.00	Peak	54.96	0.79	55.75	68.20	-12.45
5700.00	Peak	58.63	1.00	59.63	105.20	-45.57
5720.00	Peak	63.57	0.99	64.56	110.80	-46.24
5725.00	Peak	68.42	0.98	69.40	122.20	-52.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
 Operation Mode :802.11ax40 / Band 4  
 Test Frequency :5755 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.2/62  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5649.50	Peak	54.15	0.79	54.94	68.20	-13.26
5650.00	Peak	52.01	0.79	52.80	68.20	-15.40
5700.00	Peak	54.26	1.00	55.26	105.20	-49.94
5720.00	Peak	57.08	0.99	58.07	110.80	-52.73
5725.00	Peak	60.45	0.98	61.43	122.20	-60.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-08-10
Test Frequency	:5755 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW RU 242/61	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5634.98	Peak	55.16	0.73	55.89	68.20	-12.31
5650.00	Peak	53.87	0.79	54.66	68.20	-13.54
5700.00	Peak	55.62	1.00	56.62	105.20	-48.58
5720.00	Peak	61.18	0.99	62.17	110.80	-48.63
5725.00	Peak	68.49	0.98	69.47	122.20	-52.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax40 / Band 4  
Test Frequency :5755 MHz  
Test Mode :BE CH LOW RU 242/61  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5608.42	Peak	53.39	0.62	54.01	68.20	-14.19
5650.00	Peak	52.13	0.79	52.92	68.20	-15.28
5700.00	Peak	52.12	1.00	53.12	105.20	-52.08
5720.00	Peak	56.42	0.99	57.41	110.80	-53.39
5725.00	Peak	61.29	0.98	62.27	122.20	-59.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax40 / Band 4  
 Test Frequency :5795 MHz  
 Test Mode :BE CH HIGH Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-10  
 Temp./Humi. :24.2/62  
 Antenna Pol. :VERTICAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	61.23	1.13	62.36	122.20	-59.84
5855.00	Peak	61.12	1.15	62.27	110.80	-48.53
5875.00	Peak	57.52	1.26	58.78	105.20	-46.42
5925.00	Peak	52.88	1.27	54.15	68.20	-14.05
5946.31	Peak	54.12	1.16	55.28	68.20	-12.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax40 / Band 4	Test Date	:2020-08-10
Test Frequency	:5795 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	59.27	1.13	60.40	122.20	-61.80
5855.00	Peak	58.49	1.15	59.64	110.80	-51.16
5875.00	Peak	55.44	1.26	56.70	105.20	-48.50
5925.00	Peak	51.85	1.27	53.12	68.20	-15.08
5929.21	Peak	53.91	1.25	55.16	68.20	-13.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 1  
Test Frequency :5210 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-10  
Temp./Humi. :24.2/62  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5145.50	Average	49.43	0.42	49.85	54.00	-4.15
5145.50	Peak	63.01	0.42	63.43	74.00	-10.57
5150.00	Average	50.43	0.45	50.88	54.00	-3.12
5150.00	Peak	60.53	0.45	60.98	74.00	-13.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-08-10
Test Frequency	:5210 MHz	Temp./Humi.	:24.2/62
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.40	Average	44.79	0.44	45.23	54.00	-8.77
5149.40	Peak	57.23	0.44	57.67	74.00	-16.33
5150.00	Average	44.71	0.45	45.16	54.00	-8.84
5150.00	Peak	55.73	0.45	56.18	74.00	-17.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-08-11
Test Frequency	:5210 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	45.04	0.45	45.49	54.00	-8.51
5150.00	Peak	67.82	0.45	68.27	74.00	-5.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 1	Test Date	:2020-08-11
Test Frequency	:5210 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBuV/m	dBuV/m	dB
5149.40	Average	43.00	0.44	43.44	54.00	-10.56
5149.40	Peak	64.10	0.44	64.54	74.00	-9.46
5150.00	Average	43.13	0.45	43.58	54.00	-10.42
5150.00	Peak	62.79	0.45	63.24	74.00	-10.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	47.27	0.07	47.34	54.00	-6.66
5350.00	Peak	59.33	0.07	59.40	74.00	-14.60
5354.30	Average	46.46	0.12	46.58	54.00	-7.42
5354.30	Peak	63.13	0.12	63.25	74.00	-10.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	44.22	0.07	44.29	54.00	-9.71
5350.00	Peak	55.97	0.07	56.04	74.00	-17.96
5353.50	Average	44.19	0.10	44.29	54.00	-9.71
5353.50	Peak	59.64	0.10	59.74	74.00	-14.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 2	Test Date	:2020-08-11
Test Frequency	:5290 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 484/66	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	48.53	0.07	48.60	54.00	-5.40
5350.00	Peak	64.01	0.07	64.08	74.00	-9.92
5354.80	Average	47.60	0.13	47.73	54.00	-6.27
5354.80	Peak	65.54	0.13	65.67	74.00	-8.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax80 / Band 2  
 Test Frequency :5290 MHz  
 Test Mode :BE CH HIGH RU 484/66  
 EUT Pol :NB Plane  
 Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
 Test Date :2020-08-11  
 Temp./Humi. :23.4/60  
 Antenna Pol. :HORIZONTAL  
 Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	45.76	0.07	45.83	54.00	-8.17
5350.00	Peak	58.58	0.07	58.65	74.00	-15.35
5354.60	Average	45.07	0.12	45.19	54.00	-8.81
5354.60	Peak	62.14	0.12	62.26	74.00	-11.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
 Operation Mode :802.11ax80 / Band 3  
 Test Frequency :5530 MHz  
 Test Mode :BE CH LOW Full RU  
 EUT Pol :NB Plane  
 Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
 Test Date :2020-07-14  
 Temp./Humi. :24.1/61  
 Antenna Pol. :VERTICAL  
 Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5449.10	Average	39.74	1.11	40.85	54.00	-13.15
5449.10	Peak	55.46	1.11	56.57	74.00	-17.43
5460.00	Average	39.52	1.18	40.70	54.00	-13.30
5460.00	Peak	52.79	1.18	53.97	74.00	-20.03
5465.50	Peak	54.96	1.22	56.18	68.20	-12.02
5470.00	Peak	53.00	1.26	54.26	68.20	-13.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-07-14
Test Frequency	:5530 MHz	Temp./Humi.	:24.1/61
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5450.10	Average	40.62	1.12	41.74	54.00	-12.26
5450.10	Peak	60.14	1.12	61.26	74.00	-12.74
5460.00	Average	40.67	1.18	41.85	54.00	-12.15
5460.00	Peak	55.38	1.18	56.56	74.00	-17.44
5469.70	Peak	57.69	1.25	58.94	68.20	-9.26
5470.00	Peak	55.91	1.26	57.17	68.20	-11.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-08-11
Test Frequency	:5530 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5455.60	Average	42.02	1.15	43.17	54.00	-10.83
5455.60	Peak	54.87	1.15	56.02	74.00	-17.98
5460.00	Average	42.60	1.18	43.78	54.00	-10.22
5460.00	Peak	54.14	1.18	55.32	74.00	-18.68
5461.00	Peak	56.19	1.19	57.38	68.20	-10.82
5470.00	Peak	54.67	1.26	55.93	68.20	-12.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 3	Test Date	:2020-08-11
Test Frequency	:5530 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5451.40	Average	41.47	1.13	42.60	54.00	-11.40
5451.40	Peak	54.48	1.13	55.61	74.00	-18.39
5460.00	Average	41.54	1.18	42.72	54.00	-11.28
5460.00	Peak	52.18	1.18	53.36	74.00	-20.64
5469.60	Peak	54.03	1.25	55.28	68.20	-12.92
5470.00	Peak	53.85	1.26	55.11	68.20	-13.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 4  
Test Frequency :5775 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5640.52	Peak	57.45	0.75	58.20	68.20	-10.00
5650.00	Peak	56.13	0.79	56.92	68.20	-11.28
5700.00	Peak	61.16	1.00	62.16	105.20	-43.04
5720.00	Peak	67.47	0.99	68.46	110.80	-42.34
5725.00	Peak	74.36	0.98	75.34	122.20	-46.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 4  
Test Frequency :5775 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBμV/m	dB
5649.40	Peak	55.31	0.79	56.10	68.20	-12.10
5650.00	Peak	53.96	0.79	54.75	68.20	-13.45
5700.00	Peak	58.85	1.00	59.85	105.20	-45.35
5720.00	Peak	64.63	0.99	65.62	110.80	-45.18
5725.00	Peak	68.79	0.98	69.77	122.20	-52.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax80 / Band 4  
Test Frequency :5775 MHz  
Test Mode :BE CH LOW RU 484/65  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5646.81	Peak	56.06	0.78	56.84	68.20	-11.36
5650.00	Peak	54.59	0.79	55.38	68.20	-12.82
5700.00	Peak	61.29	1.00	62.29	105.20	-42.91
5720.00	Peak	67.46	0.99	68.45	110.80	-42.35
5725.00	Peak	69.22	0.98	70.20	122.20	-52.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax80 / Band 4	Test Date	:2020-08-11
Test Frequency	:5775 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 484/65	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5629.60	Peak	54.24	0.71	54.95	68.20	-13.25
5650.00	Peak	53.82	0.79	54.61	68.20	-13.59
5700.00	Peak	57.19	1.00	58.19	105.20	-47.01
5720.00	Peak	63.25	0.99	64.24	110.80	-46.56
5725.00	Peak	64.30	0.98	65.28	122.20	-56.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5144.50	Average	44.99	0.42	45.41	54.00	-8.59
5144.50	Peak	60.72	0.42	61.14	74.00	-12.86
5150.00	Average	46.20	0.45	46.65	54.00	-7.35
5150.00	Peak	57.78	0.45	58.23	74.00	-15.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	44.38	0.45	44.83	54.00	-9.17
5150.00	Peak	57.23	0.45	57.68	74.00	-16.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	45.34	0.07	45.41	54.00	-8.59
5350.00	Peak	58.60	0.07	58.67	74.00	-15.33
5378.83	Average	45.79	0.41	46.20	54.00	-7.80
5378.83	Peak	60.63	0.41	61.04	74.00	-12.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 1-2  
Test Frequency :5250 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	42.99	0.07	43.06	54.00	-10.94
5350.00	Peak	54.83	0.07	54.90	74.00	-19.10
5378.18	Average	42.62	0.41	43.03	54.00	-10.97
5378.18	Peak	57.42	0.41	57.83	74.00	-16.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 1-2  
Test Frequency :5250 MHz  
Test Mode :BE CH LOW RU 996/67  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5144.92	Average	48.28	0.42	48.70	54.00	-5.30
5144.92	Peak	62.15	0.42	62.57	74.00	-11.43
5150.00	Average	48.76	0.45	49.21	54.00	-4.79
5150.00	Peak	60.37	0.45	60.82	74.00	-13.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5149.33	Average	44.58	0.44	45.02	54.00	-8.98
5149.33	Peak	57.95	0.44	58.39	74.00	-15.61
5150.00	Average	44.53	0.45	44.98	54.00	-9.02
5150.00	Peak	56.33	0.45	56.78	74.00	-17.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 1-2	Test Date	:2020-08-11
Test Frequency	:5250 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	47.64	0.07	47.71	54.00	-6.29
5350.00	Peak	59.51	0.07	59.58	74.00	-14.42
5353.74	Average	47.69	0.11	47.80	54.00	-6.20
5353.74	Peak	61.01	0.11	61.12	74.00	-12.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 1-2  
Test Frequency :5250 MHz  
Test Mode :BE CH HIGH RU 996/S67  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.00	Average	46.40	0.07	46.47	54.00	-7.53
5350.00	Peak	57.90	0.07	57.97	74.00	-16.03
5354.13	Average	45.61	0.11	45.72	54.00	-8.28
5354.13	Peak	59.19	0.11	59.30	74.00	-14.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :23.8/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5453.58	Average	41.86	1.14	43.00	54.00	-11.00
5453.58	Peak	60.13	1.14	61.27	74.00	-12.73
5460.00	Average	41.99	1.18	43.17	54.00	-10.83
5460.00	Peak	56.46	1.18	57.64	74.00	-16.36
5467.86	Peak	59.92	1.24	61.16	68.20	-7.04
5470.00	Peak	58.09	1.26	59.35	68.20	-8.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :23.8/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5451.90	Average	39.87	1.13	41.00	54.00	-13.00
5451.90	Peak	54.26	1.13	55.39	74.00	-18.61
5460.00	Average	39.85	1.18	41.03	54.00	-12.97
5460.00	Peak	53.59	1.18	54.77	74.00	-19.23
5467.23	Peak	54.27	1.23	55.50	68.20	-12.70
5470.00	Peak	52.39	1.26	53.65	68.20	-14.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH HIGH Full RU  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-07-14  
Temp./Humi. :23.8/60  
Antenna Pol. :VERTICAL  
Engineer :Kailin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	56.49	0.98	57.47	68.20	-10.73
5727.29	Peak	57.79	0.99	58.78	68.20	-9.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-07-14
Test Frequency	:5570 MHz	Temp./Humi.	:23.8/60
Test Mode	:BE CH HIGH Full RU	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.53	0.98	53.51	68.20	-14.69
5753.75	Peak	54.01	0.95	54.96	68.20	-13.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-08-11
Test Frequency	:5570 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH LOW RU 996/67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBuV	dB	dBuV/m	dBuV/m	dB
5452.11	Average	45.14	1.13	46.27	54.00	-7.73
5452.11	Peak	57.93	1.13	59.06	74.00	-14.94
5460.00	Average	45.29	1.18	46.47	54.00	-7.53
5460.00	Peak	56.91	1.18	58.09	74.00	-15.91
5468.91	Peak	60.09	1.24	61.33	68.20	-6.87
5470.00	Peak	57.96	1.26	59.22	68.20	-8.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2020/70034  
Operation Mode :802.11ax160 / Band 3  
Test Frequency :5570 MHz  
Test Mode :BE CH LOW RU 996/67  
EUT Pol :NB Plane  
Ant Path / EUT :MIMO / Config 1

Test Site :966 Chamber D  
Test Date :2020-08-11  
Temp./Humi. :23.4/60  
Antenna Pol. :HORIZONTAL  
Engineer :Kailin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5453.79	Average	42.91	1.14	44.05	54.00	-9.95
5453.79	Peak	55.24	1.14	56.38	74.00	-17.62
5460.00	Average	42.96	1.18	44.14	54.00	-9.86
5460.00	Peak	53.49	1.18	54.67	74.00	-19.33
5466.81	Peak	56.11	1.23	57.34	68.20	-10.86
5470.00	Peak	55.23	1.26	56.49	68.20	-11.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-08-11
Test Frequency	:5570 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:VERTICAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.48	0.98	53.46	68.20	-14.74
5749.97	Peak	54.21	0.97	55.18	68.20	-13.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2020/70034	Test Site	:966 Chamber D
Operation Mode	:802.11ax160 / Band 3	Test Date	:2020-08-11
Test Frequency	:5570 MHz	Temp./Humi.	:23.4/60
Test Mode	:BE CH HIGH RU 996/S67	Antenna Pol.	:HORIZONTAL
EUT Pol	:NB Plane	Engineer	:Kailin
Ant Path / EUT	:MIMO / Config 1		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	52.39	0.98	53.37	68.20	-14.83
5737.37	Peak	53.92	0.98	54.90	68.20	-13.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 12 TRANSMISSION IN THE ABSENCE OF DATA

### 12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

### 12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 13 ANTENNA REQUIREMENT

### 13.1 Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### 13.2 Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

*~ End of Report ~*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.