


Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5129.49	32.33	12.34	44.67	54.00	9.33	Vertical	PASS
2	5140.09	33.14	12.41	45.55	54.00	8.45	Vertical	PASS
3	5149.16	34.83	12.48	47.31	54.00	6.69	Vertical	PASS
4	5130.40	43.44	12.34	55.78	74.00	18.22	Vertical	PASS
5	5139.37	44.64	12.41	57.05	74.00	16.95	Vertical	PASS
6	5148.77	49.52	12.48	62.00	74.00	12.00	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.61	28.35	12.68	41.03	54.00	12.97	Horizontal	PASS
2	5358.16	28.08	12.72	40.80	54.00	13.20	Horizontal	PASS
3	5366.03	27.94	12.77	40.71	54.00	13.29	Horizontal	PASS
4	5350.42	39.16	12.68	51.84	74.00	22.16	Horizontal	PASS
5	5359.16	39.25	12.73	51.98	74.00	22.02	Horizontal	PASS
6	5365.67	39.25	12.77	52.02	74.00	21.98	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.09	33.51	12.68	46.19	54.00	7.81	Vertical	PASS
2	5352.17	32.72	12.70	45.42	54.00	8.58	Vertical	PASS
3	5361.21	30.64	12.75	43.39	54.00	10.61	Vertical	PASS
4	5350.09	44.25	12.68	56.93	74.00	17.07	Vertical	PASS
5	5352.92	43.69	12.69	56.38	74.00	17.62	Vertical	PASS
6	5361.34	40.91	12.75	53.66	74.00	20.34	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.89	27.75	12.67	40.42	54.00	13.58	Horizontal	PASS
2	5455.64	29.46	12.73	42.19	54.00	11.81	Horizontal	PASS
3	5457.77	27.96	12.77	40.73	54.00	13.27	Horizontal	PASS
4	5455.61	45.37	12.73	58.10	74.00	15.90	Horizontal	PASS
5	5462.88	39.03	12.85	51.88	68.20	16.32	Horizontal	PASS
6	5468.04	38.98	12.93	51.91	68.20	16.29	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.28	29.75	12.67	42.42	54.00	11.58	Vertical	PASS
2	5455.28	30.32	12.72	43.04	54.00	10.96	Vertical	PASS
3	5459.81	30.85	12.80	43.65	54.00	10.35	Vertical	PASS
4	5459.24	40.97	12.79	53.76	74.00	20.24	Vertical	PASS
5	5467.59	43.85	12.93	56.78	68.20	11.42	Vertical	PASS
6	5469.90	44.76	12.96	57.72	68.20	10.48	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.02	40.48	13.35	53.83	68.20	14.37	Horizontal	PASS
2	5736.58	39.13	13.18	52.31	68.20	15.89	Horizontal	PASS
3	5744.57	39.56	13.05	52.61	68.20	15.59	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.45	45.83	13.36	59.19	68.20	9.01	Vertical	PASS
2	5730.22	44.19	13.28	57.47	68.20	10.73	Vertical	PASS
3	5741.60	46.09	13.10	59.19	68.20	9.01	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information


Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph



Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.53	31.88	12.37	44.25	54.00	9.75	Horizontal	PASS
2	5142.62	31.90	12.43	44.33	54.00	9.67	Horizontal	PASS
3	5149.09	31.97	12.48	44.45	54.00	9.55	Horizontal	PASS
4	5134.40	42.82	12.37	55.19	74.00	18.81	Horizontal	PASS
5	5141.68	43.22	12.43	55.65	74.00	18.35	Horizontal	PASS
6	5148.61	42.45	12.47	54.92	74.00	19.08	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.61	34.36	12.44	46.80	54.00	7.20	Vertical	PASS
2	5148.18	34.89	12.46	47.35	54.00	6.65	Vertical	PASS
3	5149.68	35.24	12.48	47.72	54.00	6.28	Vertical	PASS
4	5145.68	45.36	12.45	57.81	74.00	16.19	Vertical	PASS
5	5148.09	46.73	12.46	59.19	74.00	14.81	Vertical	PASS
6	5149.61	45.81	12.48	58.29	74.00	15.71	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.09	28.47	12.68	41.15	54.00	12.85	Horizontal	PASS
2	5361.44	28.24	12.75	40.99	54.00	13.01	Horizontal	PASS
3	5370.51	28.09	12.80	40.89	54.00	13.11	Horizontal	PASS
4	5350.45	39.20	12.68	51.88	74.00	22.12	Horizontal	PASS
5	5362.35	39.32	12.76	52.08	74.00	21.92	Horizontal	PASS
6	5371.62	39.36	12.81	52.17	74.00	21.83	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.13	33.81	12.68	46.49	54.00	7.51	Vertical	PASS
2	5356.11	31.62	12.72	44.34	54.00	9.66	Vertical	PASS
3	5364.07	30.76	12.76	43.52	54.00	10.48	Vertical	PASS
4	5350.26	45.24	12.68	57.92	74.00	16.08	Vertical	PASS
5	5356.01	42.64	12.72	55.36	74.00	18.64	Vertical	PASS
6	5363.78	41.87	12.76	54.63	74.00	19.37	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.71	27.79	12.67	40.46	54.00	13.54	Horizontal	PASS
2	5457.38	28.04	12.76	40.80	54.00	13.20	Horizontal	PASS
3	5459.72	28.08	12.80	40.88	54.00	13.12	Horizontal	PASS
4	5452.25	38.53	12.67	51.20	74.00	22.80	Horizontal	PASS
5	5459.81	39.20	12.80	52.00	74.00	22.00	Horizontal	PASS
6	5468.49	39.72	12.94	52.66	68.20	15.54	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.30	30.33	12.69	43.02	54.00	10.98	Vertical	PASS
2	5457.80	30.48	12.77	43.25	54.00	10.75	Vertical	PASS
3	5459.75	30.80	12.80	43.60	54.00	10.40	Vertical	PASS
4	5461.47	42.94	12.83	55.77	68.20	12.43	Vertical	PASS
5	5466.96	44.57	12.91	57.48	68.20	10.72	Vertical	PASS
6	5469.36	44.39	12.96	57.35	68.20	10.85	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.21	41.04	13.37	54.41	68.20	13.79	Horizontal	PASS
2	5728.45	39.73	13.31	53.04	68.20	15.16	Horizontal	PASS
3	5743.34	39.42	13.07	52.49	68.20	15.71	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.09	47.26	13.37	60.63	68.20	7.57	Vertical	PASS
2	5728.27	46.11	13.32	59.43	68.20	8.77	Vertical	PASS
3	5732.53	43.06	13.25	56.31	68.20	11.89	Vertical	PASS


Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.61	28.62	12.37	40.99	54.00	13.01	Horizontal	PASS
2	5145.75	30.56	12.45	43.01	54.00	10.99	Horizontal	PASS
3	5147.66	31.59	12.46	44.05	54.00	9.95	Horizontal	PASS
4	5134.44	40.10	12.37	52.47	74.00	21.53	Horizontal	PASS
5	5145.62	41.02	12.45	53.47	74.00	20.53	Horizontal	PASS
6	5148.60	41.69	12.47	54.16	74.00	19.84	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.82	34.13	12.41	46.54	54.00	7.46	Vertical	PASS
2	5144.30	36.25	12.44	48.69	54.00	5.31	Vertical	PASS
3	5148.94	38.41	12.48	50.89	54.00	3.11	Vertical	PASS
4	5138.39	44.79	12.40	57.19	74.00	16.81	Vertical	PASS
5	5143.54	46.92	12.43	59.35	74.00	14.65	Vertical	PASS
6	5148.64	48.55	12.47	61.02	74.00	12.98	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.76	29.90	12.69	42.59	54.00	11.41	Horizontal	PASS
2	5361.52	28.87	12.75	41.62	54.00	12.38	Horizontal	PASS
3	5368.54	28.76	12.78	41.54	54.00	12.46	Horizontal	PASS
4	5352.29	40.32	12.70	53.02	74.00	20.98	Horizontal	PASS
5	5361.27	39.85	12.75	52.60	74.00	21.40	Horizontal	PASS
6	5369.05	40.03	12.79	52.82	74.00	21.18	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.25	36.67	12.68	49.35	54.00	4.65	Vertical	PASS
2	5355.99	33.80	12.72	46.52	54.00	7.48	Vertical	PASS
3	5360.03	31.97	12.74	44.71	54.00	9.29	Vertical	PASS
4	5351.66	47.16	12.69	59.85	74.00	14.15	Vertical	PASS
5	5356.72	45.03	12.72	57.75	74.00	16.25	Vertical	PASS
6	5360.16	44.59	12.74	57.33	74.00	16.67	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.24	28.58	12.66	41.24	54.00	12.76	Horizontal	PASS
2	5454.24	28.93	12.71	41.64	54.00	12.36	Horizontal	PASS
3	5459.56	29.34	12.80	42.14	54.00	11.86	Horizontal	PASS
4	5458.24	39.60	12.77	52.37	74.00	21.63	Horizontal	PASS
5	5466.41	40.75	12.91	53.66	68.20	14.54	Horizontal	PASS
6	5470.09	42.17	12.96	55.13	-	-	Horizontal	NA

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.52	31.20	12.69	43.89	54.00	10.11	Vertical	PASS
2	5457.40	32.55	12.76	45.31	54.00	8.69	Vertical	PASS
3	5459.36	34.06	12.80	46.86	54.00	7.14	Vertical	PASS
4	5460.13	44.79	12.80	57.59	68.20	10.61	Vertical	PASS
5	5464.97	47.02	12.88	59.90	68.20	8.30	Vertical	PASS
6	5468.49	47.54	12.94	60.48	68.20	7.72	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.59	44.57	13.36	57.93	68.20	10.27	Horizontal	PASS
2	5729.49	43.06	13.30	56.36	68.20	11.84	Horizontal	PASS
3	5736.54	41.46	13.18	54.64	68.20	13.56	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.64	51.69	13.36	65.05	68.20	3.15	Vertical	PASS
2	5729.74	51.07	13.29	64.36	68.20	3.84	Vertical	PASS
3	5734.19	47.88	13.22	61.10	68.20	7.10	Vertical	PASS

Project Information


Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph



Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:	P12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.13	28.36	12.39	40.75	54.00	13.25	Horizontal	PASS
2	5145.57	28.58	12.45	41.03	54.00	12.97	Horizontal	PASS
3	5149.01	28.57	12.48	41.05	54.00	12.95	Horizontal	PASS
4	5137.32	39.59	12.39	51.98	74.00	22.02	Horizontal	PASS
5	5143.82	39.00	12.44	51.44	74.00	22.56	Horizontal	PASS
6	5149.95	39.83	12.48	52.31	74.00	21.69	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:	P12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.19	35.38	12.36	47.74	54.00	6.26	Vertical	PASS
2	5140.76	37.14	12.41	49.55	54.00	4.45	Vertical	PASS
3	5147.51	37.81	12.46	50.27	54.00	3.73	Vertical	PASS
4	5132.44	48.78	12.36	61.14	74.00	12.86	Vertical	PASS
5	5140.95	47.95	12.41	60.36	74.00	13.64	Vertical	PASS
6	5148.07	48.89	12.46	61.35	74.00	12.65	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.80	29.81	12.69	42.50	54.00	11.50	Horizontal	PASS
2	5360.06	29.49	12.74	42.23	54.00	11.77	Horizontal	PASS
3	5368.68	29.06	12.79	41.85	54.00	12.15	Horizontal	PASS
4	5351.11	40.41	12.69	53.10	74.00	20.90	Horizontal	PASS
5	5359.93	40.53	12.74	53.27	74.00	20.73	Horizontal	PASS
6	5370.62	40.13	12.80	52.93	74.00	21.07	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	36.03	12.68	48.71	54.00	5.29	Vertical	PASS
2	5361.43	34.51	12.75	47.26	54.00	6.74	Vertical	PASS
3	5370.44	32.79	12.80	45.59	54.00	8.41	Vertical	PASS
4	5352.11	48.66	12.70	61.36	74.00	12.64	Vertical	PASS
5	5362.74	45.01	12.75	57.76	74.00	16.24	Vertical	PASS
6	5371.19	43.95	12.81	56.76	74.00	17.24	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.46	30.59	12.68	43.27	54.00	10.73	Horizontal	PASS
2	5456.06	31.15	12.74	43.89	54.00	10.11	Horizontal	PASS
3	5459.54	31.67	12.80	44.47	54.00	9.53	Horizontal	PASS
4	5455.70	40.89	12.73	53.62	74.00	20.38	Horizontal	PASS
5	5459.96	41.60	12.80	54.40	74.00	19.60	Horizontal	PASS
6	5467.83	41.93	12.93	54.86	68.20	13.34	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.98	36.86	12.72	49.58	54.00	4.42	Vertical	PASS
2	5457.44	37.55	12.76	50.31	54.00	3.69	Vertical	PASS
3	5459.84	37.94	12.80	50.74	54.00	3.26	Vertical	PASS
4	5459.66	49.18	12.80	61.98	74.00	12.02	Vertical	PASS
5	5459.66	49.18	12.80	61.98	74.00	12.02	Vertical	PASS
6	5462.13	49.62	12.83	62.45	68.20	5.75	Vertical	PASS
7	5468.91	48.83	12.94	61.77	68.20	6.43	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.59	39.43	13.34	52.77	68.20	15.43	Horizontal	PASS
2	5738.83	39.15	13.14	52.29	68.20	15.91	Horizontal	PASS
3	5748.38	39.35	12.99	52.34	68.20	15.86	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.78	40.99	13.36	54.35	68.20	13.85	Vertical	PASS
2	5739.28	40.55	13.14	53.69	68.20	14.51	Vertical	PASS
3	5748.20	39.94	12.99	52.93	68.20	15.27	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph



Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph



~The End~