











Mode	16									
	Band Edge									
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz									
ANT	5									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-04-10  PEAK_BE_74 Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 2483.52 56.21 74.00 -17.79 53.64 30.70 5.46 33.59 285 17 PEAK					Level (dBuV/m) Date: 2024-04-10  PEAK_74 Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 2480.00 109.82 ----- 107.25 30.70 5.46 33.59 285 17 PEAK				
	Level (dBuV/m) Date: 2024-04-10  AVG_BE_54 Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 2483.52 44.10 54.00 -9.90 41.53 30.70 5.46 33.59 285 17 AVERAGE					Level (dBuV/m) Date: 2024-04-10  AVG_54 Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 2480.00 109.21 ----- 106.64 30.70 5.46 33.59 285 17 AVERAGE				



Mode	16																																																																																										
	Band Edge																																																																																										
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																										
ANT	5																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak	 Date: 2024-04-10 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>53.51</td><td>74.00</td><td>-20.49</td><td>50.94</td><td>30.70</td><td>5.46</td><td>33.59</td><td>326</td><td>252 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	53.51	74.00	-20.49	50.94	30.70	5.46	33.59	326	252 PEAK	 Date: 2024-04-10 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>106.52</td><td>-----</td><td>103.95</td><td>30.70</td><td>5.46</td><td>33.59</td><td>326</td><td>252 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.52	-----	103.95	30.70	5.46	33.59	326	252 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2483.52	53.51	74.00	-20.49	50.94	30.70	5.46	33.59	326	252 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2480.00	106.52	-----	103.95	30.70	5.46	33.59	326	252 PEAK																																																																																		
Avg	 Date: 2024-04-10 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.54</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>39.45</td><td>30.70</td><td>5.46</td><td>33.59</td><td>326</td><td>252 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	42.02	54.00	-11.98	39.45	30.70	5.46	33.59	326	252 AVERAGE	 Date: 2024-04-10 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>105.91</td><td>-----</td><td>103.34</td><td>30.70</td><td>5.46</td><td>33.59</td><td>326</td><td>252 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.91	-----	103.34	30.70	5.46	33.59	326	252 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2483.54	42.02	54.00	-11.98	39.45	30.70	5.46	33.59	326	252 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2480.00	105.91	-----	103.34	30.70	5.46	33.59	326	252 AVERAGE																																																																																		



Mode	16																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																													
ANT	5																																																																																																													
Pol.	Horizontal												Vertical																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-04-10 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.27</td><td>74.00</td><td>-31.73</td><td>62.61</td><td>36.10</td><td>8.46</td><td>64.90</td><td>--- Peak</td></tr><tr><td>2</td><td>7440.00</td><td>43.03</td><td>74.00</td><td>-30.97</td><td>60.90</td><td>36.82</td><td>10.17</td><td>64.86</td><td>--- Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	42.27	74.00	-31.73	62.61	36.10	8.46	64.90	--- Peak	2	7440.00	43.03	74.00	-30.97	60.90	36.82	10.17	64.86	--- Peak	Level (dBuV/m) Date: 2024-04-10 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.93</td><td>74.00</td><td>-31.07</td><td>63.27</td><td>36.10</td><td>8.46</td><td>64.90</td><td>--- Peak</td></tr><tr><td>2</td><td>7440.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>61.76</td><td>36.82</td><td>10.17</td><td>64.86</td><td>--- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	42.93	74.00	-31.07	63.27	36.10	8.46	64.90	--- Peak	2	7440.00	43.89	74.00	-30.11	61.76	36.82	10.17	64.86	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	4960.00	42.27	74.00	-31.73	62.61	36.10	8.46	64.90	--- Peak																																																																																																					
2	7440.00	43.03	74.00	-30.97	60.90	36.82	10.17	64.86	--- Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	4960.00	42.93	74.00	-31.07	63.27	36.10	8.46	64.90	--- Peak																																																																																																					
2	7440.00	43.89	74.00	-30.11	61.76	36.82	10.17	64.86	--- Peak																																																																																																					







Mode	17																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																			
ANT	5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2335.41</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>42.02</td><td>30.73</td><td>5.31</td><td>33.50</td><td>189</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2335.41	44.56	74.00	-29.44	42.02	30.73	5.31	33.50	189	360 PEAK	Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.55</td><td>-----</td><td>-----</td><td>101.00</td><td>30.72</td><td>5.37</td><td>33.54</td><td>189</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.55	-----	-----	101.00	30.72	5.37	33.54	189	360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2335.41	44.56	74.00	-29.44	42.02	30.73	5.31	33.50	189	360 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2402.00	103.55	-----	-----	101.00	30.72	5.37	33.54	189	360 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.62</td><td>35.88</td><td>54.00</td><td>-18.12</td><td>33.34</td><td>30.72</td><td>5.35</td><td>33.53</td><td>189</td><td>360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2377.62	35.88	54.00	-18.12	33.34	30.72	5.35	33.53	189	360 AVERAGE	Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.17</td><td>-----</td><td>-----</td><td>99.62</td><td>30.72</td><td>5.37</td><td>33.54</td><td>189</td><td>360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.17	-----	-----	99.62	30.72	5.37	33.54	189	360 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2377.62	35.88	54.00	-18.12	33.34	30.72	5.35	33.53	189	360 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2402.00	102.17	-----	-----	99.62	30.72	5.37	33.54	189	360 AVERAGE																																																																										



Mode	17																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																	
ANT	5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2366.60</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>41.94</td><td>30.73</td><td>5.34</td><td>33.52</td><td>195 360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2366.60	44.49	74.00	-29.51	41.94	30.73	5.34	33.52	195 360 PEAK	Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>84.05</td><td>-----</td><td>-----</td><td>81.50</td><td>30.72</td><td>5.37</td><td>33.54</td><td>195 360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	84.05	-----	-----	81.50	30.72	5.37	33.54	195 360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2366.60	44.49	74.00	-29.51	41.94	30.73	5.34	33.52	195 360 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2402.00	84.05	-----	-----	81.50	30.72	5.37	33.54	195 360 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2348.01</td><td>36.16</td><td>54.00</td><td>-17.84</td><td>33.62</td><td>30.73</td><td>5.32</td><td>33.51</td><td>195 360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2348.01	36.16	54.00	-17.84	33.62	30.73	5.32	33.51	195 360 AVERAGE	Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>81.99</td><td>-----</td><td>-----</td><td>79.44</td><td>30.72</td><td>5.37</td><td>33.54</td><td>195 360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2402.00	81.99	-----	-----	79.44	30.72	5.37	33.54	195 360 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2348.01	36.16	54.00	-17.84	33.62	30.73	5.32	33.51	195 360 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2402.00	81.99	-----	-----	79.44	30.72	5.37	33.54	195 360 AVERAGE																																																																									



Mode	18																																																																																								
	Band Edge																																																																																								
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																								
ANT	5																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-04-10. Limit line: PEAK_BE_74. Peak at 2483.52 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-04-10. Limit line: PEAK_74. Peak at 2480.00 MHz.																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.52</td><td>61.78</td><td>74.00</td><td>-12.22</td><td>59.21</td><td>30.70</td><td>5.46</td><td>33.59</td><td>173</td><td>360 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2483.52	61.78	74.00	-12.22	59.21	30.70	5.46	33.59	173	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>105.21</td><td>-----</td><td>-----</td><td>102.64</td><td>30.70</td><td>5.46</td><td>33.59</td><td>173</td><td>360 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2480.00	105.21	-----	-----	102.64	30.70	5.46	33.59	173
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2483.52	61.78	74.00	-12.22	59.21	30.70	5.46	33.59	173	360 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2480.00	105.21	-----	-----	102.64	30.70	5.46	33.59	173	360 PEAK																																																																																
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-04-10. Limit line: AVG_BE_54. Average at 2483.52 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-04-10. Limit line: AVG_54. Average at 2480.00 MHz.																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.52</td><td>49.06</td><td>54.00</td><td>-4.94</td><td>46.49</td><td>30.70</td><td>5.46</td><td>33.59</td><td>173</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2483.52	49.06	54.00	-4.94	46.49	30.70	5.46	33.59	173	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>103.46</td><td>-----</td><td>-----</td><td>100.89</td><td>30.70</td><td>5.46</td><td>33.59</td><td>173</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2480.00	103.46	-----	-----	100.89	30.70	5.46	33.59	173
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2483.52	49.06	54.00	-4.94	46.49	30.70	5.46	33.59	173	360 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2480.00	103.46	-----	-----	100.89	30.70	5.46	33.59	173	360 AVERAGE																																																																																



Mode	18																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																	
ANT	5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-04-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2480 2484 2488 2492 2496 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.52</td><td>59.11</td><td>74.00</td><td>-14.89</td><td>56.54</td><td>30.70</td><td>5.46</td><td>33.59</td><td>367</td><td>265 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2483.52	59.11	74.00	-14.89	56.54	30.70	5.46	33.59	367	265 PEAK	Level (dBuV/m) Date: 2024-04-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>102.87</td><td>-----</td><td>-----</td><td>100.30</td><td>30.70</td><td>5.46</td><td>33.59</td><td>367</td><td>265 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2480.00	102.87	-----	-----	100.30	30.70	5.46	33.59	367	265 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2483.52	59.11	74.00	-14.89	56.54	30.70	5.46	33.59	367	265 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2480.00	102.87	-----	-----	100.30	30.70	5.46	33.59	367	265 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-04-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2480 2484 2488 2492 2496 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.52</td><td>46.39</td><td>54.00</td><td>-7.61</td><td>43.82</td><td>30.70</td><td>5.46</td><td>33.59</td><td>367</td><td>265 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2483.52	46.39	54.00	-7.61	43.82	30.70	5.46	33.59	367	265 AVERAGE	Level (dBuV/m) Date: 2024-04-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>101.44</td><td>-----</td><td>-----</td><td>98.87</td><td>30.70</td><td>5.46</td><td>33.59</td><td>367</td><td>265 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2480.00	101.44	-----	-----	98.87	30.70	5.46	33.59	367	265 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2483.52	46.39	54.00	-7.61	43.82	30.70	5.46	33.59	367	265 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2480.00	101.44	-----	-----	98.87	30.70	5.46	33.59	367	265 AVERAGE																																																																									



Mode	18																																																																																															
	Harmonic																																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																															
ANT	5																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-04-10 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>42.63</td><td>74.00</td><td>-31.37</td><td>62.97</td><td>36.10</td><td>8.46</td></tr><tr><td>2</td><td>7440.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>61.75</td><td>36.82</td><td>10.17</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	42.63	74.00	-31.37	62.97	36.10	8.46	2	7440.00	43.88	74.00	-30.12	61.75	36.82	10.17	Level (dBuV/m) Date: 2024-04-10 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>42.93</td><td>74.00</td><td>-31.07</td><td>63.27</td><td>36.10</td><td>8.46</td></tr><tr><td>2</td><td>7440.00</td><td>44.19</td><td>74.00</td><td>-29.81</td><td>62.06</td><td>36.82</td><td>10.17</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	42.93	74.00	-31.07	63.27	36.10	8.46	2	7440.00	44.19	74.00	-29.81	62.06	36.82	10.17
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4960.00	42.63	74.00	-31.37	62.97	36.10	8.46																																																																																									
2	7440.00	43.88	74.00	-30.12	61.75	36.82	10.17																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4960.00	42.93	74.00	-31.07	63.27	36.10	8.46																																																																																									
2	7440.00	44.19	74.00	-29.81	62.06	36.82	10.17																																																																																									



Mode	19																																																																																																													
	LF																																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF LF_CH39_2480MHz																																																																																																													
ANT	5																																																																																																													
Pol.	Horizontal																																																																																																													
QPI/ Peak	Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>23.79</td><td>40.00</td><td>-16.21</td><td>29.66</td><td>25.20</td><td>0.53</td><td>31.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>99.84</td><td>21.59</td><td>43.50</td><td>-21.91</td><td>36.37</td><td>16.10</td><td>1.02</td><td>31.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>189.08</td><td>32.66</td><td>43.50</td><td>-10.84</td><td>48.18</td><td>14.70</td><td>1.40</td><td>31.62</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>476.20</td><td>24.25</td><td>46.00</td><td>-21.75</td><td>29.83</td><td>23.60</td><td>2.27</td><td>31.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>663.41</td><td>28.18</td><td>46.00</td><td>-17.82</td><td>30.30</td><td>26.40</td><td>2.68</td><td>31.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>901.06</td><td>32.44</td><td>46.00</td><td>-13.56</td><td>30.98</td><td>29.20</td><td>3.16</td><td>30.90</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	30.00	23.79	40.00	-16.21	29.66	25.20	0.53	31.60	---	---	Peak	2	99.84	21.59	43.50	-21.91	36.37	16.10	1.02	31.90	---	---	Peak	3	189.08	32.66	43.50	-10.84	48.18	14.70	1.40	31.62	---	---	Peak	4	476.20	24.25	46.00	-21.75	29.83	23.60	2.27	31.45	---	---	Peak	5	663.41	28.18	46.00	-17.82	30.30	26.40	2.68	31.20	---	---	Peak	6	901.06	32.44	46.00	-13.56	30.98	29.20	3.16	30.90	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
	1	30.00	23.79	40.00	-16.21	29.66	25.20	0.53	31.60	---	---	Peak																																																																																																		
	2	99.84	21.59	43.50	-21.91	36.37	16.10	1.02	31.90	---	---	Peak																																																																																																		
	3	189.08	32.66	43.50	-10.84	48.18	14.70	1.40	31.62	---	---	Peak																																																																																																		
	4	476.20	24.25	46.00	-21.75	29.83	23.60	2.27	31.45	---	---	Peak																																																																																																		
	5	663.41	28.18	46.00	-17.82	30.30	26.40	2.68	31.20	---	---	Peak																																																																																																		
	6	901.06	32.44	46.00	-13.56	30.98	29.20	3.16	30.90	---	---	Peak																																																																																																		
Level (dBuV/m) Date: 2024-04-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>31.94</td><td>26.95</td><td>40.00</td><td>-13.05</td><td>33.94</td><td>24.10</td><td>0.55</td><td>31.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>53.28</td><td>31.90</td><td>40.00</td><td>-8.10</td><td>49.80</td><td>13.20</td><td>0.73</td><td>31.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>96.93</td><td>22.84</td><td>43.50</td><td>-20.66</td><td>37.98</td><td>15.70</td><td>1.00</td><td>31.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>189.08</td><td>32.13</td><td>43.50</td><td>-11.37</td><td>47.65</td><td>14.70</td><td>1.40</td><td>31.62</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>567.38</td><td>27.59</td><td>46.00</td><td>-18.41</td><td>29.89</td><td>26.38</td><td>2.49</td><td>31.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>897.18</td><td>32.39</td><td>46.00</td><td>-13.61</td><td>31.01</td><td>29.14</td><td>3.15</td><td>30.91</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	31.94	26.95	40.00	-13.05	33.94	24.10	0.55	31.64	---	---	Peak	2	53.28	31.90	40.00	-8.10	49.80	13.20	0.73	31.83	---	---	Peak	3	96.93	22.84	43.50	-20.66	37.98	15.70	1.00	31.84	---	---	Peak	4	189.08	32.13	43.50	-11.37	47.65	14.70	1.40	31.62	---	---	Peak	5	567.38	27.59	46.00	-18.41	29.89	26.38	2.49	31.17	---	---	Peak	6	897.18	32.39	46.00	-13.61	31.01	29.14	3.15	30.91	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																						
1	31.94	26.95	40.00	-13.05	33.94	24.10	0.55	31.64	---	---	Peak																																																																																																			
2	53.28	31.90	40.00	-8.10	49.80	13.20	0.73	31.83	---	---	Peak																																																																																																			
3	96.93	22.84	43.50	-20.66	37.98	15.70	1.00	31.84	---	---	Peak																																																																																																			
4	189.08	32.13	43.50	-11.37	47.65	14.70	1.40	31.62	---	---	Peak																																																																																																			
5	567.38	27.59	46.00	-18.41	29.89	26.38	2.49	31.17	---	---	Peak																																																																																																			
6	897.18	32.39	46.00	-13.61	31.01	29.14	3.15	30.91	---	---	Peak																																																																																																			





Co-olation

Mode	20																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz+LTE B48 Link																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-03-25 PEAK_BE_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.58</td><td>58.64</td><td>74.00</td><td>-15.36</td><td>55.60</td><td>30.70</td><td>5.46</td><td>33.12</td><td>305 127 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.58	58.64	74.00	-15.36	55.60	30.70	5.46	33.12	305 127 PEAK	Level (dBuV/m) Date: 2024-03-25 PEAK_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>101.20</td><td>-----</td><td>-----</td><td>98.17</td><td>30.70</td><td>5.46</td><td>33.13</td><td>305 127 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	101.20	-----	-----	98.17	30.70	5.46	33.13	305 127 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.58	58.64	74.00	-15.36	55.60	30.70	5.46	33.12	305 127 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2480.00	101.20	-----	-----	98.17	30.70	5.46	33.13	305 127 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-03-25 AVG_BE_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.52</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>42.96</td><td>30.70</td><td>5.46</td><td>33.12</td><td>305 127 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.52	46.00	54.00	-8.00	42.96	30.70	5.46	33.12	305 127 AVERAGE	Level (dBuV/m) Date: 2024-03-25 AVG_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>99.35</td><td>-----</td><td>-----</td><td>96.32</td><td>30.70</td><td>5.46</td><td>33.13</td><td>305 127 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	99.35	-----	-----	96.32	30.70	5.46	33.13	305 127 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.52	46.00	54.00	-8.00	42.96	30.70	5.46	33.12	305 127 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2480.00	99.35	-----	-----	96.32	30.70	5.46	33.13	305 127 AVERAGE																																																																		







Mode	20																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz+LTE B48 Link																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-03-25 PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>62.74</td><td>74.00</td><td>-11.26</td><td>59.70</td><td>30.70</td><td>5.46</td><td>33.12</td><td>300 250 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	62.74	74.00	-11.26	59.70	30.70	5.46	33.12	300 250 PEAK	Level (dBuV/m) Date: 2024-03-25 PEAK_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>106.53</td><td>-----</td><td>-----</td><td>103.50</td><td>30.70</td><td>5.46</td><td>33.13</td><td>300 250 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.53	-----	-----	103.50	30.70	5.46	33.13	300 250 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.52	62.74	74.00	-11.26	59.70	30.70	5.46	33.12	300 250 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2480.00	106.53	-----	-----	103.50	30.70	5.46	33.13	300 250 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-25 AVG_BE_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>49.90</td><td>54.00</td><td>-4.10</td><td>46.86</td><td>30.70</td><td>5.46</td><td>33.12</td><td>300 250 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	49.90	54.00	-4.10	46.86	30.70	5.46	33.12	300 250 AVERAGE	Level (dBuV/m) Date: 2024-03-25 AVG_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>105.12</td><td>-----</td><td>-----</td><td>102.09</td><td>30.70</td><td>5.46</td><td>33.13</td><td>300 250 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.12	-----	-----	102.09	30.70	5.46	33.13	300 250 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.52	49.90	54.00	-4.10	46.86	30.70	5.46	33.12	300 250 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2480.00	105.12	-----	-----	102.09	30.70	5.46	33.13	300 250 AVERAGE																																																																																	



Mode	20																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz+LTE B48 Link																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>34.27</td><td>36.10</td><td>8.46</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>31.71</td><td>36.82</td><td>10.17</td><td>33.32</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	46.07	74.00	-27.93	34.27	36.10	8.46	32.76	---	---	Peak	2	7440.00	45.38	74.00	-28.62	31.71	36.82	10.17	33.32	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>33.36</td><td>36.10</td><td>8.46</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>30.65</td><td>36.82</td><td>10.17</td><td>33.32</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	45.16	74.00	-28.84	33.36	36.10	8.46	32.76	---	---	Peak	2	7440.00	44.32	74.00	-29.68	30.65	36.82	10.17	33.32	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4960.00	46.07	74.00	-27.93	34.27	36.10	8.46	32.76	---	---	Peak																																																																																																									
2	7440.00	45.38	74.00	-28.62	31.71	36.82	10.17	33.32	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4960.00	45.16	74.00	-28.84	33.36	36.10	8.46	32.76	---	---	Peak																																																																																																									
2	7440.00	44.32	74.00	-29.68	30.65	36.82	10.17	33.32	---	---	Peak																																																																																																									



		21																																																																																										
Mode		Band Edge																																																																																										
		2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz+LTE B48 Link																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
			Limit Margin		Read	Ant	Cable Preamp	APos		TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2483.52	59.49	74.00	-14.51	56.92	30.70	5.46	33.59	103	31	PEAK			Limit Margin		Read	Ant	Cable Preamp	APos		TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2480.00	103.48	-----	-----	100.91	30.70	5.46	33.59	103	31	PEAK				
		Limit Margin		Read	Ant	Cable Preamp	APos		TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 2483.52	59.49	74.00	-14.51	56.92	30.70	5.46	33.59	103	31	PEAK																																																																																		
		Limit Margin		Read	Ant	Cable Preamp	APos		TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 2480.00	103.48	-----	-----	100.91	30.70	5.46	33.59	103	31	PEAK																																																																																		
Avg																																																																																												
			Limit Margin		Read	Ant	Cable Preamp	APos		TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2483.54	46.56	54.00	-7.44	43.99	30.70	5.46	33.59	103	31	AVERAGE			Limit Margin		Read	Ant	Cable Preamp	APos		TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2480.00	101.59	-----	-----	99.02	30.70	5.46	33.59	103	31	AVERAGE				
		Limit Margin		Read	Ant	Cable Preamp	APos		TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 2483.54	46.56	54.00	-7.44	43.99	30.70	5.46	33.59	103	31	AVERAGE																																																																																		
		Limit Margin		Read	Ant	Cable Preamp	APos		TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 2480.00	101.59	-----	-----	99.02	30.70	5.46	33.59	103	31	AVERAGE																																																																																		



Mode	21																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz+LTE B48 Link																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-04-10 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>54.02</td><td>30.70</td><td>5.46</td><td>33.59</td><td>364 68 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	56.59	74.00	-17.41	54.02	30.70	5.46	33.59	364 68 PEAK	Level (dBuV/m) Date: 2024-04-10 PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.06</td><td>-----</td><td>-----</td><td>98.49</td><td>30.70</td><td>5.46</td><td>33.59</td><td>364 68 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.06	-----	-----	98.49	30.70	5.46	33.59	364 68 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.54	56.59	74.00	-17.41	54.02	30.70	5.46	33.59	364 68 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	101.06	-----	-----	98.49	30.70	5.46	33.59	364 68 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-04-10 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>43.83</td><td>54.00</td><td>-10.17</td><td>41.26</td><td>30.70</td><td>5.46</td><td>33.59</td><td>364 68 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	43.83	54.00	-10.17	41.26	30.70	5.46	33.59	364 68 AVERAGE	Level (dBuV/m) Date: 2024-04-10 AVG_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.62</td><td>-----</td><td>-----</td><td>97.05</td><td>30.70</td><td>5.46</td><td>33.59</td><td>364 68 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.62	-----	-----	97.05	30.70	5.46	33.59	364 68 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.52	43.83	54.00	-10.17	41.26	30.70	5.46	33.59	364 68 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	99.62	-----	-----	97.05	30.70	5.46	33.59	364 68 AVERAGE																																																																									




Mode	21																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz+LTE B48 Link																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-04-10 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>42.70</td><td>74.00</td><td>-31.30</td><td>30.85</td><td>36.10</td><td>8.46</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>30.65</td><td>36.82</td><td>10.17</td><td>33.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	42.70	74.00	-31.30	30.85	36.10	8.46	32.71	---	---	Peak	2	7440.00	44.12	74.00	-29.88	30.65	36.82	10.17	33.52	---	---	Peak	Level (dBuV/m) Date: 2024-04-10 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>42.65</td><td>74.00</td><td>-31.35</td><td>30.80</td><td>36.10</td><td>8.46</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>30.35</td><td>36.82</td><td>10.17</td><td>33.52</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	42.65	74.00	-31.35	30.80	36.10	8.46	32.71	---	---	Peak	2	7440.00	43.82	74.00	-30.18	30.35	36.82	10.17	33.52	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	4960.00	42.70	74.00	-31.30	30.85	36.10	8.46	32.71	---	---	Peak																																																																																																													
2	7440.00	44.12	74.00	-29.88	30.65	36.82	10.17	33.52	---	---	Peak																																																																																																													
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	4960.00	42.65	74.00	-31.35	30.80	36.10	8.46	32.71	---	---	Peak																																																																																																													
2	7440.00	43.82	74.00	-30.18	30.35	36.82	10.17	33.52	---	---	Peak																																																																																																													

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	62.90	0.39	2.564	3KHz
Bluetooth LE 2Mbps	33.33	0.21	4.762	10KHZ

Bluetooth LE 1Mbps





Bluetooth LE 2Mbps

