



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: BLUETOOTH SPEAKER

Test Model: MPD18XB(INFERNO-18)

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.011	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.004	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.94	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.301	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.288	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.29	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.296	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.314	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.299	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.33	21	Pass
NVNT	1-DH5	2441	Ant1	0.7	21	Pass
NVNT	1-DH5	2480	Ant1	-0.54	21	Pass
NVNT	2-DH5	2402	Ant1	-0.35	21	Pass
NVNT	2-DH5	2441	Ant1	-0.01	21	Pass
NVNT	2-DH5	2480	Ant1	0.9	21	Pass
NVNT	3-DH5	2402	Ant1	0.05	21	Pass
NVNT	3-DH5	2441	Ant1	0.33	21	Pass
NVNT	3-DH5	2480	Ant1	-0.8	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.836	2403.164	1.328	0.674	Pass
NVNT	2-DH5	Ant1	2402.006	2403.034	1.028	0.867	Pass
NVNT	3-DH5	Ant1	2402.16	2403.024	0.974	0.876	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	317.19	109	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	295.596	102	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	304.185	105	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-54.93	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.28	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.84	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.07	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.93	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-52.15	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission








Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission








Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-55.86	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.99	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.74	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-55.94	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-55.83	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-55.93	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.22	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.84	-20	Pass
NVNT	1-DH5	2480	Ant1	-52.88	-20	Pass
NVNT	2-DH5	2402	Ant1	-51.92	-20	Pass
NVNT	2-DH5	2441	Ant1	-51.63	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.23	-20	Pass
NVNT	3-DH5	2402	Ant1	-52.13	-20	Pass
NVNT	3-DH5	2441	Ant1	-51.57	-20	Pass
NVNT	3-DH5	2480	Ant1	-51.27	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.63	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-49.19	2	-	48.07	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-57.9	2	1.1	40.46	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2332.752	-46.3	2	-	50.96	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2383.056	-56.58	2	1.1	41.78	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.62	2	-	47.64	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-57.18	2	1.1	41.18	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-48.66	2	-	48.6	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-56.63	2	1.1	41.73	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.016	-45.93	2	-	51.33	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2497.984	-56.1	2	1.1	42.26	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-48.72	2	-	48.54	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-56.61	2	1.1	41.75	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-48.3	2	-	48.96	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-57.69	2	1.12	40.69	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2346.864	-46.39	2	-	50.87	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2372.592	-56.7	2	1.12	41.68	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-48.57	2	-	48.69	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-57.25	2	1.12	41.13	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-48.03	2	-	49.23	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-56.82	2	1.12	41.56	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2499.208	-45.69	2	-	51.57	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.56	-55.75	2	1.12	42.63	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.43	2	-	48.83	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-56.99	2	1.12	41.39	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-48.34	2	-	48.92	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-57.7	2	1.12	40.68	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2333.52	-46.27	2	-	50.99	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2315.088	-56.42	2	1.12	41.96	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-49.85	2	-	47.41	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-57.29	2	1.12	41.09	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-48.36	2	-	48.9	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-56.87	2	1.12	41.51	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2489.056	-45.36	2	-	51.9	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2499.496	-56.14	2	1.12	42.24	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-48.69	2	-	48.57	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.01	2	1.12	41.37	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

