

Antenna Gain Measurement Report

Report No.: ORBFBE-WTW-P23080579 R1

Model No.: RV22

Received Date: 2023.8.30

Test Date: 2023.8.30

Issued Date: 2023.11.2

Applicant: Cambium Networks Inc.

Address: 3800 Golf Road, Suite 360 Rolling Meadows, IL 60008, USA

Manufacturer: Cambium Networks, Ltd.

Address: Ashburton, TQ13 7UP, UK

Issued By: Bureau Veritas Consumer Products Services (Hong Kong) Limited, Taoyuan Branch Mobile Communications Laboratory

Lab Address: No.19, Hwa Ya 2nd Rd., Kwei shan Dist., Taoyuan City, Taiwan (R.O.C)

TAF Number: 2770 (OTA3-HY)

Prepared by :



Date: 2023.11.2

Johnny Liu / Supervisor

Approved by :



Date: 2023.11.2

Ken Chan / Manger

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Table of Contents

Release Control Record	3
1 EUT Antenna System Description	4
1.1 Antenna Information	4
1.2 Antenna Location (Configuration and RF Chains)	4
2 Antenna Measurement	5
2.1 Antenna Measurement Chamber	5
2.2 Reference Standard	5
2.3 Block diagram of antenna test set-up	5
2.4 Block diagram of calibration	6
2.5 Measurement Setup	6
2.6 EUT Operation mode	7
2.7 Test Setup Diagram for EUT	7
2.8 Test Instruments	8
2.9 Test Procedure	8
2.10 Summary Test Result	9
Appendix A – Detail Test Data Information	10
A.1 Radiated Directional Gain	10
A.2 Antenna Pattern Test Plots	39
Appendix B -Test Setup and EUT antenna port photo	44
B.1 Antenna Locations (Configuration and RF Chains)	44
B.2 Test Setup Diagram for EUT	45
Appendix C - Information of the Testing Laboratories	46



Release Control Record

Issue No.	Description	Date Issued
ORBFBE-WTW-P23080579	Original release.	2023.9.19
ORBFBE-WTW-P23080579 R1	Typo Direction Gain@1SS table @ 2400,2450,2500, add antenna locations	2023.11.2

1 EUT Antenna System Description

1.1 Antenna Information

Frequency Range (MHz)	Brand Name	Model Name	Antenna Type	Connector Type	Antenna Position
2400~2483.5	HWA YU	56-001-000448Z	Dipole	ipex(MHF)	ANT 1
2400~2483.5	HWA YU	56-001-000449Z	Dipole	ipex(MHF)	ANT 2
5150~5895	HWA YU	56-001-000450Z	Dipole	ipex(MHF)	ANT 3
5150~5895	HWA YU	56-001-000451Z	Dipole	ipex(MHF)	ANT 4
5150~5895	HWA YU	56-001-000452Z	Dipole	ipex(MHF)	ANT 5

1.2 Antenna Location (Configuration and RF Chains)

Please refer to another document - Test Setup and EUT antenna port photo. (Appendix B.)

2 Antenna Measurement

2.1 Antenna Measurement Chamber

Chamber Type	Chamber Size
Fully Anechoic Chamber	Length: 7.32 m Width: 3.66 m Height: 3.51 m

Type of Equipment	Model Number	Serial Number
ETS Anechoic Chamber (OTA3-HY)	AMS-8500	CT0000411-1132
Multi-Axis Positioning System	ETS 2090-OPTI	00086248

Note: The test was performed in CITA OTA distributed-axes system.

2.2 Reference Standard

ANSI 63.10-2013 clause 13

IEEE std. 149-2021

KDB 662911 D01

2.3 Block diagram of antenna test set-up

In far field chamber, rotation around theta axis corresponds to the elevation angle θ and around the phi axis corresponds to the azimuth angle ϕ . When measuring a 3D radiation pattern, the rotation table rotates around the theta from 0° to 180° and the rotation arm revolves around the phi axis between 0° and 360° . The vertical E field actually corresponds to the horizontal polarization and vice versa..




Figure 1. Antenna Pattern Test System.

2.4 Block diagram of calibration





Figure 2. Calibration configuration.

2.5 Measurement Setup

Chamber Placement
To minimize the physical volume occupied by the EUT during testing, the center of rotation shall be the three-dimensional geometric center of the EUT and not the antenna
Positioning an Integrated Device Relative to the Chamber Coordinate System
The reference plane for the EUT is defined as the plane on which the base of the EUT sits. This plane will be normal to the phi axis of the chamber.
Before placing the EUT in the chamber, place the integrated device on a level surface and measure the height, width and depth (H, W, D) of the device to determine the center of each (mark with tape if need).
The center of the height, width and depth of the device shall be located at the origin of the chamber coordinate system.


2.6 EUT Operation mode

Band	Modulation Mode	CDD mode	Beamforming mode
2.4GHz	802.11b	Nss1	Not Support
	802.11g	Nss1	Not Support
	802.11n(HT20)	Nss1 / Nss2	Nss1 / Nss2
	802.11n(HT40)	Nss1 / Nss2	Nss1 / Nss2
	802.11n(VHT20)	Nss1 / Nss2	Nss1 / Nss2
	802.11n(VHT40)	Nss1 / Nss2	Nss1 / Nss2
	802.11ax(HE20)	Nss1 / Nss2	Nss1 / Nss2
	802.11ax(HE40)	Nss1 / Nss2	Nss1 / Nss2
5GHz	802.11a	Nss1	Not Support
	802.11n(HT20)	Nss1 / Nss2	Nss1 / Nss2
	802.11n(HT40)	Nss1 / Nss2	Nss1 / Nss2
	802.11ac(VHT20)	Nss1 / Nss2	Nss1 / Nss2
	802.11ac(VHT40)	Nss1 / Nss2	Nss1 / Nss2
	802.11ac(VHT80)	Nss1 / Nss2	Nss1 / Nss2
	802.11ac(VHT160)	Nss1 / Nss2	Nss1 / Nss2
	802.11ax(HE20)	Nss1 / Nss2	Nss1 / Nss2
	802.11ax(HE40)	Nss1 / Nss2	Nss1 / Nss2
	802.11ax(HE80)	Nss1 / Nss2	Nss1 / Nss2
	802.11ax(HE160)	Nss1 / Nss2	Nss1 / Nss2

Note: The Nss 1 mode for both 2.4GHz, 5GHz bands for final testing.

Band	Modulation Mode	Ant1	Ant2	Ant3	Ant4	Ant5
2.4GHz	802.11b	TX/RX	TX/RX	NA	NA	NA
	802.11g	TX/RX	TX/RX	NA	NA	NA
	802.11n(HT20)	TX/RX	TX/RX	NA	NA	NA
	802.11n(HT40)	TX/RX	TX/RX	NA	NA	NA
	802.11n(VHT20)	TX/RX	TX/RX	NA	NA	NA
	802.11n(VHT40)	TX/RX	TX/RX	NA	NA	NA
	802.11ax(HE20)	TX/RX	TX/RX	NA	NA	NA
	802.11ax(HE40)	TX/RX	TX/RX	NA	NA	NA
5GHz	802.11a	NA	NA	TX/RX	TX/RX	TX/RX
	802.11n(HT20)	NA	NA	TX/RX	TX/RX	TX/RX
	802.11n(HT40)	NA	NA	TX/RX	TX/RX	TX/RX
	802.11ac(VHT20)	NA	NA	TX/RX	TX/RX	TX/RX
	802.11ac(VHT40)	NA	NA	TX/RX	TX/RX	TX/RX
	802.11ac(VHT80)	NA	NA	TX/RX	TX/RX	TX/RX
	802.11ac(VHT160)	NA	NA	TX/RX	TX/RX	TX/RX
	802.11ax(HE20)	NA	NA	TX/RX	TX/RX	TX/RX
	802.11ax(HE40)	NA	NA	TX/RX	TX/RX	TX/RX
	802.11ax(HE80)	NA	NA	TX/RX	TX/RX	TX/RX
	802.11ax(HE160)	NA	NA	TX/RX	TX/RX	TX/RX

2.7 Test Setup Diagram for EUT

Please refer to another document - Test Setup and EUT antenna port photo. (Appendix B.)

2.8 Test Instruments

TYPE OF EQUIPMENT	MODEL NUMBER	SERIAL NUMBER	DATE OF CALIBRATION	DUE DATE OF CALIBRATION	CALIBRATION CYCLE
(OTA3-HY) ETS Anechoic Chamber	AMS-8500	CT0000411-1132	N/A	N/A	N/A
Multi-Axis Positioning System	ETS 2090-OPTI	00086248	N/A	N/A	N/A
Horn Antenna	ETS 3164-08	00157567	N/A	N/A	N/A
Switch Control	Agilent 3499A	MY42005285	N/A	N/A	N/A
Network Analyzer	E5071C	MY46104190	2023/5/29	2024/5/28	12 months
Test Software	ETS-Lindgren EMQuest V1.14 build 31654	1281	N/A	N/A	N/A

Note 1: The test was performed in CITA OTA distributed-axes system.

Note 2: The calibration interval of the above test instruments is 12 months and the calibrations are traceable to NML/ROC and NIST/USA.

2.9 Test Procedure

1. The Antenna Gain Test is performed according to The ANSI/IEEE Std 149 12.3.1 Antenna Gain (Small size (< 42cm) Linear Polarization Antennas), using a two-axis support device and one fixed measurement antenna. The EUT is positioned along the required MAPS centerline fixture holder. The EUT is then stepped between 0 and 180 degrees along the theta axis in 15-degree increments. At each theta position, the phi axis is stepped from 0-360 degrees in 15-degree increments. Data is recorded using the Network analyzer for both theta and phi polarizations at each position. Depending on the protocol, an appropriate filter is used in the EMQuest software to process the data. Upon completion of the test, test results (angular dependent EIRP) is calculated at each measurement point and the required value is automatically calculated. This test procedure is repeated for frequency and configuration as required.
2. Repeat step 1 and measures all of antenna gain for each Phi and Theta polarization for all antenna angles.
3. Considering each combination of phi and theta for all angles of each antenna, Directional Gain are calculated according to the FCC KDB662911 D01 d) (i) or e) (ii) formula.
4. Investigate composite antenna gain at all angles by program and determine maximum gain and Phi/Theta position (Direction gain is calculated for each angle then maximum gain is selected.).

2.10 Summary Test Result

Tested By	Leo Chen
-----------	----------

Individual Antenna Maximum Peak Gain:

Frequency Band (GHz)	2.4	2.45	2.5	5.10	5.30	5.50	5.70	5.90
Ant. 1 (dBi)	4.73	4.11	3.14	-	-	-	-	-
Polarization	Theta	Theta	Theta	-	-	-	-	-
Axis: Theta(°)	75	75	75	-	-	-	-	-
Axis: Phi(°)	105	120	135	-	-	-	-	-
Ant. 2 (dBi)	5.36	4.92	4.28	-	-	-	-	-
Polarization	Theta	Theta	Theta	-	-	-	-	-
Axis: Theta(°)	90	90	90	-	-	-	-	-
Axis: Phi(°)	270	285	300	-	-	-	-	-
Ant. 3 (dBi)	-	-	-	3.95	3.48	3.26	3.06	3.67
Polarization	-	-	-	Theta	Theta	Theta	Theta	Theta
Axis: Theta(°)	-	-	-	90	90	105	90	90
Axis: Phi(°)	-	-	-	15	330	60	75	90
Ant. 4 (dBi)	-	-	-	2.7	2.84	3.81	2.41	2.67
Polarization	-	-	-	Theta	Theta	Theta	Theta	Theta
Axis: Theta(°)	-	-	-	105	75	75	75	75
Axis: Phi(°)	-	-	-	180	180	180	180	150
Ant. 5 (dBi)	-	-	-	3.08	3.24	3.45	4.36	3.5
Polarization	-	-	-	Phi	Phi	Phi	Phi	Phi
Axis: Theta(°)	-	-	-	45	45	75	0	90
Axis: Phi(°)	-	-	-	345	15	180	180	165

Maximum Directional Gain (Maximum Direction Angle and Value):

Frequency Band (GHz)	2.4	2.45	2.5	5.10	5.30	5.50	5.70	5.90
Ant. 1 (dBi)	4.07	3.9	2.89	-	-	-	-	-
Ant. 2 (dBi)	1.32	0.95	0.95	-	-	-	-	-
Ant. 3 (dBi)	-	-	-	0.63	2.64	3.26	2.19	3.67
Ant. 4 (dBi)	-	-	-	2.13	0.81	1.36	1.56	2.04
Ant. 5 (dBi)	-	-	-	-8.21	-8.04	-7.55	-7.81	-8.39
Polarization	Theta	Theta	Theta	Theta	Theta	Theta	Theta	Theta
Axis: Theta(°)	60	60	75	90	90	105	90	90
Axis: Phi(°)	165	165	150	255	60	60	90	90
DG (dBi) [1SS]	5.81	5.56	4.98	3.99	4.32	4.9	4.45	5.25

Note:

- ◆ The individual antenna gain and directional gain are by measurement as indicated in above table. For devices transmitter supports MIMO and use same antenna at multiple antenna ports. The direction gain values are follow FCC KDB 662911 D01 into calculation.
- ◆ The applicable limit is subjected to FCC Part 15 regulation and devices transmitter design/specification (i.e., SISO or MIMO etc.). Detail of conformity limit to be described in EUT FCC test reports.

Appendix A – Detail Test Data Information

A.1 Radiated Directional Gain

Ant.	No.1																								
Freq. (MHz)	2400																								
Polarity	Theta																								
dB	Φ (0°)	Φ (15°)	Φ (30°)	Φ (45°)	Φ (60°)	Φ (75°)	Φ (90°)	Φ (105°)	Φ (120°)	Φ (135°)	Φ (150°)	Φ (165°)	Φ (180°)	Φ (195°)	Φ (210°)	Φ (225°)	Φ (240°)	Φ (255°)	Φ (270°)	Φ (285°)	Φ (300°)	Φ (315°)	Φ (330°)	Φ (345°)	Φ (360°)
θ (0°)	-14.23	-12.99	-12.43	-12.62	-13.39	-14.26	-15.6	-17.7	-20.69	-21.97	-20.45	-17.93	-15.84	-14.33	-13.56	-13.25	-13.6	-14.45	-15.4	-16.52	-18.95	-21.14	-20.62	-17.55	-14.23
θ (15°)	-6.97	-6.44	-6.27	-6.29	-6.56	-7.35	-8.28	-9.71	-11.5	-12.85	-12.58	-11.58	-10.57	-9.82	-9.19	-8.9	-8.99	-9.31	-9.35	-9.4	-9.33	-9.02	-8.42	-7.83	-6.97
θ (30°)	-3.65	-3.3	-2.85	-2.42	-2.08	-2.02	-2.36	-2.97	-3.28	-2.7	-1.89	-1.56	-1.95	-2.96	-4.53	-6.51	-8.11	-8.43	-7.58	-6.44	-5.6	-5.04	-4.62	-4.16	-3.65
θ (45°)	-4.22	-4.3	-3.7	-2.44	-1.28	-0.53	0.11	0.84	1.39	1.56	1.35	0.95	0.29	-0.76	-2.28	-4.18	-5.79	-6.7	-7.23	-7.25	-6.24	-5	-4.2	-3.98	-4.22
θ (60°)	-4.34	-4.4	-3.28	-1.05	1.02	2.18	2.66	2.93	3.29	3.9	4.33	4.07	3.26	2.08	0.11	-2.33	-3.01	-2.1	-1.73	-2.36	-3.42	-3.79	-3.45	-3.55	-4.34
θ (75°)	-2.66	-3.5	-2.49	-0.01	2.04	3.32	4.24	[4.73]	4.53	3.79	3.23	3.01	2.44	1.35	-0.51	-3.4	-5.45	-4.75	-5.13	-8.46	-10.99	-7.29	-4.15	-2.77	-2.66
θ (90°)	-3.03	-3.49	-2.27	-0.62	0.47	1.39	2.43	3.38	3.93	3.56	1.89	0.56	0.5	-0.53	-3.26	-7.76	-14.48	-13.06	-8.85	-7.11	-7.44	-7.29	-3.94	-2.14	-3.03
θ (105°)	-3.87	-2.25	-1.28	-0.64	-0.35	0.18	1.05	2.51	4.01	4.67	3.67	0.93	-0.76	-0.68	-2.48	-7.07	-7.24	-3.97	-3.4	-5.88	-8.36	-5.87	-5.56	-6.13	-3.87
θ (120°)	-6.48	-6.32	-3.67	-1.69	-0.99	-0.75	-0.29	0.61	1.54	2.22	2.72	2.58	0.98	-2.13	-4.32	-4.63	-6.08	-9.91	-15.18	-17.12	-15.07	-10.9	-7	-5.49	-6.48
θ (135°)	-9.44	-4.97	-2.11	-0.3	0.7	1.07	1.11	0.92	0.38	-0.81	-2.89	-5.23	-6	-5.58	-5.78	-6.39	-6.7	-6.93	-7.85	-11.18	-20.46	-22.9	-16.76	-15.87	-9.44
θ (150°)	-13.69	-12.58	-10.88	-8.81	-6.85	-5.05	-3.54	-2.53	-2.09	-2.21	-2.89	-4.22	-6.69	-10.86	-15.95	-15.94	-14.06	-13.17	-13.55	-15.66	-20.43	-25.66	-18.92	-15.13	-13.69
θ (165°)	-11.51	-8.56	-6.68	-5.43	-4.93	-4.97	-5.65	-6.91	-8.79	-11.15	-13.92	-17.03	-20.37	-23.95	-27.14	-28.97	-27.49	-22.43	-20.33	-19.68	-20.89	-24.71	-24.16	-18.48	-11.51
θ (180°)	-16.24	-17.49	-19.68	-20.6	-19.03	-16.22	-13.9	-12.28	-11.32	-11.35	-12.24	-13.88	-16.39	-19.86	-22.64	-20.69	-17.19	-14.67	-12.86	-11.9	-11.89	-12.31	-13.19	-14.59	-16.24
Polarity	Phi																								
dB	Φ (0°)	Φ (15°)	Φ (30°)	Φ (45°)	Φ (60°)	Φ (75°)	Φ (90°)	Φ (105°)	Φ (120°)	Φ (135°)	Φ (150°)	Φ (165°)	Φ (180°)	Φ (195°)	Φ (210°)	Φ (225°)	Φ (240°)	Φ (255°)	Φ (270°)	Φ (285°)	Φ (300°)	Φ (315°)	Φ (330°)	Φ (345°)	Φ (360°)
θ (0°)	-16.83	-19.52	-24.09	-33.55	-27.23	-18.96	-14.85	-12.67	-11.88	-11.81	-12.5	-13.61	-15.22	-16.69	-17.77	-17.9	-17.34	-16.17	-14.36	-12.83	-11.99	-11.89	-12.61	-14.08	-16.83
θ (15°)	-12.65	-13.36	-14.01	-15.2	-16.95	-16.65	-14.7	-12.8	-12	-12.2	-13.28	-15.23	-17.54	-20.38	-24.36	-34.8	-29.47	-21.77	-17.72	-14.97	-13.11	-11.92	-11.62	-11.67	-12.65
θ (30°)	-10.12	-9.47	-9.24	-9.98	-12.5	-18.28	-16.49	-10.9	-8.85	-8.67	-9.71	-11.65	-13.95	-16.11	-17.45	-18.39	-19	-18.35	-16.81	-15.42	-14.56	-13.44	-12.28	-11.26	-10.12
θ (45°)	-12.69	-13.5	-15.26	-17.56	-19.03	-17.37	-12.56	-10.24	-9.65	-10.16	-12.53	-17.27	-16.94	-13.71	-13.39	-15.1	-18.88	-18.39	-14.79	-13.34	-13.14	-13.11	-12.8	-12.61	-12.69
θ (60°)	-10.34	-8.97	-7.04	-5.78	-6.33	-8.83	-11.98	-12.28	-10.39	-10.27	-12.18	-12.64	-12.36	-13.41	-13.66	-14.15	-16.18	-20.36	-14.15	-10.18	-10.16	-12.86	-15.35	-13.28	-10.34
θ (75°)	-23.59	-18.77	-12.67	-10.64	-10.21	-11.15	-11.77	-10.33	-10.41	-13.82	-24	-20.48	-14.43	-10.86	-9.42	-9.91	-12.86	-18.93	-18.3	-16.96	-16.32	-12.48	-11.77	-13.42	-23.59
θ (90°)	-19.14	-25.98	-13.27	-9	-8.25	-9.11	-10.22	-7.99	-5.58	[-4.65]	-6.53	-13.47	-14.35	-13.15	-15.41	-14.58	-15.76	-18.35	-13.92	-10.77	-10.74	-12.71	-14.22	-14.96	-19.14
θ (105°)	-16.8	-15.78	-11.28	-9.89	-11.98	-23.75	-15.67	-10.87	-10.92	-10.02	-6.81	-6.82	-11.06	-11	-8.48	-9.92	-15.97	-22.71	-12.51	-9.64	-10.32	-12.71	-12.67	-12.56	-16.8
θ (120°)	-13.17	-15.99	-13.13	-11.51	-13.5	-22.57	-20.58	-13.1	-11.61	-15.4	-28.11	-15.25	-11.49	-9.41	-8.8	-9.47	-11.15	-15.26	-27.27	-19.07	-13.35	-11.19	-9.55	-9.45	-13.17
θ (135°)	-13.29	-12.62	-14.79	-17.92	-16.9	-12.78	-9.46	-6.66	-5.22	-5.5	-8.61	-14.86	-9.35	-5.76	-5.21	-6.6	-9.91	-15.25	-15.95	-11.73	-9.02	-8.76	-10.99	-13.36	-13.29
θ (150°)	-13.25	-13.68	-10.2	-8.51	-8.93	-11.45	-16.01	-15.68	-13.44	-12.67	-11.12	-8.32	-6.17	-5.2	-5.26	-6.26	-8.67	-13.22	-17.4	-11.39	-7.3	-5.52	-5.8	-8.05	-13.25
θ (165°)	-18.37	-15.98	-15.45	-16.57	-19.49	-21.94	-20.89	-17.06	-13.79	-11.33	-9.38	-8	-7.27	-7.03	-7.28	-8.2	-9.75	-11.61	-12.81	-13.58	-14.45	-16.21	-18.84	-20.6	-18.37
θ (180°)	-16.25	-15.31	-14.42	-13.74	-13.31	-13.42	-14.72	-17.87	-25.62	-24.74	-17.7	-14.24	-12.01	-10.88	-10.34	-10.57	-11.71	-13.77	-16.86	-21.48	-27.74	-29.45	-22.86	-19.01	-16.25

Ant.	No.1																								
Freq (MHz)	2450																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-24.81	-21.68	-17.7	-15.06	-13.68	-13.17	-13.29	-13.94	-14.93	-16.65	-20.08	-26.34	-25.52	-20.05	-16.83	-14.76	-13.39	-12.56	-12.42	-13.2	-14.78	-17.15	-20.52	-24.01	-24.81
θ (15°)	-10.29	-10.62	-10.29	-9.27	-8.22	-8.11	-8.37	-9.43	-11.35	-13.72	-13.76	-11.18	-9.09	-7.97	-7.55	-7.5	-7.58	-7.8	-8.1	-8.39	-8.62	-8.88	-9.14	-9.5	-10.29
θ (30°)	-3.61	-3.51	-3.2	-2.41	-1.51	-0.96	-1.2	-2.4	-4.04	-4.32	-2.94	-1.58	-1.02	-1.31	-2.24	-3.68	-5.33	-6.77	-7.45	-7.26	-6.45	-5.46	-4.54	-3.88	-3.61
θ (45°)	-3.22	-2.86	-1.91	-0.63	0.35	0.87	1.01	1.09	1.27	1.34	1.27	1.05	0.5	-0.66	-2.34	-4.33	-5.9	-6.78	-7.11	-6.96	-5.81	-4.4	-3.55	-3.36	-3.22
θ (60°)	-3.69	-3.43	-2.31	-0.48	1.19	2.12	2.43	2.49	2.57	2.97	3.7	3.9	3.36	2.24	0.27	-2.52	-3.71	-2.82	-2.5	-3.4	-4.73	-4.62	-3.66	-3.56	-3.69
θ (75°)	-2.91	-3	-1.42	0.4	1.67	2.34	3.08	3.85	[4.11]	3.7	3.23	3.08	2.56	1.28	-0.64	-3.32	-5.46	-5.31	-6.18	-9.7	-9.36	-5.67	-3.38	-2.64	-2.91
θ (90°)	-4.24	-3.02	-0.98	0.09	0.33	0.35	0.8	1.75	2.75	2.99	1.78	0.19	0.06	-0.34	-2.24	-5.45	-10.01	-10.88	-8.18	-7.28	-7.92	-7.14	-4.28	-3.55	-4.24
θ (105°)	-3.22	-1.6	-0.8	-0.66	-1.22	-1.45	-1.14	0.46	2.56	3.87	3.46	0.92	-1.2	-0.67	-1.78	-6.39	-9.27	-5.23	-4.5	-7.71	-9.18	-5.96	-6.33	-6.64	-3.22
θ (120°)	-6.6	-5.45	-2.69	-1.41	-1.61	-2.17	-1.89	-0.64	0.71	1.77	2.61	2.74	1.33	-1.8	-4.06	-4.25	-5.48	-8.66	-12.05	-12.33	-10.2	-7.6	-5.49	-5.16	-6.6
θ (135°)	-9.37	-5.14	-2.61	-1.12	-0.25	0.18	0.48	0.62	0.43	-0.34	-2.1	-4.59	-6.17	-6.31	-6.82	-7.72	-8.04	-7.89	-8.89	-12.87	-21.69	-16.61	-14.32	-14.79	-9.37
θ (150°)	-13.99	-12.47	-10.52	-8.69	-6.73	-4.71	-3.01	-1.88	-1.32	-1.29	-1.84	-3.17	-5.76	-10.42	-20.29	-23.54	-16.56	-14.71	-14.79	-15.77	-17.3	-17.74	-16.66	-15.22	-13.99
θ (165°)	-10.38	-7.55	-5.7	-4.51	-4.03	-4.22	-5.01	-6.31	-8.12	-10.31	-13	-15.74	-17.88	-19.38	-21.02	-22.45	-23.02	-22.88	-23.78	-24.52	-25.5	-25.33	-20.36	-16.29	-10.38
θ (180°)	-12.31	-13.22	-14.31	-14.69	-14.15	-13.25	-11.95	-10.63	-9.42	-9.01	-9.29	-10.15	-11.61	-13.58	-14.98	-14.85	-13.81	-12.63	-11.74	-10.96	-10.52	-10.3	-10.48	-11.13	-12.31
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-13.58	-14.37	-15.91	-18.28	-20.04	-20.81	-21.03	-20.32	-18.46	-16.11	-14.38	-13.47	-13.5	-14.53	-16.43	-19.17	-21.63	-22.37	-22.86	-23.67	-20.82	-17.24	-14.92	-13.83	-13.58
θ (15°)	-13.27	-13.23	-14.18	-16.2	-19.87	-26.8	-30.62	-19.97	-15.22	-12.95	-12.21	-12.98	-15.13	-19.17	-26.54	-41.49	-25.28	-20.31	-17.61	-16.08	-15.17	-14.83	-14.41	-13.98	-13.27
θ (30°)	-8.78	-7.83	-7.32	-8	-10.52	-18.22	-19.34	-9.88	-6.84	-5.9	-6.29	-7.67	-9.61	-11.65	-13.33	-14.62	-16.71	-20.64	-30.33	-26.18	-18.53	-14.78	-12.44	-10.53	-8.78
θ (45°)	-8.47	-9.09	-10.59	-13.48	-18.47	-16.29	-9.32	-6.15	-5.18	-5.19	-6.15	-8.77	-14.57	-25.14	-19.9	-17.45	-17.33	-16.11	-13.19	-11.08	-9.93	-9.3	-8.86	-8.58	-8.47
θ (60°)	-8.95	-7.65	-5.82	-4.64	-5.37	-8.43	-12.91	-12.04	-8.14	-6.59	-6.77	-7.13	-7.76	-9.72	-11.35	-11.98	-14.16	-24.73	-17.38	-11.05	-10.75	-13.52	-14.79	-11.75	-8.95
θ (75°)	-16.12	-13.08	-10.42	-9.3	-9.26	-10.62	-11.99	-10.1	-9.29	-10.77	-14.93	-22.7	-17.69	-11.16	-8.82	-9.13	-11.92	-17.54	-15.39	-13.07	-12.57	-11.36	-11.66	-13.7	-16.12
θ (90°)	-16.68	-16.56	-10.09	-7.54	-7.58	-9.18	-10.78	-7.95	-5.34	[-4.37]	-5.81	-11.79	-20.36	-17.3	-14.45	-11.33	-12.16	-16.14	-12.89	-8.87	-7.63	-8.12	-9.7	-11.67	-16.68
θ (105°)	-15.21	-16.05	-11.72	-9.82	-12.01	-31.09	-14.18	-9.38	-9.1	-9.61	-7.45	-7.21	-11	-13.09	-10.26	-10.51	-13.53	-20.29	-15.15	-10.75	-9.22	-9	-9	-10.02	-15.21
θ (120°)	-12.16	-12.27	-9.59	-8.64	-10.38	-16.87	-22.77	-12.45	-10.67	-14.78	-25.58	-14.67	-12.89	-11	-9.96	-10.22	-11.01	-13.67	-21.5	-17.06	-11.64	-10.12	-9.41	-9.7	-12.16
θ (135°)	-16.07	-16.47	-21.76	-17.71	-12.95	-10.03	-8	-6.08	-5.17	-5.94	-9.34	-11.44	-6.89	-4.58	-4.48	-6.12	-9.71	-14.95	-16.57	-13.9	-11.81	-12.19	-15.31	-18.01	-16.07
θ (150°)	-13.79	-16.83	-11.42	-8.46	-8.04	-9.15	-11.1	-12.04	-12.62	-13.3	-11.54	-8.32	-6.03	-5.12	-5.5	-7.22	-10.92	-19.39	-17.81	-10.05	-6.54	-5.02	-5.33	-7.52	-13.79
θ (165°)	-15.41	-13.19	-12.16	-12.61	-14.75	-17.48	-18.98	-17.04	-14.81	-12.84	-10.89	-9.18	-8.09	-7.75	-8.07	-8.91	-10.07	-11.24	-11.86	-12.48	-13.81	-16.02	-18.54	-18.61	-15.41
θ (180°)	-12.82	-11.89	-11.09	-10.73	-10.54	-10.55	-10.98	-12.41	-15.51	-19.7	-18.68	-14.8	-12.1	-10.81	-10.3	-10.37	-10.68	-11.24	-12.27	-13.96	-16.12	-17.75	-17.08	-15.02	-12.82

Ant.	No.1																								
Freq. (MHz)	2500																								
Polarity	Theta																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	-13.6	-10.41	-8.18	-6.94	-6.35	-6.39	-7	-8.35	-10.54	-14.41	-20.21	-17.81	-12.43	-9.14	-7.21	-6.16	-5.77	-5.97	-6.77	-8.27	-10.55	-14.22	-20.34	-19.55	-13.6
θ (15°)	-9.68	-8.26	-6.78	-5.76	-5.27	-5.54	-6.07	-7.32	-9.68	-13.64	-16.02	-11.87	-8.23	-6.05	-4.88	-4.44	-4.42	-4.72	-5.34	-6.21	-7.16	-8.3	-9.44	-10.05	-9.68
θ (30°)	-5.27	-4.86	-3.52	-1.86	-0.51	0.25	0.25	-0.81	-3.03	-5.79	-6.22	-4.06	-2.29	-1.54	-1.6	-2.31	-3.46	-4.66	-5.58	-5.94	-5.59	-5.2	-4.97	-5.04	-5.27
θ (45°)	-2.05	-1.43	-0.33	0.88	1.65	1.97	1.73	1.18	0.75	0.54	0.43	0.41	0.35	-0.19	-1.36	-3.12	-5.19	-6.93	-7.72	-7.52	-6.28	-4.76	-3.48	-2.82	-2.05
θ (60°)	-3.55	-3.2	-1.93	-0.29	0.95	1.66	1.95	1.99	1.81	1.69	2.33	3.04	3.03	2.38	1	-1.31	-3.65	-4.42	-4.7	-6.08	-7.09	-5.45	-3.87	-3.5	-3.55
θ (75°)	-2.96	-2.61	-1.26	-0.2	0.26	0.31	0.74	1.89	2.9	[3.14]	2.89	2.87	2.64	1.43	-0.63	-3.18	-5.6	-6.64	-8.2	-11.24	-8	-4.37	-2.71	-2.42	-2.96
θ (90°)	-2.78	-1.32	-0.12	0.08	-0.5	-1.64	-2.24	-1.26	0.65	1.99	1.69	0.16	-0.55	-0.92	-2.39	-4.79	-8.16	-9.83	-8.88	-8.87	-10.43	-8.04	-5.01	-4.29	-2.78
θ (105°)	-1.97	-0.62	0.02	-0.16	-1.51	-3.11	-4.17	-2.83	0.07	2.19	2.53	0.49	-2.43	-2.06	-2.05	-5.13	-9.56	-7.68	-7.08	-11.74	-10.18	-6.16	-6.25	-5.46	-1.97
θ (120°)	-6.77	-4.6	-2.05	-1.45	-2.74	-4.73	-5.37	-3.3	-0.8	0.92	2.08	2.55	1.56	-1.2	-3.95	-4.49	-5.21	-7.3	-8.81	-7.79	-6.12	-4.96	-4.54	-5.52	-6.77
θ (135°)	-10.55	-6.86	-5.04	-4.23	-3.76	-3.43	-2.46	-1.19	-0.21	-0.09	-1.21	-3.33	-5.35	-6.32	-7.32	-8.73	-10.16	-11.71	-14.82	-16.46	-11.89	-9.84	-11.01	-13.59	-10.55
θ (150°)	-13.22	-10.52	-8.44	-7.64	-7.28	-6.22	-4.39	-2.81	-1.95	-1.62	-1.99	-3.3	-6.01	-11.03	-20.81	-17.41	-12.32	-9.71	-8.59	-8.62	-9.68	-11.16	-13.47	-15.56	-13.22
θ (165°)	-9.93	-7.82	-6.5	-5.75	-5.44	-5.62	-6.21	-7.26	-8.83	-11.03	-14.38	-19.88	-27.04	-24.08	-21.91	-21.45	-22.09	-23.25	-24.5	-27.14	-30.34	-24.77	-18.21	-14.57	-9.93
θ (180°)	-8.73	-8.97	-9.28	-9.31	-9.08	-8.72	-8.42	-8.1	-7.74	-7.59	-7.6	-7.92	-8.54	-9.34	-9.75	-9.63	-8.97	-8.32	-7.96	-7.92	-8.22	-8.33	-8.44	-8.61	-8.73
Polarity	Phi																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	-5.9	-7	-9.06	-12.56	-19.24	-23.94	-14.72	-10.6	-8.44	-7.25	-6.58	-6.47	-6.98	-8.15	-10.31	-13.61	-18.32	-18.98	-13.46	-9.45	-7.04	-5.64	-5.02	-5.05	-5.9
θ (15°)	-7.39	-8.54	-10.98	-15.82	-32.2	-19.17	-12.74	-9.59	-7.74	-6.69	-6.26	-6.57	-7.61	-9.6	-12.81	-16.8	-16.73	-13.92	-11.36	-9.75	-8.66	-7.93	-7.32	-7.17	-7.39
θ (30°)	-7.96	-7.44	-7.73	-9.26	-13.02	-22.23	-13.91	-7.47	-4.72	-3.62	-3.8	-5.1	-7.35	-10.29	-13.48	-16.42	-18.02	-17.73	-15.8	-13.81	-12.17	-11.27	-10.42	-9.42	-7.96
θ (45°)	-9.02	-8.91	-9.67	-12.09	-18.98	-18.97	-8.68	-4.53	-2.83	[-2.39]	-2.75	-4.01	-6.48	-10.46	-15.99	-28.36	-18.62	-12.23	-9.15	-7.61	-7.15	-7.63	-8.49	-8.86	-9.02
θ (60°)	-10.19	-9.48	-7.52	-5.91	-6.35	-9.2	-13.79	-11.63	-6.59	-4.38	-4	-4.03	-4.36	-5.87	-8.3	-10.57	-13.65	-20.52	-14.65	-9.96	-9.92	-12.28	-13.55	-11.63	-10.19
θ (75°)	-15.27	-12.07	-9.82	-8.76	-8.35	-9.54	-12.96	-12.18	-9.17	-8.02	-8.85	-11.48	-12.25	-8.67	-6.84	-7.33	-9.7	-13.53	-11.17	-8.56	-8.7	-9.79	-12.04	-14.91	-15.27
θ (90°)	-12.62	-13.53	-9.44	-7.22	-6.86	-8.04	-9.83	-8.05	-5.47	-4.36	-5.12	-8.9	-15.15	-14.91	-10.15	-7.7	-9.09	-14.35	-12.47	-7.41	-5.34	-5.2	-6.35	-8.3	-12.62
θ (105°)	-11.67	-13.03	-10.92	-9.28	-11.87	-28.8	-13.16	-8.48	-7.81	-8.87	-8.23	-8.05	-11.08	-13.07	-10.24	-9.4	-11.34	-20.47	-16.62	-9.17	-6.61	-6.03	-6.6	-8	-11.67
θ (120°)	-7.41	-7.51	-7.16	-7.71	-9.8	-15.94	-23.1	-11.76	-10.26	-15.36	-22.27	-12.8	-12.52	-12.59	-11.48	-11.84	-12.53	-14.44	-18.66	-14.34	-9.9	-7.94	-6.79	-6.59	-7.41
θ (135°)	-10.88	-13.71	-25.77	-17.11	-11.6	-9.57	-8.42	-6.93	-6.32	-7.42	-10.63	-9.25	-5.17	-3.61	-3.96	-5.73	-9.35	-15.12	-19.68	-17.72	-14.43	-13.35	-12.98	-11.98	-10.88
θ (150°)	-10.59	-18.88	-14.66	-8.74	-6.59	-6.36	-7.57	-9.81	-12.32	-13.12	-10.99	-8.53	-7.11	-6.89	-7.81	-10.04	-15.29	-26.16	-13.03	-7.72	-4.8	-3.4	-3.49	-5.22	-10.59
θ (165°)	-14.02	-12.86	-12.33	-12.65	-14.28	-16.55	-18.27	-16.94	-15.04	-13.76	-12.76	-11.58	-10.33	-9.31	-8.76	-8.69	-9.15	-10.08	-11.05	-12.39	-13.89	-15.31	-15.88	-15.21	-14.02
θ (180°)	-8.67	-8.34	-8.02	-7.87	-7.98	-8.22	-8.29	-8.45	-8.93	-9.62	-10.04	-9.54	-8.46	-7.51	-7.11	-7.14	-7.52	-8.03	-8.51	-9.08	-9.65	-9.92	-9.7	-9.31	-8.67

Ant.	No.2																										
Freq. (MHz)	2400																										
Polarity	Theta																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	-17.59	-20	-24.51	-26.39	-21.45	-17.21	-14.55	-12.87	-11.99	-12.08	-12.92	-14.42	-16.67	-19.93	-23.62	-23.05	-19.62	-16.72	-14.4	-13.12	-12.77	-12.84	-13.48	-14.95	-17.59		
θ (15°)	-8.05	-8.68	-9.31	-9.94	-10.73	-12.08	-12.51	-12.6	-12.6	-12.48	-12.18	-11.72	-11.03	-10.07	-9.01	-8.16	-7.42	-7.15	-6.8	-6.61	-6.61	-6.75	-7.06	-7.34	-8.05		
θ (30°)	-3.77	-3.65	-3.69	-3.97	-4.44	-4.84	-4.96	-4.86	-4.63	-4.44	-4.21	-4.08	-4.21	-4.47	-4.49	-4.01	-3.16	-2.29	-1.73	-1.65	-2.11	-2.89	-3.52	-3.79	-3.77		
θ (45°)	-1.66	-1.38	-2.12	-3.91	-6.42	-8.59	-8.88	-6.76	-4.14	-2.29	-1.28	-0.91	-0.96	-1.14	-0.97	-0.42	-0.01	0.05	-0.2	-0.73	-1.65	-2.7	-3.21	-2.8	-1.66		
θ (60°)	-0.69	-0.52	-1.01	-2.67	-5.3	-8.13	-9.35	-7.76	-4.15	-1.08	0.79	1.32	0.73	-0.39	-0.95	-0.37	0.66	1.49	2	2.14	1.66	0.71	-0.3	-0.9	-0.69		
θ (75°)	-0.89	-0.08	-0.42	-1.82	-3.4	-4.23	-5.02	-6.18	-4.37	-1.42	0.38	0.89	0.74	0.72	1.24	1.95	2.41	2.6	2.69	2.57	2.1	0.96	-0.74	-1.6	-0.89		
θ (90°)	-0.76	-1.18	-1.83	-3.61	-6.64	-7.7	-6.93	-7.26	-7.84	-5.28	-2.63	-1.51	-1.27	-0.41	1.57	3.44	4.61	5.19	[5.36]	5.33	5.08	4.42	2.99	0.92	-0.76		
θ (105°)	-6.39	-5.53	-5.99	-9.53	-12.04	-8.05	-5.93	-5.81	-5.51	-3.57	-2.04	-1.82	-1.91	-0.15	2.16	3.4	3.65	3.32	2.79	2.47	2.14	1.21	-1.03	-3.65	-6.39		
θ (120°)	-13.34	-12.55	-11.23	-11.46	-9.2	-6.26	-5.21	-6.79	-10.26	-9.01	-5.62	-4.02	-3.67	-2.83	-0.78	1.17	2.3	2.72	2.77	2.57	1.97	0.55	-2.19	-6.75	-13.34		
θ (135°)	-9.94	-11.72	-9.68	-8.53	-8.51	-8.05	-8.21	-10.07	-15.04	-20.17	-11.44	-6.62	-3.7	-1.74	-0.43	0.44	0.91	1.04	0.85	0.52	-0.09	-1.23	-3.11	-5.09	-9.94		
θ (150°)	-8.31	-10.44	-12.64	-12.81	-10.92	-8.77	-7.15	-6.23	-6.11	-6.52	-6.7	-5.96	-4.7	-3.61	-2.97	-2.68	-2.56	-2.61	-2.68	-2.68	-2.51	-3.01	-4.1	-5.74	-8.31		
θ (165°)	-10.01	-12.14	-14.89	-16.32	-14.74	-12.9	-12.46	-12.6	-12.63	-11.8	-10.29	-8.7	-7.53	-6.9	-6.84	-7.08	-7.39	-7.6	-8.16	-8.37	-8.2	-8.08	-8.22	-8.64	-10.01		
θ (180°)	-20.31	-23.23	-19.42	-15.22	-12.28	-10.56	-9.74	-9.71	-10.23	-11.36	-13.05	-15.77	-20.21	-23.13	-18.68	-14.84	-12.62	-11.36	-10.82	-10.57	-10.48	-11.2	-12.71	-15.24	-20.31		
Polarity	Phi																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	-19.08	-17.83	-16.7	-16.32	-16.53	-17.3	-19.08	-23.08	-28.37	-25.05	-19.98	-17.32	-15.61	-14.62	-14.28	-14.59	-15.42	-16	-15.62	-15.18	-15.63	-17.16	-18.58	-19.05	-19.08		
θ (15°)	-17.21	-15.36	-14.54	-14.92	-16.25	-19	-23.42	-30.2	-34.77	-26.94	-22.19	-19.79	-18.07	-16.82	-16.24	-16.55	-17.78	-18.36	-17.01	-16.28	-16.94	-18.93	-20.51	-20.14	-17.21		
θ (30°)	-14.56	-12.31	-10.26	-9.24	-9.17	-10.26	-13.07	-18.9	-34	-22.79	-19.06	-19.49	-19.36	-15.64	-12.34	-10.83	-11.21	-13.92	-21.12	-27.76	-18.66	-17.08	-17.64	-17.88	-14.56		
θ (45°)	-19.36	-12.7	-9.25	-8.44	-9.39	-12.57	-20.38	-23.82	-17.63	-15.53	-14.87	-15.74	-17.09	-15.82	-13.65	-13.5	-15.17	-17.36	-18.52	-15.24	-12.59	-12.2	-13.95	-16.84	-19.36		
θ (60°)	-16.25	-19.81	-18.13	-13.8	-12.52	-14.96	-25.63	-16.84	-12.54	-12.87	-17.77	-26.01	-17.25	-14.17	-12.91	-11.65	-11.22	-13.44	-18.47	-14.17	-10.89	-9.91	-10.6	-12.5	-16.25		
θ (75°)	-11.83	-15.33	-16.99	-14.84	-16.31	-25.78	-20.39	-13.66	-13.32	-17.45	-20.06	-17.31	-18.12	-22.75	-25.8	-19.56	-17.32	-17.82	-14.6	-10.79	-9.82	-9.54	-9.41	-9.79	-11.83		
θ (90°)	-15.96	-12.07	-7.96	-6.33	-6.76	-9.82	-16.38	-19.94	-14.58	-14.78	-16.55	-16.34	-14.9	-12.6	-9.83	-8.64	-9.34	-12.95	-22.69	-14.09	-8.98	-7.41	-7.69	-10.66	-15.96		
θ (105°)	-18.25	-32.45	-15.55	-11.71	-10.94	-13.42	-22.12	-25.75	-19.46	-20	-20.56	-12.96	-9.98	-9.88	-12.13	-18.67	-26.47	-15.52	-13.51	-12.33	-11.15	-11.03	-11.86	-13.05	-18.25		
θ (120°)	-15.17	-20.29	-23.13	-21.33	-23.98	-27.04	-22.64	-19.38	-19.61	-18.19	-14.15	-10.39	-8.01	-6.85	-6.8	-8.27	-12.16	-18.14	-19.49	-13.82	-10.12	-8.55	-8.76	-10.26	-15.17		
θ (135°)	-6.68	-7.83	-8.7	-8.75	-9.44	-12.16	-17.49	-26.71	-19.98	-16.9	-13.88	-11.25	-10.91	-13.52	-21.76	-23.5	-14.93	-12.73	-11.05	-8.8	-6.87	-5.89	[-5.75]	-5.86	-6.68		
θ (150°)	-13.78	-11.67	-10.23	-9.93	-10.96	-13.87	-20.12	-32.32	-22.36	-20.58	-22.67	-25.74	-17.97	-12.33	-9.1	-7.5	-7.27	-8.51	-11.06	-13.88	-15.11	-17.72	-24.48	-22	-13.78		
θ (165°)	-11.61	-9.11	-7.67	-7.37	-8.36	-11.32	-16.88	-27.1	-20.07	-17	-17.26	-19.67	-21.13	-17.96	-15.4	-14.28	-14.25	-15.2	-17.13	-19.73	-22.31	-22.41	-19.13	-15.81	-11.61		
θ (180°)	-10.49	-10.16	-10.17	-10.84	-12.15	-14.29	-17.69	-20.3	-17.82	-14.85	-12.66	-11.38	-10.65	-10.3	-10.37	-11.17	-12.92	-15.78	-20.2	-22.83	-20.16	-16.82	-14.19	-12.09	-10.49		

Ant.	No.2																								
Freq (MHz)	2450																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-16.73	-19.15	-22.19	-21.66	-18.7	-16.22	-14.54	-13.4	-12.91	-13.16	-13.81	-15.05	-16.59	-17.95	-18.38	-17.63	-16.14	-14.74	-13.73	-13.25	-13.4	-13.66	-13.98	-14.65	-16.73
θ (15°)	-8.73	-9.23	-10.08	-11.12	-12.2	-13.05	-12.76	-12.15	-11.48	-10.83	-10.22	-9.61	-8.98	-8.25	-7.48	-6.85	-6.49	-6.74	-7.08	-7.67	-8.23	-8.53	-8.45	-8.38	-8.73
θ (30°)	-3.25	-3.33	-3.54	-3.86	-4.23	-4.57	-4.72	-4.64	-4.47	-4.4	-4.39	-4.38	-4.37	-4.23	-3.86	-3.14	-2.32	-1.69	-1.41	-1.59	-2.2	-2.77	-3.11	-3.19	-3.25
θ (45°)	-2.3	-1.88	-2.23	-3.56	-5.64	-7.29	-7.74	-6.21	-3.89	-2.12	-1.17	-0.9	-1.01	-1.19	-0.96	-0.32	0.3	0.68	0.78	0.39	-0.51	-1.78	-2.79	-2.99	-2.3
θ (60°)	-1.18	-1.12	-1.53	-2.99	-5.42	-7.87	-8.54	-6.63	-3.54	-0.99	0.58	0.95	0.36	-0.57	-0.96	-0.37	0.56	1.35	1.91	2.07	1.6	0.73	-0.18	-0.92	-1.18
θ (75°)	-1.59	-0.9	-1.11	-2.55	-4.26	-4.94	-5.15	-5.07	-2.88	-0.33	1.06	1.13	0.55	0.2	0.53	1.28	1.95	2.42	2.76	2.9	2.74	1.99	0.43	-0.94	-1.59
θ (90°)	-0.54	-1.04	-1.57	-3.24	-6.58	-8.71	-8.3	-8.76	-8.16	-4.53	-1.87	-0.93	-0.82	-0.09	1.53	3.07	4.03	4.53	4.8	[4.92]	4.87	4.46	3.29	1.36	-0.54
θ (105°)	-7.16	-6.03	-5.39	-7.72	-11.42	-9.19	-7.19	-7.39	-7.17	-4.62	-2.77	-2.34	-1.94	0.25	2.51	3.62	3.71	3.27	2.71	2.48	2.36	1.75	-0.24	-2.97	-7.16
θ (120°)	-11.73	-11.19	-9.87	-11.11	-11.48	-8.15	-6.19	-7.29	-11.45	-11.36	-7.08	-5.06	-4.59	-3.37	-0.94	1.12	2.28	2.71	2.74	2.53	1.88	0.55	-1.93	-5.93	-11.73
θ (135°)	-10	-11.67	-9.61	-8.37	-8.04	-7.44	-7.65	-9.32	-13.23	-18.16	-11.58	-6.62	-3.68	-1.84	-0.65	0.1	0.57	0.79	0.69	0.31	-0.42	-1.64	-3.49	-5.34	-10
θ (150°)	-7.56	-9.65	-12.18	-12.85	-11.16	-8.93	-7.15	-6.1	-5.84	-6.16	-6.34	-5.7	-4.55	-3.56	-2.99	-2.86	-2.96	-3.09	-3.11	-2.93	-2.53	-2.79	-3.68	-5.15	-7.56
θ (165°)	-10.72	-12.53	-14.39	-14.89	-14.16	-13.11	-12.96	-13.17	-13.27	-12.37	-10.83	-9.09	-7.83	-7.08	-6.91	-7.14	-7.47	-7.46	-7.88	-8.27	-8.4	-8.53	-8.82	-9.35	-10.72
θ (180°)	-27.2	-26.49	-18.04	-13.97	-11.46	-9.97	-9.12	-9.01	-9.47	-10.51	-12.38	-15.25	-20.08	-23.94	-18.93	-14.88	-12.34	-10.94	-10.3	-10.28	-10.78	-12.03	-14.29	-17.98	-27.2
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-12.42	-12.3	-12.25	-12.57	-13.27	-14.5	-16.26	-18.51	-19.74	-19.48	-18.39	-17.71	-17.23	-16.67	-16.21	-16.3	-17.47	-20.01	-22.62	-19.12	-15.71	-13.94	-12.97	-12.4	-12.42
θ (15°)	-14.44	-13.85	-13.93	-14.53	-15.74	-17.07	-20.35	-24.34	-26	-23.62	-21.06	-18.91	-17.4	-16.71	-16.75	-18.11	-20.76	-24.2	-21.53	-17.37	-15.31	-14.8	-15.16	-15.03	-14.44
θ (30°)	-15.04	-13.62	-12.23	-11.49	-11.63	-12.92	-15.68	-21.31	-33.27	-24.04	-19.08	-16.76	-15.26	-13.53	-11.97	-11.27	-12.03	-15.11	-24.24	-24.65	-17.07	-15.39	-15.59	-16.17	-15.04
θ (45°)	-15.49	-12.7	-9.58	-8.52	-9.19	-11.59	-17.93	-21.31	-15.89	-13.72	-13.73	-15.64	-18.28	-16.13	-13.14	-12.24	-13.14	-14.91	-17.43	-16.94	-14.16	-12.74	-13.11	-14.16	-15.49
θ (60°)	-15.98	-17.4	-16.26	-13.74	-12.86	-14.86	-21.92	-19.4	-15.61	-16.33	-22.47	-23.41	-16.12	-13.42	-12.49	-11.65	-11.66	-14.26	-20.92	-14.97	-11.78	-11.18	-11.97	-13.61	-15.98
θ (75°)	-13	-17.55	-17.16	-13.27	-13.47	-18.17	-29.87	-15.85	-14.14	-17.13	-17.66	-14.45	-15.13	-20.41	-20.83	-14.54	-13.35	-16.6	-16.4	-10.4	-8.7	-8.35	-8.78	-9.76	-13
θ (90°)	-16.63	-13.36	-9.2	-7.42	-7.53	-10.37	-17.65	-25.76	-15.22	-14.06	-14.54	-14.7	-15.08	-14.96	-11.65	-9.12	-8.61	-11.46	-22.48	-14.33	-9.02	-7.69	-8.11	-11.06	-16.63
θ (105°)	-15.96	-31.73	-18.45	-13.5	-12.42	-15.13	-25.49	-20.94	-17.53	-17.95	-18.04	-12.89	-10.53	-10.81	-13.31	-18.43	-19.91	-15.55	-14.56	-13.82	-12.3	-11.65	-11.85	-12.4	-15.96
θ (120°)	-15.92	-21.58	-30.84	-23.4	-24.95	-25.88	-21.48	-18.42	-21.92	-22.67	-14.48	-10.19	-8.32	-7.81	-8.08	-9.51	-13.07	-18	-19.73	-15.25	-11.59	-9.94	-10.09	-11.38	-15.92
θ (135°)	-8.95	-9.69	-9.78	-9.08	-9.5	-12.09	-17.29	-30.24	-24.5	-20.15	-15.26	-12.1	-12.01	-15.35	-22.72	-17.56	-13.25	-12.17	-11.27	-9.68	-8.24	-7.61	-7.83	-8.12	-8.95
θ (150°)	-15.04	-12.63	-11.04	-10.72	-11.79	-14.69	-19.42	-26.13	-28.61	-33.4	-35.89	-22.04	-15.4	-11.03	-8.22	-6.8	[6.78]	-8.45	-12.06	-16.68	-17.3	-18.77	-25.49	-25.62	-15.04
θ (165°)	-12.34	-9.93	-8.61	-8.52	-9.77	-12.86	-18.24	-25.44	-21.17	-18.6	-19.23	-22.13	-22.04	-16.99	-13.65	-12.27	-12.62	-14.42	-17.77	-21.58	-23.31	-22.49	-19.19	-16.16	-12.34
θ (180°)	-8.76	-8.65	-9.08	-10.15	-12.1	-15.28	-19.62	-20.9	-16.99	-14.11	-12.17	-10.82	-10.14	-9.91	-10.12	-10.84	-12.3	-15.19	-21.43	-30.41	-17.91	-13.42	-11.02	-9.61	-8.76

Ant.	No.2																								
Freq. (MHz)	2500																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-18.06	-19.52	-22.26	-23.57	-23.01	-21.32	-19.47	-18.19	-17.5	-17.58	-17.92	-18.8	-19.18	-18.57	-17.2	-16.01	-15.29	-14.96	-15.13	-15.26	-15.55	-16.05	-16.54	-17.07	-18.06
θ (15°)	-10.58	-10.43	-10.61	-11.21	-12.09	-13.37	-13.68	-13.32	-12.52	-11.65	-10.68	-9.82	-8.94	-8.07	-7.4	-6.98	-6.88	-7.27	-7.69	-8.3	-9.01	-9.78	-10.37	-10.54	-10.58
θ (30°)	-3.99	-3.99	-4.03	-4.3	-4.75	-5.17	-5.33	-5.29	-5.15	-4.95	-4.69	-4.38	-4.08	-3.76	-3.3	-2.67	-1.93	-1.32	-1.16	-1.44	-2.19	-3.06	-3.71	-4.02	-3.99
θ (45°)	-2.57	-2.27	-2.29	-3.03	-4.51	-5.96	-6.66	-5.91	-4.34	-2.94	-1.98	-1.49	-1.49	-1.73	-1.65	-0.98	-0.19	0.43	0.81	0.82	0.42	-0.39	-1.52	-2.23	-2.57
θ (60°)	-1.38	-1.31	-1.64	-2.87	-5.03	-7.18	-7.68	-6.04	-3.42	-1.3	-0.02	0.35	-0.06	-0.96	-1.42	-0.74	0.27	0.88	1.15	1.22	0.86	0.18	-0.57	-1.12	-1.38
θ (75°)	-1.04	-0.67	-0.89	-2.31	-4.34	-5.34	-5.21	-4.66	-2.47	-0.21	0.95	0.91	0.19	-0.48	-0.33	0.7	1.75	2.37	2.64	2.7	2.53	1.86	0.64	-0.35	-1.04
θ (90°)	0.12	-0.67	-1.53	-3.17	-6.57	-9.81	-9.73	-9.51	-7.79	-4.16	-1.98	-1.15	-0.68	0.08	1.38	2.71	3.57	3.98	4.15	4.25	[4.28]	4.06	3.21	1.79	0.12
θ (105°)	-6.67	-7.69	-6.47	-7.7	-11.09	-10.54	-8.91	-9.18	-7.79	-4.66	-3.13	-2.84	-2.01	0.31	2.49	3.58	3.68	3.24	2.72	2.63	2.71	2.28	0.53	-1.88	-6.67
θ (120°)	-11.09	-11.34	-9.46	-9.73	-10.93	-9.25	-7.31	-8.59	-13.68	-12.2	-7.67	-5.8	-5.03	-3.39	-0.93	1.04	2.17	2.58	2.56	2.3	1.65	0.34	-2.02	-5.63	-11.09
θ (135°)	-8.94	-12.98	-12.12	-9.95	-9.03	-8.27	-8.29	-9.96	-13.77	-16.54	-10.52	-5.94	-3.3	-1.74	-0.7	0.03	0.54	0.75	0.61	0.22	-0.51	-1.74	-3.41	-4.95	-8.94
θ (150°)	-6.48	-8.01	-10.09	-11.29	-10.88	-9.63	-8.38	-7.48	-7.06	-7.02	-6.76	-5.81	-4.64	-3.68	-3.15	-2.99	-3.13	-3.4	-3.51	-3.44	-3.05	-3.24	-3.87	-4.85	-6.48
θ (165°)	-9.94	-11.52	-13.71	-15.99	-16.59	-14.77	-14.11	-14.06	-14.03	-13.1	-11.38	-9.57	-8.16	-7.36	-7.1	-7.37	-8	-8.33	-8.66	-8.64	-8.47	-8.29	-8.43	-8.84	-9.94
θ (180°)	-23.04	-24.83	-17.44	-13.22	-10.76	-9.4	-8.77	-8.64	-8.98	-9.91	-11.61	-14.38	-18.47	-20.58	-16.94	-13.48	-11.31	-9.96	-9.18	-8.95	-9.39	-10.51	-12.49	-15.89	-23.04
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-12.6	-12.39	-12.43	-12.83	-13.74	-14.98	-16.15	-16.76	-16.42	-15.42	-14.38	-13.58	-13.39	-13.83	-14.88	-16.32	-18.31	-21.35	-27.99	-26.57	-20.2	-16.44	-14.27	-12.96	-12.6
θ (15°)	-12.37	-11.68	-11.22	-11.31	-12.24	-13.95	-16.53	-18.34	-17.72	-16.11	-14.62	-13.83	-13.53	-14.04	-15.33	-17.59	-21.62	-28.95	-29.12	-21.84	-17.56	-15.36	-14.12	-13.28	-12.37
θ (30°)	-12.37	-11.73	-11.35	-11.39	-12.01	-13.6	-16.76	-21.78	-23.51	-18.89	-15.45	-13.97	-13.85	-14.06	-13.68	-13.19	-13.64	-16.19	-22.86	-28.98	-18.54	-15.48	-14.51	-13.68	-12.37
θ (45°)	-16.25	-14.26	-10.93	-9.07	-8.82	-10.58	-15.03	-22.21	-20.03	-15.06	-13.41	-14.42	-16.98	-15.76	-12.41	-10.87	-11.17	-13.26	-18.74	-25.34	-18.38	-15.89	-15.75	-15.92	-16.25
θ (60°)	-18.41	-18.05	-15.44	-13.1	-12.41	-13.52	-18.38	-22.6	-20.8	-21.81	-25.42	-28.23	-19.83	-15.3	-13.58	-12.64	-12.47	-14.29	-21.79	-20.77	-16.73	-16.18	-16.74	-17.61	-18.41
θ (75°)	-15.24	-17.51	-14.38	-11.13	-11.26	-15.02	-40.41	-16.36	-13.12	-14.99	-16.37	-13	-12.77	-17.63	-21.55	-13.98	-12.61	-16.83	-23.7	-12.6	-10.37	-9.7	-10.08	-11.29	-15.24
θ (90°)	-17.3	-13.7	-9.21	-7.09	-7.06	-10.14	-17.65	-25.74	-14.2	-12.16	-12.28	-12.89	-14.96	-18.31	-13.66	-9.52	-8.36	-10.84	-21.4	-17.02	-10.65	-8.86	-9.09	-12.05	-17.3
θ (105°)	-16.35	-28.22	-20.5	-14.77	-13.12	-15.56	-22.7	-17.85	-15.85	-16.01	-16.59	-14.08	-12.44	-12.37	-13.27	-15.62	-17.22	-16.34	-16.68	-15.42	-13.39	-12.85	-13.16	-13.57	-16.35
θ (120°)	-14.53	-17.16	-21.64	-22.13	-23.65	-25.63	-23.36	-19.17	-21.9	-24.03	-15.24	-10.96	-9.56	-9.53	-9.96	-11.21	-13.62	-16.49	-19.92	-16.37	-12.42	-10.8	-10.91	-11.8	-14.53
θ (135°)	-10.88	-10.36	-8.97	-7.56	-7.87	-10.67	-15.46	-24.37	-22.77	-20.4	-16.79	-14.52	-15.86	-19.91	-16.94	-12.66	-11.15	-11.93	-12.49	-10.66	-9.15	-8.95	-9.74	-10.38	-10.88
θ (150°)	-16.94	-14.06	-11.61	-10.25	-10.15	-11.51	-14.54	-19.33	-26.58	-32.37	-24.13	-18.32	-13.8	-10.19	-7.72	-6.36	[-6.26]	-7.89	-11.94	-18.8	-18.19	-16.63	-17.65	-20.07	-16.94
θ (165°)	-16.28	-12.99	-11.19	-10.63	-11.39	-13.71	-17.35	-21.13	-19.65	-17.55	-17.18	-18.52	-20.21	-18.09	-14.64	-12.37	-11.87	-12.94	-16.41	-22.79	-32.82	-41.55	-28.46	-22.2	-16.28
θ (180°)	-8.68	-8.64	-9.08	-10.34	-12.37	-15.64	-20.05	-21.27	-17.28	-13.82	-11.45	-9.83	-9.01	-8.75	-9.1	-10.02	-11.54	-13.64	-17.41	-27.2	-22.82	-14.75	-11.47	-9.66	-8.68

Ant.	No.3																								
Freq. (MHz)	5100																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-5.29	-5.95	-7.34	-9.36	-12.36	-15.88	-16.65	-13.26	-9.72	-7.6	-6.33	-5.57	-5.32	-5.69	-7.21	-10.3	-14.9	-21.64	-16.76	-11.5	-8.91	-7.14	-6.14	-5.61	-5.29
θ (15°)	-3.41	-4.05	-4.99	-6.38	-8.08	-10.01	-12.77	-14.01	-14.37	-13.98	-12.82	-11.29	-10.72	-11.1	-13.12	-16.19	-15.82	-12.53	-9.22	-7.14	-5.55	-4.01	-3.25	-3.08	-3.41
θ (30°)	-0.72	-0.48	-0.26	-0.63	-1.57	-3.13	-5	-6.48	-7	-6	-5.82	-6.27	-7.01	-8.19	-8.53	-6.73	-5.48	-5.27	-3.67	-1.61	-0.87	-0.81	-0.99	-1.28	-0.72
θ (45°)	-3.99	-3.83	-3.25	-2.22	-1.42	-0.87	-1.78	-2.07	-1.57	-3.5	-6.69	-6.56	-5.65	-6.14	-6.87	-5.18	-4.66	-5.19	-4.68	-2.69	-2.1	-3.73	-5.83	-5.68	-3.99
θ (60°)	-0.06	-0.08	-0.54	-1.44	-1.49	-0.53	-0.76	-0.25	0.76	-3.63	-7.66	-9.69	-9.1	-8.34	-5.63	-1.75	0.18	-0.95	-1.78	-0.84	-1.01	-2.13	-2.54	-1.68	-0.06
θ (75°)	1.47	1.75	1.12	0.38	0.75	1.53	0.51	-0.04	1.43	-3.36	-4.47	-7.21	-6.07	-3.7	-2.22	-0.8	0.58	-1.4	-2.63	-1.17	-2.32	-1.55	-0.38	0.09	1.47
θ (90°)	3.7	[3.95]	3.45	2.67	2.19	2.53	1.45	-1.85	0.28	-0.44	-6.67	-7.25	-3.22	-1.84	-1.01	-0.8	1.76	0.63	-1.51	1.17	0.19	0.09	2.26	2.69	3.7
θ (105°)	0.61	-2.46	-3.51	-1.26	0.44	1.09	0.96	0.12	1.02	-4.69	-3.73	-4.96	0.91	-0.32	-4.82	-4.57	-0.41	-0.82	-4.97	-1.71	-0.78	0.07	2.7	3.81	0.61
θ (120°)	-3.59	-10.18	-12.07	-7.46	-5.62	-3.39	-1.89	-5.81	-4.39	-13.77	-6.42	-6.23	-10.29	-4.51	-2.8	-2.19	-1.39	-2.28	-5.93	-4.28	-3.17	-3.44	-0.67	0.78	-3.59
θ (135°)	-3.07	-3.84	-3	-2.89	-3.19	-3.98	-7.16	-11.41	-7.91	-7.03	-8.39	-7	-4.52	-5.38	-7.77	-5.44	-4.58	-4.99	-2.91	-0.71	-1.51	-7.99	-9.76	-4.77	-3.07
θ (150°)	-3.84	-1.95	0.24	1.25	0.8	-1.45	-5.64	-10.34	-17.7	-19.03	-17.15	-17.28	-9.37	-4.22	-1.25	-0.28	-1.14	-2.86	-1.86	1.04	1.75	-0.19	-3.67	-5.27	-3.84
θ (165°)	-3.87	-4.22	-4.98	-6.16	-7.19	-7.23	-7.03	-6.96	-6.91	-6.84	-7.83	-9.55	-9.89	-7.68	-4.9	-3.27	-3.16	-4.28	-5.76	-5.96	-4.89	-4.42	-4.6	-4.89	-3.87
θ (180°)	-15.12	-14.26	-13.08	-11.86	-10.71	-10.13	-10.57	-11.9	-14.9	-19.28	-19.85	-16.71	-15.18	-14.78	-13.99	-12.06	-10.88	-10.61	-11.5	-13.21	-15.2	-16.47	-16.94	-17.02	-15.12
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-21.35	-15.34	-10.62	-7.94	-6.3	-5.48	-5.3	-5.54	-6.64	-8.3	-11.54	-17.42	-29.32	-15.16	-9.69	-6.79	-5.5	-4.92	-4.9	-5.54	-6.63	-8.28	-10.95	-16.15	-21.35
θ (15°)	-13.93	-10	-7.78	-6.18	-5.09	-4.67	-5.1	-5.86	-6.94	-8.11	-9.56	-12.17	-14.27	-12.52	-8.85	-5.94	-4.71	-4.13	-4.57	-5.85	-7.92	-11.77	-17.41	-20.37	-13.93
θ (30°)	-8.85	-8.92	-8.99	-9.49	-9.68	-10.07	-10.99	-11.26	-12.72	-13.56	-13.36	-11.34	-7.42	-5.46	-6.11	-8.13	-7.33	-5.68	-6.45	-9.51	-14.5	-30.13	-13.76	-9.37	-8.85
θ (45°)	-9.32	-12.23	-12.69	-10.48	-9.91	-11.75	-11.7	-12.77	-20.9	-13.9	-13.79	-13.72	-7.87	-6.11	-8.12	-14.57	-13.06	-8.73	-9.77	-14.78	-34.06	-12.6	-7.4	-7.04	-9.32
θ (60°)	-14.66	-19.15	-29.89	-18.57	-18.17	-13.22	-10.25	-14.25	-24.11	-16.16	-16.19	-17.24	-12.5	-12.09	-10.29	-9.12	-13.39	-15.85	-13.57	-22.53	-18.64	-11.33	-7.96	-9.35	-14.66
θ (75°)	-21.1	-15.82	-15.74	-15.19	-12.18	-13.61	-13.62	-7.4	-7.01	-7.82	-10.5	-16.32	-13.4	-11.76	-6.05	-5.22	-10.81	-25.84	-20.25	-18.78	-19.46	-13.88	-9.95	-10.76	-21.1
θ (90°)	-11.72	-12.8	-15.87	-8.67	-8.87	-21.57	-11.38	-13.62	-11.47	-10.7	-12.69	-10.46	-16.31	-11.98	-8.53	-9.49	-10.89	-22.98	-15.24	-8.92	-9.05	-5.33	-7.77	-15.71	-11.72
θ (105°)	-13.4	-10.52	-11.39	-9.96	-10.54	-23.7	-10.36	-6.84	-6.39	-7.31	-14.2	-21.32	-15.96	-9.43	-5.34	-5.54	-10.65	-11.83	-13.09	-12.62	-13.33	-10.79	-13.23	-20.98	-13.4
θ (120°)	-9.67	-9.2	-6.49	-5.49	-9.07	-28.75	-13.01	-7.81	-6.88	-8.73	-15.09	-11.78	-12.84	-14.95	-13.57	-10.72	-7.91	-10.4	-12.35	-11.12	-37.22	-11.02	-15.32	-16.16	-9.67
θ (135°)	-14.92	-8.99	-7.05	-7.24	-12.88	-17.16	-12.05	-14.8	-9.6	-10.11	-6.61	-4.28	-9.88	-27.21	-13.59	-10.09	-9.61	-11.71	-10.96	-13.6	-20.83	-13.63	-14.13	-17.32	-14.92
θ (150°)	-18.73	-11.94	-8.79	-7.28	-6.96	-8.15	-9.02	-7.96	-3.95	-3.11	-5.87	-9.05	-14.09	-11.83	-5.51	[-2.75]	-2.92	-5.36	-7.03	-10.51	-17.54	-11.3	-9.79	-13.85	-18.73
θ (165°)	-9.44	-9.93	-11.48	-13.7	-13.41	-11.7	-12.75	-12.62	-9.65	-7.21	-7.85	-11.47	-11.01	-6.23	-4.29	-4.62	-5.81	-7.11	-8.33	-9.84	-14.06	-21.28	-16.82	-10.76	-9.44
θ (180°)	-13.05	-12.75	-12.5	-12.09	-11.92	-12.67	-13.11	-12.68	-11.88	-11.68	-12.98	-14.3	-15.13	-14.48	-13.06	-13.74	-15.46	-15.78	-14.78	-13.5	-13.25	-12.6	-12.5	-12.42	-13.05

Ant.	No.3																								
Freq. (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-8.13	-8.1	-8.57	-9.31	-11.03	-14.25	-19.53	-25.32	-16.98	-12.63	-10.4	-8.97	-8.31	-8.09	-8.47	-10.37	-13.52	-20.91	-29.65	-18.27	-13.81	-11.26	-9.5	-8.35	-8.13
θ (15°)	-5.98	-6.43	-6.69	-6.59	-6.67	-8.09	-10.21	-12.94	-16.44	-20.81	-19.27	-16.49	-15.04	-14.04	-14.58	-16.75	-25.23	-21.96	-13.35	-9.22	-6.67	-5.43	-5.07	-4.98	-5.98
θ (30°)	-2.62	-2.14	-1.33	-1.26	-1.82	-3.03	-5.58	-9.76	-9.69	-6.81	-6.45	-7.4	-8.87	-9.96	-9.19	-7.56	-6.21	-6.67	-5.63	-3.61	-3.57	-3.91	-3.79	-3.15	-2.62
θ (45°)	-3.99	-4.25	-3.05	-1.62	-0.62	-0.73	-1.22	-1.38	-1.71	-3.23	-5.56	-4.71	-4.01	-3.85	-3.26	-2.65	-2.86	-5.36	-4.13	-1.97	-2.76	-3.7	-2.77	-2.7	-3.99
θ (60°)	-2.04	-3.36	-4.18	-3.29	-1.41	0.38	0.29	-0.4	1.26	-3.35	-20.64	-13.99	-10.15	-5.56	-4.93	-2.43	-0.7	-4.04	-3.67	-0.82	-0.99	-1.58	-1.19	-0.58	-2.04
θ (75°)	-0.08	-0.03	0.82	1.3	1.82	2.66	2.1	-0.63	1.2	-3.63	-4.44	-8.16	-4.63	-3.34	-1.87	-0.56	1.44	-0.27	-2.75	-1.14	-2.69	-0.71	1.17	1.23	-0.08
θ (90°)	2.81	3.11	3.03	2.73	2.64	2.34	1.14	-0.99	0.88	0.23	-3.08	-2.13	-0.37	0.75	-1.86	-2.81	1.22	-0.49	-2.47	1.6	1.25	1.77	[3.48]	3	2.81
θ (105°)	-0.65	-1.72	-2.06	-0.32	2.65	2.53	0.52	0.95	2.82	-2.64	-1.54	-1.53	1.85	0.94	-3.07	-4.88	-1.77	-4.49	-6.63	-0.51	0.08	-0.23	1.63	2.56	-0.65
θ (120°)	-0.81	-4.95	-11.82	-8.91	-5.19	-4.72	-3.27	-4.74	-2.51	-5.52	-9.18	-6.36	-9.29	-4.51	-4.1	-3.97	-1.5	-3.47	-4.57	-2.07	-1.8	-2.79	-0.39	1.91	-0.81
θ (135°)	-3.34	-6.62	-6.17	-6.42	-6.38	-5.54	-5.82	-7.63	-3.86	-5.19	-10.3	-6.6	-3.58	-3.98	-6.91	-7.46	-8.21	-7.69	-4.39	-1.77	-2.13	-5.13	-4.49	-2.45	-3.34
θ (150°)	-6.37	-4.01	-1.05	0.04	-0.64	-3.15	-7.66	-11.83	-14.47	-16.48	-29.29	-12.07	-6.86	-3.89	-1.69	-1.4	-3.33	-4.33	-0.72	1.78	1.38	-1.13	-4.36	-6.2	-6.37
θ (165°)	-1.77	-2.39	-3.03	-4.04	-5.5	-7.05	-7.81	-7.2	-6.7	-6.74	-7.12	-8.5	-9.15	-8.13	-6.07	-5.21	-5.99	-8.24	-8.81	-6.03	-3.9	-2.9	-2.36	-2.17	-1.77
θ (180°)	-12.44	-11.31	-10.82	-10.68	-10.73	-10.66	-11.2	-13.16	-17.13	-21.61	-17.73	-14.25	-12.91	-11.58	-10.82	-10.3	-10.17	-10.99	-12.62	-14.12	-15.52	-15.73	-15.94	-15.23	-12.44
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-32.1	-23.52	-16.33	-12.75	-10.69	-8.86	-8.2	-7.78	-8.65	-9.9	-12.01	-15.28	-22.41	-25.7	-15.08	-10.25	-8.8	-7.7	-7.38	-7.64	-8.33	-9.3	-11.28	-15.07	-32.1
θ (15°)	-14.05	-13.51	-13.83	-15.01	-14.18	-12.3	-11.27	-10.59	-10.16	-10.33	-11.7	-16.43	-29.97	-16.92	-11.74	-9.03	-7.15	-6.2	-6.44	-7.3	-9.58	-14.27	-18.12	-15.54	-14.05
θ (30°)	-10.95	-10.25	-10.21	-11.02	-13.65	-13.9	-12.76	-12.21	-16.5	-12.33	-8.46	-8.56	-9.4	-9.62	-8.3	-8.02	-9.15	-8.61	-8.43	-9.41	-11.2	-17.61	-22.05	-14.24	-10.95
θ (45°)	-8.6	-15.03	-18.8	-14.09	-16.14	-23.78	-11.91	-9.48	-13.13	-9.32	-8.31	-10.64	-9.94	-7.38	-5.87	-6.28	-9.45	-10.59	-10.33	-16.02	-22.29	-21.62	-10.13	-7.06	-8.6
θ (60°)	-13.76	-14.82	-21.11	-21.38	-16.89	-26.19	-10.57	-9.76	-23.49	-12.56	-12.82	-15.65	-12.95	-16.41	-11.85	-10.28	-14.99	-27.97	-19.79	-27.39	-24.56	-17.21	-14.56	-13.7	-13.76
θ (75°)	-25	-22.77	-21.98	-20.99	-18.99	-22.36	-14.84	-8.64	-11.38	-11.47	-14.56	-14.92	-11.54	-14.08	-10.5	-9.06	-14.57	-19.06	-17.82	-20.71	-15.59	-9.89	-9.16	-10.23	-25
θ (90°)	-14.85	-18.61	-30.03	-12.1	-10.25	-16.35	-15.33	-14.97	-11.65	-9.76	-7.46	-10.63	-22.76	-8.99	-4.25	-7.62	-15.34	-24.92	-13.84	-11.91	-9.65	-5.86	-8.17	-14.09	-14.85
θ (105°)	-13.9	-11.86	-11.41	-9.35	-9.9	-24.02	-10.29	-7.78	-6.88	-9.83	-15.66	-17.59	-16.77	-13.1	-7.69	-7.36	-14.9	-16.02	-15.9	-14.79	-20.37	-15.7	-31.13	-18.84	-13.9
θ (120°)	-10.86	-12.06	-9.71	-7.97	-11.02	-18.18	-13.18	-11.04	-10.28	-7.16	-15.51	-15.58	-17.89	-13.79	-10.29	-11.26	-8.41	-12.89	-21.61	-18.49	-16.12	-9.79	-14.96	-13.02	-10.86
θ (135°)	-10.87	-7.83	-6.68	-7.37	-12.56	-12.93	-11.86	-18.84	-13.22	-15.45	-10.39	-5.72	-9.44	-17.23	-19.78	-16.92	-16.08	-18.61	-21.65	-34.31	-16.91	-14.53	-16.49	-19.79	-10.87
θ (150°)	-21.48	-14.67	-10.68	-8.64	-7.84	-8.18	-8.45	-7.35	-4.26	-4.24	-8.67	-15.3	-16.83	-12.13	-7.29	[-4.15]	-4.65	-7.62	-9.43	-13.04	-24.78	-17.5	-15.68	-16.59	-21.48
θ (165°)	-9.34	-9.33	-10.88	-14.78	-24.36	-19.48	-19.51	-15.17	-10.34	-7.68	-7.56	-10.11	-9.81	-6.71	-5.47	-5.89	-6.97	-7.89	-8.17	-9.06	-12.47	-19.17	-23.41	-12.73	-9.34
θ (180°)	-13.21	-12.85	-11.71	-10.55	-10.06	-10.03	-10.01	-9.95	-9.62	-9.98	-11.83	-15.08	-16.72	-14.87	-13.77	-14.4	-14.79	-14.19	-13.26	-12.4	-12.16	-11.72	-11.23	-11.31	-13.21

Ant.	No.3																												
Freq. (MHz)	5500																												
Polarity	Theta																												
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)				
θ (0°)	-19.16	-18.43	-18.79	-19.08	-19.17	-19.76	-18.98	-18.63	-18.03	-17.55	-16.77	-16.67	-17.57	-18.87	-18.51	-17.93	-20.12	-20.87	-19.92	-18.13	-17.38	-16.59	-17.38	-18.26	-19.16				
θ (15°)	-11.01	-11.91	-13.25	-15.1	-15.97	-17.86	-20.15	-32.12	-20.55	-17.17	-17.32	-16.24	-15.58	-16.34	-16.36	-15.94	-16.21	-17.06	-19.31	-17.7	-13.77	-11.43	-10.61	-10.63	-11.01				
θ (30°)	-7.19	-10.3	-12.32	-10.08	-7.5	-4.81	-4.48	-6.78	-12.88	-13.01	-10	-9.74	-11.26	-12.81	-13.76	-12.6	-12.69	-13.8	-13.16	-9.55	-6.72	-4.76	-3.44	-3.68	-7.19				
θ (45°)	-3.49	-5.61	-5.52	-3.36	-2.08	-1.93	-3.75	-6.54	-3.46	-2.93	-4.19	-3.97	-3.69	-4.6	-3.68	-3.16	-3.54	-5.89	-3.19	-1	-1.38	-1.51	-1	-1.1	-3.49				
θ (60°)	-3	-3.88	-4.53	-4.25	-3.3	-0.26	1.02	-0.71	0.94	-1.18	-11.63	-15.02	-5.25	-3.48	-4.66	-2.35	-0.96	-5.46	-4.53	-3.16	-2.34	-0.87	-0.97	-1.24	-3				
θ (75°)	1.26	1.34	0.77	0.28	0.61	1.98	2.8	0.74	2.21	-1.99	-7.3	-6.11	-2.24	-2.83	-3.41	-0.77	1.63	-1.77	-3.08	-2.62	-0.56	2.02	1.7	0.82	1.26				
θ (90°)	1.5	1.78	0.96	0.55	2.08	2.85	2.36	0.45	1.66	0.32	-5.76	-3.75	0.34	1.78	-3.16	-5.46	-0.56	-4.14	-0.9	1.3	-0.05	1.82	3.13	2.07	1.5				
θ (105°)	-2.1	-0.83	-0.34	0.86	[3.26]	3.19	0.67	-1.36	2.24	-2.42	-3.8	-3.35	1.7	0.65	-4.81	-5.62	-2.04	-6.67	-3.89	-0.89	-1.09	-0.97	1.34	1.7	-2.1				
θ (120°)	-1.5	-5.79	-9.81	-6.19	-2.15	-2.03	-1.99	-4.59	-2.91	-4.26	-11.55	-10.1	-6.03	-4.2	-6.47	-3.92	-0.64	-2.46	-1.36	-1.02	-2.33	-2.59	-0.46	1.58	-1.5				
θ (135°)	-1.84	-6.12	-8.28	-9.48	-7.74	-4.56	-3.26	-5.82	-3.77	-7.6	-14.01	-7.79	-3.09	-3.05	-6.01	-8.32	-9.65	-8.16	-5.16	-2.55	-3.51	-7.22	-5.11	-1.98	-1.84				
θ (150°)	-8.05	-7.04	-4.14	-2.36	-2.57	-4.81	-9.94	-15.47	-14.02	-16.9	-17.07	-10.01	-8.37	-6.2	-3.82	-3.4	-4.06	-1.96	1.35	2.59	1.14	-2.55	-7.71	-9.37	-8.05				
θ (165°)	-2.76	-3.05	-3.42	-4.27	-5.63	-7.88	-12.04	-12.04	-10.25	-8.93	-8.4	-9.15	-10.04	-9.28	-7.78	-7.28	-7.75	-7.11	-5.45	-3.41	-2.26	-2	-2.31	-2.92	-2.76				
θ (180°)	-12.35	-11.46	-11.14	-11.76	-13.23	-14.79	-17.69	-25.56	-27.84	-19.46	-15.42	-13.31	-12.28	-11.77	-11.98	-12.5	-12.97	-14.47	-17.82	-23.28	-28.66	-20.72	-16.67	-15.02	-12.35				
Polarity	Phi																												
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)				
θ (0°)	-19.57	-19.79	-18.56	-17.03	-16.63	-16.25	-15.98	-15.39	-15.6	-16.31	-16.47	-16.03	-15.66	-15.91	-16.1	-16.8	-17.18	-17.02	-16.96	-17.15	-18.26	-18.56	-19	-19.33	-19.57				
θ (15°)	-10.32	-9.94	-10.26	-11.02	-13.14	-15.24	-15.7	-15.7	-14.45	-12.19	-11.18	-13.06	-17.46	-18.85	-17.32	-17.87	-18.71	-18.84	-15.13	-13.54	-15.25	-19.11	-18.51	-16.06	-10.32				
θ (30°)	-8.2	-8.62	-10.47	-13.19	-18.13	-29.62	-17.39	-12.37	-13.03	-14.22	-8.67	-7.62	-9.16	-12.89	-12.56	-12.74	-20.96	-21.11	-13.88	-12.44	-12.3	-14.11	-12.87	-10.12	-8.2				
θ (45°)	-13.69	-22.19	-15.06	-9.26	-9.06	-12.48	-14.54	-12.36	-13.31	-11.96	-10.41	-12.41	-14.38	-9.8	-7.85	-8.22	-14.63	-18.05	-13.78	-18.01	-21.16	-17.03	-9.57	-8.57	-13.69				
θ (60°)	-14.71	-14	-21.55	-10.72	-7.28	-12.7	-15.24	-10.76	-23.9	-7.25	-7.55	-17.03	-14.03	-15.7	-12.17	-11.83	-20.2	-21.44	-20.83	-34.13	-25.1	-28.46	-17.12	-17.92	-14.71				
θ (75°)	-14.62	-13.73	-18.29	-49.16	-15.68	-15.03	-20.95	-9.13	-18.26	-11	-16.62	-14.02	-11.74	-9.29	-9.81	-10.01	-11.23	-27.55	-27.33	-25.05	-21.81	-15.55	-11.57	-11.03	-14.62				
θ (90°)	-15.3	-16.51	-23.1	-18.09	-17.5	-17.68	-21.47	-17.99	-15.4	-10.27	-6.45	-14.77	-16.11	-5.36	[-2.44]	-6.51	-13.61	-15.31	-19.78	-20.26	-9.57	-8.55	-12.4	-19.34	-15.3				
θ (105°)	-27.11	-18.83	-13.56	-12.48	-13.65	-21.93	-20.9	-11.2	-9.68	-6.88	-6.37	-11.12	-24.62	-15.64	-9.71	-9.21	-15.97	-17.5	-19.75	-34.77	-15.17	-15.39	-25.44	-18.18	-27.11				
θ (120°)	-16.8	-21.2	-17.88	-13.01	-15.57	-17.85	-13.77	-16.48	-14.87	-7.11	-9.58	-31.07	-14.58	-13.7	-10.99	-12.48	-10.17	-17.04	-19.1	-16.63	-12.81	-9.78	-18.46	-14.95	-16.8				
θ (135°)	-13.75	-11.64	-9.96	-10.22	-11.66	-11.53	-10.4	-13.05	-16.69	-14.35	-14.22	-7.07	-7.44	-11.69	-16.73	-19.79	-22.9	-25.84	-25.09	-16.31	-12.28	-13.62	-16.23	-16.27	-13.75				
θ (150°)	-15.79	-15.38	-12.67	-11.35	-10.85	-10.36	-8.38	-7.02	-5.73	-6.52	-10.32	-13.97	-18.44	-14.72	-8.73	-6.33	-8.41	-13.81	-12.48	-14.84	-20.72	-15.79	-12.97	-11.63	-15.79				
θ (165°)	-16.11	-13.59	-13.58	-15.13	-19.97	-25.09	-23.58	-15.68	-11.82	-9.64	-9.35	-10.53	-10.48	-9.05	-8.62	-8.98	-9.74	-10.13	-9.62	-10.23	-12.52	-16.9	-20.92	-17.1	-16.11				
θ (180°)	-15.86	-16.33	-15.6	-14.1	-12.54	-11.15	-10.48	-10.11	-10.32	-11.25	-14.27	-19.49	-27.33	-25.83	-20.35	-19	-16.58	-14.41	-13.72	-13.52	-13.45	-13.18	-13.03	-13.86	-15.86				

Ant.	No.3																								
Freq. (MHz)	5700																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-11.52	-12.8	-15.07	-17.37	-20.31	-19.35	-16.61	-14.49	-13.73	-13.41	-12.89	-12.59	-12.6	-13.35	-15.26	-16.26	-17.04	-15.08	-13.3	-11.81	-10.74	-10.08	-9.99	-10.62	-11.52
θ (15°)	-4.29	-4.97	-6.2	-7.38	-8.91	-12.64	-18.47	-22.59	-16.44	-14.57	-16.07	-17.75	-18.11	-15.3	-12.2	-11.5	-13	-13.47	-11.16	-8.14	-5.49	-4.06	-3.5	-3.53	-4.29
θ (30°)	-5.6	-6.82	-7.59	-8	-7	-5.8	-4.53	-5.12	-7.99	-9.44	-10.08	-9.85	-8.47	-7.71	-7.67	-7.85	-10.37	-17.1	-20.1	-10.85	-6.66	-3.99	-3.01	-3.25	-5.6
θ (45°)	-2.95	-6.78	-10.92	-14.07	-8.01	-4.1	-3.09	-5.63	-4.54	-3.82	-6.18	-6.8	-4.31	-3.09	-2.15	-2.17	-4.6	-7.68	-3.05	-0.69	-0.9	-0.36	0.67	0.69	-2.95
θ (60°)	-5.21	-5.27	-3.3	-3.25	-4.02	-2.06	-0.39	-1.98	-0.13	-1.04	-10.02	-12.42	-3.84	-2.69	-3.74	-2.09	-2.42	-8.93	-4.75	-2.25	-0.3	-0.01	0.07	-0.52	-5.21
θ (75°)	-0.81	0	0.31	-0.53	-0.38	0.11	0.19	0.44	2.91	-1.07	-6.01	-2.33	0.73	-2.11	-6.01	-1.15	0.97	-4.76	-4.42	-1.29	2.09	2.77	1.64	0.05	-0.81
θ (90°)	0.49	1.09	0.71	-0.69	0.93	[3.06]	2.19	0.33	2.32	1.69	-6.42	-3.59	1.04	2.04	-3.58	-5.79	-1.32	-5.76	-2.29	-0.69	-1.43	1.09	2.12	1.19	0.49
θ (105°)	-1.22	0.18	-0.07	-0.03	2.6	2.68	0.77	-2.61	0.26	-3.25	-6.04	-5.15	0.4	-0.58	-5.03	-3.99	-1.61	-6.7	-3.56	-1.25	-1.55	-0.87	2.2	1.94	-1.22
θ (120°)	-5.66	-9.09	-8.75	-6.15	-1.14	-1.28	-3.26	-3.2	-3.47	-5.01	-15.1	-11.49	-5.08	-3.32	-7.83	-5.71	-2.07	-3.48	-2.46	-0.91	-0.08	-0.44	1.22	0.91	-5.66
θ (135°)	-3.13	-8.54	-12.65	-12.62	-7.2	-2.53	-1.33	-3.75	-2.95	-6.23	-22.44	-8.48	-3.76	-2.83	-4.45	-5.68	-7.86	-8.4	-8.63	-8.44	-10.97	-11.66	-4.3	-1.99	-3.13
θ (150°)	-3.86	-4.48	-4.82	-4.37	-4.94	-7.46	-11.34	-16.4	-13.87	-16.66	-17.13	-11.45	-11.97	-9.79	-5.5	-4.22	-3.52	-1.86	0.51	1.16	-0.66	-4.49	-7.63	-5.46	-3.86
θ (165°)	-5.19	-5.46	-5.66	-6.68	-8.62	-11.91	-16.1	-18.41	-12.94	-10.04	-8.34	-8.27	-9.49	-10.24	-10.13	-9.44	-7.82	-6.24	-4.57	-2.79	-2.07	-2.24	-2.81	-3.86	-5.19
θ (180°)	-11.95	-13.19	-15.2	-18.91	-23.94	-21.54	-16.27	-13.1	-11.7	-11.18	-10.42	-10.33	-10.75	-12.42	-15.69	-20.69	-23.59	-20.38	-18.43	-17.62	-15.27	-13.08	-11.52	-11.12	-11.95
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-13.67	-12.01	-10.56	-9.75	-9.31	-9.53	-10.52	-12.22	-13.22	-14.57	-15.1	-14.55	-14.25	-13.4	-11.2	-10.07	-9.34	-9.62	-10.88	-12.78	-15.12	-19.93	-23.37	-18.14	-13.67
θ (15°)	-8.74	-8.64	-8.57	-8.71	-8.73	-8.86	-9.91	-12.52	-16.56	-15.62	-13	-12.16	-12.82	-14.8	-14.58	-12.04	-10.22	-9.72	-10.36	-11.97	-14.68	-17.22	-13.21	-10.55	-8.74
θ (30°)	-5.96	-7.39	-10.8	-11.47	-11	-13.54	-16.2	-13.64	-14.2	-16.59	-10.11	-9.85	-16.13	-26.83	-32.35	-16.99	-13.02	-10.19	-9.07	-9.35	-10.29	-11.35	-8.91	-6.44	-5.96
θ (45°)	-13.02	-19.52	-11.55	-7.14	-6.41	-8.06	-15.52	-18.55	-19.24	-14.48	-9.74	-11.24	-26.18	-18.73	-15.36	-16.25	-20.59	-18.42	-14.4	-12.7	-17.34	-16.95	-8.78	-7.54	-13.02
θ (60°)	-22.09	-16.35	-16.03	-8.04	-5.32	-7.87	-17.96	-24.59	-15.22	-7.06	-7.92	-15.69	-19.38	-13.61	-10.63	-12.44	-24.75	-22.53	-30.22	-13.61	-10.89	-17.92	-18.38	-18.24	-22.09
θ (75°)	-18.81	-13.68	-15.43	-17.2	-17.22	-12.45	-15.73	-16.87	-18.46	-7.77	-11.08	-9.15	-11.3	-7.49	-6.73	-11.34	-15.45	-15.22	-23.77	-31.67	-24.75	-17.08	-14.51	-16.67	-18.81
θ (90°)	-28.84	-29.94	-15.06	-11.76	-17.8	-15.75	-18.97	-15.35	-19.55	-6.88	[-4.03]	-10.31	-11.39	-6.57	-4.42	-10	-13.81	-13	-20.17	-26.85	-13.88	-19.72	-25.74	-19.65	-28.84
θ (105°)	-19.3	-19.4	-13.28	-13.97	-18.97	-17.92	-13.86	-20.58	-16.13	-5.05	-6.1	-12.96	-13.33	-11.47	-10.32	-12.93	-17.39	-18.36	-26.3	-16.26	-10.56	-20.36	-14.35	-15.05	-19.3
θ (120°)	-37.72	-22.01	-19.4	-14.12	-18.2	-13.61	-14.33	-17.62	-20.56	-6.77	-8.54	-17	-9.82	-11.49	-11.43	-15.2	-10.07	-18.55	-16.13	-14.04	-8.96	-8.37	-18.68	-16.28	-37.72
θ (135°)	-18.2	-21.74	-15.92	-13.87	-13.26	-14.99	-11.7	-8.74	-23.07	-6.95	-13.58	-7.83	-9.15	-15.16	-15.29	-12.35	-14.54	-26.56	-14.92	-9.09	-8.29	-9.97	-11.37	-12.54	-18.2
θ (150°)	-11.21	-12.73	-12.47	-16.15	-21.98	-14.99	-10.32	-7.76	-8.66	-12.14	-13.28	-13.63	-17.12	-18.23	-11.02	-8.36	-12.44	-17.1	-15.41	-17.78	-16.42	-11.96	-9.67	-8.5	-11.21
θ (165°)	-11.33	-12.12	-11.8	-12.23	-13.16	-17.58	-29.67	-17.71	-15.97	-13.93	-10.7	-9.81	-11.09	-14.96	-14.31	-11.51	-11.19	-11.11	-10.56	-10.77	-11.82	-12.31	-11.05	-9.23	-11.33
θ (180°)	-22.34	-23.67	-17.84	-14.49	-12.99	-11.8	-11.67	-12.62	-14.8	-17.77	-21.67	-20.94	-17.42	-14.68	-12.62	-11.43	-11.34	-12.16	-12.8	-13.91	-15.63	-17.19	-18.72	-21.89	-22.34

Ant.	No.3																								
Freq. (MHz)	5900																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-10.83	-13.14	-17.19	-21.02	-20.51	-17.21	-13.99	-11.8	-10.01	-9.38	-9.38	-10.24	-11.42	-13.36	-14.72	-16.61	-16.01	-13.34	-11.27	-9.94	-9.27	-8.65	-8.38	-8.46	-10.83
θ (15°)	-4.61	-5.43	-6.48	-7.83	-9.34	-11.35	-13.03	-13.73	-12.07	-11.85	-13.21	-15.04	-15.47	-14.01	-12.65	-11.69	-10.51	-9.15	-7.59	-6.14	-4.97	-4.32	-4.27	-4.41	-4.61
θ (30°)	-6.47	-7.41	-8.43	-8.11	-6.71	-4.98	-3.94	-4.87	-9.32	-12.49	-11.64	-10.77	-9.72	-8.04	-6.64	-7.28	-13.41	-15.95	-6.52	-3.83	-3.04	-3.35	-4.51	-5.55	-6.47
θ (45°)	-1.81	-2.34	-2.86	-5.2	-10.1	-6.38	-2.74	-4.21	-5.14	-3.64	-6.7	-8.56	-5.82	-2.54	-1.71	-2.14	-5.59	-10.24	-4.73	-2.6	-2.23	-0.84	0.58	0.36	-1.81
θ (60°)	-0.76	-0.42	0.36	0.1	-3.08	-3.52	-0.79	-3.8	-1.89	-0.58	-8.01	-13.99	-3.82	-2.04	-2.05	-0.68	-3.04	-11.56	-2.27	-0.35	0.75	1.28	1.79	0.97	-0.76
θ (75°)	-1.77	-1.19	0.43	-0.37	-1.41	0.7	0.9	-3.63	1.83	-0.26	-10.07	-3.38	1.31	-1.8	-3.99	0.54	0.75	-7.44	-2.65	-0.59	2.45	3.19	2.2	1.1	-1.77
θ (90°)	-0.73	-0.13	-0.17	0.17	1.02	3.48	[3.67]	-0.25	1.4	2.66	-7.59	-4.95	1.82	1.91	-3.21	-0.83	0.08	-6.45	-1.02	-2.04	-1.64	1.8	1.39	-0.61	-0.73
θ (105°)	0.7	0.73	-0.87	-0.36	0.56	2.13	1.25	-2.71	0.13	-2.97	-8.51	-9.23	-0.22	0.01	-5.05	-1.72	-0.11	-6	-2.21	-2.57	-1.72	0.59	2.41	0.69	0.7
θ (120°)	-6.43	-5.54	-5.11	-6.32	-1.23	0.24	-1.83	-2.92	-3.05	-2.66	-19.6	-15.38	-4.05	-1.69	-5.98	-5.07	-3.25	-5.1	-1.33	-0.71	-0.78	-0.02	1.62	0.12	-6.43
θ (135°)	-3.71	-14.33	-14.96	-8.08	-6.17	-1.56	0.14	-2.55	-2.68	-3.48	-17.31	-12.34	-4.35	-0.85	-1.29	-3.56	-9.58	-9.03	-8.06	-7.05	-8.78	-5.48	-0.74	0.46	-3.71
θ (150°)	-1.65	-3.4	-5.93	-6.7	-6.17	-5.13	-4.9	-9.89	-12.35	-12.07	-21.78	-9.97	-9.14	-7.25	-3.63	-3.35	-3.58	-2.05	0.28	0.69	-1.19	-3.9	-3.5	-1.76	-1.65
θ (165°)	-5.88	-5.84	-5.95	-6.65	-8.06	-10.55	-12.45	-20.64	-15.58	-10.62	-8.69	-8.06	-8.82	-9.74	-9.91	-8.75	-6.58	-4.85	-3.15	-1.78	-1.74	-2.53	-3.56	-4.59	-5.88
θ (180°)	-9.48	-11.66	-16.46	-33.93	-17.57	-11.19	-8	-6.17	-5.85	-6.01	-6.33	-6.67	-8.23	-11.22	-16.51	-32.78	-19.23	-12.62	-9.86	-8.72	-7.41	-6.66	-6.57	-7	-9.48
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-11.08	-10.64	-10.32	-10.23	-10.41	-11.1	-12.51	-14.13	-15.33	-14.88	-13.48	-11.29	-9.89	-8.9	-7.9	-8.5	-8.56	-9.17	-10.46	-12.57	-16.2	-23.28	-21.7	-14.63	-11.08
θ (15°)	-10.84	-10.75	-10.13	-9.64	-8.57	-8.25	-8.34	-10.08	-16.57	-26.34	-15.05	-12.15	-11.8	-11.58	-10.61	-8.73	-7.73	-8	-9.51	-11.6	-14.23	-14.7	-13.49	-11.69	-10.84
θ (30°)	-6.82	-8.23	-11.21	-11.74	-12.16	-13.83	-12.82	-9.72	-11.29	-24.42	-12.58	-9.99	-16.74	-22.2	-32.29	-13.21	-9.82	-9.08	-9.96	-12.6	-15.2	-11.02	-7.37	-6.18	-6.82
θ (45°)	-14	-19.25	-14.09	-9.69	-7.91	-9.06	-19.55	-10.89	-13.21	-20.46	-10.16	-12.23	-16.41	-13.98	-15.36	-25.1	-16.72	-15.74	-11.18	-8.41	-10.62	-24.62	-12.45	-10.02	-14
θ (60°)	-16.03	-11.51	-11.61	-10.52	-7.29	-8.79	-25.54	-16.06	-18.06	-9.59	-11.16	-18.4	-14.26	-9.37	-7.62	-11.53	-19.17	-16.68	-13.09	-8.54	-8.98	-13.17	-10.72	-8.98	-16.03
θ (75°)	-20.01	-12.1	-9.93	-11.31	-19.55	-18.24	-14.85	-19.64	-14.21	-7.01	-7.87	-7.6	-9.09	-4.3	-4.31	-12	-17.71	-11.36	-19.06	-17.96	-14.07	-17.88	-12.14	-11.45	-20.01
θ (90°)	-13.34	-14.41	-10.94	-9.67	-13.72	-24.27	-17.51	-16.22	-16.24	-8.12	-4.98	-10.23	-9.72	-6.86	-5.24	-11.35	-13.12	-11.2	-17.3	-19.63	-18.53	-18.71	-21.09	-15.79	-13.34
θ (105°)	-11.72	-13.74	-14	-19.08	-23.17	-16.02	-15.97	-16.42	-13.6	-4.7	-6.65	-13.67	-9.57	-9.47	-8.06	-11.25	-20.37	-12.87	-22.55	-13.25	-8.9	-20.15	-14.5	-17.67	-11.72
θ (120°)	-12.74	-15.62	-22.09	-14.32	-22.08	-14.26	-15.1	-14.83	-22.01	-6.14	-8.62	-11.68	-5.87	-7.65	-9.89	-22.45	-10.09	-15	-14.69	-11.28	-6.65	-6.47	-15.55	-36.55	-12.74
θ (135°)	-17.48	-23.92	-22.19	-18.93	-12.46	-12.89	-13.31	-7.39	-17.02	[-2.78]	-10.48	-8.41	-7.45	-11.51	-11.74	-9.16	-10.89	-23.81	-10.68	-4.93	-5.45	-8.44	-12.29	-14.59	-17.48
θ (150°)	-9.59	-11	-11.02	-20.11	-15.07	-9.53	-10.19	-6.73	-9.33	-17.43	-15.62	-15.27	-14.96	-21.44	-12.75	-9.05	-12.95	-18.01	-19.82	-20.24	-15.37	-11.72	-8.32	-6.72	-9.59
θ (165°)	-7.88	-8.01	-8.06	-8.09	-8.76	-11.11	-20.95	-23.16	-21.58	-18.32	-11.1	-10.11	-13.75	-22.05	-15.71	-12.28	-10.78	-10.86	-11.73	-13.24	-14.63	-12.77	-9.88	-8.05	-7.88
θ (180°)	-14.26	-11.91	-9.66	-8.41	-8.13	-8.58	-9.71	-12.37	-17.35	-24.98	-16.39	-13.24	-10.92	-8.54	-6.18	-5.77	-6.73	-8.1	-10.35	-12.99	-16.5	-20.88	-23.46	-22.78	-14.26

Ant.	No.4																												
Freq. (MHz)	5100																												
Polarity	Theta																												
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)				
θ (0°)	-6.44	-6.63	-7.13	-8.02	-10.11	-14.15	-21.86	-19.04	-13.13	-9.96	-8.37	-7.51	-7.08	-7.05	-7.54	-9.12	-11.9	-16.01	-19.44	-15.8	-12.03	-9.05	-7.3	-6.46	-6.44				
θ (15°)	-16.34	-17.28	-15.26	-12.74	-12.44	-13.46	-15.67	-19.47	-28.09	-18.57	-13.78	-11.72	-11.47	-14.25	-25.27	-19.12	-12.94	-12.49	-15.28	-18.91	-16.2	-14.2	-13.54	-14.01	-16.34				
θ (30°)	-2.73	-2	-1.58	-2.56	-5.39	-9.01	-7.15	-4.32	-4.06	-4.09	-3.53	-2.86	-2.34	-1.99	-2.37	-2.67	-1.72	-2.14	-5.31	-13.37	-11.29	-7.73	-6.05	-4.49	-2.73				
θ (45°)	-4.87	-4.37	-4.4	-3.24	-2.68	-5.18	-4.25	-0.15	1.08	-0.56	-3	-3.62	-3.69	-3.48	-2.01	-2.01	-2.42	-2.36	-4.66	-5.71	-3.63	-4.54	-6.75	-6.48	-4.87				
θ (60°)	-6.26	-7.26	-6.19	-1.92	0.27	-0.73	-0.59	-0.19	0.42	0.34	-0.53	-0.3	-1.02	-2.53	-1.31	-1.82	-1.41	1.36	-0.12	-1.51	-0.77	-2.7	-3.69	-4.45	-6.26				
θ (75°)	-2.36	-3.17	-4.4	-3.03	0.9	1.7	1.84	2.15	-0.07	-1.14	0.29	0.8	0.13	-0.59	-1.61	-3.87	-0.46	2.58	0.49	0.21	-1.07	-4.15	-1.99	-1.54	-2.36				
θ (90°)	-1.64	-2.76	-2.84	-8.03	0.56	-1.36	2.09	1.75	-0.33	-0.29	-0.33	0.88	1.48	1.98	1.75	-1.48	-1.88	2.13	-0.93	-3.37	-0.64	-4.87	-5.06	-2.45	-1.64				
θ (105°)	-1.65	-2.51	-2.01	-7.25	0.52	-0.23	0.71	0.2	-2.11	-0.99	0.03	1.55	[2.70]	1.93	-0.24	-2	-2.52	-0.1	-3.04	-2.25	-1.6	-7.51	-5.42	-4.23	-1.65				
θ (120°)	-17.69	-8.67	-3.24	-8.63	-4.72	-2.78	-0.3	-1.06	-5.64	-6.39	-2.95	0.93	2.61	1.17	-3.55	-8.63	-2.24	-0.96	-3.32	-0.72	-1.38	-10.61	-7.97	-16.62	-17.69				
θ (135°)	-16.84	-12.15	-6.13	-5.57	-5.54	-2.29	-0.18	-1.13	-4.31	-7.72	-7.11	-2.81	-1.43	-6.03	-7.37	-1.85	0.16	-0.29	-2.08	-3.09	-6.01	-11.88	-30.4	-16.05	-16.84				
θ (150°)	-12	-8.88	-4.65	-3.43	-5.32	-8.54	-6.02	-3.71	-5.1	-9.91	-16.75	-17.81	-14.36	-27.05	-6.87	-2	-0.76	-1.72	-3.58	-3.89	-5.14	-9.47	-12.92	-10.94	-12				
θ (165°)	-7.16	-4.93	-3.47	-3.46	-4.91	-7.38	-9.9	-11.72	-12.69	-13.33	-12.93	-12.21	-11.87	-11.82	-11.03	-9.42	-7.84	-6.74	-6.5	-6.88	-8.33	-8.98	-7.96	-7.19	-7.16				
θ (180°)	-11.41	-10.26	-9.29	-8.95	-9	-10.09	-12.2	-16.2	-20.68	-18.29	-15.56	-13.89	-12.3	-11.75	-11.78	-12.67	-13.7	-13.9	-15.04	-16.03	-17.38	-19.69	-16.93	-13.42	-11.41				
Polarity	Phi																												
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)				
θ (0°)	-26.69	-24.63	-15.8	-11.9	-9.27	-7.45	-6.52	-6.55	-7.43	-8.71	-11.3	-15.48	-21.57	-17.42	-13	-9.95	-8.33	-7.14	-6.39	-6.43	-6.7	-7.53	-9.5	-13.72	-26.69				
θ (15°)	-14.61	-13.78	-13.07	-11.16	-9.15	-7.86	-7.74	-8.61	-9.09	-9.78	-11.07	-13.58	-17.79	-17.08	-13.89	-12.3	-11.37	-10.11	-9.12	-9.35	-10.99	-13.09	-14.94	-15.46	-14.61				
θ (30°)	-9.69	-11.11	-10.69	-10.92	-10.93	-10.75	-8.61	-7.68	-8.14	-7.3	-7.09	-8.22	-11.83	-17.91	-15.71	-12.81	-11.22	-8.94	-9.35	-16.89	-14.33	-7.02	-5.19	-5.79	-9.69				
θ (45°)	-11.36	-7.55	-4.96	-6.62	-11.71	-19.9	-28.3	-36.86	-24.79	-14.38	-9.66	-7.82	-8.24	-11.12	-13.3	-10.82	-9.54	-9.4	-8.46	-10.21	-8.75	-5.29	-6.2	-9.52	-11.36				
θ (60°)	-13.12	-15.15	-8.75	-5.66	-9.79	-19.7	-13.85	-22.4	-9.87	-9.38	-18.31	-8.5	-6.98	-7.34	-12.51	-17.37	-10.26	-9.12	-9.79	-15.42	-17.42	-18.37	-12.68	-12.71	-13.12				
θ (75°)	-37.61	-11.26	-7.46	-6.55	-12.68	-19.12	-12.49	-25.02	-18.27	-15.34	-20.41	-10.87	-6.66	-7.18	-12.5	-14.65	-8.46	-10.63	-11.15	-17.59	-8.88	-6.31	-7.95	-10.17	-37.61				
θ (90°)	-23.88	-13.92	-9.86	-8.41	-5.62	-12.42	-10.81	-13.93	-17.07	-10.45	-12.47	-14.05	-19.8	-8.18	-7.66	-17.67	-9.28	-7.73	-10.37	-19.44	-9.06	-4.03	-3.28	-6.51	-23.88				
θ (105°)	-12.48	-11.86	-11.44	-5.62	-5.83	-24.39	-4.4	-8.6	-11.91	-6.37	-7.71	-15.1	-16.39	-10.39	-11.27	-15.46	-11.47	-9.66	-16.7	-9.81	-5.35	-5.03	-5.95	-7.58	-12.48				
θ (120°)	-11.93	-13.89	-13.12	-9.17	-6.13	-15.22	-14.38	-7.51	-9.9	-8.95	-9.29	-9.98	-12.34	-26.74	-17.17	-11.05	-6.98	-8.01	-12.14	-17.48	-6.56	[1.72]	-3.11	-7.99	-11.93				
θ (135°)	-19.72	-14.55	-6.37	-6.73	-7.99	-20.57	-9.3	-7.16	-9.86	-14.04	-19.33	-19.84	-20.56	-16.82	-21.6	-11.63	-6.74	-8.35	-15.58	-12.97	-7.52	-4.78	-6.8	-10.88	-19.72				
θ (150°)	-14.02	-13.69	-10.73	-8.66	-12.99	-28.03	-17.18	-10.78	-9.12	-9.46	-9.51	-10.81	-13.29	-17.53	-24.52	-13.71	-11.64	-19.32	-14.21	-8.05	-6.25	-6.63	-10.55	-15.68	-14.02				
θ (165°)	-10.09	-9.18	-11.19	-16.26	-26.52	-26.96	-24.63	-18.43	-15.36	-15.33	-16.74	-19.49	-26.33	-21.54	-17.17	-18.29	-19.91	-18.17	-13.55	-10.95	-10.58	-14.56	-26.8	-14.63	-10.09				
θ (180°)	-18.44	-22.3	-23.86	-18.37	-14.56	-11.63	-9.74	-9.27	-9.39	-9.53	-10.66	-14.07	-18.36	-24.03	-24.97	-20.38	-17.95	-16.92	-15.13	-13.12	-10.92	-10.81	-12	-14.56	-18.44				

Ant.	No.4																								
Freq. (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-10.42	-10.11	-9.79	-10.07	-11.67	-14.75	-20.67	-33.58	-21.31	-15.62	-13.07	-11.55	-10.69	-10.29	-10.64	-11.97	-14.51	-18.29	-25.15	-26.44	-17.95	-13.62	-11.46	-10.62	-10.42
θ (15°)	-15.29	-13.54	-9.89	-7.62	-6.94	-8.36	-11.52	-18.15	-19.44	-13.04	-9.53	-8.2	-8.47	-10.01	-12.22	-16.11	-17.73	-14.72	-12.98	-12.35	-12.07	-12.57	-13.93	-15.31	-15.29
θ (30°)	-5.09	-4.86	-5.42	-8.33	-13.58	-11.25	-6.65	-6.06	-7.41	-6.31	-5.28	-4.35	-3.86	-4.35	-6.1	-7.82	-6.72	-5	-5.7	-10.64	-17.04	-11.5	-7.89	-5.86	-5.09
θ (45°)	-2.82	-4.45	-4.85	-3.13	-2.85	-3.78	-1.76	-0.58	-1.61	-3.88	-4.45	-3.26	-3.02	-3.82	-4.24	-3.25	-2.82	-2.29	-3.69	-8.65	-7.35	-4.62	-3.92	-3	-2.82
θ (60°)	-5	-6.14	-5.62	-2.46	-0.46	-1.26	-0.04	-0.17	-1.3	-4.34	-3.31	0.52	1.41	-0.16	-1.98	-1.71	-2.29	-0.28	-1.26	-4.41	-2.83	-4.19	-4.76	-3.69	-5
θ (75°)	-1.51	-3.52	-5.45	-1.03	2.33	1.37	2.27	1.06	-2.78	-2.88	-0.35	1.7	[2.84]	2.19	0.46	-1.85	-1.4	2.21	0.11	-1.66	-1.43	-4.66	-2.39	-1.12	-1.51
θ (90°)	0.52	-1.13	-3.09	-5.11	0.81	-0.93	2.06	-0.56	0.05	0.21	0.06	0.39	0.79	1.07	1.34	0.95	-0.69	1.31	-0.54	-5.28	-1.43	-4.4	-4.28	-0.8	0.52
θ (105°)	-0.24	-0.75	-2.17	-5.08	0.49	-0.1	2.66	0.05	-1.32	0.84	1.15	1.91	2.76	1.79	-0.8	-0.84	-2.18	-1.36	-4.56	-3.54	-1.1	-5.98	-4.18	-2.85	-0.24
θ (120°)	-15.65	-12.5	-4.84	-13.08	-3.33	-1.53	0.29	-1.6	-5.7	-6.67	-2.95	0.97	2.73	1.77	-1.04	-4.11	-2.96	-0.72	-2.76	-1.75	-1.07	-8.62	-9.11	-23.79	-15.65
θ (135°)	-16.98	-14.15	-8.08	-5.75	-3.6	-1	-0.27	-2.97	-8.04	-11.24	-6.98	-1.02	0.63	-2.24	-6.98	-4.54	-1.48	-1.23	-2.47	-3.05	-5.02	-9.02	-13.28	-16.17	-16.98
θ (150°)	-11.39	-9.56	-5.61	-3.99	-5.02	-7.01	-4.56	-2.68	-4.07	-6.58	-9.64	-12.49	-10.8	-17.2	-11.05	-3.52	-1.09	-0.99	-2.06	-2.49	-3.65	-7.2	-10.31	-9.75	-11.39
θ (165°)	-6.37	-4.42	-3.08	-3.45	-5.45	-9.36	-13.56	-14.8	-13.65	-12.6	-10.75	-9.1	-8.16	-7.73	-7.82	-7.41	-6.44	-5.19	-5.14	-5.72	-7.76	-9.79	-8.95	-7.76	-6.37
θ (180°)	-10.29	-9.47	-8.82	-8.77	-9.2	-10.08	-11.98	-14.64	-14.47	-12.67	-11.87	-10.93	-10.01	-10.01	-10.68	-11.38	-11.91	-12.67	-12.97	-13.26	-13.6	-13.17	-11.75	-10.58	-10.29
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-21.87	-25.88	-22.5	-16.84	-12.96	-10.77	-9.6	-9.43	-10.22	-11.76	-14.71	-18.07	-23.99	-26.32	-18.26	-13.74	-11.26	-9.76	-9.14	-9.11	-9.35	-10.14	-12.26	-15.82	-21.87
θ (15°)	-11.31	-10.02	-10.13	-10.74	-10.56	-9.98	-10.53	-10.85	-10.5	-10.35	-11.42	-13.62	-15.69	-15.89	-13.82	-12.88	-13.13	-13.56	-13.92	-14.85	-17.11	-19.36	-17.04	-13.96	-11.31
θ (30°)	-11.93	-12.73	-14.09	-15.56	-14.97	-12.64	-9.74	-7.94	-7.45	-6.77	-6.69	-7.03	-9.06	-14.16	-21.71	-16.66	-14.44	-12.18	-13.02	-25.97	-14.21	-8.05	-7.37	-8.6	-11.93
θ (45°)	-8.88	-8.5	-7.45	-9.82	-15.03	-25	-16.97	-13.17	-14.51	-16.24	-14.95	-11.44	-9.86	-10.52	-15.61	-15.65	-13.74	-12.17	-10.57	-13.56	-10.74	-8.03	-8.97	-9.92	-8.88
θ (60°)	-16.09	-18.32	-11.78	-8.15	-10.63	-17.55	-15.25	-18.83	-13.08	-13.04	-15.46	-8.1	-6.83	-7.53	-12.16	-18.97	-12.14	-11.8	-9.29	-12.58	-21.68	-12.91	-9.29	-11.39	-16.09
θ (75°)	-21.53	-11.33	-6.91	-5.52	-9.96	-24.23	-9.33	-15.52	-14.28	-12.31	-12.48	-11.16	-7.67	-7.31	-11.06	-16.53	-9.6	-11.61	-6.65	-14.05	-9.21	-5.01	-6.94	-8.93	-21.53
θ (90°)	-20.19	-12.13	-5.71	-5.18	-6.48	-18.33	-8.31	-10.73	-16.98	-9.63	-15.3	-42.65	-13.9	-7.2	-7.07	-17.33	-9.5	-11.63	-12.34	-19.8	-7.64	-3.3	[-2.78]	-6.36	-20.19
θ (105°)	-17.16	-11.35	-6.1	-5.14	-7.55	-23.9	-4.85	-9.86	-10.8	-8.01	-12.19	-18.59	-16.47	-11.99	-12.11	-13.55	-8.85	-9.84	-12.02	-13.17	-6.65	-5.25	-7.57	-9.36	-17.16
θ (120°)	-13.96	-14.18	-6.5	-4.71	-6.83	-11.85	-13.54	-6.68	-11.64	-9.95	-12.35	-15.5	-18.5	-22.44	-13.45	-9.31	-8.7	-9.84	-14.03	-22.65	-5.69	-3.2	-5.75	-12.44	-13.96
θ (135°)	-16.83	-16.93	-7.91	-9.27	-9.78	-12.43	-10.66	-8.36	-10.72	-16.18	-22.99	-18.79	-22.31	-20.69	-16.18	-14.08	-9.67	-9.08	-15.4	-16.92	-7.92	-5.31	-6.86	-9.89	-16.83
θ (150°)	-15.51	-12.7	-9.2	-9.11	-16.4	-24.94	-16.69	-10.57	-7.98	-7.01	-6.64	-7.97	-10.81	-16.04	-31.92	-15.59	-10.4	-12.4	-16.8	-10.07	-7.24	-6.86	-9.5	-14.62	-15.51
θ (165°)	-10.62	-9.95	-11.48	-15.94	-23.21	-23.24	-17.98	-13.48	-10.19	-8.46	-8.51	-10.56	-15.23	-28.51	-19.9	-16.75	-15.63	-14.91	-12.9	-10.58	-10.11	-14.21	-24.5	-14.1	-10.62
θ (180°)	-15.12	-15.95	-16.09	-14.33	-12.25	-10.45	-9.2	-8.49	-8.6	-8.9	-10.32	-13.06	-16.5	-20.27	-18.46	-15.67	-13.71	-12.51	-11.51	-10.44	-8.86	-8.63	-10.12	-12.21	-15.12

Ant.	No.4																								
Freq. (MHz)	5500																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-12.83	-13.23	-13.83	-15.16	-17.29	-19.86	-21.01	-19.09	-15	-12.58	-11.81	-11.78	-12.38	-13.89	-16.3	-19.34	-23.99	-22.6	-18.78	-15.97	-13.8	-11.96	-11.35	-11.96	-12.83
θ (15°)	-12.38	-14.58	-14.38	-11.63	-9.13	-8.91	-10.43	-12.77	-13.13	-10.11	-7.31	-5.91	-5.68	-6.28	-7.65	-9.83	-11.81	-11.77	-9.79	-8.28	-8.17	-9.36	-10.61	-11.54	-12.38
θ (30°)	-6.34	-5.76	-6.7	-9.61	-9.23	-5.89	-4.86	-6.87	-7.57	-6.79	-6.53	-5.94	-5.2	-5.26	-5.61	-6.81	-9.61	-9.52	-8.11	-8.39	-11.79	-16.65	-13.27	-8.36	-6.34
θ (45°)	-1.7	-3.09	-3.56	-2.85	-3.05	-3.97	-1.6	-1.57	-4.23	-5.62	-4.3	-2.78	-2.03	-2.83	-3.94	-3.41	-3.66	-4.32	-5.88	-8.09	-6.84	-5.38	-4.28	-2.7	-1.7
θ (60°)	-5.15	-7.64	-7.98	-2.45	0.7	0.3	0.6	0.79	-2.24	-7.02	-1.09	1.78	2.46	1.42	-0.85	-2.9	-4.01	-1.1	-1.07	-4.67	-2.33	-4.19	-6.08	-4.45	-5.15
θ (75°)	-0.34	-4.05	-7.56	-0.12	2.61	1.42	1.98	0.6	-3.83	-2.64	1.77	3.23	[3.81]	3.27	1.96	-0.25	-3.71	0.73	-0.73	-2.08	-0.02	-5.02	-2.3	0.16	-0.34
θ (90°)	1.37	-0.84	-2.69	-6.91	1.23	0.42	1.4	1.02	1.2	-1.39	-0.47	0.24	0.41	1.19	0.93	0.76	-0.54	1.01	0.62	-5.93	-1.33	-4.38	-4.7	0.46	1.37
θ (105°)	-0.04	-0.36	-2.21	-6.06	1.36	0.86	1.34	0	0.43	1.89	2.5	1.84	1.33	1.15	-0.92	-1.79	-2.11	-0.99	-2.12	-3.75	-0.46	-6.98	-4.08	-1.92	-0.04
θ (120°)	-10.95	-12.76	-5.59	-18.81	-3.2	-2.02	-1.2	-3.94	-5.45	-5.16	-1.84	0.56	2.49	2.41	-0.08	-2.15	-3.4	-1.33	-2.21	-2.84	-1.36	-8.73	-11.83	-12.41	-10.95
θ (135°)	-14.82	-15.86	-12.04	-4.97	-1.95	-1.3	-2.31	-6.16	-9	-13.19	-6.33	-0.49	1.49	-0.14	-4.41	-6.11	-3.09	-1.65	-1.9	-2.33	-3.84	-7.62	-10.5	-12.47	-14.82
θ (150°)	-13.32	-12.26	-8.11	-5.97	-5.54	-5.86	-3.86	-3.39	-5.83	-7.84	-10.36	-11.17	-8.17	-9.27	-13.65	-6.43	-2.73	-1.62	-1.96	-2.37	-3.95	-6.89	-8.47	-9.51	-13.32
θ (165°)	-5.92	-4.78	-4.5	-6.03	-9.13	-13.29	-12.72	-10	-8.55	-8.11	-7.39	-6.68	-6.48	-7	-7.65	-7.45	-6.47	-5.61	-5.96	-6.64	-8.43	-10.08	-8.66	-7.21	-5.92
θ (180°)	-10.16	-10.5	-11.2	-12.29	-13.92	-16.73	-22.22	-25.49	-16.49	-12.24	-10.63	-10.45	-10.71	-11.25	-12.62	-14.74	-17.52	-20.35	-21.92	-19.01	-16.19	-13.39	-10.98	-9.74	-10.16
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-18.37	-16.53	-14.74	-13.82	-12.96	-12.57	-12.4	-13.05	-15.34	-18.67	-21.71	-19.79	-17.04	-14.1	-12.12	-11.04	-10.61	-10.56	-10.87	-11.7	-13.21	-15.07	-17.62	-19.62	-18.37
θ (15°)	-12.71	-8.85	-8	-8.39	-9.06	-10.19	-13.56	-16.62	-14.67	-12.59	-12.42	-14.09	-18.46	-28.08	-26.14	-21.58	-19.63	-16.04	-13.44	-13.15	-14.73	-18.05	-27.25	-25.58	-12.71
θ (30°)	-16.62	-17.89	-19.92	-18.98	-14.73	-11.72	-10.78	-9.48	-8.15	-8.25	-9.32	-9.83	-10.41	-12.5	-18.59	-23.64	-16.17	-14.24	-15.03	-17.73	-15.5	-12.23	-12.97	-14.12	-16.62
θ (45°)	-11.02	-9.99	-9.3	-13.65	-20.87	-18.39	-14.23	-11.64	-10.15	-11.5	-16.07	-15.86	-11.48	-10.81	-17.59	-36.78	-20.47	-11.41	-10.32	-13.81	-13.16	-12.73	-13.38	-11.63	-11.02
θ (60°)	-13.97	-18.17	-13.47	-11.13	-12.4	-18.65	-17.2	-12.25	-13.22	-17.65	-15.61	-10.02	-8.04	-9.57	-15.33	-18.41	-13.05	-12.89	-7.19	-11.08	-42.76	-8.8	-6.79	-8.31	-13.97
θ (75°)	-16.45	-14.21	-10.17	-7.92	-11.13	-18.52	-11.51	-16.41	-18.5	-13.07	-10.39	-8.41	-8.34	-7.82	-9.6	-22.17	-9.73	-10.9	-9.01	-21.08	-6.44	-3.24	-4.77	-6.79	-16.45
θ (90°)	-13.58	-13.73	-5.1	-3.51	-5.25	-14.45	-11.52	-12.89	-16.38	-9.84	-14.54	-21.55	-15.56	-9.28	-9.04	-20.2	-10.4	-12.47	-12.14	-18.27	-10.42	-4.44	-2.66	-5.79	-13.58
θ (105°)	-25.32	-10.75	-4.49	-3.77	-9.59	-31.79	-6.63	-12.81	-12.12	-10.85	-16.82	-25.14	-15.82	-13.87	-13.52	-11.1	-8.12	-10.62	-10.42	-19	-8.49	-4.94	-6.96	-9.99	-25.32
θ (120°)	-33.77	-18.89	-4.43	[-2.41]	-7.32	-14.76	-14.22	-7.48	-13.25	-14.85	-24.38	-24.71	-17.48	-12.9	-11.09	-10.07	-8.99	-8.86	-13.51	-26.51	-7.45	-4.12	-5.13	-14.47	-33.77
θ (135°)	-14.17	-14.19	-8.45	-10.97	-14.64	-10.84	-9.99	-11.42	-13.91	-17.43	-17.47	-20.61	-26.47	-19.99	-14.46	-15.14	-12.48	-9.96	-18.22	-20.45	-9.45	-6.23	-8.15	-9.8	-14.17
θ (150°)	-18.3	-14.03	-9.01	-10.2	-25.53	-17.91	-14.81	-9.8	-8.59	-8.39	-7.94	-9.47	-13.14	-19.24	-28.17	-18.21	-13.53	-14.37	-16.58	-12.75	-10.48	-9.78	-11.41	-14.74	-18.3
θ (165°)	-14.02	-12.67	-13.03	-15.4	-18.34	-15.29	-11.25	-8.99	-8.24	-8.05	-8.78	-11.95	-19.92	-25.9	-16.7	-15.84	-14.86	-12.9	-11.35	-9.52	-8.62	-10.81	-17.16	-16.36	-14.02
θ (180°)	-21.26	-18.59	-15.24	-13.06	-11.24	-9.55	-8.92	-8.66	-8.93	-10.28	-14.15	-20.83	-26.05	-25.44	-17.88	-13.46	-10.91	-9.95	-9.78	-9.41	-9.46	-10.41	-13.3	-18.42	-21.26

Ant.	No.4																								
Freq. (MHz)	5700																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-13.58	-15.41	-19.55	-26.74	-33.95	-23.33	-18.15	-15.64	-14.5	-13.85	-14.25	-15.37	-17.34	-19.92	-22.89	-24.79	-21.95	-19.23	-16.79	-14.6	-12.53	-11.62	-11.64	-12.23	-13.58
θ (15°)	-10.84	-12.88	-16.13	-15.88	-13.26	-14.39	-20.78	-21.44	-13.16	-9.85	-8.43	-8.1	-7.91	-7.94	-8.48	-10.41	-13.57	-16.61	-14.62	-12.14	-11.13	-10.95	-10.61	-10.41	-10.84
θ (30°)	-8.1	-9.06	-11.81	-11.54	-7.33	-4.64	-5.63	-8.82	-7.29	-6.4	-7.39	-9.14	-8.88	-7.31	-5.7	-5.02	-6.21	-7.73	-7.32	-7.87	-9.84	-12.83	-11.81	-9.34	-8.1
θ (45°)	-2.35	-3.89	-4.44	-4.09	-5.4	-3.29	-1.68	-4.38	-9.07	-7.94	-5.45	-2.7	-1.92	-2.54	-3.74	-4.51	-4.06	-2.77	-3.41	-7.77	-8.25	-6.91	-5.28	-3.5	-2.35
θ (60°)	-3.78	-8.02	-9.93	-2.82	-0.03	-1.65	-0.44	-0.56	-6.74	-3.5	0.07	0.86	1.48	0.94	-1.35	-2.98	-4.98	-2.44	-0.57	-4.61	-2.39	-3.05	-5.96	-3.95	-3.78
θ (75°)	0.49	-3.98	-8.06	0.26	1.77	0.49	1.7	-0.81	-4.02	0.02	2.02	1.74	[2.41]	1.87	0.65	-0.27	-3.56	-1.09	-0.4	-5.1	0.08	-3.86	-3.21	-0.05	0.49
θ (90°)	1.26	-1.7	-4.11	-5.36	1.19	-1.89	1.56	0.97	-0.32	-1.21	-0.14	-0.78	-1.24	0.9	-0.04	-0.02	-0.58	-1.81	0.34	-5.44	-1.59	-2.88	-5.09	-0.78	1.26
θ (105°)	-2.08	-2.4	-5.51	-4.09	0.33	-1.52	1.04	-0.34	0.52	1.13	1.09	0.27	-0.53	-0.37	-2.07	-0.93	-0.45	-2.79	-2.1	-4.68	0.14	-5.01	-5.82	-3.53	-2.08
θ (120°)	-10.12	-13.95	-8.81	-11.49	-3.2	-4.05	-3.68	-4.43	-3.82	-4.19	-2.3	-1.71	0.17	0.82	-0.95	-1.85	-3.56	-4.39	-3.17	-5.59	-3.37	-7.47	-10.49	-7.26	-10.12
θ (135°)	-16.67	-18.6	-9.59	-3.31	-2.97	-4.28	-3.8	-5.83	-6.74	-6.76	-4.7	-2.18	-0.49	-0.64	-2.34	-4.04	-5.22	-4.15	-3.39	-2.74	-4.64	-8.23	-7.25	-8.98	-16.67
θ (150°)	-11.4	-13.06	-9.61	-6.04	-5.03	-6.78	-7.43	-8.75	-13.44	-15.8	-14.18	-8.81	-5.76	-5.58	-6.56	-5.81	-4.1	-3.04	-2.71	-2.37	-4.17	-8.25	-8.57	-7.92	-11.4
θ (165°)	-9.91	-9.24	-9.19	-9.94	-10.95	-11.9	-11.72	-10.2	-9.43	-9.62	-9.97	-10.55	-11.07	-11.62	-12.54	-13.49	-11.4	-8.71	-7.63	-7.23	-8.7	-13.58	-14	-11.47	-9.91
θ (180°)	-13.79	-13.86	-13.91	-13.78	-14.2	-15.22	-17.39	-21.22	-22.19	-15.95	-13.48	-13.57	-14.21	-14.42	-14.34	-15.42	-17.2	-20.11	-24.38	-27.46	-24.39	-19.98	-15.92	-13.84	-13.79
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-16.86	-14.6	-12.76	-12.52	-13.41	-14.27	-15.73	-18.91	-23.24	-28.36	-31.99	-21.52	-17.58	-16.12	-14.98	-15.42	-16.07	-15.74	-16.68	-18.8	-22.61	-26	-23.92	-19.65	-16.86
θ (15°)	-12.52	-9.37	-7.89	-7.85	-8.11	-8.39	-9.62	-11.85	-14.92	-17.2	-19.33	-20.09	-20.32	-22.33	-28.89	-32.75	-23.14	-18.11	-15.06	-14.54	-14.7	-18.68	-41.56	-19.39	-12.52
θ (30°)	-17.69	-22.6	-24.78	-17.48	-14.36	-12.11	-9.75	-8.55	-9.98	-11.15	-14.06	-15.53	-13.35	-11.96	-13.31	-18.81	-23.29	-15.63	-15.09	-15.92	-18.15	-15.92	-13.42	-13.54	-17.69
θ (45°)	-11.58	-11.9	-12.61	-15.81	-32	-16.62	-10.26	-10.37	-10.58	-12.68	-18.01	-16.27	-13.69	-17.38	-22.45	-24.82	-16.45	-10.68	-9.6	-14.08	-17.1	-14.92	-11.22	-10.7	-11.58
θ (60°)	-12.8	-14.24	-11.53	-12.3	-15.41	-23.44	-13.38	-11.26	-13.45	-16.11	-14.8	-13.69	-15.61	-19.55	-21.27	-17.91	-14.96	-10.77	-6.18	-11.16	-29.23	-8.04	-6.08	-7.89	-12.8
θ (75°)	-14.97	-13.95	-8.44	-7.35	-10.48	-18.79	-12.62	-24.98	-22.33	-15.48	-11.5	-9.58	-10.18	-7.84	-9.26	-20.79	-10.1	-12.71	-8.26	-13.2	-9.4	-4.31	-4.32	-6.16	-14.97
θ (90°)	-18.52	-20.17	-6.23	-4.34	-8.35	-20.3	-9.99	-10.67	-25.91	-10.21	-10.07	-14.08	-21.09	-17.72	-12.06	-13.42	-12.34	-12.65	-11.4	-14.73	-14.46	-5.78	-3.81	-7.28	-18.52
θ (105°)	-14.57	-14.16	-6.29	-4.44	-9.98	-22.08	-7.22	-21.9	-11.16	-13.07	-22.16	-26.31	-16.52	-12.94	-12.21	-10.59	-9.26	-10.41	-9.6	-21.79	-9.88	-4.84	-6.93	-9.17	-14.57
θ (120°)	-15.12	-17.27	-6.91	[-3.51]	-7.8	-18.47	-18.47	-10.64	-15.49	-13.05	-18.65	-25.16	-13.14	-9.21	-8.93	-11.99	-8.04	-8.78	-16.4	-20.23	-10.8	-5.7	-5.16	-9.54	-15.12
θ (135°)	-12.58	-13.99	-10.43	-14.92	-18.82	-12.28	-11.92	-17.1	-21.41	-26.52	-29.14	-19.65	-19.19	-15.53	-13.31	-16.86	-15.81	-12.11	-18.1	-20.38	-11.75	-6.76	-9.3	-11.22	-12.58
θ (150°)	-22.2	-15.41	-9.08	-9.21	-13.99	-13.39	-11.41	-8.15	-8.33	-10.62	-12.1	-15.11	-18.37	-18.29	-22.97	-24.57	-19.61	-18.93	-20.49	-14.92	-11.53	-11.01	-13.05	-21.38	-22.2
θ (165°)	-13.16	-10.62	-10.64	-11.83	-13.11	-11.46	-8.98	-7.86	-8.34	-9.5	-11.33	-14.25	-16.93	-18.82	-18.77	-17.87	-17.79	-15.04	-11.82	-8.88	-6.89	-7.83	-12.78	-15.87	-13.16
θ (180°)	-24.64	-23.23	-19.49	-17.45	-15.4	-13.53	-12.63	-11.65	-11.6	-11.86	-12.35	-14.98	-19	-22.03	-20.32	-17.91	-15.75	-14.08	-13.38	-12.76	-12.34	-12.96	-16.71	-22.54	-24.64

Ant.	No.4																								
Freq. (MHz)	5900																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-13.88	-14.28	-15.63	-17.22	-18.84	-19.53	-21.14	-23.96	-26.27	-23.24	-21.83	-20.68	-21.33	-19.72	-18.55	-18.61	-20.59	-20.71	-23.49	-29.15	-23.67	-19.07	-16.1	-14.67	-13.88
θ (15°)	-10.13	-11.13	-12.94	-16.41	-21.13	-21.71	-14.66	-10.28	-7.97	-7.47	-8.21	-9.15	-10	-10.05	-9.95	-10.46	-11.68	-13.78	-15.04	-14.05	-12.85	-11.47	-10.34	-10.14	-10.13
θ (30°)	-8.55	-8.26	-9.14	-9.23	-7.17	-6.5	-9.96	-10.33	-7.37	-7.55	-9.98	-11.99	-11.53	-9.41	-6.56	-3.81	-2.83	-3.69	-3.96	-5.14	-8.47	-12.17	-10.48	-9.28	-8.55
θ (45°)	-3.65	-4.06	-4.55	-4.33	-5.84	-3.82	-4.3	-7.27	-9.1	-8.5	-5.78	-3.89	-3.78	-5.14	-5.94	-4.39	-3.55	-3	-2.99	-5.77	-5.6	-5.71	-6.45	-5.39	-3.65
θ (60°)	-2.05	-5.99	-8.26	-2.04	-0.64	-2.04	-0.86	-2.53	-5.13	-1.55	-0.27	-1.41	-2.26	-2.75	-3.07	-3.14	-3.84	-2.18	-0.05	-3.38	-1.64	-3.02	-6.38	-2.46	-2.05
θ (75°)	1.86	-2.8	-6.45	0.23	0.01	0.73	0.82	-1.59	-1.88	1.61	[2.67]	0.63	-0.83	-0.01	-0.81	-1.2	-2.51	-1.56	1.13	-3.99	-0.72	-4.74	-3.68	0.32	1.86
θ (90°)	2.01	-1.41	-5.83	-2.82	0.68	-1.48	2.04	0.71	-0.47	-1.66	0.97	-0.44	-2.63	0.2	0.29	-1.32	0.28	-2.33	-1.2	-6.21	-1.5	-2.8	-4.04	0.41	2.01
θ (105°)	-1.93	-2.88	-7.45	-2.52	-0.6	0.04	0.99	0.58	0.54	-0.32	1.3	-0.24	-3.2	-1.96	-1.45	-1.64	0.96	-2.14	-2.27	-4.48	0.01	-3.89	-6.36	-3	-1.93
θ (120°)	-6.86	-16.21	-10.52	-12.75	-6.37	-2.85	-2.18	-2.98	-3.33	-5.22	-1.56	-0.55	-0.29	-0.89	-2.84	-2.65	-2.09	-5.37	-3.39	-5.92	-3.74	-9.16	-9.06	-5.12	-6.86
θ (135°)	-13.15	-11.53	-5.75	-2.59	-3.66	-3.03	-3.01	-3.22	-1.66	-2.96	-3.74	-2.72	-1.65	-2.69	-3.64	-2.62	-3.29	-4.77	-6.03	-3.26	-4.8	-13.27	-6.51	-8.09	-13.15
θ (150°)	-10.86	-13.12	-6.97	-3.62	-4.36	-7.72	-7.81	-8.8	-13.33	-12.7	-7.95	-5.71	-5.11	-5.69	-4.57	-3.36	-2.72	-2.73	-3.01	-2.73	-4.36	-8.58	-8.33	-6.89	-10.86
θ (165°)	-12.86	-10.82	-8.66	-8.18	-9.32	-12.19	-14.49	-14.53	-14.15	-15.04	-15.45	-13.96	-10.86	-8.79	-8.75	-10.21	-11.84	-10.33	-9.32	-8.12	-8.15	-11.33	-15.36	-15.51	-12.86
θ (180°)	-12.1	-11.76	-11.5	-10.92	-11.35	-12.4	-14.77	-18.92	-31.56	-19.88	-15.31	-12.93	-11.73	-11.02	-11.13	-11.7	-12.76	-15.06	-18.84	-25.45	-35.97	-24.17	-16.61	-13.67	-12.1
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-28.15	-29.02	-19.54	-16.66	-15.51	-15.01	-14.55	-14.49	-15.22	-16.13	-18.47	-21.98	-30.2	-32.27	-26.32	-25.97	-23.38	-19.25	-16.56	-15.6	-15.37	-15.41	-16.63	-20.21	-28.15
θ (15°)	-16.17	-13.63	-10.67	-9.8	-10.15	-10.2	-10.45	-11.74	-15.45	-21.64	-25.6	-17.59	-13.66	-12.51	-13.43	-16.74	-18.65	-17.9	-16.74	-16.14	-15.37	-16.86	-21.87	-20.11	-16.17
θ (30°)	-18.01	-23.48	-22.54	-15.6	-15.51	-15.17	-10.56	-8.22	-9.17	-11.36	-17.59	-25.84	-12.31	-9.26	-8.62	-10.73	-17.09	-15.58	-14.79	-14.25	-13.32	-14.85	-15.58	-16.22	-18.01
θ (45°)	-11.06	-10.67	-13.65	-15.99	-25.06	-13.41	-7.53	-7.97	-11.18	-11.7	-15.4	-16.12	-14.07	-13.5	-13.57	-19.63	-17.02	-9.97	-8.95	-14.48	-18.7	-17.73	-13.39	-12.57	-11.06
θ (60°)	-8.64	-9.93	-10.67	-11.06	-12.67	-22.79	-12.83	-13.17	-13.89	-11.54	-10.3	-15.68	-18.23	-15.36	-12.69	-16.08	-17.42	-12.94	-8.01	-9.93	-41.3	-7.49	-5.17	-6.37	-8.64
θ (75°)	-14.47	-17.13	-8.11	-5.67	-9.99	-14.02	-11.31	-19.49	-13.63	-14.2	-8.92	-9.9	-13.39	-9.71	-8.92	-24.93	-7.75	-16.8	-6.98	-11.85	-11.83	-5.59	[-3.09]	-4.71	-14.47
θ (90°)	-22.04	-25.07	-7.21	-4.04	-8.61	-14.91	-9.64	-13.96	-15.79	-12.11	-8.8	-10.1	-17.48	-29.33	-11.67	-11.05	-10.79	-13.95	-13	-12.93	-16.37	-5.85	-3.72	-7.77	-22.04
θ (105°)	-10.81	-12.06	-6.97	-5.78	-12.8	-12.49	-5.61	-18.99	-12.73	-13.01	-16.5	-23.23	-22.41	-14.2	-13.63	-10.34	-8.53	-11.19	-11.54	-20.59	-10.52	-3.87	-5.29	-7.02	-10.81
θ (120°)	-9.34	-11.97	-7.43	-3.46	-7.16	-15.36	-17.9	-14.81	-14.11	-15.69	-17.39	-19.23	-16.27	-10.23	-7.46	-16.04	-6.44	-9.2	-22.66	-15.55	-12.92	-5.61	-3.9	-6.53	-9.34
θ (135°)	-9.11	-12.97	-11.14	-17.02	-16.14	-14.02	-13.45	-18.78	-23.01	-19.79	-20.63	-27.28	-21.27	-14.79	-12.91	-18.51	-12.72	-12.61	-20.81	-16.3	-13.12	-6.03	-5.83	-6.64	-9.11
θ (150°)	-32.57	-19.67	-11.16	-10.89	-12.68	-11.03	-10.03	-7.04	-8.82	-16.97	-22.1	-22.94	-18.26	-14.43	-19.23	-23.55	-23.09	-17.03	-18.81	-14.5	-10.66	-8.79	-8.62	-12.94	-32.57
θ (165°)	-17.67	-12.26	-11.69	-12.42	-12.91	-11.8	-9.3	-7.73	-8.72	-10.95	-12.58	-13.48	-13.46	-16.05	-21.05	-20.47	-19.21	-16.69	-11.93	-8.45	-6.44	-6.79	-10.91	-17.24	-17.67
θ (180°)	-20.39	-29.12	-21.14	-18.34	-16.83	-14.52	-12.75	-11.59	-10.48	-9.6	-9.79	-11.54	-15.37	-20.85	-29.44	-28.85	-18.74	-15.13	-12.61	-10.91	-9.92	-10.32	-12.47	-15.39	-20.39

Ant.	No.5																								
Freq. (MHz)	5100																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-14.57	-8.67	-4.38	-1.77	-0.27	0.48	0.61	0.19	-0.9	-2.8	-5.78	-11.51	-18.13	-8.96	-4.45	-1.84	-0.33	0.4	0.39	-0.2	-1.58	-3.7	-7.14	-13.23	-14.57
θ (15°)	-19.08	-8.19	-4	-1.63	-0.44	-0.18	-0.49	-0.95	-1.74	-3.36	-6.09	-11.5	-17.5	-9.21	-4.01	-1.23	0.27	0.97	[1.16]	0.69	-0.78	-3.26	-7.27	-12.55	-19.08
θ (30°)	-24.75	-10.62	-5.03	-2.41	-0.82	-0.54	-0.75	-0.98	-1.31	-2.09	-4.08	-8.23	-25.9	-9.67	-4.81	-2.67	-1.41	-0.64	-0.46	-0.38	-0.49	-1.48	-3.32	-7.93	-24.75
θ (45°)	-14.96	-15.54	-9.37	-5.8	-4.43	-5	-6.5	-8.68	-9.99	-10.88	-12.28	-16.96	-21.6	-16.57	-14.15	-9.96	-7.63	-6.66	-5.78	-4.91	-4.7	-5.02	-5.97	-7.77	-14.96
θ (60°)	-19.66	-24.93	-19.71	-10.8	-7.41	-7.05	-6.89	-6.15	-5.8	-8.29	-18.95	-32.08	-18.58	-12.77	-16.33	-10.97	-8.98	-10.7	-11.37	-7.55	-4.25	-4.9	-9.25	-11.86	-19.66
θ (75°)	-15.12	-12.87	-13.61	-13.76	-10.14	-10.4	-14.88	-13.84	-9.67	-9.86	-15.67	-20.7	-12.49	-11.17	-15.25	-13	-14.46	-12.22	-13.12	-19.52	-10.33	-10.45	-18.44	-21.58	-15.12
θ (90°)	-14.02	-22.85	-16.24	-9.84	-9.29	-11.91	-15.1	-19.29	-22.96	-23.09	-13.98	-8.63	-7.38	-11.8	-24.7	-16.6	-17.7	-8.21	-7.02	-10.7	-15.05	-15.95	-28.9	-11.77	-14.02
θ (105°)	-17.15	-15.41	-22.91	-9.29	-7.68	-10.6	-13.17	-17.11	-12.88	-13.18	-8.69	-7.45	-14.07	-10.62	-9.11	-9.39	-9.28	-11.83	-14.13	-15.25	-17.78	-15.68	-9.75	-8.88	-17.15
θ (120°)	-13.02	-8.41	-8.55	-9.88	-7.11	-9.49	-7.51	-5.66	-11.23	-14.31	-17.44	-8.99	-10.72	-5.61	-4.99	-7.53	-6.61	-6.25	-7.52	-14.47	-13.66	-9.75	-6.99	-8.1	-13.02
θ (135°)	-34.29	-6.87	-6.02	-12.71	-29.34	-11.15	-4.14	-2.93	-3.65	-4.86	-5.28	-10.52	-15.3	-6.4	-5.26	-4.2	-2.12	-1.72	-3.2	-6.82	-12.53	-8.25	-6.36	-7.93	-34.29
θ (150°)	-13.74	-17.8	-20.45	-10.67	-4.09	-1.11	0.17	0.16	-1.15	-3.15	-5.78	-9.02	-14.59	-24.15	-23.05	-19.44	-13.01	-8.47	-7.44	-7.72	-8.64	-11.34	-12.63	-12.63	-13.74
θ (165°)	-19.91	-25.64	-13.72	-8.53	-5.67	-3.63	-2.87	-3.58	-5.88	-9.28	-13.04	-15.06	-15.39	-14.79	-13.35	-12.32	-12.09	-11.58	-12.31	-15.66	-20.08	-18.32	-16.82	-17.05	-19.91
θ (180°)	-24.42	-15.85	-10.08	-6.89	-4.86	-3.91	-3.74	-4.49	-6.35	-9.12	-12.74	-19.23	-32.4	-16.2	-11.02	-7.95	-6.04	-5.23	-5.07	-5.07	-5.34	-6.79	-9.86	-15.34	-24.42
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.17	-0.02	-0.89	-2.58	-5.48	-11.26	-27.31	-11.08	-5.51	-2.52	-0.85	0.02	0.3	0.01	-0.91	-2.47	-5.01	-10.21	-29.04	-12.03	-5.72	-2.61	-0.93	0.01	0.17
θ (15°)	-0.51	-1.13	-2.53	-5.06	-10.01	-21.91	-13.71	-7.73	-4.18	-1.65	0.03	0.97	1.3	1.01	0.06	-1.68	-4.52	-8.85	-18.21	-13.63	-6.23	-2.9	-1.16	-0.54	-0.51
θ (30°)	2.52	2.45	1.74	-0.14	-3.47	-9.64	-17.46	-11.41	-8.52	-6.1	-3.1	-1.12	-0.13	0.26	-0.35	-2.01	-4.02	-7.51	-15.02	-15.16	-6.06	-1.56	0.94	2.29	2.52
θ (45°)	2.85	2.99	2.73	1.45	-1.75	-7.98	-26.97	-12.53	-9.38	-7.25	-3.94	-1.33	-0.25	-0.15	-1.21	-2.05	-4.1	-8.31	-30.14	-8.2	-1.92	1.06	2.62	[3.08]	2.85
θ (60°)	2.68	1.88	0.5	-0.94	-3.13	-5.98	-9.81	-14.48	-16.92	-12.77	-4.62	-0.86	0.73	1.36	0.6	-1.47	-4.89	-8.53	-19.29	-11.4	-3.34	0.98	2.44	2.71	2.68
θ (75°)	1.8	0.21	-1.37	-4.49	-11.85	-13.26	-12.1	-10.22	-6.74	-2.19	-0.11	0.76	2.05	1.2	0.26	-1.71	-5.27	-9.97	-14.98	-5.66	-0.72	1.11	1.96	2.47	1.8
θ (90°)	1	0.75	0.55	-0.64	-2.5	-6.05	-15.85	-7.01	-2.32	-0.62	0.13	-0.28	0.21	-0.77	-3.28	-5.87	-10.37	-14.89	-18.12	-7.16	-2.05	0.55	1.75	1.77	1
θ (105°)	0.87	1.4	1.3	-0.18	-4.35	-11.79	-22.5	-14.67	-9.72	-7.52	-4.02	-0.37	-0.75	-1.85	-4.75	-7.06	-9.37	-22.48	-15.45	-6.78	-3.83	-1.32	0.51	0.84	0.87
θ (120°)	-0.34	-0.53	-0.9	-3.27	-8.55	-17.89	-21.02	-9.1	-8.89	-9.66	-7.77	-3.93	-2.33	-2.26	-3.6	-5.9	-9.55	-11.23	-14.3	-13.5	-8.14	-3.24	-1.26	-0.63	-0.34
θ (135°)	-4.36	-4.35	-6.84	-7.85	-8.5	-18.56	-10.43	-5.44	-7.13	-4.19	-0.78	0.36	-0.08	-0.79	-2.64	-6.33	-11.82	-16.95	-20.54	-32.29	-20.11	-15.39	-8.06	-5.46	-4.36
θ (150°)	-3.53	-3.94	-3.75	-4.22	-6.35	-10.45	-14.06	-10.73	-6.45	-2.8	-0.55	0.62	0.71	0.25	-0.85	-3.75	-8.25	-14.71	-27.77	-17.69	-9.62	-5.54	-3.54	-3.09	-3.53
θ (165°)	-5.47	-4.68	-4.89	-6.34	-8.86	-14.27	-28.69	-11.95	-7.98	-6.37	-6.23	-7.45	-9.55	-11.22	-10.98	-9.94	-10.61	-14.12	-20.87	-20.78	-16.5	-13.69	-10.91	-9.35	-5.47
θ (180°)	-5.88	-5.93	-6.13	-7.23	-9.93	-15.01	-25.57	-14.63	-9.81	-7.24	-5.73	-5.26	-5.5	-6.31	-7.93	-10.02	-13.29	-19	-19.91	-13.54	-9.43	-6.95	-5.53	-4.85	-5.88

Ant.	No.5																								
Freq. (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-13.89	-9.59	-4.7	-1.79	-0.01	0.97	1.35	1.2	0.43	-1.1	-3.63	-7.81	-13.26	-9.26	-4.59	-1.58	0.19	1.1	1.32	0.97	-0.05	-1.72	-4.4	-8.63	-13.89
θ (15°)	-11.92	-4.89	-1.72	0.02	1.02	1.49	1.53	1.12	0.16	-1.45	-3.68	-7.97	-17.8	-10.87	-3.84	-0.18	2.01	[2.95]	2.93	2.08	0.44	-2.28	-7.17	-14.94	-11.92
θ (30°)	-16.79	-8.88	-4.57	-2.78	-1.99	-1.67	-1.39	-1.55	-1.57	-2.04	-4.05	-8.07	-26.52	-9.22	-4.14	-0.91	0.75	1.45	1.57	0.99	-0.11	-1.82	-4.58	-10.95	-16.79
θ (45°)	-14.28	-9.77	-6.54	-4.66	-3.35	-3.01	-3.52	-5	-6.36	-7.27	-8.56	-15.72	-17.62	-9.35	-8.57	-8.83	-6.95	-4.16	-2.59	-2.55	-3.45	-4.67	-6.53	-9.85	-14.28
θ (60°)	-21.35	-16.72	-11.46	-10.75	-10.76	-10.45	-11.52	-10.01	-8.24	-8.49	-14.02	-19.98	-21.82	-11.23	-12.83	-13.94	-10.11	-11.08	-9.46	-6.27	-4.15	-5.02	-7.93	-10.08	-21.35
θ (75°)	-19.42	-18.58	-25.05	-22.66	-12.71	-11.09	-17.84	-22.33	-11.59	-9.21	-13.45	-19.24	-14.69	-13.11	-28.47	-15.04	-15.05	-16.9	-14.37	-12.36	-10.15	-12.16	-17.2	-20.23	-19.42
θ (90°)	-17.1	-18.13	-18.2	-8.92	-8.04	-11.61	-13.32	-12.4	-13.77	-16.76	-11.02	-7.07	-7.36	-11.41	-19.71	-24.72	-29.02	-13.09	-10.76	-15.31	-22.41	-18.21	-20.08	-17.37	-17.1
θ (105°)	-13.88	-15.74	-14	-7.47	-7.76	-9.33	-11.08	-12.47	-11.25	-14.67	-10.19	-7.56	-15.32	-13.45	-11.04	-18.18	-15.14	-17.68	-17.97	-16.3	-12.49	-11.83	-12.58	-10.3	-13.88
θ (120°)	-10.49	-8.57	-11.84	-11.78	-6.68	-8.01	-11.09	-9.65	-19.01	-35.11	-12.49	-6.51	-9.59	-6.67	-5.87	-7.92	-7.7	-7.15	-7.55	-10.04	-12.07	-12.18	-9.72	-12.8	-10.49
θ (135°)	-17.46	-6.86	-5.71	-10.86	-23.19	-15.06	-6.72	-5.63	-6.03	-5.29	-3.91	-7.31	-23.22	-8.49	-7.51	-5.86	-2.87	-2.13	-3.59	-7.26	-9.28	-6	-5.44	-7.41	-17.46
θ (150°)	-15.64	-21.9	-12.9	-7.58	-3.79	-1.63	-0.66	-0.82	-2.07	-3.58	-5.11	-7.71	-14.02	-21.64	-15.86	-12.95	-9.57	-7.27	-6.21	-6.35	-6.99	-9.15	-10.64	-11.67	-15.64
θ (165°)	-22.32	-13.2	-7.79	-4.72	-3.1	-2.18	-2.02	-2.84	-4.93	-8.26	-12.5	-17.46	-23.08	-25.31	-22.83	-16.69	-12.06	-9.26	-9.19	-11.11	-12.1	-11.58	-12.39	-15.2	-22.32
θ (180°)	-25.88	-17.62	-12.39	-9.43	-7.73	-6.6	-6.26	-6.92	-8.59	-11.2	-15.04	-21.61	-28.51	-18.21	-14.2	-12.01	-10.58	-9.35	-8.39	-7.63	-7.11	-8.33	-11.47	-16.98	-25.88
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.87	0.73	-0.05	-1.54	-4.22	-8.99	-20.01	-11.75	-5.25	-2.01	-0.17	0.8	1.2	0.97	0.08	-1.59	-4.28	-9.38	-22.22	-11.29	-5.36	-2.27	-0.54	0.47	0.87
θ (15°)	-0.92	-1.79	-3.55	-6.54	-12.2	-20.82	-12.32	-7.03	-4.1	-2.31	-1.13	-0.15	0.74	1.22	1.15	0.04	-2.57	-7.59	-25.65	-10.64	-4.92	-2.32	-0.96	-0.59	-0.92
θ (30°)	0.51	0.61	-0.03	-1.69	-5.15	-12.29	-16.33	-9.32	-6.79	-5.99	-5.65	-4.38	-2.85	-2.1	-2.18	-2.92	-4.76	-8.71	-17.34	-14.55	-7.06	-3.2	-0.97	0.34	0.51
θ (45°)	3.19	[3.24]	3.04	1.87	-0.58	-5.35	-13.23	-10.1	-5.91	-4.42	-2.68	-0.82	0.12	-0.43	-1.95	-4.3	-6.8	-9.78	-27.86	-10.17	-2.6	0.96	2.32	2.72	3.19
θ (60°)	2.63	1.8	1.2	1.23	0.33	-3.07	-14.81	-12.2	-6.46	-4.87	-3.38	-0.86	1.77	1.08	-1.25	-3.39	-4.84	-6.92	-19.93	-10.12	-2.09	1.33	2.63	3.18	2.63
θ (75°)	1.78	-0.39	-2.99	-6.46	-8.4	-11.89	-20.57	-15.85	-8.72	-3.93	-0.1	1.71	2.35	1.4	-0.48	-2.83	-6.93	-13.98	-20.2	-6.59	-0.65	1.61	2.12	2.26	1.78
θ (90°)	1.15	0.67	0.34	-1.16	-3.61	-7.93	-22.76	-8.85	-3.59	-1.08	0.9	2.19	2	1.1	-1.06	-4.2	-9.97	-17.6	-25.86	-8.34	-1.54	1.01	1.68	1.47	1.15
θ (105°)	1.69	2.46	2.21	0.55	-4.84	-15.51	-22.09	-15	-7.21	-3.25	-2.26	-0.14	0.7	-0.48	-3.21	-6.34	-8.37	-16.3	-16.81	-7.31	-3.82	-1.16	0.86	1.2	1.69
θ (120°)	-0.23	-0.28	-0.64	-3.36	-8.95	-13.27	-17.97	-14.69	-9.13	-7.14	-6.97	-5.83	-4.28	-5.31	-6.22	-8.03	-11.06	-13.49	-18.93	-14.14	-8.2	-3.9	-2.23	-1.02	-0.23
θ (135°)	-5.94	-5.43	-7.78	-11.79	-14.29	-17.94	-7.77	-4.66	-7.23	-6.55	-2.63	-1.25	-1.93	-2.51	-4.33	-8.92	-15	-14.85	-20.34	-21.43	-25.42	-16.3	-7.89	-5.96	-5.94
θ (150°)	-6.31	-6.8	-7.06	-7.47	-9.43	-12.09	-12.46	-10.09	-5.91	-2.28	-0.65	-0.07	-0.31	-0.83	-1.94	-5.48	-12.12	-29.99	-20.95	-14	-10.1	-6.84	-5.35	-5.14	-6.31
θ (165°)	-3.17	-3.19	-4.4	-6.84	-10.35	-17.58	-18.01	-9.98	-6.65	-5.4	-5.36	-6.08	-7.68	-9.87	-10.82	-10.61	-11.27	-16.16	-25.56	-16.03	-12.19	-9.13	-6.63	-5.34	-3.17
θ (180°)	-7.63	-7.45	-7.58	-8.38	-10.39	-14.95	-24.9	-17.71	-11.55	-8.97	-7.78	-7.61	-7.86	-8.48	-9.64	-11.47	-13.93	-17.76	-20.88	-16.94	-12.06	-9.15	-7.81	-6.73	-7.63

Ant.	No.5																								
Freq. (MHz)	5500																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-16.29	-14.8	-5.93	-1.91	0.39	1.76	2.4	2.43	1.87	0.54	-1.69	-5.5	-13.52	-13.48	-5.55	-1.69	0.46	1.84	[2.44]	2.38	1.68	0.36	-1.97	-5.91	-16.29
θ (15°)	-9.62	-4.7	-1.89	-0.42	0.31	0.84	1.25	1.19	0.65	-0.37	-2.1	-5.88	-14.55	-12.01	-4.66	-1.02	1.15	2.18	2.21	1.49	0.13	-2.01	-5.84	-10.08	-9.62
θ (30°)	-11.55	-6.48	-3.66	-2.77	-3.1	-2.81	-2.34	-1.98	-1.63	-1.88	-2.97	-6.3	-14.81	-12.01	-4.78	-1.39	0.4	1.32	1.17	0.18	-0.99	-2.59	-6.08	-16.18	-11.55
θ (45°)	-14.35	-7.84	-6.65	-5.71	-4.54	-3.28	-3.33	-3.38	-3.58	-3.65	-4.61	-10.05	-22.55	-7.65	-5.31	-4.49	-3.06	-1.17	-1.2	-2.11	-2.89	-3.36	-6.09	-11.72	-14.35
θ (60°)	-27.68	-16.36	-12.96	-13.2	-12	-10.84	-10.96	-13.75	-13.12	-12.58	-13.38	-10.24	-17.06	-12.96	-10.15	-8.23	-8.15	-7.1	-5.52	-4.02	-4.16	-6.53	-8.59	-11.19	-27.68
θ (75°)	-27.66	-21.28	-30.26	-41.24	-19.94	-15.95	-22.47	-21.23	-12.93	-10.59	-19.69	-17.85	-15.25	-11.78	-15.21	-13.72	-14.84	-16.91	-10.19	-7.78	-8.76	-11.82	-13.17	-16.85	-27.66
θ (90°)	-17.78	-15.6	-11.75	-9.07	-10.77	-12.28	-10.16	-9.99	-13.14	-16.64	-15.01	-10.45	-8.99	-11.98	-12.84	-21.6	-27.86	-14.96	-9.93	-14.16	-22.79	-18.19	-13.32	-22.44	-17.78
θ (105°)	-13.92	-20.13	-10.32	-7.61	-7.55	-7.61	-10.19	-15.82	-13.81	-16.72	-15.22	-9.28	-13.84	-12.37	-10.05	-16.11	-21.7	-21.13	-20.5	-16.54	-12.49	-12.67	-13.6	-12.99	-13.92
θ (120°)	-10.18	-12.28	-17.16	-10.09	-6.79	-7.72	-14.33	-14.84	-23.64	-21.98	-13.68	-6.38	-9.43	-7.96	-7.7	-8.34	-7.45	-6.33	-5.94	-9.31	-15.19	-14.5	-11.31	-14.98	-10.18
θ (135°)	-11.57	-8.49	-7.81	-12.78	-20.12	-24	-9.8	-8.11	-8.87	-8.24	-5.46	-9.22	-19.93	-8.43	-7.7	-6.04	-2.93	-2.25	-3.36	-6.07	-7.86	-5.87	-6.01	-8.09	-11.57
θ (150°)	-15.77	-19.26	-9.36	-4.81	-2.54	-1.79	-1.82	-2.3	-3.22	-4.08	-4.97	-7.75	-14.17	-15.21	-11.28	-9.47	-7.46	-6.09	-5.77	-5.96	-6.62	-8.66	-10.05	-11.12	-15.77
θ (165°)	-15.49	-8.2	-4.4	-2.23	-1.32	-1.19	-1.69	-2.93	-5.13	-8.59	-13.44	-21.46	-26.33	-20.87	-16.09	-12.3	-8.83	-6.69	-7.06	-8.69	-9.37	-9.29	-11.2	-15.12	-15.49
θ (180°)	-38.88	-22.45	-14.7	-11.01	-8.91	-7.56	-7.22	-7.84	-9.27	-11.69	-14.86	-19.7	-26.61	-22.78	-18.07	-15.68	-14	-12.71	-11.86	-10.86	-10.22	-11.05	-13.08	-17.05	-38.88
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	2.28	2.2	1.43	0.03	-2.33	-6.61	-16.97	-13.47	-5.25	-1.4	0.75	1.93	2.47	2.31	1.64	0.22	-2.27	-6.76	-18.57	-12.96	-5.25	-1.62	0.51	1.7	2.28
θ (15°)	-0.66	-1.55	-3.48	-6.45	-10.1	-14.52	-16.12	-10.01	-5.68	-2.6	-0.38	1.03	1.68	1.64	1.04	-0.27	-2.75	-7.43	-19.99	-13.57	-6.57	-3.21	-1.48	-0.87	-0.66
θ (30°)	-2.6	-3.32	-4.73	-7.41	-12.01	-23.83	-19.54	-11.16	-7.34	-5.01	-3.94	-3	-2.16	-1.81	-1.79	-2.17	-4.06	-8.94	-23.87	-14.59	-8.12	-5.42	-3.25	-2.38	-2.6
θ (45°)	2.56	2.37	2.11	0.67	-2.23	-8.15	-11.38	-7.07	-2.96	-1.33	-0.64	0.03	0.31	-1.05	-3.18	-5.77	-8.15	-11.25	-21.42	-12.72	-4.58	-0.49	1.34	2.07	2.56
θ (60°)	1.86	1.66	1.6	1.02	0	-3.71	-18.08	-13.37	-5.3	-2.23	-0.05	1.3	2.73	1.9	-0.82	-4.03	-6.79	-9.33	-23.23	-10.91	-2.53	0.78	1.59	1.84	1.86
θ (75°)	1.27	-1.49	-4.95	-5.57	-5.72	-9.36	-15.96	-8.86	-5.92	-3.59	-0.58	2.41	[3.45]	1.94	-0.08	-2.73	-5.74	-9.96	-28.83	-5.87	-0.59	0.79	1.02	1.39	1.27
θ (90°)	0.69	-0.8	-1.66	-2.64	-4.99	-10.51	-31.3	-9.09	-4.23	-1.78	-0.01	1.75	2.58	1.92	0.64	-2.06	-5.15	-10.63	-23.13	-5.62	-1.24	0.62	1.53	1.83	0.69
θ (105°)	0.92	1.81	1.62	-0.22	-6.17	-11.79	-24.89	-11.08	-4.65	-0.97	0.32	0.65	0.58	0.08	-2.25	-6.37	-9.09	-13.82	-18.15	-8.93	-3.84	-0.62	1.23	1.46	0.92
θ (120°)	-1.25	-1.69	-2.16	-5.02	-9.51	-11.24	-14.36	-29.4	-8.77	-6.12	-5.39	-4.78	-3.88	-5.03	-6.84	-9.03	-11.26	-14.23	-25.79	-17.72	-8.38	-4.12	-3.58	-2.64	-1.25
θ (135°)	-4.64	-2.73	-4.41	-10.06	-28.9	-12.49	-7.26	-6.38	-8.73	-8.09	-3.65	-2.19	-3.76	-4.59	-5.56	-9.53	-14.94	-13.38	-24.89	-19.4	-17.59	-15.31	-9.46	-6.76	-4.64
θ (150°)	-6.94	-6.65	-7.29	-8.93	-11.05	-12.39	-10.92	-9.5	-6.26	-2.26	-0.53	-0.11	-0.32	-0.94	-2.3	-6.3	-14.91	-21.95	-16.97	-15.2	-14.69	-11.73	-9.14	-7.38	-6.94
θ (165°)	-2.32	-2.41	-3.75	-6.85	-12.19	-20.22	-14.05	-7.62	-4.69	-3.42	-3.34	-3.87	-5.17	-7.25	-9.31	-10.97	-13.17	-20.28	-23.22	-14.18	-10.92	-7.68	-4.82	-3.59	-2.32
θ (180°)	-9.64	-9.35	-9.77	-10.77	-12.77	-17.68	-34.26	-19.14	-12.41	-9.14	-7.88	-7.85	-8.38	-9.26	-10.58	-11.85	-13.85	-18.39	-25.97	-30.67	-18.95	-13.75	-11.18	-9.8	-9.64

Ant.	No.5																								
Freq. (MHz)	5700																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-25.25	-10.2	-3.09	0.5	2.55	3.76	[4.25]	4.18	3.45	1.85	-0.81	-5.46	-17.86	-10.22	-3.19	0.43	2.46	3.63	4.04	3.76	2.88	1.28	-1.37	-6.27	-25.25
θ (15°)	-9.18	-5.58	-2.79	-0.82	0.61	1.64	2.21	2.25	1.87	0.97	-0.9	-4.59	-9.77	-6.6	-1.79	0.88	2.45	3.13	2.86	1.86	0.2	-2.05	-5.23	-8.3	-9.18
θ (30°)	-11.83	-6.47	-3.03	-1.85	-1.46	-1.72	-2.06	-1.58	-0.52	-0.3	-1.01	-4.4	-12.6	-10.76	-4.79	-1.97	-0.4	0.29	-0.01	-0.95	-1.84	-3.03	-6.29	-13.29	-11.83
θ (45°)	-15.75	-7.97	-5.58	-4.58	-4.44	-4.47	-5.1	-4.31	-3.24	-2.31	-2.66	-7.94	-19.55	-6.76	-4.88	-3.72	-2.24	-0.79	-1.47	-2.86	-2.94	-3.1	-5.58	-11.41	-15.75
θ (60°)	-23.11	-15.41	-12.23	-10.56	-7.83	-6.53	-6.48	-8.05	-11.1	-16.51	-11.89	-8.4	-17.41	-7.92	-8.14	-10.42	-9.56	-6.45	-4.35	-4.33	-6.62	-7.82	-6.83	-8.98	-23.11
θ (75°)	-23.25	-17.77	-16.43	-15.36	-28.45	-17.8	-18.74	-10.12	-10.44	-10.79	-15	-13.82	-11.98	-9.14	-11.32	-11.33	-15.15	-12.23	-7.56	-6.84	-9.47	-12.55	-13.05	-15.25	-23.25
θ (90°)	-15.31	-12.44	-11.48	-10.5	-11.24	-9.59	-7.81	-8.88	-11.39	-20.56	-13.25	-9.28	-9.66	-10.75	-11.48	-22.73	-16.29	-24.25	-11.25	-14.27	-30.3	-26.19	-18.26	-13.3	-15.31
θ (105°)	-21.87	-23.86	-11.47	-9.5	-10.34	-11.85	-16.3	-19.24	-11.41	-10.97	-24.75	-14.64	-16.65	-13.55	-12.09	-15.19	-20.41	-29.24	-19.77	-15.53	-13.21	-13.76	-16.11	-16.89	-21.87
θ (120°)	-10.88	-11.37	-10.87	-8.28	-7.46	-9.46	-17.54	-15.83	-14.29	-17.19	-29.55	-9.55	-12.28	-10.79	-10.44	-10.4	-9.2	-6.44	-5.51	-10.31	-15.59	-12.99	-18.39	-17.11	-10.88
θ (135°)	-10.98	-12.96	-12.82	-16.98	-14.27	-14.98	-13.93	-12.71	-14.01	-10.52	-6.62	-10.12	-13.17	-8.44	-8.05	-7.11	-3.73	-3.48	-4.86	-7	-8.51	-7.59	-8.64	-11.12	-10.98
θ (150°)	-15.81	-29.45	-10.45	-4.44	-2.03	-1.94	-3.18	-4.29	-4.82	-4.7	-5.72	-9.41	-13.46	-10.82	-9.8	-11.13	-10.06	-8.08	-6.87	-6.35	-6.52	-9.07	-11.2	-13.08	-15.81
θ (165°)	-14.04	-6.78	-3.02	-1.11	-0.25	-0.39	-1.16	-2.32	-4.56	-7.96	-12.36	-20.17	-20.94	-17.38	-14.08	-10.06	-6.81	-5.38	-6.22	-7.52	-7.59	-7.21	-9.04	-13.21	-14.04
θ (180°)	-23.84	-16.6	-11.48	-8.46	-6.93	-6.07	-5.84	-6.44	-7.87	-10.74	-14.88	-21.54	-20.85	-15.67	-12.43	-10.2	-8.49	-7.91	-7.55	-7.6	-8.17	-9.79	-12.23	-16.58	-23.84
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	3.95	3.75	2.96	1.35	-1.43	-6.55	-23.96	-8.26	-1.85	1.31	3.14	4.06	[4.36]	4.08	3.18	1.5	-1.16	-6.52	-26.72	-8.35	-2.39	0.63	2.46	3.45	3.95
θ (15°)	-0.96	-1.54	-2.64	-4.01	-6.01	-10.3	-17.15	-9.42	-3.77	-0.31	1.92	3.14	3.48	3.13	1.97	-0.07	-3.49	-9.95	-23.69	-10.08	-5.45	-3.06	-1.77	-1.41	-0.96
θ (30°)	-1.09	-1.96	-3.62	-7.05	-12.53	-29.54	-16.26	-11.16	-7.47	-4.42	-2.11	-1.02	-0.9	-0.76	-0.89	-1.95	-4.57	-10.07	-20.97	-12.92	-9.08	-6	-3.66	-1.94	-1.09
θ (45°)	2.02	2.3	2.07	0.13	-4.25	-14.07	-10.89	-6.71	-4.25	-2.15	-0.95	-0.84	-1.31	-2.07	-2.68	-3.75	-6.73	-13.09	-15.28	-10.77	-5.27	-1.16	0.7	1.48	2.02
θ (60°)	2.21	2.42	2.63	1.08	-1.32	-4.79	-14.48	-12.24	-3.75	-0.4	1.21	2.59	2.95	1.1	-1.12	-3.24	-6.71	-10.14	-17.07	-13.09	-2.84	0.65	1.55	1.51	2.21
θ (75°)	1.31	-0.57	-3.89	-5.01	-4.48	-5.19	-11.14	-10.7	-2.9	0.03	1.92	2.92	3.21	1.82	-0.12	-2.07	-4.6	-11.05	-23.94	-4.25	-0.33	0.25	0.49	0.88	1.31
θ (90°)	1.37	-0.58	-4.35	-6.35	-7.63	-9.7	-22.08	-6.63	-3.7	-1.38	0.89	2.41	2.89	2.11	0.14	-1.91	-2.86	-7.88	-16.55	-4.05	-0.98	-0.1	1.07	1.75	1.37
θ (105°)	0.46	0.53	0.5	-1.11	-4.26	-7.31	-19.56	-7.22	-3.3	-1.39	-0.35	1.07	1.25	1.95	-0.6	-5.87	-9.61	-13.48	-16.83	-9.21	-3.62	-0.76	0.39	0.75	0.46
θ (120°)	0.07	-0.39	-1.06	-3.59	-7.63	-14.7	-14.49	-12.79	-10.26	-7.6	-4.2	-3.79	-3.69	-3.66	-5.43	-8.45	-12.81	-15.69	-19.15	-19.21	-9.31	-4.58	-3.81	-2.64	0.07
θ (135°)	-3.86	-2.18	-3.52	-8.5	-14.62	-9.74	-9.15	-12.38	-14.31	-9.4	-3.64	-2.33	-5.01	-6.93	-8.5	-12.52	-16.12	-14.32	-23.49	-27.05	-18.88	-13.26	-8.37	-6.69	-3.86
θ (150°)	-6.95	-6.4	-7.1	-9.21	-12.52	-9.93	-7.4	-7.92	-7.77	-3.29	-0.98	-0.33	-0.01	-0.3	-1.87	-6.11	-14.47	-21.12	-17.5	-18.39	-21.94	-14.06	-9.17	-7.15	-6.95
θ (165°)	-1.67	-1.81	-3.12	-5.9	-11.3	-22.61	-13.17	-6.89	-3.66	-2.13	-1.71	-2.26	-3.72	-5.71	-7.64	-9.93	-13.61	-23.13	-19.37	-14.55	-11.05	-6.52	-3.52	-2.31	-1.67
θ (180°)	-7.76	-8.13	-8.79	-10.34	-13.11	-19.05	-31.21	-15.93	-10.6	-7.58	-6.28	-6.31	-6.64	-7.76	-9.35	-10.85	-12.3	-16.66	-21.52	-18.55	-14.03	-10.84	-8.73	-7.62	-7.76

Ant.	No.5																								
Freq. (MHz)	5900																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-24.63	-12.22	-4.26	-0.39	1.76	2.97	[3.45]	3.31	2.41	0.93	-1.54	-5.8	-16.04	-11.96	-4.35	-0.8	1.33	2.67	3.16	2.99	2.2	0.61	-2.16	-7.08	-24.63
θ (15°)	-11.42	-11.57	-7.21	-3.91	-1.43	0.65	1.82	2.29	2.03	0.74	-2.12	-6.93	-9.62	-5.43	-2.14	-0.44	0.38	0.69	0.48	-0.16	-1.09	-2.24	-4.23	-6.61	-11.42
θ (30°)	-13.7	-8.41	-4.38	-2.06	-0.71	-0.52	-0.66	-0.92	-1.17	-1.53	-2.72	-5.87	-12.72	-8.48	-3.69	-1.7	-0.82	-1.08	-2.01	-2.49	-2.99	-3.88	-5.98	-12.17	-13.7
θ (45°)	-17.19	-11.3	-7.46	-4.72	-4.48	-6.29	-6.7	-5.12	-2.56	-1.69	-2.89	-7.84	-20.53	-8.86	-6.72	-5.22	-3.56	-3.69	-5.48	-5.54	-3.5	-3.32	-6.06	-12.22	-17.19
θ (60°)	-21.53	-18.49	-11.72	-6.44	-3.79	-2.04	-2.5	-5.92	-11.15	-10.96	-6.45	-6.2	-20.49	-6.88	-7.63	-11.27	-8.33	-5.27	-4.09	-4.75	-5.9	-5.87	-7.96	-10.32	-21.53
θ (75°)	-17.88	-14.1	-10.16	-9.31	-13.99	-11.2	-11.37	-8.06	-10.67	-12.66	-15.52	-11.91	-14.57	-9.11	-9.81	-10.86	-13.98	-8.51	-6.57	-6.33	-8.89	-13.68	-13.97	-12.8	-17.88
θ (90°)	-9.9	-9.96	-9.51	-9.92	-13.58	-13.52	-8.39	-8.85	-12.54	-27.02	-10.78	-10.97	-14.03	-12.91	-9.88	-14.86	-23.42	-25.03	-13.48	-17.35	-24.03	-23.1	-18.57	-10.24	-9.9
θ (105°)	-20.53	-14.37	-8.64	-5.63	-10.19	-27.94	-16.83	-13.12	-11.62	-8.4	-15.73	-18.94	-13	-15.04	-14.94	-11.34	-16.25	-22.82	-22.35	-18.32	-11.06	-13.12	-14.4	-11.82	-20.53
θ (120°)	-10.1	-9.52	-10.2	-12.28	-13.38	-10.47	-11.87	-13.53	-14.29	-15.13	-15.08	-15.34	-14.34	-11.53	-11.21	-13.41	-14.67	-10.06	-9.48	-15.83	-11.71	-10.8	-23.15	-16.88	-10.1
θ (135°)	-9.02	-14.89	-20.26	-19.37	-16.5	-13.4	-9.64	-9.65	-9.76	-7.91	-5.42	-8.73	-11.61	-8.18	-5.9	-6.94	-5.98	-5.97	-6.24	-7.68	-8.78	-9.24	-11.07	-13.01	-9.02
θ (150°)	-9.75	-13.11	-16.3	-4.79	-1.82	-1.7	-3.76	-6.17	-6.99	-6.08	-6.77	-9.16	-10.46	-10.26	-12.16	-20.77	-17.46	-13.08	-10.37	-9.16	-8.53	-11.77	-13.63	-14.25	-9.75
θ (165°)	-14.41	-6.69	-3.12	-0.98	0.15	0.02	-0.75	-2.14	-4.75	-8.65	-14.53	-20.45	-16.31	-15.28	-13.41	-9.72	-6.5	-5.41	-6.39	-7.21	-6.72	-6.34	-8.26	-12.37	-14.41
θ (180°)	-20.03	-13.59	-9.39	-6.66	-5.28	-4.71	-4.36	-4.45	-5.38	-8.26	-14.23	-35.1	-17.76	-11.69	-8.61	-6.72	-4.99	-4.29	-4.15	-4.62	-5.8	-7.86	-11.34	-18.23	-20.03
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	3.13	3.08	2.38	0.89	-1.67	-6.4	-19.05	-10.09	-3.23	0.08	2.05	3.06	3.4	3.24	2.19	0.49	-2.19	-7.18	-25.75	-9.42	-3.24	-0.16	1.63	2.55	3.13
θ (15°)	0.81	0.89	0.4	-0.52	-2.44	-6.11	-15.32	-13.52	-4.2	0.14	2.15	2.92	2.84	1.96	0.25	-2.3	-6.28	-13.31	-26.07	-12.38	-7.3	-4.12	-1.55	-0.35	0.81
θ (30°)	-0.41	-1.46	-4.01	-7.51	-10.16	-10.33	-9.93	-12.77	-9.32	-5.15	-1.98	-0.04	0.92	0.63	-0.8	-3.6	-7.79	-15.88	-29.06	-15.74	-10.25	-5.29	-2.04	-0.44	-0.41
θ (45°)	0.59	1.33	1.5	0.09	-4.5	-17.44	-12.44	-8.83	-5.55	-2.59	-1.15	-1.37	-2.12	-2.72	-3.39	-4.26	-7.64	-18.32	-14.9	-8.6	-4.49	-1.24	0.85	1.09	0.59
θ (60°)	1.55	2.76	2.87	1.12	-1.65	-4.72	-12.56	-9.03	-2.86	0.41	2.13	2.68	1.82	0.72	0.08	-1.21	-5.65	-12.82	-16.35	-11.73	-3.99	-0.13	1.55	1.21	1.55
θ (75°)	2.35	1.65	-0.41	-3.54	-5.34	-6.05	-11.35	-8.33	-0.08	1.88	1.78	2.32	1.87	1.65	0.63	-2.05	-6.42	-15.46	-19.12	-6.15	-1.8	-0.82	-0.81	-0.5	2.35
θ (90°)	0.68	-1.24	-9.16	-16.25	-12.28	-12.76	-12.91	-5.18	-3.91	-0.96	1.62	[3.50]	3.21	2.01	0.82	-0.94	-2.32	-8.91	-12.48	-4.89	-2.91	-2.23	-1.27	0.88	0.68
θ (105°)	-0.43	-0.93	-1.76	-3.91	-4.93	-5.76	-12.83	-5.46	-1.61	-1.23	-0.81	1.46	2.4	2.49	-0.38	-5.21	-9.15	-15.48	-13.19	-8.66	-3.92	-0.86	0.07	0.54	-0.43
θ (120°)	0.03	-0.59	-2.22	-4.28	-6.32	-11.93	-16.85	-11.71	-11.55	-11.45	-6.71	-5.19	-2.52	-2.3	-4.75	-9.67	-20.53	-24.37	-19.57	-17.68	-11.03	-5.35	-3.69	-2.52	0.03
θ (135°)	-3.3	-2.79	-4.21	-8.06	-9.84	-7.95	-11.71	-13.18	-9.13	-6.11	-3.33	-3.12	-6.64	-9.57	-13.15	-18.41	-23.56	-14.41	-20.68	-22.58	-20.86	-15.44	-9.04	-6.83	-3.3
θ (150°)	-5.88	-5.58	-6.64	-9.21	-17.58	-10.8	-6.92	-7.12	-8.67	-5.21	-2.78	-2.3	-2.03	-2.16	-3.87	-8.87	-20.24	-21.03	-18.3	-19.59	-30.71	-12.65	-8.54	-7.21	-5.88
θ (165°)	-1.77	-2.23	-3.36	-6.05	-11.92	-29.53	-11.67	-5.53	-2.32	-1	-1.06	-1.65	-3.38	-5.66	-8.16	-10.57	-14.69	-21.18	-19.86	-16.5	-10.52	-5.55	-2.7	-1.78	-1.77
θ (180°)	-5.84	-6.36	-7.76	-9.75	-13.51	-19.67	-21.17	-13.03	-8.7	-6.1	-4.81	-4.7	-5.45	-6.39	-7.54	-9.31	-11.13	-16.5	-20.88	-14.96	-10.5	-7.61	-5.63	-4.94	-5.84

Directional Gain@1SS:

1SS																											
Freq. (MHz)	2400																										
Polarity	Theta																										
		φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	
dB	φ (0°)	(15°)	(30°)	(45°)	(60°)	(75°)	(90°)	(105°)	(120°)	(135°)	(150°)	(165°)	(180°)	(195°)	(210°)	(225°)	(240°)	(255°)	(270°)	(285°)	(300°)	(315°)	(330°)	(345°)	(360°)		
θ (0°)	-12.74	-12.8	-13.51	-14.01	-13.51	-12.6	-12.05	-11.94	-12.28	-12.68	-12.88	-12.99	-13.23	-13.68	-14.2	-13.83	-13.09	-12.5	-11.88	-11.64	-12.31	-13.02	-13.33	-13.14	-12.74		
θ (15°)	-4.48	-4.48	-4.65	-4.91	-5.39	-6.39	-7.13	-8.03	-9.02	-9.65	-9.37	-8.64	-7.79	-6.93	-6.09	-5.51	-5.16	-5.15	-4.97	-4.88	-4.85	-4.8	-4.7	-4.57	-4.48		
θ (30°)	-0.7	-0.46	-0.25	-0.15	-0.17	-0.31	-0.55	-0.85	-0.92	-0.52	0.04	0.28	0	-0.67	-1.5	-2.16	-2.28	-1.82	-1.16	-0.71	-0.67	-0.89	-1.04	-0.96	-0.7		
θ (45°)	0.16	0.29	0.14	-0.13	-0.46	-0.65	-0.26	0.86	2.07	2.86	3.14	3.08	2.7	2.06	1.41	0.91	0.58	0.33	-0.01	-0.38	-0.63	-0.76	-0.68	-0.36	0.16		
θ (60°)	0.69	0.77	0.94	1.19	1.43	1.48	1.59	2.15	3.35	4.77	5.75	[5.81]	5.1	3.94	2.61	1.72	2.03	2.89	3.34	3.19	2.5	1.76	1.28	0.89	0.69		
θ (75°)	1.28	1.39	1.62	2.14	2.75	3.35	3.8	3.9	4.18	4.58	4.93	5.02	4.64	4.05	3.42	2.69	2.35	2.69	2.64	1.71	0.83	0.79	0.73	0.84	1.28		
θ (90°)	1.19	0.75	0.96	1.02	0.63	0.99	1.96	2.61	2.91	3.23	2.93	2.6	2.67	2.54	2.5	2.54	2.51	3.18	3.9	4.18	3.91	3.42	3.21	2.53	1.19		
θ (105°)	-2.03	-0.73	-0.31	-0.98	-1.35	0.02	1.25	2.32	3.5	4.5	4.29	2.67	1.69	2.6	3.16	2.67	2.82	3.43	3.25	2.27	1.4	1.38	0.01	-1.79	-2.03		
θ (120°)	-6.24	-5.88	-3.64	-2.26	-1.15	-0.06	0.6	0.69	0.52	1.32	2.53	2.9	1.97	0.54	0.64	1.76	2.09	1.53	0.8	0.42	0.1	-0.4	-1.26	-3.09	-6.24		
θ (135°)	-6.68	-4.69	-2.08	-0.46	0.27	0.67	0.65	0.07	-1.27	-2.93	-3.14	-2.89	-1.76	-0.44	0.31	0.69	0.92	0.95	0.56	-0.48	-2.31	-3.55	-4.48	-5.89	-6.68		
θ (150°)	-7.58	-8.43	-8.71	-7.57	-5.64	-3.7	-2.15	-1.17	-0.86	-1.09	-1.58	-2.04	-2.63	-3.49	-4.22	-3.98	-3.52	-3.36	-3.5	-3.93	-4.48	-5.4	-5.66	-6.21	-7.58		
θ (165°)	-7.72	-7.16	-6.84	-6.26	-5.51	-5.05	-5.39	-6.29	-7.49	-8.46	-8.91	-8.89	-8.76	-8.77	-9.05	-9.42	-9.58	-9.16	-9.26	-9.29	-9.4	-9.9	-9.94	-9.22	-7.72		
θ (180°)	-15.03	-16.88	-16.54	-14.49	-12	-9.93	-8.56	-7.89	-7.75	-8.34	-9.63	-11.76	-15.08	-18.33	-17.43	-14.27	-11.6	-9.85	-8.77	-8.2	-8.15	-8.73	-9.94	-11.9	-15.03		
Polarity	Phi																										
		φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	φ	
dB	φ (0°)	(15°)	(30°)	(45°)	(60°)	(75°)	(90°)	(105°)	(120°)	(135°)	(150°)	(165°)	(180°)	(195°)	(210°)	(225°)	(240°)	(255°)	(270°)	(285°)	(300°)	(315°)	(330°)	(345°)	(360°)		
θ (0°)	-14.87	-15.62	-16.62	-18.21	-17.32	-15.08	-13.7	-13.39	-13.68	-13.11	-12.45	-12.26	-12.4	-12.58	-12.84	-13.08	-13.32	-13.07	-11.96	-10.92	-10.61	-11.12	-12.08	-13.2	-14.87		
θ (15°)	-11.62	-11.29	-11.26	-12.05	-13.58	-14.74	-15	-14.71	-14.4	-13.75	-13.63	-14.2	-14.79	-15.41	-16.37	-18.56	-18.78	-16.89	-14.35	-12.59	-11.81	-11.73	-11.96	-11.9	-11.62		
θ (30°)	-9.05	-7.76	-6.72	-6.59	-7.67	-10.37	-11.6	-11	-11.39	-10.12	-10.17	-11.7	-13.23	-12.86	-11.51	-10.8	-11.25	-12.85	-15.69	-16.55	-13.36	-12.06	-11.54	-10.94	-9.05		
θ (45°)	-12.39	-10.08	-8.73	-8.84	-9.93	-11.63	-12.61	-11.6	-9.74	-9.43	-10.61	-13.46	-14	-11.69	-10.51	-11.25	-13.82	-14.85	-13.45	-11.23	-9.85	-9.63	-10.35	-11.46	-12.39		
θ (60°)	-9.79	-9.79	-7.91	-5.89	-5.87	-8.35	-13.35	-11.25	-8.39	-8.46	-11.52	-13.96	-11.46	-10.77	-10.27	-9.8	-10.34	-13.22	-13.03	-8.94	-7.51	-8.25	-9.64	-9.87	-9.79		
θ (75°)	-12.85	-13.87	-11.55	-9.48	-9.72	-12.68	-12.04	-8.83	-8.73	-12.44	-18.8	-15.74	-13.07	-11.9	-11.2	-10.45	-11.8	-15.35	-13.24	-10.33	-9.47	-7.88	-7.5	-8.41	-12.85		
θ (90°)	-14.39	-13.49	-7.21	-4.55	-4.46	-6.45	-9.75	-9.04	-5.95	-5.3	-7.16	-11.78	-11.61	-9.86	-9.17	-8.1	-8.96	-12.23	-14.23	-9.26	-6.81	-6.65	-7.34	-9.54	-14.39		
θ (105°)	-14.48	-17.6	-10.14	-7.74	-8.43	-14.12	-15.3	-12.44	-11.17	-10.64	-8.2	-6.35	-7.49	-7.41	-7.1	-10.23	-16.71	-15.38	-9.99	-7.87	-7.71	-8.82	-9.25	-9.79	-14.48		
θ (120°)	-11.1	-14.87	-13.75	-12.09	-14.24	-21.51	-18.54	-12.67	-11.71	-13.67	-15.57	-9.47	-6.57	-5.03	-4.73	-5.84	-8.63	-13.57	-19.53	-13.04	-8.58	-6.76	-6.14	-6.84	-11.1		
θ (135°)	-6.36	-6.89	-8.21	-9.17	-9.38	-9.45	-9.57	-8.85	-6.77	-6.44	-7.84	-9.86	-7.08	-5.79	-7.02	-8.45	-9.05	-10.89	-10.15	-7.13	-4.87	-4.2	-4.97	-5.81	-6.36		
θ (150°)	-10.5	-9.61	-7.2	-6.18	-6.88	-9.57	-14.81	-17.5	-13.79	-12.74	-12.09	-10.23	-7.19	-5.04	-3.96	[-3.85]	-4.93	-7.54	-10.65	-9.54	-7.34	-6.62	-7.85	-9.47	-10.5		
θ (165°)	-11.34	-8.87	-7.71	-7.79	-9.24	-12.09	-15.65	-17.69	-13.36	-10.7	-9.45	-9	-8.68	-7.87	-7.41	-7.71	-8.7	-10.21	-11.69	-13.11	-14.51	-15.76	-15.97	-14.87	-11.34		
θ (180°)	-9.89	-9.35	-9.03	-9.16	-9.7	-10.83	-13.07	-15.99	-17.86	-15.45	-11.81	-9.68	-8.29	-7.57	-7.34	-7.85	-9.28	-11.71	-15.36	-19.12	-20.14	-18.01	-14.48	-11.87	-9.89		

1SS																									
Freq (MHz)	2450																								
Polarity	Theta																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	-16.85	-17.31	-16.65	-14.74	-12.82	-11.55	-10.88	-10.66	-10.85	-11.72	-13.38	-15.97	-16.94	-15.93	-14.56	-13.07	-11.65	-10.57	-10.04	-10.21	-11.05	-12.22	-13.64	-15.12	-16.85
θ (15°)	-6.46	-6.89	-7.17	-7.14	-6.97	-7.22	-7.28	-7.67	-8.4	-9.15	-8.8	-7.35	-6.02	-5.1	-4.5	-4.16	-4.01	-4.24	-4.56	-5.01	-5.41	-5.69	-5.78	-5.91	-6.46
θ (30°)	-0.42	-0.41	-0.36	-0.09	0.25	0.43	0.23	-0.44	-1.24	-1.35	-0.62	0.14	0.48	0.36	0	-0.4	-0.68	-0.85	-0.9	-0.96	-1.06	-1	-0.79	-0.52	-0.42
θ (45°)	0.26	0.65	0.94	1.04	0.87	0.73	0.7	1.2	2.08	2.79	3.15	3.14	2.79	2.09	1.39	0.91	0.75	0.74	0.71	0.48	0.25	0.02	-0.15	-0.16	0.26
θ (60°)	0.67	0.81	1.1	1.37	1.51	1.5	1.58	2.09	3.05	4.22	5.29	[5.56]	5	3.96	2.69	1.63	1.7	2.52	2.99	2.77	2.01	1.47	1.26	0.87	0.67
θ (75°)	0.79	1.12	1.75	2.06	2.21	2.45	2.92	3.5	4.31	4.93	5.22	5.17	4.62	3.77	2.97	2.29	2.02	2.4	2.4	1.72	1.66	1.99	1.74	1.26	0.79
θ (90°)	0.82	1.04	1.74	1.59	0.56	-0.04	0.4	1.01	1.92	3.03	3.16	2.66	2.64	2.8	2.86	2.83	2.59	2.88	3.55	3.82	3.65	3.48	3.32	2.26	0.82
θ (105°)	-1.96	-0.53	0.22	-0.48	-1.89	-1.47	-0.64	0.4	2	3.63	3.9	2.45	1.45	2.81	3.64	2.99	2.46	3.03	2.84	1.81	1.39	1.73	0.25	-1.6	-1.96
θ (120°)	-5.78	-4.84	-2.55	-1.96	-2.2	-1.64	-0.77	-0.33	-0.39	0.49	2.06	2.7	1.88	0.46	0.65	1.85	2.25	1.78	1.18	0.96	0.8	0.41	-0.52	-2.53	-5.78
θ (135°)	-6.67	-4.79	-2.41	-1	-0.29	0.19	0.34	0.01	-0.94	-2.3	-2.6	-2.54	-1.83	-0.78	-0.19	0.05	0.3	0.5	0.17	-0.98	-2.71	-3.22	-4.31	-5.83	-6.67
θ (150°)	-7.18	-7.94	-8.3	-7.51	-5.66	-3.56	-1.83	-0.73	-0.28	-0.38	-0.79	-1.33	-2.12	-3.32	-4.89	-5.1	-4.32	-4.08	-4.11	-4.16	-4.08	-4.37	-4.93	-5.79	-7.18
θ (165°)	-7.54	-6.68	-5.99	-5.22	-4.68	-4.56	-5.1	-6.07	-7.31	-8.27	-8.84	-8.78	-8.47	-8.2	-8.36	-8.77	-9.14	-9.11	-9.6	-10.04	-10.27	-10.37	-9.79	-9.13	-7.54
θ (180°)	-13.88	-14.52	-12.97	-11.31	-9.69	-8.45	-7.41	-6.77	-6.43	-6.72	-7.69	-9.32	-11.84	-14.29	-13.72	-11.85	-10.03	-8.73	-7.98	-7.6	-7.64	-8.11	-9.17	-10.89	-13.88
Polarity	Phi																								
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)
θ (0°)	-9.97	-10.26	-10.88	-11.95	-13	-14.08	-15.31	-16.36	-16.07	-14.62	-13.15	-12.32	-12.16	-12.52	-13.31	-14.61	-16.29	-18.1	-19.73	-18.09	-14.88	-12.42	-10.88	-10.08	-9.97
θ (15°)	-10.83	-10.52	-11.04	-12.31	-14.55	-17.63	-21.04	-18.87	-16.02	-13.73	-12.54	-12.44	-13.18	-14.84	-17.32	-20.55	-19.72	-19.03	-16.34	-13.69	-12.23	-11.8	-11.77	-11.48	-10.83
θ (30°)	-8.35	-7.24	-6.42	-6.56	-8.05	-12.16	-14.31	-10.83	-9.45	-7.9	-7.51	-8.07	-8.97	-9.53	-9.61	-9.77	-11.05	-14.43	-23.75	-22.37	-14.76	-12.07	-10.86	-9.89	-8.35
θ (45°)	-8.28	-7.7	-7.06	-7.64	-9.64	-10.62	-9.59	-7.76	-5.97	-5.44	-6.13	-8.53	-13.22	-16.51	-12.87	-11.45	-11.97	-12.48	-12.04	-10.51	-8.78	-7.84	-7.72	-7.92	-8.28
θ (60°)	-8.76	-8.21	-6.55	-5.04	-5.32	-8.05	-13.29	-11.95	-8.09	-7.15	-8.46	-8.9	-7.96	-8.36	-8.89	-8.8	-9.81	-14.99	-15.96	-9.78	-8.24	-9.26	-10.26	-9.62	-8.76
θ (75°)	-11.41	-12.02	-10.14	-8.05	-8.1	-10.59	-13.96	-9.5	-8.37	-10.37	-13.18	-14.62	-13.31	-11.6	-9.89	-8.41	-9.6	-14.05	-12.87	-8.62	-7.41	-6.71	-7.09	-8.5	-11.41
θ (90°)	-13.64	-11.8	-6.62	-4.47	-4.54	-6.74	-10.54	-9.91	-5.93	-4.92	-6.11	-10.11	-14.31	-13.04	-9.93	-7.14	-7.19	-10.48	-13.41	-8.17	-5.29	-4.89	-5.86	-8.35	-13.64
θ (105°)	-12.57	-17.74	-11.44	-8.46	-9.2	-16.86	-15.1	-10.35	-9.32	-9.8	-8.21	-6.58	-7.75	-8.87	-8.64	-10.59	-13.14	-14.59	-11.84	-9.14	-7.61	-7.21	-7.3	-8.12	-12.57
θ (120°)	-10.83	-12.72	-11.88	-10.19	-11.9	-17.25	-19.09	-11.92	-11.58	-14.85	-15.36	-9.13	-7.3	-6.25	-5.96	-6.85	-8.97	-12.56	-17.56	-13.1	-8.6	-7.02	-6.73	-7.49	-10.83
θ (135°)	-8.79	-9.42	-10.84	-9.35	-8.04	-7.99	-8.45	-8.57	-7.29	-7.4	-8.79	-8.75	-6.07	-5.38	-6.49	-7.07	-8.29	-10.44	-10.51	-8.53	-6.83	-6.59	-7.78	-8.72	-8.79
θ (150°)	-11.38	-11.47	-8.22	-6.51	-6.7	-8.48	-11.29	-13.49	-14.35	-15.49	-14.04	-9.7	-6.5	-4.57	[-3.74]	-4	-5.6	-9.29	-11.46	-9.74	-7.34	-6.41	-7.53	-9.51	-11.38
θ (165°)	-10.73	-8.4	-7.19	-7.32	-8.9	-11.86	-15.59	-17.25	-14.41	-12.24	-11.08	-10.43	-9.51	-8.18	-7.41	-7.42	-8.24	-9.67	-11.31	-12.88	-14.31	-15.66	-15.85	-14.29	-10.73
θ (180°)	-7.54	-7.11	-7.02	-7.42	-8.27	-9.59	-11.26	-12.65	-13.21	-13.45	-11.82	-9.57	-8.05	-7.34	-7.2	-7.59	-8.44	-9.98	-12.68	-15.75	-13.96	-12.31	-10.52	-8.89	-7.54

1SS																									
Freq. (MHz)	2500																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-12.54	-10.81	-9.62	-8.76	-8.17	-7.97	-8.16	-8.93	-10.33	-12.84	-15.98	-15.28	-12.15	-9.62	-7.83	-6.75	-6.28	-6.34	-6.97	-8.07	-9.68	-12.08	-15.22	-15.21	-12.54
θ (15°)	-7.11	-6.27	-5.48	-5.05	-5.02	-5.59	-6.06	-6.8	-7.97	-9.58	-9.94	-7.77	-5.57	-3.99	-3.04	-2.61	-2.55	-2.89	-3.43	-4.18	-5.03	-6	-6.88	-7.28	-7.11
θ (30°)	-1.6	-1.4	-0.76	0.02	0.64	0.97	0.91	0.25	-1.02	-2.35	-2.41	-1.21	-0.13	0.43	0.6	0.52	0.35	0.18	-0.08	-0.39	-0.71	-1.05	-1.31	-1.5	-1.6
θ (45°)	0.7	1.17	1.76	2.15	2.12	1.89	1.52	1.35	1.58	1.98	2.32	2.52	2.49	2.08	1.51	1.03	0.68	0.52	0.56	0.63	0.71	0.71	0.57	0.49	0.7
θ (60°)	0.61	0.81	1.23	1.53	1.48	1.33	1.42	1.88	2.59	3.33	4.24	4.81	4.63	3.88	2.88	1.99	1.54	1.64	1.72	1.33	0.77	0.82	0.95	0.78	0.61
θ (75°)	1.06	1.42	1.94	1.82	1.27	0.95	1.28	2.23	3.63	4.64	[4.98]	4.96	4.51	3.54	2.53	1.99	1.84	1.99	1.82	1.28	1.78	2.3	2.14	1.69	1.06
θ (90°)	1.8	2.02	2.21	1.62	0	-1.79	-2.19	-1.43	0.43	2.46	3.06	2.54	2.4	2.6	2.71	2.76	2.56	2.58	2.89	2.97	2.74	2.98	3.05	2.28	1.8
θ (105°)	-1	-0.44	0.38	-0.13	-2.03	-3.04	-3.21	-2.43	0.01	2.43	3.16	1.99	0.79	2.22	3.52	3.28	2.38	2.4	2.14	1.14	1.47	2.06	0.8	-0.48	-1
θ (120°)	-5.65	-4.32	-1.98	-1.63	-2.89	-3.69	-3.28	-2.54	-2.03	-0.36	1.52	2.35	1.89	0.78	0.7	1.72	2.25	1.99	1.63	1.65	1.62	1.1	-0.18	-2.56	-5.65
θ (135°)	-6.7	-6.38	-4.87	-3.62	-2.99	-2.51	-1.88	-1.5	-1.57	-1.88	-1.66	-1.53	-1.25	-0.72	-0.38	-0.28	-0.25	-0.4	-1.04	-1.6	-1.45	-1.87	-3.39	-5.23	-6.7
θ (150°)	-6.2	-6.16	-6.22	-6.26	-5.88	-4.75	-3.15	-1.82	-1.12	-0.9	-1.04	-1.45	-2.29	-3.59	-5.09	-4.49	-3.55	-2.98	-2.67	-2.64	-2.74	-3.32	-4.4	-5.64	-6.2
θ (165°)	-6.92	-6.46	-6.37	-6.43	-6.33	-6.03	-6.28	-7	-8.04	-8.99	-9.74	-10.27	-10.23	-9.19	-8.66	-8.81	-9.45	-9.91	-10.37	-10.67	-10.81	-10.09	-9	-8.23	-6.92
θ (180°)	-10.21	-10.68	-9.42	-8.04	-6.87	-6.04	-5.58	-5.36	-5.33	-5.66	-6.37	-7.55	-9.15	-10.25	-9.61	-8.33	-7.05	-6.09	-5.54	-5.41	-5.78	-6.34	-7.22	-8.5	-10.21
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-5.61	-6.27	-7.57	-9.68	-13.05	-15.34	-12.4	-10.13	-8.53	-7.4	-6.62	-6.31	-6.6	-7.52	-9.29	-11.85	-15.3	-17.07	-14.98	-11.33	-8.32	-6.45	-5.46	-5.12	-5.61
θ (15°)	-6.52	-6.96	-8.09	-10.27	-14.42	-13.16	-11.42	-9.9	-8.36	-7.17	-6.46	-6.45	-7.06	-8.53	-10.97	-14.18	-15.83	-15.51	-13.31	-10.83	-9.01	-7.86	-7.06	-6.69	-6.52
θ (30°)	-6.88	-6.31	-6.34	-7.25	-9.49	-13.87	-12.21	-8.95	-6.79	-5.25	-4.79	-5.44	-7	-8.96	-10.57	-11.65	-12.55	-13.92	-15.62	-15.42	-11.77	-9.22	-8.28	-6.88	
θ (45°)	-8.89	-8.17	-7.27	-7.44	-9.48	-10.79	-8.28	-6.47	-4.72	-3.58	[-3.53]	-4.73	-7.22	-9.7	-11.01	-12.79	-11.11	-9.72	-9.67	-9.56	-8.05	-7.8	-8.37	-8.68	-8.89
θ (60°)	-10.35	-9.74	-7.6	-5.77	-5.85	-8.08	-12.77	-12.48	-8.05	-6.29	-6.3	-6.52	-6.02	-6.35	-7.53	-8.53	-10.03	-13.85	-14.5	-10.77	-9.66	-11	-11.99	-11.1	-10.35
θ (75°)	-12.24	-11.36	-8.79	-6.85	-6.67	-8.84	-15.61	-11.01	-7.91	-7.81	-8.81	-9.2	-9.5	-9.03	-8.38	-7.02	-8.02	-12.01	-12.34	-7.34	-6.48	-6.73	-7.99	-9.9	-12.24
θ (90°)	-11.64	-10.6	-6.31	-4.14	-3.95	-6.02	-9.88	-10	-5.77	-4.4	-4.97	-7.66	-12.04	-13.43	-8.72	-5.55	-5.71	-9.41	-12.82	-7.94	-4.59	-3.83	-4.6	-6.96	-11.64
θ (105°)	-10.69	-14.65	-11.44	-8.59	-9.46	-16.86	-13.67	-8.95	-7.92	-8.72	-8.43	-7.54	-8.72	-9.7	-8.61	-8.95	-10.78	-15.15	-13.64	-8.73	-6.34	-5.78	-6.26	-7.34	-10.69
θ (120°)	-7.25	-8.05	-8.67	-9.21	-11.2	-16.49	-20.22	-11.69	-11.25	-15.65	-15.05	-8.82	-7.9	-7.92	-7.68	-8.51	-10.05	-12.39	-16.26	-12.29	-8.06	-6.24	-5.6	-5.8	-7.25
θ (135°)	-7.87	-8.86	-10.81	-8.07	-6.53	-7.09	-8.24	-8.85	-8.11	-8.67	-10.16	-8.48	-5.95	-5.38	-5.21	-5.51	-7.19	-10.37	-12.35	-10.48	-8.38	-7.86	-8.2	-8.13	-7.87
θ (150°)	-10.19	-13.13	-9.99	-6.45	-5.18	-5.55	-7.36	-10.32	-13.79	-15.23	-12.27	-9.1	-6.82	-5.37	-4.75	-5	-6.64	-9.9	-9.46	-8.59	-6.13	-4.7	-4.95	-6.79	-10.19
θ (165°)	-12.07	-9.91	-8.73	-8.57	-9.71	-12	-14.79	-15.77	-14.03	-12.44	-11.68	-11.36	-10.92	-9.62	-8.2	-7.33	-7.39	-8.38	-10.31	-13.11	-15.97	-17.91	-17.06	-15.01	-12.07
θ (180°)	-5.66	-5.48	-5.52	-6.01	-6.89	-8.15	-9.31	-9.67	-9.13	-8.46	-7.71	-6.67	-5.72	-5.1	-5.04	-5.45	-6.29	-7.38	-8.86	-11.07	-10.94	-8.99	-7.53	-6.47	-5.66

1SS																											
Freq. (MHz)	5100																										
Polarity	Theta																										
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)		
θ (0°)	-3.14	-2.24	-1.4	-0.95	-1.12	-1.76	-2.49	-2.16	-1.55	-1.49	-1.99	-3.09	-3.88	-2.36	-1.51	-1.46	-1.87	-2.57	-2.51	-1.81	-1.59	-1.57	-2.07	-3.06	-3.14		
θ (15°)	-5.32	-3.53	-2.06	-1.02	-0.78	-1.21	-2.23	-3.17	-4.36	-4.8	-5.41	-6.73	-7.98	-6.51	-5.63	-3.68	-1.73	-0.73	-0.36	-0.5	-0.71	-1.18	-2.29	-3.66	-5.32		
θ (30°)	-0.12	1.4	2.7	2.95	2.4	1.21	0.89	1.14	0.95	0.86	0.35	-0.73	-2.76	-1.17	-0.11	0.95	2.09	2.29	1.86	1.26	1.77	1.94	1.56	0.62	-0.12		
θ (45°)	-1.97	-1.75	-0.53	1.14	2.01	1.33	0.81	1.83	2.4	0.77	-1.76	-2.69	-2.77	-2.42	-1.59	-0.36	0.12	0.22	-0.25	0.43	1.36	0.36	-1.4	-1.83	-1.97		
θ (60°)	-0.78	-1.36	-1.06	0.97	2.46	2.48	2.47	2.99	3.71	1.6	-1.44	-2.37	-2.12	-2.1	-1.05	0.86	2.18	2.68	1.55	1.95	2.9	1.61	0.07	-0.27	-0.78		
θ (75°)	1.76	1.86	1.02	1.05	3.22	3.89	3.11	3.12	3.19	0.7	0.32	-0.56	0.09	0.64	0.23	0.22	2.1	2.98	1.33	1.27	1.05	0.12	0.68	0.95	1.76		
θ (90°)	3.39	2.74	2.7	1.58	3.84	3	3.63	1.84	1.53	1.2	-0.55	0.85	2.48	2.55	1.96	0.82	1.92	[3.99]	2.02	1.73	1.79	0.04	0.77	2.74	3.39		
θ (105°)	1.42	-0.31	-1.06	-0.46	3.28	2.84	2.91	1.98	1.82	-0.19	1.34	2.02	3.77	3.21	0.79	-0.04	1.45	1.9	-1.45	0.17	0.69	-0.72	2.18	3.27	1.42		
θ (120°)	-4.64	-4.28	-2.42	-3.83	-0.99	0.03	2.04	0.89	-1.85	-5.92	-2.33	1.06	1.02	2.32	1.04	-0.87	1.64	1.88	-0.64	-0.06	0.11	-2.54	0.2	-0.5	-4.64		
θ (135°)	-6.03	-2.21	-0.15	-1.39	-2.8	-0.28	1.42	0.62	-0.33	-1.68	-2.06	-1.44	-0.61	-1.16	-1.96	1.07	2.8	2.65	2.05	1.58	-0.81	-4.43	-6.33	-3.66	-6.03		
θ (150°)	-3.95	-2.58	-0.12	1.76	2.32	1.67	1.43	1.14	-0.9	-3.73	-6.73	-8.93	-7.65	-7.61	-1.91	0.66	1.32	0.88	0.78	1.99	1.86	-0.77	-3.83	-4.24	-3.95		
θ (165°)	-3.33	-2.94	-1.6	-1.03	-1.1	-1.13	-1.34	-2.03	-3.25	-4.65	-6.14	-7.21	-7.33	-6.17	-4.23	-2.72	-2.17	-2.26	-2.97	-3.78	-4.33	-4.12	-3.69	-3.58	-3.33		
θ (180°)	-10.72	-8.36	-5.9	-4.23	-3.06	-2.75	-3.25	-4.73	-7.23	-9.5	-10.81	-11.57	-11.89	-9.27	-7.4	-5.86	-4.85	-4.4	-4.76	-5.36	-6.19	-7.73	-9.12	-10.36	-10.72		
Polarity	Phi																										
dB	ϕ (0°)	ϕ (15°)	ϕ (30°)	ϕ (45°)	ϕ (60°)	ϕ (75°)	ϕ (90°)	ϕ (105°)	ϕ (120°)	ϕ (135°)	ϕ (150°)	ϕ (165°)	ϕ (180°)	ϕ (195°)	ϕ (210°)	ϕ (225°)	ϕ (240°)	ϕ (255°)	ϕ (270°)	ϕ (285°)	ϕ (300°)	ϕ (315°)	ϕ (330°)	ϕ (345°)	ϕ (360°)		
θ (0°)	-3.54	-2.99	-2.11	-1.86	-2.1	-2.97	-4.28	-2.64	-1.72	-1.25	-1.58	-2.46	-3.54	-2.42	-1.53	-1.09	-1.39	-2.39	-4.08	-2.79	-1.57	-0.99	-1.15	-2.08	-3.54		
θ (15°)	-2.29	-1.86	-1.99	-2.32	-3.04	-4.19	-3.39	-2.55	-1.73	-1	-0.6	-0.83	-1.34	-1.25	-0.85	-0.85	-1.57	-2.53	-4.23	-4.27	-3.39	-3.22	-3.27	-3.16	-2.29		
θ (30°)	1.36	1.08	0.66	-0.67	-2.61	-5.37	-6.85	-5.17	-4.79	-3.66	-2.12	-1.03	-0.33	-0.21	-0.58	-1.76	-2.27	-2.5	-4.82	-8.48	-5.9	-2.41	0.66	1.9	1.36		
θ (45°)	1.25	1.57	1.94	1.02	-1.87	-7.17	-14.06	-11.14	-11.01	-6.42	-3.42	-1.42	0.15	0.12	-1.37	-2.73	-3.34	-4.03	-7.46	-5.88	-3.28	0.84	2.34	2.09	1.25		
θ (60°)	0.17	-1.1	-1.51	-1.04	-3.6	-6.45	-6.35	-11.54	-10.35	-7.56	-6.04	-1.73	0.2	0.56	-0.61	-2.3	-4.02	-5.83	-8.62	-10.56	-5.38	-1.18	1.06	0.98	0.17		
θ (75°)	-2.28	-1.49	-1.6	-2.9	-7.46	-10.18	-7.94	-6.81	-4.53	-2.14	-1.97	-1.08	1	0.54	0.17	-0.94	-3.11	-8.35	-9.93	-7.06	-1.93	0.44	1.13	0.93	-2.28		
θ (90°)	-1.57	-1.13	-0.98	-0.28	-0.51	-6.48	-7.64	-6.12	-3.39	-1.12	-1.34	-1.45	-2.63	-0.93	-1.4	-4.99	-5.38	-8.36	-9.21	-5.65	-1.28	2.22	[2.53]	0.63	-1.57		
θ (105°)	-0.93	-0.02	-0.17	0.43	-1.76	-13.11	-4.94	-4.67	-4.27	-2.28	-2.93	-3.04	-2.99	-1.55	-1.89	-3.63	-5.68	-8.38	-10.18	-4.64	-1.85	-0.12	0.25	-0.64	-0.93		
θ (120°)	-1	-1.31	-0.71	-0.88	-3.05	-14.21	-10.73	-3.34	-3.69	-4.33	-5.42	-3.11	-2.94	-4.81	-4.69	-4.12	-3.31	-5	-8.11	-8.88	-5.93	0.29	0.02	-1.34	-1		
θ (135°)	-5.8	-3.57	-1.98	-2.49	-4.76	-13.88	-5.75	-3.52	-4	-3.72	-1.31	0.11	-1.82	-3.94	-4.51	-4.28	-4.37	-6.88	-10.07	-11.56	-9.06	-5.17	-4.36	-5.17	-5.8		
θ (150°)	-4.94	-3.98	-2.47	-1.75	-3.53	-7.49	-7.99	-4.95	-1.48	0.14	0.25	-0.09	-1.25	-1.74	-1.27	-0.77	-2.08	-6.37	-8.11	-6.45	-5.22	-2.72	-2.59	-4.2	-4.94		
θ (165°)	-3.31	-2.83	-3.85	-6.26	-8.9	-10.82	-14.51	-9.12	-5.7	-4.04	-4.44	-6.74	-8.34	-6.22	-4.5	-4.53	-5.61	-7.14	-8.07	-7.91	-8.6	-11.14	-11.24	-6.54	-3.31		
θ (180°)	-6.18	-6.58	-6.76	-6.66	-7.16	-8.22	-9.21	-7.13	-5.52	-4.52	-4.48	-5.34	-6.42	-7.44	-8.12	-8.97	-10.59	-12.36	-11.54	-8.61	-6.29	-5.02	-4.62	-4.78	-6.18		




1SS																									
Freq. (MHz)	5300																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-5.73	-4.45	-2.63	-1.43	-1.02	-1.28	-2.06	-3.02	-2.64	-2.63	-3.32	-4.54	-5.75	-4.4	-2.76	-1.92	-1.72	-2.19	-2.82	-2.57	-2.33	-2.48	-3.15	-4.37	-5.73
θ (15°)	-5.42	-2.79	-0.67	0.74	1.41	1.09	0.17	-1.33	-2.65	-3.48	-3.97	-5.32	-8.08	-6.7	-4.15	-2.62	-1.57	-0.33	0.53	0.61	0.16	-1.02	-3.21	-5.55	-5.42
θ (30°)	-1.6	-0.1	1.18	1.14	0.41	0.36	0.54	-0.37	-0.75	-0.01	-0.43	-1.68	-4.36	-2.7	-1.46	-0.03	1.42	2.11	2.23	1.57	0.29	-0.09	-0.48	-1.32	-1.6
θ (45°)	-0.98	-1.04	0.07	1.72	2.58	2.36	2.66	2.65	1.81	0.15	-1.25	-1.65	-1.44	-0.54	-0.3	0.27	0.76	0.93	1.33	0.86	0.47	0.45	0.5	0.15	-0.98
θ (60°)	-1.61	-2.37	-1.79	-0.02	1.62	2.12	2.44	2.28	2.85	-0.35	-4.99	-2.09	-0.86	0.25	-0.74	0.23	1.26	0.69	0.6	1.24	2.21	1.3	0.58	0.82	-1.61
θ (75°)	0.98	0.24	-0.22	1.77	4.09	4.2	3.86	1.82	1.83	-0.05	0.2	-0.08	1.91	2.03	0.8	0.91	2.11	2.84	0.95	1	0.77	0.1	1.43	1.79	0.98
θ (90°)	3.47	2.95	2.24	2.4	[4.32]	3.08	3.61	1.55	2.53	2.06	1.2	2.36	3.13	3.15	1.58	0.79	1.71	2.57	1.17	0.89	1.58	1.04	2.09	3.05	3.47
θ (105°)	1.69	0.81	0.18	1	4.25	3.75	3.85	2.68	3.24	1.35	2.42	3.2	4.12	3.38	0.78	-0.68	0.18	-0.79	-3.3	0.15	1.79	0	1.5	2.72	1.69
θ (120°)	-2.01	-3.37	-4.06	-6.31	-0.19	0.42	1.25	0.04	-1.97	-4.67	-2.51	1.55	1.44	2.41	1.33	-0.38	1.09	1.38	0.03	0.9	1.01	-2.22	-0.51	-1.02	-2.01
θ (135°)	-5.16	-3.81	-1.82	-2.63	-3.12	-0.71	1	-0.43	-1.04	-2.05	-1.91	0.28	0.37	0.24	-2.36	-1.1	1.03	1.52	1.32	1.04	-0.23	-1.79	-2.18	-2.26	-5.16
θ (150°)	-5.54	-4.4	-0.49	1.48	1.82	1.12	0.95	0.81	-0.67	-2.62	-5.5	-5.7	-5.3	-6.08	-2.73	0.06	0.79	0.95	2.07	3.05	2.37	-0.35	-3.16	-4.13	-5.54
θ (165°)	-2.02	-0.8	0.41	0.72	0.16	-0.89	-1.79	-2.23	-2.92	-4.09	-5.06	-6.08	-6.6	-6.11	-4.98	-3.78	-2.99	-2.61	-2.74	-2.52	-2.52	-2.47	-2.11	-2.09	-2.02
θ (180°)	-9.27	-7.39	-5.78	-4.82	-4.36	-4.15	-4.65	-6.12	-7.87	-9.34	-9.78	-9.79	-9.51	-7.84	-6.98	-6.43	-6.08	-6.13	-6.29	-6.39	-6.52	-7.08	-8.06	-9.06	-9.27
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-3.11	-3.15	-3.03	-3.1	-3.69	-4.73	-6.49	-4.73	-3.01	-2.03	-1.75	-1.89	-2.58	-3.06	-2.44	-2.19	-2.85	-4.13	-6.14	-4.45	-2.74	-1.7	-1.51	-1.89	-3.11
θ (15°)	-2.04	-2.23	-3.34	-5.32	-7.42	-8.5	-6.57	-4.54	-2.95	-2.01	-1.81	-2.22	-2.59	-1.52	-0.67	-0.77	-1.83	-3.81	-7.5	-5.63	-4.44	-4.21	-3.48	-2.48	-2.04
θ (30°)	-0.7	-0.63	-1.23	-2.69	-5.32	-8.15	-7.76	-4.88	-4.5	-3.17	-2.09	-1.71	-1.78	-2.42	-2.87	-2.77	-3.81	-4.91	-7.41	-9.56	-5.55	-3.05	-1.84	-0.66	-0.7
θ (45°)	1.98	1.27	1.07	0.14	-2.7	-8.37	-9.01	-6	-5.54	-3.96	-2.51	-1.42	-0.4	-0.28	-1.4	-2.76	-4.77	-6.02	-8.63	-8.15	-3.88	-0.71	1.13	1.8	1.98
θ (60°)	-0.08	-1.06	-1.29	-0.53	-1.39	-5.84	-8.5	-8.06	-7.11	-4.52	-4.14	-1.46	0.83	-0.14	-2.05	-3.98	-4.79	-7.3	-10.02	-9.36	-5.42	-1.08	0.73	0.89	-0.08
θ (75°)	-2.05	-2.49	-2.9	-3.99	-6.6	-12.9	-8.97	-7.89	-6.4	-3.59	-1.77	-0.3	1.2	0.35	-1.11	-3.02	-5.05	-9.59	-7.98	-7.17	-1.6	1.61	1.57	1.09	-2.05
θ (90°)	-1.72	-1.57	-0.75	-0.3	-1.6	-8.19	-8.81	-6.39	-4.23	-1.03	-0.14	-0.75	-1.06	0.93	0.99	-3.42	-6.46	-11.69	-10.87	-7.4	-0.79	2.53	[2.58]	0.63	-1.72
θ (105°)	-0.93	0.59	1.48	1.07	-2.41	-15.39	-5.16	-5.61	-3.35	-1.8	-3.32	-2.95	-1.98	-1.73	-2.15	-3.78	-5.47	-8.74	-9.88	-6.36	-3.15	-0.77	-0.96	-0.67	-0.93
θ (120°)	-1.48	-1.77	-0.01	-0.37	-3.99	-9.27	-9.87	-5.42	-5.52	-3.22	-6.11	-6.23	-6.11	-6.47	-4.71	-4.66	-4.54	-7.15	-12.84	-12.97	-4.23	-0.4	-1.44	-2.16	-1.48
θ (135°)	-5.36	-4.07	-2.67	-4.52	-7.24	-9.33	-5.15	-4.09	-5.27	-6.77	-3.85	-1.26	-3.08	-4.96	-6.03	-7.89	-8.34	-8.52	-13.92	-16.93	-9.24	-5.85	-4.71	-5.44	-5.36
θ (150°)	-7.44	-5.95	-4.08	-3.61	-5.74	-7.93	-7.12	-4.45	-1.15	0.47	0.15	-0.89	-1.87	-2.4	-2.78	-2.37	-3.67	-8.03	-9.63	-7.43	-6.66	-4.41	-4.43	-5.81	-7.44
θ (165°)	-2.3	-2.15	-3.52	-6.74	-12.03	-15.02	-13.7	-7.83	-4.11	-2.31	-2.27	-3.9	-5.6	-6.49	-5.48	-5.24	-5.81	-7.4	-8.26	-6.64	-6.75	-8.46	-9.31	-5.05	-2.3
θ (180°)	-6.61	-6.59	-6.34	-5.98	-6.08	-6.77	-7.63	-6.45	-5.07	-4.5	-5.04	-6.55	-7.87	-8.46	-8.46	-8.89	-9.36	-9.78	-9.6	-8.09	-6.12	-4.96	-4.83	-4.97	-6.61

1SS																									
Freq. (MHz)	5500																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-10.94	-10.45	-6.46	-4.04	-2.54	-1.67	-1.14	-0.96	-1	-1.65	-3.01	-5.35	-9.45	-10.32	-6.71	-4.28	-3.07	-1.85	-1.02	-0.7	-0.95	-1.59	-3.17	-5.87	-10.94
θ (15°)	-6.16	-4.58	-3.09	-1.91	-0.99	-0.75	-0.94	-1.84	-1.9	-1.79	-2.15	-3.42	-5.94	-5.8	-3.55	-2.03	-0.95	-0.25	-0.05	-0.15	-0.63	-1.84	-3.94	-5.96	-6.16
θ (30°)	-3.31	-2.53	-2.1	-2.03	-1.44	0.36	0.95	-0.12	-1.4	-1.33	-1.26	-2.39	-4.73	-4.55	-2.45	-1	-0.64	-0.15	0.12	0.01	-0.63	-1.44	-1.93	-3.25	-3.31
θ (45°)	-0.25	-0.53	-0.38	0.88	1.61	1.75	1.93	1.18	1.02	0.78	0.41	-0.3	-1.13	-0.03	0.49	1.1	1.36	1.2	1.56	1.55	1.36	1.5	1.24	0.68	-0.25
θ (60°)	-2.48	-3.14	-3.06	-0.76	1.33	2.44	3.12	2.16	1.71	-0.94	-2.11	-0.1	1.31	1.56	0.35	0.65	0.88	0.6	1.28	0.84	1.87	1.22	0.15	0.05	-2.48
θ (75°)	1.91	0.71	-1.01	1.37	3.27	3.5	3.89	2.26	1.91	0.47	0.14	1.56	3.17	2.96	1.68	1.64	1.42	1.45	0.94	0.96	2.46	1.59	2.09	2.32	1.91
θ (90°)	3.15	2.47	1.71	0.66	3.89	3.8	4.16	3.17	3.46	1.41	-0.47	1.15	2.99	3.61	1.4	-0.12	0.88	0.91	2.44	0.63	0.92	1.07	2.2	2.83	3.15
θ (105°)	1.17	1.1	1.43	1.33	[4.90]	4.67	3.38	1.32	3.36	1.86	1.89	2.31	3.48	3.05	0.28	-1.29	-0.38	-1.58	-1.15	-0.16	1.54	-0.83	1.25	2.24	1.17
θ (120°)	-1.64	-4.89	-4.88	-5.51	0.94	1.23	0.61	-1.81	-2.39	-2.87	-2.62	0.61	1.95	2.6	0.7	0.34	1.38	1.65	1.82	1.04	0.3	-2.52	-1.39	-0.6	-1.64
θ (135°)	-2.8	-4.5	-4.41	-3.71	-2.44	-1.16	0.22	-1.87	-2.08	-4.57	-3.08	-0.17	1.2	1.53	-1.17	-1.99	0.06	1.2	1.4	1.28	-0.09	-2.1	-2.14	-1.68	-2.8
θ (150°)	-6.99	-6.74	-2.14	0.52	1.33	0.79	0.19	-0.62	-1.85	-3.38	-4.7	-4.75	-5.06	-4.71	-3.75	-1.31	0.24	1.77	3.12	3.57	2.24	-0.87	-3.92	-5.19	-6.99
θ (165°)	-1.84	-0.32	0.68	0.73	0	-1.3	-2.46	-2.63	-2.94	-3.77	-4.6	-5.72	-6.31	-5.87	-4.95	-3.95	-2.86	-1.68	-1.36	-1.2	-1.31	-1.54	-1.78	-2.32	-1.84
θ (180°)	-9.76	-8.63	-7.42	-6.9	-6.95	-7.31	-8.6	-10.6	-10.22	-9.05	-8.59	-8.93	-9.48	-9.14	-9.06	-9.43	-9.85	-10.51	-11.44	-11.38	-10.79	-9.41	-8.5	-8.6	-9.76
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-1.1	-1.02	-1.36	-2.18	-3.66	-6.12	-10.12	-9.14	-5.85	-3.78	-2.34	-1.2	-0.5	-0.36	-0.62	-1.54	-3.16	-5.72	-10.03	-8.87	-5.81	-3.75	-2.46	-1.67	-1.1
θ (15°)	-1.47	-1.16	-2.01	-3.65	-5.83	-8.25	-10.28	-8.82	-5.74	-3.03	-1.41	-0.99	-1.44	-2.09	-2.41	-3.33	-5.23	-7.9	-11	-8.65	-6.44	-5.43	-4.72	-3.83	-1.47
θ (30°)	-2.64	-3.33	-4.94	-7.18	-9.83	-13.72	-10.29	-6.15	-4.4	-3.61	-2.19	-1.57	-1.67	-2.66	-3.43	-4.14	-5.97	-8.66	-11.83	-9.88	-6.67	-4.97	-3.63	-2.7	-2.64
θ (45°)	0.48	-0.12	0.31	-0.52	-3.07	-7.28	-8.49	-5.25	-2.92	-2	-1.92	-1.82	-1.28	-1.26	-2.97	-5.52	-8.23	-8.28	-9.29	-9.79	-5.71	-2.38	-0.09	0.82	0.48
θ (60°)	-0.57	-1.06	-1.26	-0.2	-0.3	-4.76	-11.99	-7.29	-6.44	-2.24	-0.8	-0.59	1.09	0.04	-2.31	-4.73	-6.95	-8.47	-9.25	-9.45	-6.6	-1.28	0.32	0.08	-0.57
θ (75°)	-1.29	-2.88	-4.79	-5.38	-5.13	-8.7	-10.54	-6.07	-7.31	-3.44	-1.94	0.8	1.79	1.25	-0.45	-3.76	-3.81	-8.58	-12.03	-8.47	-1.3	1.03	1.1	0.86	-1.29
θ (90°)	-1.46	-2.71	-1.53	-1.08	-2.88	-8.95	-13.24	-7.82	-5.35	-1.58	-0.36	-1.31	-0.32	1.8	[2.02]	-2.11	-4.24	-7.82	-12.32	-7.36	-1.25	1.45	1.95	0.6	-1.46
θ (105°)	-3.12	-0.49	1.3	0.62	-4.51	-13.57	-9.02	-6.89	-3.47	-0.51	-0.36	-1.78	-2.56	-1.99	-2.43	-3.9	-5.66	-8.76	-10.32	-11	-3.24	-0.33	-0.4	-0.57	-3.12
θ (120°)	-4.51	-4.57	-1.2	-1.01	-5.39	-9.43	-9.34	-9.11	-7.13	-3.82	-5.4	-8.34	-5.13	-4.83	-4.63	-5.64	-5.32	-7.93	-13.33	-14.54	-4.48	-0.86	-2.26	-3.9	-4.51
θ (135°)	-4.88	-3.28	-2.51	-5.64	-11.1	-6.82	-4.33	-5.03	-7.7	-7.62	-4.9	-2.4	-3.78	-5.22	-6.06	-9.05	-11	-9.46	-17.34	-13.77	-7.72	-6	-5.86	-5.34	-4.88
θ (150°)	-7.46	-6.35	-4.61	-5.33	-8.93	-8.24	-6.21	-3.91	-2	-0.56	-0.44	-1.11	-2.47	-3.26	-3.39	-4.03	-7.04	-11.24	-10.32	-9.42	-9.57	-7.32	-6.26	-5.95	-7.46
θ (165°)	-3.78	-3.19	-4.09	-6.72	-11.38	-14.53	-10.15	-5.35	-3	-1.85	-1.94	-3.26	-5.2	-6.31	-6.09	-6.71	-7.55	-8.72	-8.25	-6.31	-5.77	-6.24	-6.68	-5.19	-3.78
θ (180°)	-9.55	-9.05	-8.33	-7.76	-7.39	-7.38	-8.16	-6.8	-5.67	-5.41	-6.78	-9.18	-11.26	-11.73	-10.46	-9.5	-8.7	-8.8	-9.49	-9.52	-8.35	-7.55	-7.68	-8.56	-9.55


1SS																											
Freq. (MHz)	5700																										
Polarity	Theta																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	-10.29	-7.77	-4.93	-2.9	-1.5	-0.07	0.82	1.13	0.72	-0.4	-2.28	-5.32	-10.82	-8.86	-5.34	-2.75	-0.98	0.35	1.04	1.18	0.89	0.01	-1.65	-4.56	-10.29		
θ (15°)	-2.87	-2.38	-2.03	-1.26	-0.43	-0.52	-1.25	-1.52	-0.63	-0.54	-1.62	-3.84	-6.17	-4.43	-1.63	-0.29	0.14	0.3	0.58	0.7	0.49	-0.16	-1.19	-2.15	-2.87		
θ (30°)	-3.37	-2.61	-1.98	-1.42	-0.05	0.89	0.83	0.09	0.2	0.25	-0.52	-2.67	-5.02	-3.69	-1.2	0.15	0.08	-0.77	-1.09	-0.76	-0.71	-0.88	-1.55	-2.86	-3.37		
θ (45°)	-0.48	-1.27	-1.79	-1.77	-1.05	0.83	1.59	0.02	-0.51	0.39	0.14	-0.74	-1.16	0.83	1.25	1.36	1.2	1.48	2.17	1.47	1.25	1.72	1.88	1.34	-0.48		
θ (60°)	-2.72	-3.85	-2.85	-0.13	1.39	1.62	2.76	1.79	-0.04	-0.14	-0.81	-0.04	1.09	2.27	0.79	0.32	-0.41	-0.75	1.76	1.11	2.05	1.71	1.11	0.95	-2.72		
θ (75°)	1.41	0.15	-0.78	1.84	2.16	2.08	2.66	2.37	2.57	1.98	0.99	2.04	3.72	2.74	0.57	1.74	1.06	-0.14	1.14	0.68	3.59	2.28	1.76	1.97	1.41		
θ (90°)	2.78	2.06	1.14	0.15	3.3	3.39	[4.45]	3.25	3.32	1.99	-0.27	0.89	2.55	3.74	0.91	-0.78	1.02	-1.92	1.6	-0.41	-0.1	0.81	1.05	2.38	2.78		
θ (105°)	0.02	0.54	0.28	1.06	3.83	3.04	2.73	0.39	2.69	1.71	-0.21	0.19	1.82	1.69	-0.71	-0.14	0.69	-3.03	-0.96	-0.6	1.55	-0.31	1.06	1.5	0.02		
θ (120°)	-3.8	-6.47	-4.65	-3.6	1.22	0.46	-1.4	-1.52	-1.2	-2.38	-4.98	-1.72	0.43	1.55	-0.67	-0.54	0.33	0.09	1.15	0	0.5	-0.7	-0.85	-0.25	-3.8		
θ (135°)	-3.74	-7.67	-6.78	-4.28	-2.23	-1.04	-0.14	-1.9	-2.03	-2.87	-3.75	-1.44	0.4	1.38	0.13	-0.75	-0.67	-0.32	-0.59	-0.94	-2.87	-4.21	-1.77	-1.67	-3.74		
θ (150°)	-4.16	-6.15	-3.15	-0.15	0.89	-0.26	-1.91	-3.73	-4.86	-5.77	-6.16	-5.05	-4.95	-3.65	-2.33	-1.82	-0.66	0.83	2.26	2.78	1.33	-2.26	-4.24	-3.5	-4.16		
θ (165°)	-4.2	-2.25	-0.83	-0.36	-0.55	-1.46	-2.55	-3.23	-3.52	-4.39	-5.3	-6.92	-7.81	-7.8	-7.32	-6.05	-3.69	-1.89	-1.28	-0.79	-0.84	-1.74	-2.65	-3.73	-4.2		
θ (180°)	-10.43	-9.66	-8.62	-7.92	-7.76	-7.22	-6.72	-6.88	-7.37	-7.55	-7.95	-9.24	-9.57	-9.29	-9.28	-9.64	-9.5	-9.26	-9.22	-9.34	-8.88	-8.57	-8.25	-8.79	-10.43		
Polarity	Phi																										
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)		
θ (0°)	0.92	1.15	0.95	-0.01	-1.82	-4.79	-10.37	-7.33	-3.98	-1.92	-0.49	0.65	1.15	1.12	0.78	-0.31	-2.02	-5.07	-11.17	-7.54	-4.69	-3	-1.49	-0.08	0.92		
θ (15°)	-1.26	-0.98	-1.17	-1.84	-2.77	-4.37	-6.83	-6.39	-4.98	-2.71	-0.8	0.24	0.42	-0.2	-1.38	-2.73	-4.37	-7.05	-10.04	-7.24	-5.66	-5.15	-4.41	-2.8	-1.26		
θ (30°)	-1.16	-2.5	-4.73	-6.24	-7.75	-10.94	-8.73	-6.1	-5.35	-4.55	-2.53	-1.98	-2.68	-3.09	-3.61	-4.31	-5.85	-6.84	-8.96	-7.54	-6.92	-5.38	-2.99	-1.33	-1.16		
θ (45°)	0.08	-0.35	0.18	-0.6	-3.82	-7.38	-7.16	-5.85	-4.62	-3.17	-2.18	-2.26	-3.82	-4.44	-4.94	-6.07	-7.81	-8.73	-7.95	-7.64	-6.49	-3.21	-0.05	0.79	0.08		
θ (60°)	-0.7	-0.33	0.22	0.19	-0.85	-4.37	-10.29	-9.55	-4.47	-0.94	0.01	-0.07	-0.28	-1.55	-2.77	-4.31	-7.89	-8.18	-8.36	-7.78	-4.42	-0.68	0.39	-0.08	-0.7		
θ (75°)	-1.51	-2.2	-3.28	-3.72	-4.48	-5.65	-8.19	-10.94	-5.57	-0.8	0.3	[1.59]	1.37	1.51	0.29	-3.56	-4.18	-8.06	-10.54	-6.1	-2.1	0.23	0.59	0.07	-1.51		
θ (90°)	-2.32	-4.22	-2.69	-2.19	-5.43	-9.4	-10.66	-5.4	-6.61	-0.61	1.47	0.44	0.1	0.69	0.65	-2.28	-3.45	-6.08	-10.52	-6.12	-2.59	-0.66	0.47	0.14	-2.32		
θ (105°)	-2.17	-2.06	0.14	-0.26	-4.41	-8.69	-7.35	-9.07	-3.81	-0.51	-1.06	-1.82	-1.14	0.06	-1.35	-4.52	-6.6	-8.73	-10.39	-9.48	-2.65	-0.77	-0.22	-0.61	-2.17		
θ (120°)	-3.21	-3.39	-1.58	-1.1	-5.25	-10.59	-10.79	-8.45	-9.67	-3.96	-3.88	-6.26	-3.21	-2.7	-3.47	-6.67	-5.32	-8.56	-12.35	-12.61	-4.88	-1.3	-2.4	-3.01	-3.21		
θ (135°)	-4.78	-4.27	-3.73	-7.18	-10.49	-7.3	-6.06	-7.32	-13.95	-6.33	-5.67	-2.66	-4.6	-6.79	-7.11	-8.9	-10.69	-11.01	-13.39	-10.94	-7.19	-4.83	-4.82	-5	-4.78		
θ (150°)	-6.69	-5.89	-4.51	-6.2	-10.52	-7.74	-4.77	-3.17	-3.47	-3	-2.11	-2.19	-2.77	-3.11	-3.49	-5.35	-10.25	-14.13	-12.78	-12.12	-10.86	-7.48	-5.7	-5.68	-6.69		
θ (165°)	-2.38	-2.14	-2.84	-4.7	-7.71	-11.27	-9.09	-4.88	-3.2	-2.37	-1.95	-2.57	-4.16	-6.59	-7.59	-7.72	-9.02	-10.37	-8.37	-6.32	-4.87	-3.78	-3.36	-2.68	-2.38		
θ (180°)	-10.06	-10.34	-9.24	-8.83	-8.99	-9.51	-10.42	-8.44	-7.39	-6.68	-6.61	-7.25	-7.72	-8.21	-8.24	-8.09	-8.16	-9.34	-10.33	-9.97	-9.13	-8.51	-8.81	-9.64	-10.06		

1SS																									
Freq. (MHz)	5900																								
Polarity	Theta																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	-9.99	-8.4	-5.53	-3.31	-1.65	-0.42	0.21	0.26	-0.24	-1.13	-2.78	-5.56	-10.58	-9.65	-5.61	-3.35	-1.74	-0.33	0.23	0.16	-0.17	-0.95	-2.38	-4.73	-9.99
θ (15°)	-3.42	-4.13	-3.67	-3.23	-2.65	-1.66	-0.47	0.4	0.86	0.18	-1.91	-4.98	-6.55	-4.36	-2.28	-1.19	-0.67	-0.5	-0.42	-0.3	-0.3	-0.43	-1.08	-1.97	-3.42
θ (30°)	-4.31	-3.24	-2.28	-1.09	0.44	1.16	0.71	0.21	-0.45	-1.28	-2.43	-4.35	-6.46	-3.85	-0.75	0.8	0.55	-0.18	0.8	1.02	0.29	-0.88	-1.87	-3.8	-4.31
θ (45°)	-0.65	-0.35	0.02	0.03	-1.72	-0.64	0.34	-0.67	-0.43	0.6	-0.2	-1.74	-2.81	-0.37	0.27	0.95	0.59	-0.32	0.43	0.26	1.1	1.71	1.43	0.45	-0.65
θ (60°)	0.29	-0.83	-0.22	2.38	2.38	2.27	3.42	0.8	-0.5	1.49	0.54	-1.02	-1.19	1.13	0.84	0.78	-0.01	-0.76	2.79	2.14	2.92	2.74	1.71	1.98	0.29
θ (75°)	2.01	0.3	0.51	2.57	1.47	3	3.11	0.74	2.59	2.86	0.53	1.28	2.31	1.93	0.65	2.16	1.42	-0.5	2.63	1.46	3.55	2.2	1.85	2.84	2.01
θ (90°)	3.19	1.89	0.46	1.51	2.89	3.35	[5.25]	2.9	2.68	2.19	0.45	0.33	1.96	3.17	1.45	1.02	1.71	-2.51	1.13	-1.75	0	1.36	0.89	2.42	3.19
θ (105°)	1.16	1.23	-0.17	2.2	2.5	2.55	2.9	1.34	2.62	1.48	-0.16	-1.66	0.76	1.15	-0.77	0.89	2.3	-2.13	-0.57	-1.47	1.68	0.94	1.21	1.45	1.16
θ (120°)	-2.88	-4.62	-3.47	-5.16	-0.89	1.45	0.54	-0.5	-0.81	-1.49	-3.81	-2.63	0.27	1.21	-1.26	-1.2	-0.38	-1.79	0.67	-0.75	0.45	-0.5	-0.54	-0.1	-2.88
θ (135°)	-3	-8.68	-6.8	-2.87	-2.51	0.11	1.48	0.16	0.74	0.25	-2.35	-2.24	-0.18	1.38	1.36	0.59	-1.14	-1.64	-1.96	-1	-2.47	-3.99	-0.31	-0.31	-3
θ (150°)	-1.61	-3.8	-3.89	-0.17	0.84	0.27	-0.56	-3.37	-5.65	-4.97	-5.3	-3.31	-3.16	-2.76	-1.27	-1.54	-1.09	0.05	1.43	1.92	0.58	-2.7	-2.77	-1.47	-1.61
θ (165°)	-5.44	-2.76	-0.85	0.08	0.11	-0.99	-2.2	-4.25	-5.3	-6.28	-7.57	-7.98	-6.69	-6.07	-5.7	-4.77	-3.2	-1.77	-1.15	-0.46	-0.31	-1.25	-3.04	-4.79	-5.44
θ (180°)	-8.07	-7.52	-7.21	-7.05	-5.24	-3.97	-3.29	-3.16	-4.15	-4.87	-6.2	-7.78	-6.97	-6.53	-6.73	-7.34	-5.66	-4.59	-4.3	-4.71	-5.17	-5.39	-5.8	-6.97	-8.07
Polarity	Phi																								
dB	φ (0°)	φ (15°)	φ (30°)	φ (45°)	φ (60°)	φ (75°)	φ (90°)	φ (105°)	φ (120°)	φ (135°)	φ (150°)	φ (165°)	φ (180°)	φ (195°)	φ (210°)	φ (225°)	φ (240°)	φ (255°)	φ (270°)	φ (285°)	φ (300°)	φ (315°)	φ (330°)	φ (345°)	φ (360°)
θ (0°)	0.1	0.11	-0.03	-0.89	-2.53	-5.36	-10.19	-7.89	-4.48	-2.19	-0.7	0.21	0.48	0.5	0.03	-1.34	-3.06	-5.74	-10.79	-7.4	-4.65	-3.04	-1.63	-0.56	0.1
θ (15°)	-1.02	-0.66	-0.41	-0.72	-1.61	-3.26	-6.14	-6.9	-5.37	-3.58	-1.19	0.23	0.58	0.11	-1.04	-2.63	-4.66	-7.37	-10.29	-8.39	-6.75	-5.22	-3.72	-2.36	-1.02
θ (30°)	-1.05	-2.49	-4.95	-6.22	-7.57	-8.09	-6.25	-5.27	-5.1	-5.85	-3.46	-2.08	-1.25	-1.27	-2.45	-3.41	-5.98	-8.14	-10.2	-9.33	-7.91	-4.72	-1.94	-0.71	-1.05
θ (45°)	-0.97	-0.87	-0.72	-1.27	-4.32	-7.87	-7.11	-4.37	-4.58	-3.97	-2.12	-2.8	-3.69	-3.61	-4.29	-7.02	-7.85	-9.18	-6.57	-5.31	-4.71	-4.3	-0.93	-0.24	-0.97
θ (60°)	-0.04	1.07	1.02	-0.08	-1.3	-4.63	-10.51	-7.5	-4.38	-0.45	0.62	-0.44	-0.97	-0.7	-0.38	-2.54	-7.08	-9.2	-7.03	-5.2	-4.81	-0.54	1.41	1.19	-0.04
θ (75°)	-0.69	-0.71	-0.34	-1.5	-5.1	-6.5	-7.58	-9.3	-1.89	0.72	1.2	1.43	0.36	[1.86]	1.43	-3.96	-4.62	-9.45	-8.25	-5.93	-2.72	-0.89	0.61	0.3	-0.69
θ (90°)	-2	-3.84	-4.2	-3.86	-6.49	-11.31	-8.01	-5.63	-5.18	-1.04	1.8	1.74	0.84	0.08	0.84	-1.55	-2.66	-6.34	-9.24	-5.69	-4.9	-1.85	-0.67	-0.28	-2
θ (105°)	-1.25	-2.14	-1.46	-2.74	-6.03	-5.58	-5.58	-6.75	-2.69	-0.3	-1.1	-1.49	-0.03	0.63	-0.9	-3.73	-6.5	-8.23	-9.83	-8.12	-2.54	-0.45	0.04	-0.47	-1.25
θ (120°)	-0.82	-2.15	-2.64	-1.4	-4.77	-8.96	-11.77	-8.88	-10.11	-5.45	-5.06	-5.49	-1.78	-1.31	-2.34	-9.78	-5.85	-9.43	-13.57	-9.65	-5.02	-1.03	-1.49	-2.94	-0.82
θ (135°)	-3.42	-4.65	-5.03	-8.52	-7.67	-6.43	-8.02	-7.14	-9.79	-2.34	-4.15	-3.78	-4.98	-6.93	-7.81	-9.4	-9.46	-10.99	-11.22	-6.77	-6.23	-4.37	-3.89	-3.88	-3.42
θ (150°)	-6.05	-5.57	-4.57	-7.5	-10.11	-5.66	-4.14	-2.19	-4.16	-6.44	-5.03	-4.68	-4	-4.31	-4.95	-6.94	-12.89	-13.76	-14.18	-12.94	-10.92	-6.12	-3.72	-3.77	-6.05
θ (165°)	-2.16	-1.76	-2.26	-3.7	-6.24	-9.67	-7.95	-4.69	-3.08	-2.52	-1.86	-2.16	-3.98	-7.18	-8.6	-8.73	-9.46	-10.45	-9.01	-7.32	-5.13	-3.08	-2.24	-2.18	-2.16
θ (180°)	-6.71	-7.05	-6.43	-6.43	-7.3	-8.33	-8.58	-7.54	-6.69	-5.85	-4.35	-4.23	-4.87	-5.27	-5.27	-5.75	-6.14	-7.64	-8.81	-8.03	-7.07	-6.58	-6.41	-6.61	-6.71


A.2 Antenna Pattern Test Plots




X-Y Plane (Ant 2)



Y-Z Plane (Ant 2)




Z-X Plane (Ant 2)




X-Y Plane (Ant 3)

Ant 1, Theta, XY-Plan




Ant 1, Phi, XY-Plan




Y-Z Plane (Ant 3)

Ant 1, Theta, YZ-Plan




Ant 1, Phi, YZ-Plan




Z-X Plane (Ant 3)

Ant 1, Theta, XZ-Plan




Ant 1, Phi, XZ-Plan




X-Y Plane (Ant 4)

Ant 2, Theta, XY-Plan




Ant 2, Phi, XY-Plan




Y-Z Plane (Ant 4)

Ant 2, Theta, YZ-Plan




Ant 2, Phi, YZ-Plan




Z-X Plane (Ant 4)

Ant 2, Theta, XZ-Plan




Ant 2, Phi, XZ-Plan




X-Y Plane (Ant 5)

Ant 3, Theta, XY-Plan




Ant 3, Phi, XY-Plan




Y-Z Plane (Ant 5)

Ant 3, Theta, YZ-Plan




Ant 3, Phi, YZ-Plan




Z-X Plane (Ant 5)

Ant 3, Theta, XZ-Plan





Ant 3, Phi, XZ-Plan




Appendix B -Test Setup and EUT antenna port photo

B.1 Antenna Locations (Configuration and RF Chains)



B.2 Test Setup Diagram for EUT



Appendix C - Information of the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are FCC recognized accredited test firms and accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Lin Kou EMC/RF Lab

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab

Tel: 886-3-6668565

Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety Lab**Mobile Communications OTA Lab**

Tel: 886-3-3183232

Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com

Web Site: www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.

--- END ---