

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz_TX	Pass	PK	5.4964G	98.33	Inf	-Inf	3	Vertical	133	1.06
5510MHz_TX	Pass	AV	5.45G	49.46	54.00	-4.54	3	Horizontal	268	1.03
5510MHz_TX	Pass	AV	5.494G	92.15	Inf	-Inf	3	Horizontal	268	1.03
5510MHz_TX	Pass	PK	5.4588G	63.43	74.00	-10.57	3	Horizontal	268	1.03
5510MHz_TX	Pass	PK	5.468G	62.31	68.20	-5.89	3	Horizontal	268	1.03
5510MHz_TX	Pass	PK	5.5048G	105.36	Inf	-Inf	3	Horizontal	268	1.03
5510MHz_TX	Pass	AV	11.00208G	36.39	54.00	-17.61	3	Vertical	171	3.00
5510MHz_TX	Pass	PK	10.9976G	49.00	74.00	-25.00	3	Vertical	171	3.00
5510MHz_TX	Pass	PK	16.55352G	49.59	68.20	-18.61	3	Vertical	198	1.30
5510MHz_TX	Pass	AV	11.00128G	36.08	54.00	-17.92	3	Horizontal	213	2.25
5510MHz_TX	Pass	PK	11.02864G	48.24	74.00	-25.76	3	Horizontal	213	2.25
5510MHz_TX	Pass	PK	16.4892G	50.09	68.20	-18.11	3	Horizontal	259	2.10
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX	-	-	-	-	-	-	-	-	-	-
5670MHz_TX	Pass	AV	5.6754G	89.50	Inf	-Inf	3	Vertical	133	2.90
5670MHz_TX	Pass	PK	5.6754G	102.14	Inf	-Inf	3	Vertical	133	2.90
5670MHz_TX	Pass	PK	5.8086G	64.08	68.20	-4.12	3	Vertical	133	2.90
5670MHz_TX	Pass	AV	5.685G	95.22	Inf	-Inf	3	Horizontal	285	1.14
5670MHz_TX	Pass	PK	5.6844G	107.67	Inf	-Inf	3	Horizontal	285	1.14
5670MHz_TX	Pass	PK	5.778G	63.86	68.20	-4.34	3	Horizontal	285	1.14
5670MHz_TX	Pass	AV	11.35872G	39.11	54.00	-14.89	3	Vertical	357	1.01
5670MHz_TX	Pass	PK	11.36144G	51.01	74.00	-22.99	3	Vertical	357	1.01
5670MHz_TX	Pass	PK	17.03952G	52.04	68.20	-16.16	3	Vertical	212	2.60
5670MHz_TX	Pass	AV	11.35952G	39.96	54.00	-14.04	3	Horizontal	68	3.00
5670MHz_TX	Pass	PK	11.36016G	52.47	74.00	-21.53	3	Horizontal	68	3.00
5670MHz_TX	Pass	PK	17.064G	50.18	68.20	-18.02	3	Horizontal	128	3.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX	-	-	-	-	-	-	-	-	-	-
5755MHz_TX	Pass	AV	5.4574G	49.05	54.00	-4.95	3	Vertical	132	3.00
5755MHz_TX	Pass	AV	5.7394G	92.76	Inf	-Inf	3	Vertical	132	3.00
5755MHz_TX	Pass	PK	5.6434G	64.12	68.20	-4.08	3	Vertical	132	3.00
5755MHz_TX	Pass	PK	5.7394G	106.54	Inf	-Inf	3	Vertical	132	3.00
5755MHz_TX	Pass	PK	6.0094G	64.08	68.20	-4.12	3	Vertical	132	3.00
5755MHz_TX	Pass	AV	5.4586G	49.14	54.00	-4.86	3	Horizontal	292	1.00
5755MHz_TX	Pass	AV	5.7502G	99.28	Inf	-Inf	3	Horizontal	292	1.00
5755MHz_TX	Pass	PK	5.5618G	62.78	68.20	-5.42	3	Horizontal	292	1.00
5755MHz_TX	Pass	PK	5.7526G	111.84	Inf	-Inf	3	Horizontal	292	1.00
5755MHz_TX	Pass	PK	5.9854G	64.57	68.20	-3.63	3	Horizontal	292	1.00
5755MHz_TX	Pass	AV	11.49048G	44.18	54.00	-9.82	3	Vertical	337	2.95
5755MHz_TX	Pass	PK	11.49272G	56.06	74.00	-17.94	3	Vertical	337	2.95
5755MHz_TX	Pass	PK	17.24844G	55.95	68.20	-12.25	3	Vertical	207	2.75
5755MHz_TX	Pass	AV	11.49064G	40.16	54.00	-13.84	3	Horizontal	193	2.90
5755MHz_TX	Pass	PK	11.48104G	53.48	74.00	-20.52	3	Horizontal	193	2.90
5755MHz_TX	Pass	PK	17.24052G	56.42	68.20	-11.78	3	Horizontal	194	1.00
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX	-	-	-	-	-	-	-	-	-	-
5795MHz_TX	Pass	AV	5.801G	93.94	Inf	-Inf	3	Vertical	132	2.18
5795MHz_TX	Pass	PK	5.507G	62.64	68.20	-5.56	3	Vertical	132	2.18
5795MHz_TX	Pass	PK	5.7998G	106.33	Inf	-Inf	3	Vertical	132	2.18
5795MHz_TX	Pass	PK	5.9714G	63.87	68.20	-4.33	3	Vertical	132	2.18
5795MHz_TX	Pass	AV	5.7998G	99.89	Inf	-Inf	3	Horizontal	292	1.00
5795MHz_TX	Pass	PK	5.6066G	63.44	68.20	-4.76	3	Horizontal	292	1.00
5795MHz_TX	Pass	PK	5.7998G	113.37	Inf	-Inf	3	Horizontal	292	1.00
5795MHz_TX	Pass	PK	5.9822G	64.91	68.20	-3.29	3	Horizontal	292	1.00
5795MHz_TX	Pass	AV	11.60824G	44.63	54.00	-9.37	3	Vertical	341	2.63
5795MHz_TX	Pass	PK	11.61G	56.98	74.00	-17.02	3	Vertical	341	2.63
5795MHz_TX	Pass	PK	17.41548G	58.72	68.20	-9.48	3	Vertical	179	2.11
5795MHz_TX	Pass	AV	11.60856G	39.42	54.00	-14.58	3	Horizontal	192	2.23
5795MHz_TX	Pass	PK	11.61256G	51.31	74.00	-22.69	3	Horizontal	192	2.23
5795MHz_TX	Pass	PK	17.421G	59.96	68.20	-8.24	3	Horizontal	195	1.03
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX	-	-	-	-	-	-	-	-	-	-
5875MHz_TX	Pass	AV	5.8702G	92.99	Inf	-Inf	3	Vertical	133	2.23
5875MHz_TX	Pass	AV	6.0718G	51.27	68.20	-16.93	3	Vertical	133	2.23
5875MHz_TX	Pass	PK	5.6422G	62.02	68.20	-6.18	3	Vertical	133	2.23
5875MHz_TX	Pass	PK	5.8702G	107.06	Inf	-Inf	3	Vertical	133	2.23


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5875MHz_TX	Pass	PK	5.9242G	69.77	88.79	-19.02	3	Vertical	133	2.23
5875MHz_TX	Pass	AV	5.8594G	98.64	Inf	-Inf	3	Horizontal	291	1.01
5875MHz_TX	Pass	AV	5.9254G	51.70	68.20	-16.50	3	Horizontal	291	1.01
5875MHz_TX	Pass	PK	5.6242G	62.81	68.20	-5.39	3	Horizontal	291	1.01
5875MHz_TX	Pass	PK	5.8582G	111.29	Inf	-Inf	3	Horizontal	291	1.01
5875MHz_TX	Pass	PK	5.917G	75.08	94.07	-18.99	3	Horizontal	291	1.01
5875MHz_TX	Pass	AV	11.73064G	43.00	54.00	-11.00	3	Vertical	352	2.92
5875MHz_TX	Pass	AV	17.59404G	45.30	68.20	-22.90	3	Vertical	181	2.35
5875MHz_TX	Pass	PK	11.72888G	55.39	74.00	-18.61	3	Vertical	352	2.92
5875MHz_TX	Pass	PK	17.60268G	58.78	88.20	-29.42	3	Vertical	181	2.35
5875MHz_TX	Pass	AV	11.73176G	38.18	54.00	-15.82	3	Horizontal	175	1.08
5875MHz_TX	Pass	AV	17.59836G	46.03	68.20	-22.17	3	Horizontal	199	1.00
5875MHz_TX	Pass	PK	11.74168G	50.30	74.00	-23.70	3	Horizontal	175	1.08
5875MHz_TX	Pass	PK	17.595G	60.84	88.20	-27.36	3	Horizontal	199	1.00
802.11ax HEW40_Nss1,(MCS0),RU 242#RU 62_1TX	-	-	-	-	-	-	-	-	-	-
5875MHz_TX	Pass	AV	5.8798G	93.30	Inf	-Inf	3	Vertical	131	2.17
5875MHz_TX	Pass	AV	5.9254G	51.49	68.20	-16.71	3	Vertical	131	2.17
5875MHz_TX	Pass	PK	5.575G	62.26	68.20	-5.94	3	Vertical	131	2.17
5875MHz_TX	Pass	PK	5.8882G	105.77	Inf	-Inf	3	Vertical	131	2.17
5875MHz_TX	Pass	PK	5.9266G	69.96	88.20	-18.24	3	Vertical	131	2.17
5875MHz_TX	Pass	AV	5.8798G	96.75	Inf	-Inf	3	Horizontal	215	1.10
5875MHz_TX	Pass	AV	5.8954G	73.79	89.91	-16.12	3	Horizontal	215	1.10
5875MHz_TX	Pass	PK	5.6374G	63.05	68.20	-5.15	3	Horizontal	215	1.10
5875MHz_TX	Pass	PK	5.8846G	109.24	Inf	-Inf	3	Horizontal	215	1.10
5875MHz_TX	Pass	PK	5.9374G	73.08	88.20	-15.12	3	Horizontal	215	1.10
5875MHz_TX	Pass	AV	11.76888G	41.75	54.00	-12.25	3	Vertical	354	3.00
5875MHz_TX	Pass	AV	17.65188G	45.42	68.20	-22.78	3	Vertical	184	2.27
5875MHz_TX	Pass	PK	11.77064G	53.43	74.00	-20.57	3	Vertical	354	3.00
5875MHz_TX	Pass	PK	17.661G	58.89	88.20	-29.31	3	Vertical	184	2.27
5875MHz_TX	Pass	AV	11.76952G	38.08	54.00	-15.92	3	Horizontal	176	1.21
5875MHz_TX	Pass	AV	17.65092G	46.98	68.20	-21.22	3	Horizontal	198	1.04
5875MHz_TX	Pass	PK	11.7644G	50.45	74.00	-23.55	3	Horizontal	176	1.21
5875MHz_TX	Pass	PK	17.66172G	60.80	88.20	-27.40	3	Horizontal	198	1.04
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 65_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.019G	49.90	54.00	-4.10	3	Vertical	58	2.31
5210MHz_TX	Pass	AV	5.178G	82.08	Inf	-Inf	3	Vertical	58	2.31
5210MHz_TX	Pass	AV	5.367G	49.91	54.00	-4.09	3	Vertical	58	2.31
5210MHz_TX	Pass	PK	5.038G	62.49	74.00	-11.51	3	Vertical	58	2.31
5210MHz_TX	Pass	PK	5.171G	94.66	Inf	-Inf	3	Vertical	58	2.31
5210MHz_TX	Pass	PK	5.446G	63.29	74.00	-10.71	3	Vertical	58	2.31
5210MHz_TX	Pass	AV	5.022G	49.81	54.00	-4.19	3	Horizontal	283	1.00
5210MHz_TX	Pass	AV	5.188G	85.14	Inf	-Inf	3	Horizontal	283	1.00
5210MHz_TX	Pass	AV	5.369G	49.84	54.00	-4.16	3	Horizontal	283	1.00
5210MHz_TX	Pass	PK	5.134G	62.58	74.00	-11.42	3	Horizontal	283	1.00
5210MHz_TX	Pass	PK	5.181G	98.63	Inf	-Inf	3	Horizontal	283	1.00
5210MHz_TX	Pass	PK	5.35G	62.99	74.00	-11.01	3	Horizontal	283	1.00
5210MHz_TX	Pass	AV	15.58968G	37.72	54.00	-16.28	3	Vertical	64	1.50
5210MHz_TX	Pass	PK	10.4168G	49.61	68.20	-18.59	3	Vertical	114	2.59
5210MHz_TX	Pass	PK	15.63864G	50.24	74.00	-23.76	3	Vertical	64	1.50
5210MHz_TX	Pass	AV	15.59304G	37.80	54.00	-16.20	3	Horizontal	3	1.50
5210MHz_TX	Pass	PK	10.4232G	48.55	68.20	-19.65	3	Horizontal	279	1.50
5210MHz_TX	Pass	PK	15.64104G	50.40	74.00	-23.60	3	Horizontal	3	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484#RU 66_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz_TX	Pass	AV	5.144G	49.52	54.00	-4.48	3	Vertical	79	1.19
5290MHz_TX	Pass	AV	5.305G	80.49	Inf	-Inf	3	Vertical	79	1.19
5290MHz_TX	Pass	AV	5.353G	49.79	54.00	-4.21	3	Vertical	79	1.19
5290MHz_TX	Pass	PK	5.144G	62.06	74.00	-11.94	3	Vertical	79	1.19
5290MHz_TX	Pass	PK	5.299G	93.28	Inf	-Inf	3	Vertical	79	1.19
5290MHz_TX	Pass	PK	5.4G	63.20	74.00	-10.80	3	Vertical	79	1.19
5290MHz_TX	Pass	PK	5.481G	62.91	68.20	-5.29	3	Vertical	79	1.19
5290MHz_TX	Pass	AV	5.147G	49.36	54.00	-4.64	3	Horizontal	276	1.00
5290MHz_TX	Pass	AV	5.316G	87.20	Inf	-Inf	3	Horizontal	276	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz_TX	Pass	AV	5.358G	50.10	54.00	-3.90	3	Horizontal	276	1.00
5290MHz_TX	Pass	PK	5.117G	63.12	74.00	-10.88	3	Horizontal	276	1.00
5290MHz_TX	Pass	PK	5.322G	100.24	Inf	-Inf	3	Horizontal	276	1.00
5290MHz_TX	Pass	PK	5.373G	62.75	74.00	-11.25	3	Horizontal	276	1.00
5290MHz_TX	Pass	PK	5.524G	63.25	68.20	-4.95	3	Horizontal	276	1.00
5290MHz_TX	Pass	AV	10.6104G	36.20	54.00	-17.80	3	Vertical	11	1.51
5290MHz_TX	Pass	AV	15.75672G	37.26	54.00	-16.74	3	Vertical	304	1.50
5290MHz_TX	Pass	PK	10.65776G	48.80	74.00	-25.20	3	Vertical	11	1.51
5290MHz_TX	Pass	PK	15.75544G	51.03	74.00	-22.97	3	Vertical	304	1.50
5290MHz_TX	Pass	AV	10.66752G	36.30	54.00	-17.70	3	Horizontal	0	1.50
5290MHz_TX	Pass	AV	15.75192G	37.29	54.00	-16.71	3	Horizontal	178	1.50
5290MHz_TX	Pass	PK	10.66592G	48.89	74.00	-25.11	3	Horizontal	0	1.50
5290MHz_TX	Pass	PK	15.77928G	50.65	74.00	-23.35	3	Horizontal	178	1.50
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX	-	-	-	-	-	-	-	-	-	-
5530MHz_TX	Pass	AV	5.35G	49.20	54.00	-4.80	3	Vertical	134	1.20
5530MHz_TX	Pass	AV	5.386G	49.55	54.00	-4.45	3	Vertical	134	1.20
5530MHz_TX	Pass	AV	5.508G	80.40	Inf	-Inf	3	Vertical	134	1.20
5530MHz_TX	Pass	PK	5.28G	62.58	68.20	-5.62	3	Vertical	134	1.20
5530MHz_TX	Pass	PK	5.36G	62.35	74.00	-11.65	3	Vertical	134	1.20
5530MHz_TX	Pass	PK	5.464G	62.14	68.20	-6.06	3	Vertical	134	1.20
5530MHz_TX	Pass	PK	5.507G	92.70	Inf	-Inf	3	Vertical	134	1.20
5530MHz_TX	Pass	PK	5.771G	63.49	68.20	-4.71	3	Vertical	134	1.20
5530MHz_TX	Pass	AV	5.35G	49.22	54.00	-4.78	3	Horizontal	275	1.11
5530MHz_TX	Pass	AV	5.404G	49.49	54.00	-4.51	3	Horizontal	275	1.11
5530MHz_TX	Pass	AV	5.525G	87.55	Inf	-Inf	3	Horizontal	275	1.11
5530MHz_TX	Pass	PK	5.333G	62.37	68.20	-5.83	3	Horizontal	275	1.11
5530MHz_TX	Pass	PK	5.41G	62.53	74.00	-11.47	3	Horizontal	275	1.11
5530MHz_TX	Pass	PK	5.461G	62.56	68.20	-5.64	3	Horizontal	275	1.11
5530MHz_TX	Pass	PK	5.522G	100.62	Inf	-Inf	3	Horizontal	275	1.11
5530MHz_TX	Pass	PK	5.758G	63.55	68.20	-4.65	3	Horizontal	275	1.11
5530MHz_TX	Pass	AV	11.0168G	35.86	54.00	-18.14	3	Vertical	186	3.00
5530MHz_TX	Pass	PK	10.98544G	48.26	74.00	-25.74	3	Vertical	186	3.00
5530MHz_TX	Pass	PK	16.5084G	50.23	68.20	-17.97	3	Vertical	154	2.06
5530MHz_TX	Pass	AV	11.0168G	35.81	54.00	-18.19	3	Horizontal	10	1.50
5530MHz_TX	Pass	PK	11.12304G	48.61	74.00	-25.39	3	Horizontal	10	1.50
5530MHz_TX	Pass	PK	16.64568G	51.04	68.20	-17.16	3	Horizontal	131	1.94
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX	-	-	-	-	-	-	-	-	-	-
5610MHz_TX	Pass	AV	5.433G	49.46	54.00	-4.54	3	Vertical	133	3.00
5610MHz_TX	Pass	AV	5.632G	86.08	Inf	-Inf	3	Vertical	133	3.00
5610MHz_TX	Pass	PK	5.4G	63.86	74.00	-10.14	3	Vertical	133	3.00
5610MHz_TX	Pass	PK	5.461G	62.72	68.20	-5.48	3	Vertical	133	3.00
5610MHz_TX	Pass	PK	5.639G	98.44	Inf	-Inf	3	Vertical	133	3.00
5610MHz_TX	Pass	PK	5.832G	64.28	68.20	-3.92	3	Vertical	133	3.00
5610MHz_TX	Pass	AV	5.397G	49.40	54.00	-4.60	3	Horizontal	282	1.00
5610MHz_TX	Pass	AV	5.619G	92.57	Inf	-Inf	3	Horizontal	282	1.00
5610MHz_TX	Pass	PK	5.437G	62.75	74.00	-11.25	3	Horizontal	282	1.00
5610MHz_TX	Pass	PK	5.468G	61.68	68.20	-6.52	3	Horizontal	282	1.00
5610MHz_TX	Pass	PK	5.643G	105.09	Inf	-Inf	3	Horizontal	282	1.00
5610MHz_TX	Pass	PK	5.756G	64.19	68.20	-4.01	3	Horizontal	282	1.00
5610MHz_TX	Pass	AV	11.26064G	38.02	54.00	-15.98	3	Vertical	2	1.00
5610MHz_TX	Pass	PK	11.27024G	49.75	74.00	-24.25	3	Vertical	2	1.00
5610MHz_TX	Pass	PK	16.88664G	49.86	68.20	-18.34	3	Vertical	270	2.93
5610MHz_TX	Pass	AV	11.26288G	37.70	54.00	-16.30	3	Horizontal	45	3.00
5610MHz_TX	Pass	PK	11.1896G	50.28	74.00	-23.72	3	Horizontal	45	3.00
5610MHz_TX	Pass	PK	16.76856G	49.84	68.20	-18.36	3	Horizontal	177	1.00
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_TX	Pass	AV	5.7522G	84.93	Inf	-Inf	3	Vertical	133	1.50
5775MHz_TX	Pass	PK	5.5866G	63.06	68.20	-5.14	3	Vertical	133	1.50
5775MHz_TX	Pass	PK	5.7498G	97.87	Inf	-Inf	3	Vertical	133	1.50
5775MHz_TX	Pass	PK	5.9346G	64.47	68.20	-3.73	3	Vertical	133	1.50
5775MHz_TX	Pass	AV	5.7594G	91.81	Inf	-Inf	3	Horizontal	291	1.00
5775MHz_TX	Pass	PK	5.5338G	63.24	68.20	-4.96	3	Horizontal	291	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz_TX	Pass	PK	5.7558G	105.02	Inf	-Inf	3	Horizontal	291	1.00
5775MHz_TX	Pass	PK	6.0318G	64.34	68.20	-3.86	3	Horizontal	291	1.00
5775MHz_TX	Pass	AV	11.50968G	38.65	54.00	-15.35	3	Vertical	340	2.95
5775MHz_TX	Pass	PK	11.50968G	50.72	74.00	-23.28	3	Vertical	340	2.95
5775MHz_TX	Pass	PK	17.42244G	50.28	68.20	-17.92	3	Vertical	51	1.50
5775MHz_TX	Pass	AV	11.526G	37.10	54.00	-16.90	3	Horizontal	31	1.50
5775MHz_TX	Pass	PK	11.566G	50.11	74.00	-23.89	3	Horizontal	31	1.50
5775MHz_TX	Pass	PK	17.40804G	49.90	68.20	-18.30	3	Horizontal	140	1.69
802.11ax HEW80_Nss1,(MCS0),RU 484, #RU 66_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_TX	Pass	AV	5.7906G	85.85	Inf	-Inf	3	Vertical	132	2.29
5775MHz_TX	Pass	PK	5.517G	62.77	68.20	-5.43	3	Vertical	132	2.29
5775MHz_TX	Pass	PK	5.7906G	98.38	Inf	-Inf	3	Vertical	132	2.29
5775MHz_TX	Pass	PK	5.9346G	64.07	68.20	-4.13	3	Vertical	132	2.29
5775MHz_TX	Pass	AV	5.8038G	91.89	Inf	-Inf	3	Horizontal	292	1.01
5775MHz_TX	Pass	PK	5.6058G	62.99	68.20	-5.21	3	Horizontal	292	1.01
5775MHz_TX	Pass	PK	5.8074G	104.93	Inf	-Inf	3	Horizontal	292	1.01
5775MHz_TX	Pass	PK	5.973G	64.64	68.20	-3.56	3	Horizontal	292	1.01
5775MHz_TX	Pass	AV	11.58808G	39.10	54.00	-14.90	3	Vertical	341	2.75
5775MHz_TX	Pass	PK	11.59384G	50.79	74.00	-23.21	3	Vertical	341	2.75
5775MHz_TX	Pass	PK	17.41812G	49.69	68.20	-18.51	3	Vertical	128	1.50
5775MHz_TX	Pass	AV	11.5244G	37.10	54.00	-16.90	3	Horizontal	352	2.43
5775MHz_TX	Pass	PK	11.5724G	49.75	74.00	-24.25	3	Horizontal	352	2.43
5775MHz_TX	Pass	PK	17.3898G	51.19	68.20	-17.01	3	Horizontal	195	1.00
802.11ax HEW80_Nss1,(MCS0),RU 484, #RU 65_1TX	-	-	-	-	-	-	-	-	-	-
5855MHz_TX	Pass	AV	5.843G	89.14	Inf	-Inf	3	Vertical	133	2.12
5855MHz_TX	Pass	AV	5.9402G	51.31	68.20	-16.89	3	Vertical	133	2.12
5855MHz_TX	Pass	PK	5.6222G	63.20	68.20	-5.00	3	Vertical	133	2.12
5855MHz_TX	Pass	PK	5.8394G	101.27	Inf	-Inf	3	Vertical	133	2.12
5855MHz_TX	Pass	PK	6.0242G	65.35	88.20	-22.85	3	Vertical	133	2.12
5855MHz_TX	Pass	AV	5.8466G	95.05	Inf	-Inf	3	Horizontal	293	1.05
5855MHz_TX	Pass	AV	5.927G	51.81	68.20	-16.39	3	Horizontal	293	1.05
5855MHz_TX	Pass	PK	5.6354G	63.11	68.20	-5.09	3	Horizontal	293	1.05
5855MHz_TX	Pass	PK	5.8226G	108.02	Inf	-Inf	3	Horizontal	293	1.05
5855MHz_TX	Pass	PK	5.9258G	65.54	88.20	-22.66	3	Horizontal	293	1.05
5855MHz_TX	Pass	AV	11.6716G	41.10	54.00	-12.90	3	Vertical	338	2.87
5855MHz_TX	Pass	AV	17.49828G	42.52	68.20	-25.68	3	Vertical	181	2.23
5855MHz_TX	Pass	PK	11.6648G	53.03	74.00	-20.97	3	Vertical	338	2.87
5855MHz_TX	Pass	PK	17.49828G	55.44	88.20	-32.76	3	Vertical	181	2.23
5855MHz_TX	Pass	AV	11.66744G	38.17	54.00	-15.83	3	Horizontal	174	1.00
5855MHz_TX	Pass	AV	17.50548G	43.57	68.20	-24.63	3	Horizontal	195	1.00
5855MHz_TX	Pass	PK	11.66872G	51.03	74.00	-22.97	3	Horizontal	174	1.00
5855MHz_TX	Pass	PK	17.52228G	57.00	88.20	-31.20	3	Horizontal	195	1.00
802.11ax HEW80_Nss1,(MCS0),RU 484, #RU 66_1TX	-	-	-	-	-	-	-	-	-	-
5855MHz_TX	Pass	AV	5.867G	88.36	Inf	-Inf	3	Vertical	133	1.50
5855MHz_TX	Pass	AV	5.9258G	51.34	68.20	-16.86	3	Vertical	133	1.50
5855MHz_TX	Pass	PK	5.6006G	63.42	68.20	-4.78	3	Vertical	133	1.50
5855MHz_TX	Pass	PK	5.8622G	100.41	Inf	-Inf	3	Vertical	133	1.50
5855MHz_TX	Pass	PK	5.9342G	65.56	88.20	-22.64	3	Vertical	133	1.50
5855MHz_TX	Pass	AV	5.8634G	94.66	Inf	-Inf	3	Horizontal	292	1.01
5855MHz_TX	Pass	AV	5.9258G	52.57	68.20	-15.63	3	Horizontal	292	1.01
5855MHz_TX	Pass	PK	5.6462G	63.00	68.20	-5.20	3	Horizontal	292	1.01
5855MHz_TX	Pass	PK	5.8598G	106.98	Inf	-Inf	3	Horizontal	292	1.01
5855MHz_TX	Pass	PK	5.9342G	70.85	88.20	-17.35	3	Horizontal	292	1.01
5855MHz_TX	Pass	AV	11.7532G	38.00	54.00	-16.00	3	Vertical	0	3.00
5855MHz_TX	Pass	AV	17.62404G	39.60	68.20	-28.60	3	Vertical	354	2.13
5855MHz_TX	Pass	PK	11.7696G	50.38	74.00	-23.62	3	Vertical	0	3.00
5855MHz_TX	Pass	PK	17.6202G	52.52	88.20	-35.68	3	Vertical	354	2.13
5855MHz_TX	Pass	AV	11.66712G	36.71	54.00	-17.29	3	Horizontal	195	1.50
5855MHz_TX	Pass	AV	17.62164G	42.80	68.20	-25.40	3	Horizontal	198	1.05
5855MHz_TX	Pass	PK	11.662G	49.14	74.00	-24.86	3	Horizontal	195	1.50
5855MHz_TX	Pass	PK	17.6226G	55.02	88.20	-33.18	3	Horizontal	198	1.05


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5180MHz_TX



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.53	54.00	-4.47	11.25	3	Vertical	59	2.04	38.28	33.49	4.81	27.05
AV	5.186G	85.79	Inf	-Inf	11.13	3	Vertical	59	2.04	74.66	33.36	4.83	27.06
PK	5.1392G	63.67	74.00	-10.33	11.20	3	Vertical	59	2.04	52.47	33.44	4.81	27.05
PK	5.1892G	99.13	Inf	-Inf	11.10	3	Vertical	59	2.04	88.03	33.34	4.83	27.07

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.52	54.00	-4.48	11.26	3	Horizontal	283	1.00	38.26	33.50	4.81	27.05
AV	5.1848G	90.59	Inf	-Inf	11.13	3	Horizontal	283	1.00	79.46	33.36	4.83	27.06
PK	5.1124G	63.45	74.00	-10.55	11.03	3	Horizontal	283	1.00	52.42	33.27	4.79	27.03
PK	5.1836G	103.63	Inf	-Inf	11.14	3	Horizontal	283	1.00	92.49	33.37	4.83	27.06


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_1TX

5190MHz_TX



5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_1TX

5210MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5320MHz_TX




EUT Z
Setting 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.3276G	91.76	Inf	-Inf	80.88	3	Vertical	134	1.03	-	33.10	4.90	27.12
AV	5.3534G	49.44	54.00	-4.56	38.57	3	Vertical	134	1.03	-	33.09	4.91	27.13
PK	5.326G	104.18	Inf	-Inf	93.30	3	Vertical	134	1.03	-	33.10	4.90	27.12
PK	5.359G	62.46	74.00	-11.54	51.60	3	Vertical	134	1.03	-	33.08	4.91	27.13

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5320MHz_TX




EUT Z
Setting 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.328G	99.61	Inf	-Inf	88.73	3	Horizontal	278	1.02	-	33.10	4.90	27.12
AV	5.3526G	49.54	54.00	-4.46	38.67	3	Horizontal	278	1.02	-	33.09	4.91	27.13
PK	5.327G	112.77	Inf	-Inf	101.89	3	Horizontal	278	1.02	-	33.10	4.90	27.12
PK	5.3664G	62.72	74.00	-11.28	51.88	3	Horizontal	278	1.02	-	33.07	4.91	27.14

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5320MHz_TX




EUT Z
Setting 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	10.65464G	39.52	54.00	-14.48	34.98	3	Vertical	174	1.06	-	39.20	7.42	42.08			
AV	15.96672G	37.14	54.00	-16.86	32.75	3	Vertical	77	1.50	-	37.77	10.06	43.44			
PK	10.65482G	52.93	74.00	-21.07	48.38	3	Vertical	174	1.06	-	39.20	7.43	42.08			
PK	15.96984G	51.26	74.00	-22.74	46.89	3	Vertical	77	1.50	-	37.76	10.06	43.45			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5320MHz_TX




EUT Z
Setting 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	10.65446G	39.36	54.00	-14.64	34.82	3	Horizontal	201	1.02	-	39.20	7.42	42.08			
AV	15.9788G	37.12	54.00	-16.88	32.77	3	Horizontal	202	1.50	-	37.74	10.07	43.46			
PK	10.6541G	52.73	74.00	-21.27	48.19	3	Horizontal	201	1.02	-	39.20	7.42	42.08			
PK	15.95304G	49.66	74.00	-24.34	45.24	3	Horizontal	202	1.50	-	37.79	10.06	43.43			


5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5310MHz_TX




5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5310MHz_TX



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63894G	39.13	54.00	-14.87	4.53	3	Vertical	184	2.68	34.60	39.18	7.42	42.07
AV	15.8988G	37.05	54.00	-16.95	4.57	3	Vertical	200	1.50	32.48	37.90	10.03	43.36
PK	10.64126G	54.54	74.00	-19.46	4.53	3	Vertical	184	2.68	50.01	39.18	7.42	42.07
PK	15.94392G	49.48	74.00	-24.52	4.45	3	Vertical	200	1.50	45.03	37.81	10.05	43.41

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63982G	37.66	54.00	-16.34	4.53	3	Horizontal	292	1.00	33.13	39.18	7.42	42.07
AV	15.89448G	37.14	54.00	-16.86	4.56	3	Horizontal	360	1.66	32.58	37.89	10.03	43.36
PK	10.63614G	51.83	74.00	-22.17	4.53	3	Horizontal	292	1.00	47.30	39.17	7.42	42.06
PK	15.91992G	49.56	74.00	-24.44	4.51	3	Horizontal	360	1.66	45.05	37.86	10.04	43.39

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	49.52	54.00	-4.48	11.22	3	Vertical	79	1.19	38.30	33.46	4.81	27.05
AV	5.305G	80.49	Inf	-Inf	10.88	3	Vertical	79	1.19	69.61	33.10	4.89	27.11
AV	5.353G	49.79	54.00	-4.21	10.87	3	Vertical	79	1.19	38.92	33.09	4.91	27.13
PK	5.144G	62.06	74.00	-11.94	11.22	3	Vertical	79	1.19	50.84	33.46	4.81	27.05
PK	5.299G	93.28	Inf	-Inf	10.87	3	Vertical	79	1.19	82.41	33.10	4.88	27.11
PK	5.4G	63.20	74.00	-10.80	10.78	3	Vertical	79	1.19	52.42	33.00	4.93	27.15
PK	5.481G	62.91	68.20	-5.29	10.96	3	Vertical	79	1.19	51.95	33.19	4.95	27.18

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	49.36	54.00	-4.64	11.24	3	Horizontal	276	1.00	38.12	33.48	4.81	27.05
AV	5.316G	87.20	Inf	-Inf	10.87	3	Horizontal	276	1.00	76.33	33.10	4.89	27.12
AV	5.358G	50.10	54.00	-3.90	10.86	3	Horizontal	276	1.00	39.24	33.08	4.91	27.13
PK	5.117G	63.12	74.00	-10.88	11.05	3	Horizontal	276	1.00	52.07	33.30	4.79	27.04
PK	5.322G	100.24	Inf	-Inf	10.87	3	Horizontal	276	1.00	89.37	33.10	4.89	27.12
PK	5.373G	62.75	74.00	-11.25	10.83	3	Horizontal	276	1.00	51.92	33.05	4.92	27.14
PK	5.524G	63.25	68.20	-4.95	11.01	3	Horizontal	276	1.00	52.24	33.25	4.96	27.20

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6104G	36.20	54.00	-17.80	4.49	3	Vertical	11	1.51	31.71	39.12	7.41	42.04
AV	15.75672G	37.26	54.00	-16.74	5.03	3	Vertical	304	1.50	32.23	38.27	9.96	43.20
PK	10.65776G	48.80	74.00	-25.20	4.55	3	Vertical	11	1.51	44.25	39.20	7.43	42.08
PK	15.75544G	51.03	74.00	-22.97	5.04	3	Vertical	304	1.50	45.99	38.28	9.96	43.20

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.66752G	36.30	54.00	-17.70	4.54	3	Horizontal	0	1.50	31.76	39.20	7.43	42.09
AV	15.75192G	37.29	54.00	-16.71	5.05	3	Horizontal	178	1.50	32.24	38.29	9.95	43.19
PK	10.66592G	48.89	74.00	-25.11	4.54	3	Horizontal	0	1.50	44.35	39.20	7.43	42.09
PK	15.77928G	50.65	74.00	-23.35	4.93	3	Horizontal	178	1.50	45.72	38.18	9.97	43.22


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX

5610MHz_TX



5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	97.05	Inf	-Inf	12.11	3	Vertical	131	2.24	84.94	34.27	5.16	27.32
PK	5.5478G	62.26	68.20	-5.94	10.96	3	Vertical	131	2.24	51.30	33.20	4.97	27.21
PK	5.8334G	109.40	Inf	-Inf	12.11	3	Vertical	131	2.24	97.29	34.27	5.16	27.32
PK	6.0194G	65.23	68.20	-2.97	12.09	3	Vertical	131	2.24	53.14	34.40	5.09	27.40

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	102.65	Inf	-Inf	12.11	3	Horizontal	293	1.00	90.54	34.27	5.16	27.32
PK	5.615G	63.06	68.20	-5.14	11.03	3	Horizontal	293	1.00	52.03	33.26	5.00	27.23
PK	5.8322G	115.29	Inf	-Inf	12.10	3	Horizontal	293	1.00	103.19	34.26	5.16	27.32
PK	6.005G	64.47	68.20	-3.73	12.08	3	Horizontal	293	1.00	52.39	34.40	5.07	27.39


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5825MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

5825MHz_TX



5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	93.94	Inf	-Inf	12.08	3	Vertical	132	2.18	81.86	34.20	5.18	27.30
PK	5.507G	62.64	68.20	-5.56	11.06	3	Vertical	132	2.18	51.58	33.29	4.96	27.19
PK	5.7998G	106.33	Inf	-Inf	12.08	3	Vertical	132	2.18	94.25	34.20	5.18	27.30
PK	5.9714G	63.87	68.20	-4.33	12.12	3	Vertical	132	2.18	51.75	34.40	5.09	27.37

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	99.89	Inf	-Inf	12.08	3	Horizontal	292	1.00	87.81	34.20	5.18	27.30
PK	5.6066G	63.44	68.20	-4.76	10.99	3	Horizontal	292	1.00	52.45	33.23	4.99	27.23
PK	5.7998G	113.37	Inf	-Inf	12.08	3	Horizontal	292	1.00	101.29	34.20	5.18	27.30
PK	5.9822G	64.91	68.20	-3.29	12.11	3	Horizontal	292	1.00	52.80	34.40	5.08	27.37


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5795MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7906G	85.85	Inf	-Inf	12.03	3	Vertical	132	2.29	73.82	34.16	5.17	27.30
PK	5.517G	62.77	68.20	-5.43	11.03	3	Vertical	132	2.29	51.74	33.27	4.96	27.20
PK	5.7906G	98.38	Inf	-Inf	12.03	3	Vertical	132	2.29	86.35	34.16	5.17	27.30
PK	5.9346G	64.07	68.20	-4.13	12.18	3	Vertical	132	2.29	51.89	34.43	5.11	27.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8038G	91.89	Inf	-Inf	12.08	3	Horizontal	292	1.01	79.81	34.21	5.18	27.31
PK	5.6058G	62.99	68.20	-5.21	10.98	3	Horizontal	292	1.01	52.01	33.22	4.99	27.23
PK	5.8074G	104.93	Inf	-Inf	12.08	3	Horizontal	292	1.01	92.85	34.21	5.18	27.31
PK	5.973G	64.64	68.20	-3.56	12.11	3	Horizontal	292	1.01	52.53	34.40	5.08	27.37


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX

5775MHz_TX




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX

5775MHz_TX



5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8626G	92.98	Inf	-Inf	12.17	3	Vertical	133	1.50	80.81	34.35	5.15	27.33
AV	6.0054G	51.14	68.20	-17.06	12.08	3	Vertical	133	1.50	39.06	34.40	5.07	27.39
PK	5.8286G	62.00	68.20	-6.20	11.08	3	Vertical	133	1.50	50.92	33.31	5.01	27.24
PK	5.8578G	104.98	Inf	-Inf	12.15	3	Vertical	133	1.50	92.83	34.33	5.15	27.33
PK	6.0186G	64.88	88.20	-23.32	12.08	3	Vertical	133	1.50	52.80	34.40	5.08	27.40

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8566G	99.12	Inf	-Inf	12.15	3	Horizontal	291	1.08	86.97	34.33	5.15	27.33
AV	6.021G	51.27	68.20	-16.93	12.08	3	Horizontal	291	1.08	39.19	34.40	5.09	27.41
PK	5.6118G	63.17	68.20	-5.03	11.01	3	Horizontal	291	1.08	52.16	33.25	4.99	27.23
PK	5.8626G	110.03	Inf	-Inf	12.17	3	Horizontal	291	1.08	97.86	34.35	5.15	27.33
PK	6.1122G	64.73	88.20	-23.47	11.99	3	Horizontal	291	1.08	52.74	34.35	5.16	27.52

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7197G	42.89	54.00	-11.11	4.89	3	Vertical	354	2.70	38.00	39.00	7.87	41.98
AV	17.57907G	43.06	68.20	-25.14	5.59	3	Vertical	183	2.12	37.47	38.30	10.48	43.19
PK	11.72012G	57.77	74.00	-16.23	4.89	3	Vertical	354	2.70	52.88	39.00	7.87	41.98
PK	17.58711G	60.38	88.20	-27.82	5.58	3	Vertical	183	2.12	54.80	38.30	10.48	43.20

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.71928G	38.91	54.00	-15.09	4.89	3	Horizontal	173	1.07	34.02	39.00	7.87	41.98
AV	17.57889G	44.75	68.20	-23.45	5.59	3	Horizontal	197	1.00	39.16	38.30	10.48	43.19
PK	11.72138G	52.14	74.00	-21.86	4.89	3	Horizontal	173	1.07	47.25	39.00	7.87	41.98
PK	17.58807G	61.78	88.20	-26.42	5.58	3	Horizontal	197	1.00	56.20	38.30	10.48	43.20

5.85-5.895GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.8798G	93.30	Inf	-Inf	12.23	3	Vertical	131	2.17	81.07	34.42	5.14	27.33				
AV	5.9254G	51.49	68.20	-16.71	12.21	3	Vertical	131	2.17	39.28	34.45	5.11	27.35				
PK	5.575G	62.26	68.20	-5.94	10.95	3	Vertical	131	2.17	51.31	33.20	4.97	27.22				
PK	5.8882G	105.77	Inf	-Inf	12.24	3	Vertical	131	2.17	93.53	34.45	5.13	27.34				
PK	5.9266G	69.96	88.20	-18.24	12.21	3	Vertical	131	2.17	57.75	34.45	5.11	27.35				

5.85-5.895GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.8798G	96.75	Inf	-Inf	12.23	3	Horizontal	215	1.10	84.52	34.42	5.14	27.33				
AV	5.8954G	73.79	89.91	-16.12	12.27	3	Horizontal	215	1.10	61.52	34.48	5.13	27.34				
PK	5.6374G	63.05	68.20	-5.15	11.13	3	Horizontal	215	1.10	51.92	33.35	5.02	27.24				
PK	5.8846G	109.24	Inf	-Inf	12.23	3	Horizontal	215	1.10	97.01	34.44	5.13	27.34				
PK	5.9374G	73.08	88.20	-15.12	12.17	3	Horizontal	215	1.10	60.91	34.43	5.10	27.36				


5.85-5.895GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5875MHz_TX




5.85-5.895GHz_802.11ax_HEW40_Nss1,(MCS0),RU 242,#RU 62_1TX

5875MHz_TX



5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.867G	88.36	Inf	-Inf	12.18	3	Vertical	133	1.50	76.18	34.37	5.14	27.33
AV	5.9258G	51.34	68.20	-16.86	12.21	3	Vertical	133	1.50	39.13	34.45	5.11	27.35
PK	5.6006G	63.42	68.20	-4.78	10.95	3	Vertical	133	1.50	52.47	33.20	4.98	27.23
PK	5.8622G	100.41	Inf	-Inf	12.17	3	Vertical	133	1.50	88.24	34.35	5.15	27.33
PK	5.9342G	65.56	88.20	-22.64	12.19	3	Vertical	133	1.50	53.37	34.43	5.11	27.35

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8634G	94.66	Inf	-Inf	12.17	3	Horizontal	292	1.01	82.49	34.35	5.15	27.33
AV	5.9258G	52.57	68.20	-15.63	12.21	3	Horizontal	292	1.01	40.36	34.45	5.11	27.35
PK	5.6462G	63.00	68.20	-5.20	11.16	3	Horizontal	292	1.01	51.84	33.38	5.03	27.25
PK	5.8598G	106.98	Inf	-Inf	12.16	3	Horizontal	292	1.01	94.82	34.34	5.15	27.33
PK	5.9342G	70.85	88.20	-17.35	12.19	3	Horizontal	292	1.01	58.66	34.43	5.11	27.35

5.85-5.895GHz_802.11ax_HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7532G	38.00	54.00	-16.00	4.87	3	Vertical	0	3.00	33.13	38.99	7.89	42.01
AV	17.62404G	39.60	68.20	-28.60	5.66	3	Vertical	354	2.13	33.94	38.40	10.49	43.23
PK	11.76696G	50.38	74.00	-23.62	4.84	3	Vertical	0	3.00	45.54	38.97	7.89	42.02
PK	17.6202G	52.52	88.20	-35.68	5.64	3	Vertical	354	2.13	46.88	38.38	10.49	43.23

5.85-5.895GHz_802.11ax_HEW80_Nss1,(MCS0),RU 484,#RU 66_1TX

5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66712G	36.71	54.00	-17.29	4.78	3	Horizontal	195	1.50	31.93	38.87	7.85	41.94
AV	17.62164G	42.80	68.20	-25.40	5.65	3	Horizontal	198	1.05	37.15	38.39	10.49	43.23
PK	11.662G	49.14	74.00	-24.86	4.77	3	Horizontal	195	1.50	44.37	38.85	7.85	41.93
PK	17.6226G	55.02	88.20	-33.18	5.65	3	Horizontal	198	1.05	49.37	38.39	10.49	43.23