

TOSHIBA FCC ID:CJ6DCE46036A--FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.380 mW/g, SAR (10g): 0.271 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.432 mW/g, SAR (10g): 0.304 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.306 mW/g, SAR (10g): 0.217 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.442 mW/g, SAR (10g): 0.313 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.380 mW/g, SAR (10g): 0.267 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.369 mW/g, SAR (10g): 0.262 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A-- FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.309 mW/g, SAR (10g): 0.217 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Extended Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.464 mW/g, SAR (10g): 0.328 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Extended Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A -- FM Body SAR

SAM Phantom; Flat Section;

Probe: ET3DV6 - SN1560

Medium Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³

Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.441 mW/g, SAR (10g): 0.353 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Holster

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.497 mW/g, SAR (10g): 0.349 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.2°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Holster

Test Date - 04/30/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A -- FM Body SAR

SAM Phantom; Flat Section;

Probe: ET3DV6 - SN1560

Medium Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³

Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.345 mW/g, SAR (10g): 0.241 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.490MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Holster

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A-- FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.495 mW/g, SAR (10g): 0.348 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.490MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Holster

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A -- FM Body SAR

SAM Phantom; Flat Section;

Probe: ET3DV6 - SN1560

Medium Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³

Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.441 mW/g, SAR (10g): 0.361 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Holster

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A-- FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.417 mW/g, SAR (10g): 0.298 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799(848.97MHz); Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Holster

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A -- FM Body SAR

SAM Phantom; Flat Section;

Probe: ET3DV6 - SN1560

Medium Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³

Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.358 mW/g, SAR (10g): 0.251 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.490MHz];Extended Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Holster

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A-- FM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.489 mW/g, SAR (10g): 0.340 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.490MHz]; Extended Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Holster

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

