

EXHIBIT B - EUT EXTERNAL PHOTOGRAPHS


EUT – All View



EUT – Top View



EUT –Bottom View




The bottom view of the EUT module shows a black PCB with several mounting holes and a central gold-colored SMA connector. A green ribbon cable is connected to the bottom edge. A yellow ruler is placed horizontally below the module, and a silver ruler is placed vertically to the left, indicating dimensions.


EUT –Side View



The side view of the EUT module shows a black heat sink with vertical fins. A green ribbon cable is connected to the left side. A gold-colored SMA connector is visible on the front. The module is mounted on a black base with a handle cutout. Text on the front includes "Bluetooth", "e30", "5V", "500mA", and "500mA".



EUT –Bottom View




The bottom view of the EUT shows a black printed circuit board (PCB) with a green connector and a yellow ruler for scale. The ruler indicates the dimensions of the device, which is approximately 10 cm wide and 15 cm high. The PCB has several mounting holes and a central component.


EUT –Side View



The side view of the EUT shows a black printed circuit board (PCB) with a green connector and a yellow ruler for scale. The ruler indicates the dimensions of the device, which is approximately 10 cm wide and 15 cm high. The PCB has several mounting holes and a central component.



EUT –Side View



EUT –Port View



EUT – Port View



EUT – CDMA&Wifi&GPS Antenna View



EUT – BT Antenna View

