



|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 97             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.910                 | 32.696               | -27.090         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 49.785                 | 30.022               | -24.215         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 98             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.369                 | 32.155               | -27.631         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.097                 | 30.334               | -23.903         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 99             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.872                 | 31.295               | -28.128         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.937                 | 32.028               | -22.063         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 100            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.236                 | 31.659               | -27.764         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.299                 | 31.390               | -22.701         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 101            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.032                 | 32.249               | -29.968         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 52.342                 | 34.330               | -21.658         | 74.000         | 18.012      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 102            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 45.955                 | 34.172               | -28.045         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 49.389                 | 31.377               | -24.611         | 74.000         | 18.012      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 103            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 43.493                 | 31.636               | -30.507         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 50.286                 | 31.932               | -23.714         | 74.000         | 18.354      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 104            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 44.261                 | 32.404               | -29.739         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 51.011                 | 32.657               | -22.989         | 74.000         | 18.354      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 105            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.087                 | 31.597               | -27.913         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.490                 | 30.890               | -22.510         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 106            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.277                 | 31.787               | -27.723         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.143                 | 30.543               | -22.857         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 107            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.831                 | 31.786               | -27.169         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.937                 | 32.021               | -22.063         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 108            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 47.105                 | 32.060               | -26.895         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.908                 | 31.992               | -22.092         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 109            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 44.440                 | 32.661               | -29.560         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 49.491                 | 31.629               | -24.509         | 74.000         | 17.862      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 110            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 44.662                 | 32.883               | -29.338         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 51.820                 | 33.958               | -22.180         | 74.000         | 17.862      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 111            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.589                 | 31.179               | -28.411         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 50.121                 | 29.556               | -23.879         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 112            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 46.926                 | 32.516               | -27.074         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 50.386                 | 29.821               | -23.614         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 113            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 44.903                 | 33.145               | -29.097         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 50.911                 | 33.440               | -23.089         | 74.000         | 17.471      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 114            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10360.000       | 45.330                 | 33.572               | -28.670         | 74.000         | 11.757      | PK   |
| 2  | *    | 15540.000       | 50.406                 | 32.935               | -23.594         | 74.000         | 17.471      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 115            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 44.096                 | 31.745               | -29.904         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 49.433                 | 31.906               | -24.567         | 74.000         | 17.527      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 116            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10440.000       | 45.096                 | 32.745               | -28.904         | 74.000         | 12.351      | PK   |
| 2  | *    | 15660.000       | 49.002                 | 31.475               | -24.998         | 74.000         | 17.527      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 117            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 44.277                 | 32.210               | -29.723         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 49.922                 | 31.771               | -24.078         | 74.000         | 18.152      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 118            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10480.000       | 44.977                 | 32.910               | -29.023         | 74.000         | 12.068      | PK   |
| 2  | *    | 15720.000       | 51.041                 | 32.890               | -22.959         | 74.000         | 18.152      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 119            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.123                 | 31.192               | -28.877         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 52.944                 | 32.663               | -21.056         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 120            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.462                 | 31.531               | -28.538         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 53.372                 | 33.091               | -20.628         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 121            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.308                 | 31.094               | -28.692         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.064                 | 30.301               | -23.936         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 122            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.366                 | 31.152               | -28.634         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 49.583                 | 29.820               | -24.417         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 123            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.697                 | 31.120               | -28.303         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.632                 | 31.723               | -22.368         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 124            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.120                 | 31.543               | -27.880         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.680                 | 31.771               | -22.320         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 125            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 45.624                 | 33.841               | -28.376         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 50.157                 | 32.145               | -23.843         | 74.000         | 18.012      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 126            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10380.000       | 44.533                 | 32.750               | -29.467         | 74.000         | 11.783      | PK   |
| 2  | *    | 15570.000       | 50.768                 | 32.756               | -23.232         | 74.000         | 18.012      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 127            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 44.121                 | 32.264               | -29.879         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 50.615                 | 32.261               | -23.385         | 74.000         | 18.354      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 128            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10460.000       | 43.671                 | 31.814               | -30.329         | 74.000         | 11.857      | PK   |
| 2  | *    | 15690.000       | 49.552                 | 31.198               | -24.448         | 74.000         | 18.354      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 129            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.515                 | 32.025               | -27.485         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.795                 | 31.195               | -22.205         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 130            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.477                 | 31.987               | -27.523         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.916                 | 31.316               | -22.084         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 131            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:23 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.552                 | 31.507               | -27.448         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 50.632                 | 30.716               | -23.368         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 132            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:24 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.769                 | 31.724               | -27.231         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.065                 | 31.149               | -22.935         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 133            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:24 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 44.560                 | 32.781               | -29.440         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 50.608                 | 32.746               | -23.392         | 74.000         | 17.862      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 134            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:24 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 10420.000       | 45.376                 | 33.597               | -28.624         | 74.000         | 11.780      | PK   |
| 2  | *    | 15630.000       | 50.518                 | 32.656               | -23.482         | 74.000         | 17.862      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 135            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:24 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.524                 | 31.114               | -28.476         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.631                 | 29.066               | -24.369         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 136            |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/11/20 - 02:24 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.667                 | 31.257               | -28.333         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.572                 | 29.007               | -24.428         | 74.000         | 20.565      | PK   |

### Radio 3:

### 5GHz High Band


### 2\*2 CDD:

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 41             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 46.228                 | 32.297               | -27.772         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.864                 | 31.583               | -22.136         | 74.000         | 20.281      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 42             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.733                 | 31.802               | -28.267         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.782                 | 30.501               | -23.218         | 74.000         | 20.281      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 43             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.961                 | 30.747               | -29.039         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.773                 | 31.010               | -23.227         | 74.000         | 19.762      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 44             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.936                 | 32.722               | -27.064         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.126                 | 30.363               | -23.874         | 74.000         | 19.762      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 45             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.090                 | 31.513               | -27.910         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.437                 | 32.528               | -21.563         | 74.000         | 19.909      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 46             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 48.749                 | 34.172               | -25.251         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.434                 | 32.525               | -21.566         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 47             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.678                 | 31.747               | -28.322         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.469                 | 31.188               | -22.531         | 74.000         | 20.281      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 48             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.715                 | 30.784               | -29.285         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.597                 | 31.316               | -22.403         | 74.000         | 20.281      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 49             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.492                 | 31.278               | -28.508         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.629                 | 30.866               | -23.371         | 74.000         | 19.762      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 50             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:14 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.317                 | 31.103               | -28.683         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 49.846                 | 30.083               | -24.154         | 74.000         | 19.762      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 51             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.002                 | 31.425               | -27.998         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.449                 | 32.540               | -21.551         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 52             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.366                 | 31.789               | -27.634         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.896                 | 31.987               | -22.104         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 53             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.298                 | 31.808               | -27.702         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.698                 | 31.098               | -22.302         | 74.000         | 20.600      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 54             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.810                 | 31.320               | -28.190         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.675                 | 30.075               | -23.325         | 74.000         | 20.600      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 55             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 47.332                 | 32.287               | -26.668         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.517                 | 31.601               | -22.483         | 74.000         | 19.916      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 56             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.939                 | 30.894               | -28.061         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.565                 | 31.649               | -22.435         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 57             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 46.145                 | 32.214               | -27.855         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.802                 | 31.521               | -22.198         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 58             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.695                 | 31.764               | -28.305         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.902                 | 30.621               | -23.098         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 59             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.160                 | 30.946               | -28.840         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 51.267                 | 31.504               | -22.733         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 60             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.156                 | 31.942               | -27.844         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.735                 | 30.972               | -23.265         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 61             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 47.102                 | 32.525               | -26.898         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.791                 | 32.882               | -21.209         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 62             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:15 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 47.126                 | 32.549               | -26.874         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.428                 | 30.519               | -23.572         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 63             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.269                 | 31.779               | -27.731         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.381                 | 29.781               | -23.619         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 64             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.910                 | 31.420               | -28.090         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.313                 | 29.713               | -23.687         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 65             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 45.976                 | 30.931               | -28.024         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 52.599                 | 32.683               | -21.401         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 66             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.145                 | 31.100               | -27.855         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 50.677                 | 30.761               | -23.323         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 67             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.230                 | 30.820               | -28.770         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.867                 | 29.302               | -24.133         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 68             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.835                 | 31.425               | -28.165         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.808                 | 29.243               | -24.192         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 69             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.080                 | 31.149               | -28.920         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.836                 | 31.555               | -22.164         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 70             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 46.578                 | 32.647               | -27.422         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.930                 | 30.649               | -23.070         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 71             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.266                 | 32.052               | -27.734         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.250                 | 30.487               | -23.750         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 72             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.304                 | 31.090               | -28.696         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.670                 | 30.907               | -23.330         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 73             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:16 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.655                 | 32.078               | -27.345         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.165                 | 31.256               | -22.835         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 74             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.483                 | 31.906               | -27.517         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.336                 | 32.427               | -21.664         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 75             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.488                 | 31.998               | -27.512         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.500                 | 29.900               | -23.500         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 76             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.501                 | 32.011               | -27.499         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.139                 | 30.539               | -22.861         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 77             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.531                 | 31.486               | -27.469         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.152                 | 31.236               | -22.848         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 78             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 47.065                 | 32.020               | -26.935         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.581                 | 31.665               | -22.419         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 79             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 46.316                 | 31.906               | -27.684         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.699                 | 29.134               | -24.301         | 74.000         | 20.565      | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 80             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:17 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.444                 | 31.034               | -28.556         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.032                 | 28.467               | -24.968         | 74.000         | 20.565      | PK   |


4\*4 CDD:

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 41             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.757                 | 31.826               | -28.243         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 52.581                 | 32.300               | -21.419         | 74.000         | 20.281      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 42             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 11490.000       | 45.421                 | 31.490               | -28.579         | 74.000         | 13.931      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 43             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.183                 | 30.969               | -28.817         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.108                 | 30.345               | -23.892         | 74.000         | 19.762      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 44             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.678                 | 31.464               | -28.322         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 51.368                 | 31.605               | -22.632         | 74.000         | 19.762      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 45             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Vertical       |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.938                 | 32.361               | -27.062         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.962                 | 33.053               | -21.038         | 74.000         | 19.909      | PK   |

|                                             |                          |
|---------------------------------------------|--------------------------|
| Profile: 1992128R                           | Page No.: 46             |
| Engineer: YULIU                             |                          |
| Site: AC5                                   | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)          | Polarity: Horizontal     |
| EUT: AP410C                                 | Power: AC 120V/60Hz      |
| Note: Mode 1:Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.392                 | 30.815               | -28.608         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.367                 | 31.458               | -22.633         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 47             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.937                 | 31.006               | -29.063         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.733                 | 30.452               | -23.267         | 74.000         | 20.281      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 48             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.136                 | 31.205               | -28.864         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 52.710                 | 32.429               | -21.290         | 74.000         | 20.281      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 49             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.174                 | 31.960               | -27.826         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 51.380                 | 31.617               | -22.620         | 74.000         | 19.762      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 50             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.864                 | 31.650               | -28.136         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 48.996                 | 29.233               | -25.004         | 74.000         | 19.762      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 51             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 47.439                 | 32.862               | -26.561         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.819                 | 30.910               | -23.181         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 52             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:24 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.745                 | 31.168               | -28.255         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.997                 | 32.088               | -22.003         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 53             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.162                 | 31.672               | -27.838         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.323                 | 30.723               | -22.677         | 74.000         | 20.600      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 54             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.021                 | 31.531               | -27.979         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.041                 | 29.441               | -23.959         | 74.000         | 20.600      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 55             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 48.041                 | 32.996               | -25.959         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.070                 | 31.154               | -22.930         | 74.000         | 19.916      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 56             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.883                 | 31.838               | -27.117         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 52.182                 | 32.266               | -21.818         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 57             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.805                 | 31.874               | -28.195         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.245                 | 29.964               | -23.755         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 58             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.379                 | 30.448               | -29.621         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.692                 | 31.411               | -22.308         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 59             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.096                 | 31.882               | -27.904         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 52.418                 | 32.655               | -21.582         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 60             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.919                 | 32.705               | -27.081         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 51.438                 | 31.675               | -22.562         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 61             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.406                 | 31.829               | -27.594         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.342                 | 32.433               | -21.658         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 62             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.677                 | 32.100               | -27.323         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.666                 | 32.757               | -21.334         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 63             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.169                 | 31.679               | -27.831         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 49.825                 | 29.225               | -24.175         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 64             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:25 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.119                 | 31.629               | -27.881         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.141                 | 30.541               | -22.859         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 65             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.542                 | 31.497               | -27.458         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 52.441                 | 32.525               | -21.559         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 66             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.903                 | 31.858               | -27.097         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.965                 | 32.049               | -22.035         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 67             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 46.771                 | 32.361               | -27.229         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.666                 | 29.101               | -24.334         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 68             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.586                 | 31.176               | -28.414         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.809                 | 29.244               | -24.191         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 69             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.549                 | 31.618               | -28.451         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.001                 | 30.720               | -22.999         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 70             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.686                 | 31.755               | -28.314         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 52.385                 | 32.104               | -21.615         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 71             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.822                 | 31.608               | -28.178         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.682                 | 30.919               | -23.318         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 72             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.739                 | 32.525               | -27.261         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 49.684                 | 29.921               | -24.316         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 73             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.129                 | 31.552               | -27.871         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.917                 | 33.008               | -21.083         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 74             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.308                 | 31.731               | -27.692         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.667                 | 32.758               | -21.333         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 75             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 47.599                 | 33.109               | -26.401         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.970                 | 31.370               | -22.030         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 76             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:26 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 47.471                 | 32.981               | -26.529         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 53.319                 | 32.719               | -20.681         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 77             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:27 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.248                 | 31.203               | -27.752         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.775                 | 31.859               | -22.225         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 78             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:27 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.429                 | 31.384               | -27.571         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 50.702                 | 30.786               | -23.298         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 79             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:27 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 46.771                 | 32.361               | -27.229         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 50.320                 | 29.755               | -23.680         | 74.000         | 20.565      | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 80             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:27 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 47.509                 | 33.099               | -26.491         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.727                 | 29.162               | -24.273         | 74.000         | 20.565      | PK   |


## 2\*2 Beamforming:

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 35             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:19 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.440                 | 31.509               | -28.560         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 52.313                 | 32.032               | -21.687         | 74.000         | 20.281      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 36             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:19 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.893                 | 31.962               | -28.107         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.994                 | 30.713               | -23.006         | 74.000         | 20.281      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 37             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:19 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.991                 | 31.777               | -28.009         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 51.289                 | 31.526               | -22.711         | 74.000         | 19.762      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 38             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:19 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.823                 | 31.609               | -28.177         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 49.406                 | 29.643               | -24.594         | 74.000         | 19.762      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 39             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.175                 | 31.598               | -27.825         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.078                 | 32.169               | -21.922         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 40             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 47.161                 | 32.584               | -26.839         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.358                 | 31.449               | -22.642         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 41             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.988                 | 31.498               | -28.012         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.850                 | 30.250               | -23.150         | 74.000         | 20.600      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 42             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.034                 | 31.544               | -27.966         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.298                 | 30.698               | -22.702         | 74.000         | 20.600      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 43             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 47.552                 | 32.507               | -26.448         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.673                 | 31.757               | -22.327         | 74.000         | 19.916      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 44             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 47.105                 | 32.060               | -26.895         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 52.092                 | 32.176               | -21.908         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 45             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 46.468                 | 32.537               | -27.532         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.440                 | 30.159               | -23.560         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 46             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.091                 | 31.160               | -28.909         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.949                 | 31.668               | -22.051         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 47             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.854                 | 30.640               | -29.146         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 49.812                 | 30.049               | -24.188         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 48             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 44.614                 | 30.400               | -29.386         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 51.433                 | 31.670               | -22.567         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 49             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.834                 | 31.257               | -28.166         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.345                 | 31.436               | -22.655         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 50             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:20 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.883                 | 31.306               | -28.117         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.119                 | 31.210               | -22.881         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 51             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.250                 | 30.760               | -28.750         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.684                 | 30.084               | -23.316         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 52             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.715                 | 31.225               | -28.285         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 52.022                 | 31.422               | -21.978         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 53             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.512                 | 31.467               | -27.488         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 50.824                 | 30.908               | -23.176         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 54             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.739                 | 31.694               | -27.261         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.726                 | 31.810               | -22.274         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 55             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.896                 | 31.486               | -28.104         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 50.408                 | 29.843               | -23.592         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 56             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 46.866                 | 32.456               | -27.134         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.932                 | 29.367               | -24.068         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 57             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.029                 | 31.098               | -28.971         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.610                 | 31.329               | -22.390         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 58             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.428                 | 31.497               | -28.572         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.401                 | 31.120               | -22.599         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 59             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.260                 | 31.046               | -28.740         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.637                 | 30.874               | -23.363         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 60             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.260                 | 31.046               | -28.740         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.637                 | 30.874               | -23.363         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 61             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.116                 | 31.539               | -27.884         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.001                 | 31.092               | -22.999         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 62             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:21 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.546                 | 31.969               | -27.454         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.159                 | 32.250               | -21.841         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 63             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.887                 | 31.397               | -28.113         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.973                 | 31.373               | -22.027         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 64             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.919                 | 31.429               | -28.081         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.791                 | 31.191               | -22.209         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 65             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.059                 | 31.014               | -27.941         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 50.948                 | 31.032               | -23.052         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 66             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 48.055                 | 33.010               | -25.945         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 52.045                 | 32.129               | -21.955         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 67             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 46.007                 | 31.597               | -27.993         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.397                 | 28.832               | -24.603         | 74.000         | 20.565      | PK   |


|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 68             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:22 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 46.745                 | 32.335               | -27.255         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.054                 | 28.489               | -24.946         | 74.000         | 20.565      | PK   |


#### 4\*4 Beamforming:

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 35             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:07 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.776                 | 30.845               | -29.224         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 52.987                 | 32.706               | -21.013         | 74.000         | 20.281      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 36             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 46.847                 | 32.916               | -27.153         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 52.228                 | 31.947               | -21.772         | 74.000         | 20.281      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 37             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.036                 | 30.822               | -28.964         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.516                 | 30.753               | -23.484         | 74.000         | 19.762      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 38             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.090                 | 31.876               | -27.910         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.709                 | 30.946               | -23.291         | 74.000         | 19.762      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 39             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 47.584                 | 33.007               | -26.416         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 53.677                 | 33.768               | -20.323         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 40             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.866                 | 32.289               | -27.134         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 51.833                 | 31.924               | -22.167         | 74.000         | 19.909      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 41             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.431                 | 31.941               | -27.569         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.500                 | 29.900               | -23.500         | 74.000         | 20.600      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 42             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.649                 | 32.159               | -27.351         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.849                 | 31.249               | -22.151         | 74.000         | 20.600      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 43             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Vertical       |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 47.725                 | 32.680               | -26.275         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.705                 | 31.789               | -22.295         | 74.000         | 19.916      | PK   |

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Profile: 1992128R                                  | Page No.: 44             |
| Engineer: YULIU                                    |                          |
| Site: AC5                                          | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                       | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                 | Polarity: Horizontal     |
| EUT: AP410C                                        | Power: AC 120V/60Hz      |
| Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.193                 | 31.148               | -27.807         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.466                 | 31.550               | -22.534         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 45             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:08 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 44.799                 | 30.868               | -29.201         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 52.209                 | 31.928               | -21.791         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 46             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.177                 | 31.246               | -28.823         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 51.953                 | 31.672               | -22.047         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 47             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.465                 | 32.251               | -27.535         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.881                 | 31.118               | -23.119         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 48             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.465                 | 32.251               | -27.535         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 50.517                 | 30.754               | -23.483         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 49             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.520                 | 31.943               | -27.480         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.833                 | 30.924               | -23.167         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 50             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.963                 | 31.386               | -28.037         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 50.921                 | 31.012               | -23.079         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 51             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.109                 | 31.619               | -27.891         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.340                 | 30.740               | -22.660         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 52             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.256                 | 31.766               | -27.744         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 52.155                 | 31.555               | -21.845         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 53             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.871                 | 31.826               | -27.129         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.097                 | 31.181               | -22.903         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 54             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.354                 | 31.309               | -27.646         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.927                 | 32.011               | -22.073         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 55             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:09 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.139                 | 30.729               | -28.861         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 48.747                 | 28.182               | -25.253         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 56             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.566                 | 31.156               | -28.434         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.214                 | 28.649               | -24.786         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 57             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 45.588                 | 31.657               | -28.412         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.925                 | 30.644               | -23.075         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 58             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11490.000       | 46.075                 | 32.144               | -27.925         | 74.000         | 13.931      | PK   |
| 2  | *    | 17235.000       | 50.760                 | 30.479               | -23.240         | 74.000         | 20.281      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 59             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 45.654                 | 31.440               | -28.346         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 49.871                 | 30.108               | -24.129         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 60             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11570.000       | 46.961                 | 32.747               | -27.039         | 74.000         | 14.214      | PK   |
| 2  | *    | 17355.000       | 49.841                 | 30.078               | -24.159         | 74.000         | 19.762      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 61             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 46.586                 | 32.009               | -27.414         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.671                 | 32.762               | -21.329         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 62             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11650.000       | 45.832                 | 31.255               | -28.168         | 74.000         | 14.577      | PK   |
| 2  | *    | 17475.000       | 52.268                 | 32.359               | -21.732         | 74.000         | 19.909      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 63             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 46.548                 | 32.058               | -27.452         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 51.779                 | 31.179               | -22.221         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 64             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11510.000       | 45.387                 | 30.897               | -28.613         | 74.000         | 14.490      | PK   |
| 2  | *    | 17265.000       | 50.804                 | 30.204               | -23.196         | 74.000         | 20.600      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 65             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 47.150                 | 32.105               | -26.850         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 52.887                 | 32.971               | -21.113         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 66             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11590.000       | 46.940                 | 31.895               | -27.060         | 74.000         | 15.045      | PK   |
| 2  | *    | 17385.000       | 51.174                 | 31.258               | -22.826         | 74.000         | 19.916      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 67             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:10 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Vertical       |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.954                 | 31.544               | -28.046         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.539                 | 28.974               | -24.461         | 74.000         | 20.565      | PK   |

|                                                     |                          |
|-----------------------------------------------------|--------------------------|
| Profile: 1992128R                                   | Page No.: 68             |
| Engineer: YULIU                                     |                          |
| Site: AC5                                           | Time: 2019/12/15 - 19:11 |
| Limit: FCC_Part15.209_RE(3m)                        | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                  | Polarity: Horizontal     |
| EUT: AP410C                                         | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 11550.000       | 45.766                 | 31.356               | -28.234         | 74.000         | 14.409      | PK   |
| 2  | *    | 17325.000       | 49.341                 | 28.776               | -24.659         | 74.000         | 20.565      | PK   |