


5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2824G	102.83	Inf	-Inf	4.38	3	Vertical	340	2.62	98.45	33.04	5.93	34.59
AV	5.3648G	45.14	54.00	-8.86	4.32	3	Vertical	340	2.62	40.82	32.93	5.97	34.58
PK	5.2824G	112.97	Inf	-Inf	4.38	3	Vertical	340	2.62	108.59	33.04	5.93	34.59
PK	5.354G	56.52	74.00	-17.48	4.29	3	Vertical	340	2.62	52.23	32.91	5.96	34.58

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.272G	107.82	Inf	-Inf	4.38	3	Horizontal	67	1.88	103.44	33.06	5.92	34.60
AV	5.3684G	45.43	54.00	-8.57	4.33	3	Horizontal	67	1.88	41.10	32.94	5.97	34.58
PK	5.2708G	118.90	Inf	-Inf	4.38	3	Horizontal	67	1.88	114.52	33.06	5.92	34.60
PK	5.3592G	56.38	74.00	-17.62	4.31	3	Horizontal	67	1.88	52.07	32.92	5.97	34.58




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX



5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	103.81	Inf	-Inf	4.34	3	Vertical	352	1.18	99.47	32.99	5.94	34.59
AV	5.35G	49.86	54.00	-4.14	4.28	3	Vertical	352	1.18	45.58	32.90	5.96	34.58
PK	5.3028G	114.50	Inf	-Inf	4.34	3	Vertical	352	1.18	110.16	32.99	5.94	34.59
PK	5.3504G	61.20	74.00	-12.80	4.28	3	Vertical	352	1.18	56.92	32.90	5.96	34.58

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3112G	105.77	Inf	-Inf	4.33	3	Horizontal	360	1.50	101.44	32.98	5.94	34.59
AV	5.3504G	47.19	54.00	-6.81	4.28	3	Horizontal	360	1.50	42.91	32.90	5.96	34.58
PK	5.3112G	115.56	Inf	-Inf	4.33	3	Horizontal	360	1.50	111.23	32.98	5.94	34.59
PK	5.3568G	60.60	74.00	-13.40	4.30	3	Horizontal	360	1.50	56.30	32.91	5.97	34.58


5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




5.47-5.725GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX






5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4572G	45.25	54.00	-8.75	4.33	3	Vertical	1	1.40	40.92	32.89	6.01	34.57				
AV	5.544G	105.81	Inf	-Inf	4.28	3	Vertical	1	1.40	101.53	32.80	6.04	34.56				
PK	5.4568G	55.85	74.00	-18.15	4.33	3	Vertical	1	1.40	51.52	32.89	6.01	34.57				
PK	5.468G	56.48	68.20	-11.72	4.30	3	Vertical	1	1.40	52.18	32.86	6.01	34.57				
PK	5.5424G	115.56	Inf	-Inf	4.28	3	Vertical	1	1.40	111.28	32.80	6.04	34.56				

5.47-5.725GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4556G	45.51	54.00	-8.49	4.33	3	Horizontal	358	1.49	41.18	32.89	6.01	34.57				
AV	5.5648G	105.91	Inf	-Inf	4.33	3	Horizontal	358	1.49	101.58	32.83	6.05	34.55				
PK	5.452G	56.35	74.00	-17.65	4.34	3	Horizontal	358	1.49	52.01	32.90	6.01	34.57				
PK	5.4604G	56.76	68.20	-11.44	4.32	3	Horizontal	358	1.49	52.44	32.88	6.01	34.57				
PK	5.5652G	117.24	Inf	-Inf	4.33	3	Horizontal	358	1.49	112.91	32.83	6.05	34.55				


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX






5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX



5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	52.43	54.00	-1.57	4.33	3	Vertical	0	1.38	48.10	32.89	6.01	34.57
AV	5.544G	100.92	Inf	-Inf	4.28	3	Vertical	0	1.38	96.64	32.80	6.04	34.56
PK	5.315G	56.73	68.20	-11.47	4.32	3	Vertical	0	1.38	52.41	32.97	5.94	34.59
PK	5.46G	60.68	74.00	-13.32	4.32	3	Vertical	0	1.38	56.36	32.88	6.01	34.57
PK	5.467G	60.74	68.20	-7.46	4.31	3	Vertical	0	1.38	56.43	32.87	6.01	34.57
PK	5.543G	111.72	Inf	-Inf	4.28	3	Vertical	0	1.38	107.44	32.80	6.04	34.56
PK	5.78G	58.02	68.20	-10.18	5.47	3	Vertical	0	1.38	52.55	33.82	6.19	34.54

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.11	54.00	-0.89	4.32	3	Horizontal	57	2.01	48.79	32.88	6.01	34.57
AV	5.538G	103.35	Inf	-Inf	4.28	3	Horizontal	57	2.01	99.07	32.80	6.04	34.56
PK	5.341G	56.35	68.20	-11.85	4.29	3	Horizontal	57	2.01	52.06	32.92	5.96	34.59
PK	5.457G	63.61	74.00	-10.39	4.33	3	Horizontal	57	2.01	59.28	32.89	6.01	34.57
PK	5.47G	65.11	68.20	-3.09	4.31	3	Horizontal	57	2.01	60.80	32.86	6.01	34.56
PK	5.543G	113.85	Inf	-Inf	4.28	3	Horizontal	57	2.01	109.57	32.80	6.04	34.56
PK	5.77G	57.92	68.20	-10.28	5.42	3	Horizontal	57	2.01	52.50	33.78	6.18	34.54




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX



5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX






5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	51.24	54.00	-2.76	4.32	3	Vertical	354	1.50	46.92	32.88	6.01	34.57
AV	5.4944G	102.75	Inf	-Inf	4.27	3	Vertical	354	1.50	98.48	32.81	6.02	34.56
PK	5.3456G	56.44	68.20	-11.76	4.29	3	Vertical	354	1.50	52.15	32.91	5.96	34.58
PK	5.3924G	66.08	74.00	-7.92	4.39	3	Vertical	354	1.50	61.69	32.98	5.99	34.58
PK	5.468G	61.66	68.20	-6.54	4.30	3	Vertical	354	1.50	57.36	32.86	6.01	34.57
PK	5.4944G	113.67	Inf	-Inf	4.27	3	Vertical	354	1.50	109.40	32.81	6.02	34.56
PK	5.7344G	61.93	68.20	-6.27	5.22	3	Vertical	354	1.50	56.71	33.61	6.15	34.54

5.47-5.725GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	49.66	54.00	-4.34	4.33	3	Horizontal	342	2.50	45.33	32.89	6.01	34.57
AV	5.5004G	98.35	Inf	-Inf	4.27	3	Horizontal	342	2.50	94.08	32.80	6.03	34.56
PK	5.3372G	63.90	68.20	-4.30	4.30	3	Horizontal	342	2.50	59.60	32.93	5.96	34.59
PK	5.3948G	68.92	74.00	-5.08	4.40	3	Horizontal	342	2.50	64.52	32.99	5.99	34.58
PK	5.468G	65.91	68.20	-2.29	4.30	3	Horizontal	342	2.50	61.61	32.86	6.01	34.57
PK	5.4932G	114.28	Inf	-Inf	4.27	3	Horizontal	342	2.50	110.01	32.81	6.02	34.56
PK	5.7284G	62.07	68.20	-6.13	5.18	3	Horizontal	342	2.50	56.89	33.57	6.15	34.54



5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX

