


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.31	-13	Pass	2985
30	1000	0.1	RMS	891.889	-55.02	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.12	-13	Pass	830
1830	1920	1	RMS	1850.25	23.57	60	Pass	601
1920	3000	1	RMS	2671.696	-39.3	-13	Pass	1080
3000	12000	1	RMS	11907.99	-47.03	-13	Pass	9000
12000	20000	1	RMS	19840.98	-29.12	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.59	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.65	-13	Pass	2985
30	1000	0.1	RMS	992.599	-55.1	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.11	-13	Pass	830
1830	1920	1	RMS	1851.15	23.56	60	Pass	601
1920	3000	1	RMS	2669.694	-39.33	-13	Pass	1080
3000	12000	1	RMS	11911.99	-47	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.99	-13	Pass	8000



1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.54	-13	Pass	2985
30	1000	0.1	RMS	926.992	-55.08	-13	Pass	9700
1000	1830	1	RMS	1820.989	-44.1	-13	Pass	830
1830	1920	1	RMS	1850.25	23.25	60	Pass	601
1920	3000	1	RMS	2672.697	-39.33	-13	Pass	1080
3000	12000	1	RMS	11903.989	-47.11	-13	Pass	9000
12000	20000	1	RMS	19857.982	-29.09	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.51	-13	Pass	2985
30	1000	0.1	RMS	893.089	-55.12	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.16	-13	Pass	830
1830	1920	1	RMS	1851.15	23.89	60	Pass	601
1920	3000	1	RMS	2666.691	-39.36	-13	Pass	1080
3000	12000	1	RMS	11912.99	-47.11	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.12	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.12	-13	Pass	2985
30	1000	0.1	RMS	938.194	-54.8	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.11	-13	Pass	830
1830	1920	1	RMS	1879.5	23.44	60	Pass	601
1920	3000	1	RMS	2671.696	-39.31	-13	Pass	1080
3000	12000	1	RMS	11921.991	-46.95	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.98	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.83	-13	Pass	2985
30	1000	0.1	RMS	934.693	-54.72	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.14	-13	Pass	830
1830	1920	1	RMS	1880.4	23.45	60	Pass	601
1920	3000	1	RMS	2672.697	-39.32	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.98	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.86	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.03	-13	Pass	2985
30	1000	0.1	RMS	986.599	-54.84	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.15	-13	Pass	830
1830	1920	1	RMS	1879.5	23.67	60	Pass	601
1920	3000	1	RMS	2670.695	-39.34	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.89	-13	Pass	9000
12000	20000	1	RMS	19861.983	-29.1	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40	-13	Pass	2985
30	1000	0.1	RMS	908.391	-55.02	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.15	-13	Pass	830
1830	1920	1	RMS	1880.4	23.58	60	Pass	601
1920	3000	1	RMS	2668.693	-39.34	-13	Pass	1080
3000	12000	1	RMS	11912.99	-47.15	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.94	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	1000	0.1	RMS	996.2	-55.08	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.15	-13	Pass	830
1830	1920	1	RMS	1908.9	23.45	60	Pass	601
1920	3000	1	RMS	2668.693	-39.35	-13	Pass	1080
3000	12000	1	RMS	11896.989	-46.96	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.05	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.63	-13	Pass	2985
30	1000	0.1	RMS	994.799	-55.12	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.15	-13	Pass	830
1830	1920	1	RMS	1909.8	23.43	60	Pass	601
1920	3000	1	RMS	2664.69	-39.3	-13	Pass	1080
3000	12000	1	RMS	11921.991	-47.06	-13	Pass	9000
12000	20000	1	RMS	19841.98	-29.19	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	1000	0.1	RMS	1000	-55.06	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.19	-13	Pass	830
1830	1920	1	RMS	1908.9	23.05	60	Pass	601
1920	3000	1	RMS	2669.694	-39.32	-13	Pass	1080
3000	12000	1	RMS	11922.991	-47.05	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.2	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.12	-13	Pass	2985
30	1000	0.1	RMS	998.7	-55.09	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.12	-13	Pass	830
1830	1920	1	RMS	1909.8	23.02	60	Pass	601
1920	3000	1	RMS	2671.696	-39.37	-13	Pass	1080
3000	12000	1	RMS	11921.991	-46.81	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.2	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	1000	0.1	RMS	868.686	-54.99	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.17	-13	Pass	830
1830	1920	1	RMS	1850.25	23.47	60	Pass	601
1920	3000	1	RMS	2668.693	-39.29	-13	Pass	1080
3000	12000	1	RMS	11929.992	-47.1	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.14	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.62	-13	Pass	2985
30	1000	0.1	RMS	871.687	-54.87	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.17	-13	Pass	830
1830	1920	1	RMS	1852.8	23.44	60	Pass	601
1920	3000	1	RMS	2669.694	-39.33	-13	Pass	1080
3000	12000	1	RMS	11909.99	-47.07	-13	Pass	9000
12000	20000	1	RMS	19851.981	-29.13	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.54	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.34	-13	Pass	2985
30	1000	0.1	RMS	880.188	-55.07	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.16	-13	Pass	830
1830	1920	1	RMS	1850.25	23.16	60	Pass	601
1920	3000	1	RMS	2669.694	-39.33	-13	Pass	1080
3000	12000	1	RMS	11913.99	-47	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.05	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.95	-13	Pass	2985
30	1000	0.1	RMS	903.19	-55.09	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.19	-13	Pass	830
1830	1920	1	RMS	1852.8	23.07	60	Pass	601
1920	3000	1	RMS	2667.692	-39.36	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.99	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.12	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.43	-13	Pass	601
0.15	30	0.01	RMS	0.17	-40.61	-13	Pass	2985
30	1000	0.1	RMS	885.488	-55.16	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.16	-13	Pass	830
1830	1920	1	RMS	1878.75	23.47	60	Pass	601
1920	3000	1	RMS	2669.694	-39.32	-13	Pass	1080
3000	12000	1	RMS	11897.989	-46.95	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.98	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.48	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.39	-13	Pass	2985
30	1000	0.1	RMS	879.088	-55.11	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.14	-13	Pass	830
1830	1920	1	RMS	1881.3	23.44	60	Pass	601
1920	3000	1	RMS	2769.787	-39.28	-13	Pass	1080
3000	12000	1	RMS	11908.99	-47.03	-13	Pass	9000
12000	20000	1	RMS	19841.98	-29.08	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.14	-13	Pass	2985
30	1000	0.1	RMS	936.393	-55.07	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.14	-13	Pass	830
1830	1920	1	RMS	1878.75	23.6	60	Pass	601
1920	3000	1	RMS	2667.692	-39.29	-13	Pass	1080
3000	12000	1	RMS	11897.989	-47	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.98	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.65	-13	Pass	2985
30	1000	0.1	RMS	934.693	-55.25	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.16	-13	Pass	830
1830	1920	1	RMS	1881.3	23.26	60	Pass	601
1920	3000	1	RMS	2664.69	-39.33	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.94	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.06	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.79	-13	Pass	2985
30	1000	0.1	RMS	999.9	-54.94	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.18	-13	Pass	830
1830	1920	1	RMS	1907.25	23.25	60	Pass	601
1920	3000	1	RMS	2674.699	-39.37	-13	Pass	1080
3000	12000	1	RMS	11909.99	-47.03	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.14	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.97	-13	Pass	2985
30	1000	0.1	RMS	881.588	-54.98	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.14	-13	Pass	830
1830	1920	1	RMS	1909.8	23.5	60	Pass	601
1920	3000	1	RMS	2670.695	-39.28	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.86	-13	Pass	9000
12000	20000	1	RMS	19842.98	-29.07	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.78	-13	Pass	2985
30	1000	0.1	RMS	929.393	-54.65	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.12	-13	Pass	830
1830	1920	1	RMS	1907.25	22.94	60	Pass	601
1920	3000	1	RMS	2670.695	-39.21	-13	Pass	1080
3000	12000	1	RMS	11925.992	-47.02	-13	Pass	9000
12000	20000	1	RMS	19843.98	-29.04	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.16	-13	Pass	2985
30	1000	0.1	RMS	970.297	-55.12	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.14	-13	Pass	830
1830	1920	1	RMS	1909.8	23.03	60	Pass	601
1920	3000	1	RMS	2671.696	-39.36	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.94	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.08	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.41	-13	Pass	2985
30	1000	0.1	RMS	924.192	-55.24	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.14	-13	Pass	830
1830	1920	1	RMS	1850.4	23.32	60	Pass	601
1920	3000	1	RMS	2666.691	-39.32	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.96	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.1	-13	Pass	8000



1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.17	-13	Pass	2985
30	1000	0.1	RMS	909.891	-54.42	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.13	-13	Pass	830
1830	1920	1	RMS	1854.6	23.37	60	Pass	601
1920	3000	1	RMS	2669.694	-39.35	-13	Pass	1080
3000	12000	1	RMS	11907.99	-47.05	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.08	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.17	-13	Pass	2985
30	1000	0.1	RMS	869.887	-54.86	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.17	-13	Pass	830
1830	1920	1	RMS	1850.4	22.55	60	Pass	601
1920	3000	1	RMS	2673.698	-39.35	-13	Pass	1080
3000	12000	1	RMS	11911.99	-47.03	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.03	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.47	-13	Pass	2985
30	1000	0.1	RMS	930.393	-54.68	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.11	-13	Pass	830
1830	1920	1	RMS	1854.6	22.56	60	Pass	601
1920	3000	1	RMS	2666.691	-39.31	-13	Pass	1080
3000	12000	1	RMS	11912.99	-47.04	-13	Pass	9000
12000	20000	1	RMS	19855.982	-29.01	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.99	-13	Pass	2985
30	1000	0.1	RMS	859.986	-54.93	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.13	-13	Pass	830
1830	1920	1	RMS	1877.85	23.68	60	Pass	601
1920	3000	1	RMS	2668.693	-39.36	-13	Pass	1080
3000	12000	1	RMS	11918.991	-47.05	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.09	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.78	-13	Pass	2985
30	1000	0.1	RMS	903.99	-55.05	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.15	-13	Pass	830
1830	1920	1	RMS	1882.2	23.7	60	Pass	601
1920	3000	1	RMS	2670.695	-39.35	-13	Pass	1080
3000	12000	1	RMS	11896.989	-47.05	-13	Pass	9000
12000	20000	1	RMS	19842.98	-29.09	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.24	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.74	-13	Pass	2985
30	1000	0.1	RMS	881.088	-55.2	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.13	-13	Pass	830
1830	1920	1	RMS	1877.85	23.04	60	Pass	601
1920	3000	1	RMS	2668.693	-39.32	-13	Pass	1080
3000	12000	1	RMS	11917.991	-47.07	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.01	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.17	-40.82	-13	Pass	2985
30	1000	0.1	RMS	908.191	-54.94	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.15	-13	Pass	830
1830	1920	1	RMS	1882.2	23.2	60	Pass	601
1920	3000	1	RMS	2669.694	-39.24	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.89	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.07	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.76	-13	Pass	2985
30	1000	0.1	RMS	944.294	-55.18	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.15	-13	Pass	830
1830	1920	1	RMS	1905.3	23.23	60	Pass	601
1920	3000	1	RMS	2669.694	-39.28	-13	Pass	1080
3000	12000	1	RMS	11915.991	-47.14	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.94	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.33	-13	Pass	2985
30	1000	0.1	RMS	905.59	-54.78	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.15	-13	Pass	830
1830	1920	1	RMS	1909.65	23.39	60	Pass	601
1920	3000	1	RMS	2673.698	-39.35	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.86	-13	Pass	9000
12000	20000	1	RMS	19839.98	-29.11	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.87	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.59	-13	Pass	2985
30	1000	0.1	RMS	999.4	-54.86	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.12	-13	Pass	830
1830	1920	1	RMS	1905.45	23.22	60	Pass	601
1920	3000	1	RMS	2666.691	-39.33	-13	Pass	1080
3000	12000	1	RMS	11907.99	-47.05	-13	Pass	9000
12000	20000	1	RMS	19859.982	-29.12	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.61	-13	Pass	2985
30	1000	0.1	RMS	989.699	-55.09	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.12	-13	Pass	830
1830	1920	1	RMS	1909.65	23.38	60	Pass	601
1920	3000	1	RMS	2672.697	-39.34	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.95	-13	Pass	9000
12000	20000	1	RMS	19838.98	-29.12	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.24	-13	Pass	2985
30	1000	0.1	RMS	870.187	-55.05	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.11	-13	Pass	830
1830	1920	1	RMS	1850.55	23.61	60	Pass	601
1920	3000	1	RMS	2668.693	-39.31	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.96	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.1	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.76	-13	Pass	2985
30	1000	0.1	RMS	891.489	-55.06	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.13	-13	Pass	830
1830	1920	1	RMS	1859.4	23.43	60	Pass	601
1920	3000	1	RMS	2666.691	-39.37	-13	Pass	1080
3000	12000	1	RMS	11908.99	-47.05	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.08	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.41	-13	Pass	2985
30	1000	0.1	RMS	889.089	-55.1	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.16	-13	Pass	830
1830	1920	1	RMS	1850.55	23.22	60	Pass	601
1920	3000	1	RMS	2673.698	-39.34	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.92	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.03	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.92	-13	Pass	2985
30	1000	0.1	RMS	900.59	-55.15	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.14	-13	Pass	830
1830	1920	1	RMS	1859.4	23.12	60	Pass	601
1920	3000	1	RMS	2668.693	-39.32	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.96	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.09	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.24	-13	Pass	2985
30	1000	0.1	RMS	968.797	-54.78	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.15	-13	Pass	830
1830	1920	1	RMS	1875.6	23.56	60	Pass	601
1920	3000	1	RMS	2668.693	-39.36	-13	Pass	1080
3000	12000	1	RMS	11902.989	-47	-13	Pass	9000
12000	20000	1	RMS	19841.98	-29.04	-13	Pass	8000



1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.7	-13	Pass	2985
30	1000	0.1	RMS	951.995	-55.07	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.11	-13	Pass	830
1830	1920	1	RMS	1884.45	23.6	60	Pass	601
1920	3000	1	RMS	2665.69	-39.36	-13	Pass	1080
3000	12000	1	RMS	11904.989	-47.06	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.07	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.71	-13	Pass	2985
30	1000	0.1	RMS	942.194	-55.02	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.12	-13	Pass	830
1830	1920	1	RMS	1875.6	23.83	60	Pass	601
1920	3000	1	RMS	2662.688	-39.32	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.85	-13	Pass	9000
12000	20000	1	RMS	19838.98	-29.1	-13	Pass	8000



1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.45	-13	Pass	2985
30	1000	0.1	RMS	973.897	-55.06	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.17	-13	Pass	830
1830	1920	1	RMS	1884.45	23.92	60	Pass	601
1920	3000	1	RMS	2668.693	-39.32	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.94	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.05	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.52	-13	Pass	2985
30	1000	0.1	RMS	969.597	-54.95	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.14	-13	Pass	830
1830	1920	1	RMS	1900.65	23.32	60	Pass	601
1920	3000	1	RMS	2669.694	-39.22	-13	Pass	1080
3000	12000	1	RMS	11894.988	-47.01	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.03	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.51	-13	Pass	2985
30	1000	0.1	RMS	937.494	-54.94	-13	Pass	9700
1000	1830	1	RMS	1824.994	-44.18	-13	Pass	830
1830	1920	1	RMS	1909.35	23.43	60	Pass	601
1920	3000	1	RMS	2664.69	-39.33	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.95	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.07	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.82	-13	Pass	2985
30	1000	0.1	RMS	904.69	-55.02	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.18	-13	Pass	830
1830	1920	1	RMS	1900.65	22.9	60	Pass	601
1920	3000	1	RMS	2667.692	-39.28	-13	Pass	1080
3000	12000	1	RMS	11902.989	-47	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.85	-13	Pass	8000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.9	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.9	-13	Pass	2985
30	1000	0.1	RMS	867.986	-54.91	-13	Pass	9700
1000	1830	1	RMS	1799.964	-44.16	-13	Pass	830
1830	1920	1	RMS	1909.5	22.98	60	Pass	601
1920	3000	1	RMS	2664.69	-39.35	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.92	-13	Pass	9000
12000	20000	1	RMS	19855.982	-29.01	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	1000	0.1	RMS	888.889	-55.05	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.15	-13	Pass	830
1830	1920	1	RMS	1850.85	23.56	60	Pass	601
1920	3000	1	RMS	2668.693	-39.34	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.91	-13	Pass	9000
12000	20000	1	RMS	19851.981	-29	-13	Pass	8000



1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.53	-13	Pass	2985
30	1000	0.1	RMS	974.397	-54.92	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.14	-13	Pass	830
1830	1920	1	RMS	1864.2	23.56	60	Pass	601
1920	3000	1	RMS	2665.69	-39.39	-13	Pass	1080
3000	12000	1	RMS	11918.991	-47.01	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.07	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.3	-13	Pass	2985
30	1000	0.1	RMS	882.188	-55.1	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.18	-13	Pass	830
1830	1920	1	RMS	1850.85	23.16	60	Pass	601
1920	3000	1	RMS	2673.698	-39.36	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.94	-13	Pass	9000
12000	20000	1	RMS	19854.982	-29.07	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.01	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.98	-13	Pass	2985
30	1000	0.1	RMS	925.592	-54.98	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.16	-13	Pass	830
1830	1920	1	RMS	1864.2	23.07	60	Pass	601
1920	3000	1	RMS	2667.692	-39.31	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.82	-13	Pass	9000
12000	20000	1	RMS	19851.981	-29.18	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.1	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.2	-13	Pass	2985
30	1000	0.1	RMS	921.092	-55.07	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.16	-13	Pass	830
1830	1920	1	RMS	1873.35	23.51	60	Pass	601
1920	3000	1	RMS	2670.695	-39.33	-13	Pass	1080
3000	12000	1	RMS	11914.991	-47.02	-13	Pass	9000
12000	20000	1	RMS	19831.979	-29.11	-13	Pass	8000



1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.41	-13	Pass	2985
30	1000	0.1	RMS	921.692	-55.08	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.15	-13	Pass	830
1830	1920	1	RMS	1886.7	23.5	60	Pass	601
1920	3000	1	RMS	2533.568	-37.29	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.99	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.14	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.23	-13	Pass	2985
30	1000	0.1	RMS	870.287	-55.21	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.12	-13	Pass	830
1830	1920	1	RMS	1873.35	23.81	60	Pass	601
1920	3000	1	RMS	2668.693	-39.35	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.97	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.99	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.02	-13	Pass	2985
30	1000	0.1	RMS	997.9	-55.13	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.14	-13	Pass	830
1830	1920	1	RMS	1886.7	23.95	60	Pass	601
1920	3000	1	RMS	2668.693	-39.31	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.88	-13	Pass	9000
12000	20000	1	RMS	19841.98	-29.04	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.26	-13	Pass	2985
30	1000	0.1	RMS	929.493	-54.87	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.12	-13	Pass	830
1830	1920	1	RMS	1895.85	23.36	60	Pass	601
1920	3000	1	RMS	2669.694	-39.31	-13	Pass	1080
3000	12000	1	RMS	11912.99	-47.05	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.12	-13	Pass	8000



1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.88	-13	Pass	2985
30	1000	0.1	RMS	948.495	-54.92	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.1	-13	Pass	830
1830	1920	1	RMS	1909.2	23.29	60	Pass	601
1920	3000	1	RMS	2675.7	-39.36	-13	Pass	1080
3000	12000	1	RMS	11910.99	-47.08	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.97	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.67	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.8	-13	Pass	2985
30	1000	0.1	RMS	877.587	-54.98	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.17	-13	Pass	830
1830	1920	1	RMS	1895.85	23.18	60	Pass	601
1920	3000	1	RMS	2668.693	-39.31	-13	Pass	1080
3000	12000	1	RMS	11906.99	-47.06	-13	Pass	9000
12000	20000	1	RMS	19865.983	-29.15	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.81	-13	Pass	2985
30	1000	0.1	RMS	911.091	-55.07	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.16	-13	Pass	830
1830	1920	1	RMS	1909.2	23.1	60	Pass	601
1920	3000	1	RMS	2667.692	-39.31	-13	Pass	1080
3000	12000	1	RMS	11952.995	-47.08	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.07	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.88	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.42	-13	Pass	2985
30	1000	0.1	RMS	956.496	-55.03	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.17	-13	Pass	830
1830	1920	1	RMS	1851	23.58	60	Pass	601
1920	3000	1	RMS	2663.689	-39.34	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.78	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.05	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.89	-13	Pass	2985
30	1000	0.1	RMS	978.498	-54.95	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.15	-13	Pass	830
1830	1920	1	RMS	1868.85	23.58	60	Pass	601
1920	3000	1	RMS	2669.694	-39.35	-13	Pass	1080
3000	12000	1	RMS	11921.991	-46.98	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.97	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.09	-13	Pass	2985
30	1000	0.1	RMS	959.296	-54.72	-13	Pass	9700
1000	1830	1	RMS	1830	-44.14	-13	Pass	830
1830	1920	1	RMS	1851.15	23.05	60	Pass	601
1920	3000	1	RMS	2673.698	-39.33	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.97	-13	Pass	9000
12000	20000	1	RMS	19853.982	-29.02	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.34	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.61	-13	Pass	2985
30	1000	0.1	RMS	977.298	-55.06	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.14	-13	Pass	830
1830	1920	1	RMS	1868.85	22.97	60	Pass	601
1920	3000	1	RMS	2668.693	-39.34	-13	Pass	1080
3000	12000	1	RMS	11922.991	-47.02	-13	Pass	9000
12000	20000	1	RMS	19856.982	-29.02	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.11	-13	Pass	2985
30	1000	0.1	RMS	888.388	-54.86	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.15	-13	Pass	830
1830	1920	1	RMS	1871.1	23.56	60	Pass	601
1920	3000	1	RMS	2663.689	-39.37	-13	Pass	1080
3000	12000	1	RMS	11909.99	-47.08	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.17	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.47	-13	Pass	2985
30	1000	0.1	RMS	953.595	-55.16	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.08	-13	Pass	830
1830	1920	1	RMS	1888.95	23.85	60	Pass	601
1920	3000	1	RMS	2671.696	-39.34	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.96	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.03	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.57	-13	Pass	2985
30	1000	0.1	RMS	881.688	-55.14	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.12	-13	Pass	830
1830	1920	1	RMS	1871.1	22.83	60	Pass	601
1920	3000	1	RMS	2668.693	-39.37	-13	Pass	1080
3000	12000	1	RMS	11913.99	-47.11	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.93	-13	Pass	8000



1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.53	-13	Pass	2985
30	1000	0.1	RMS	930.893	-54.93	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.12	-13	Pass	830
1830	1920	1	RMS	1888.95	22.99	60	Pass	601
1920	3000	1	RMS	2664.69	-39.36	-13	Pass	1080
3000	12000	1	RMS	11908.99	-47.02	-13	Pass	9000
12000	20000	1	RMS	19854.982	-29.05	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.37	-13	Pass	2985
30	1000	0.1	RMS	928.393	-55.08	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.17	-13	Pass	830
1830	1920	1	RMS	1891.2	23.6	60	Pass	601
1920	3000	1	RMS	2668.693	-39.32	-13	Pass	1080
3000	12000	1	RMS	11921.991	-46.94	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.07	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.06	-13	Pass	2985
30	1000	0.1	RMS	891.289	-54.95	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.08	-13	Pass	830
1830	1920	1	RMS	1908.9	23.67	60	Pass	601
1920	3000	1	RMS	2672.697	-39.3	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.94	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.97	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.25	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.96	-13	Pass	2985
30	1000	0.1	RMS	894.889	-55.1	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.13	-13	Pass	830
1830	1920	1	RMS	1891.05	23.29	60	Pass	601
1920	3000	1	RMS	2670.695	-39.26	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.89	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.01	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.17	-13	Pass	2985
30	1000	0.1	RMS	925.892	-54.98	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.11	-13	Pass	830
1830	1920	1	RMS	1908.9	23.31	60	Pass	601
1920	3000	1	RMS	2671.696	-39.34	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.91	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.03	-13	Pass	8000



END