


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 82
05-P-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9232G	81.84	88.20	-6.36	74.61	3	Vertical	359.4	1.80	-	34.30	8.51	35.58			
RMS	5.9235G	67.35	68.20	-0.85	60.12	3	Vertical	359.4	1.80	-	34.30	8.51	35.58			
PK	5.9509G	120.23	Inf	-Inf	113.00	3	Vertical	359.4	1.80	-	34.30	8.52	35.59			
RMS	5.9509G	110.53	Inf	-Inf	103.30	3	Vertical	359.4	1.80	-	34.30	8.52	35.59			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 82
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9233G	84.21	88.20	-3.99	76.98	3	Horizontal	14	1.80	-	34.30	8.51	35.58			
RMS	5.9239G	68.00	68.20	-0.20	60.77	3	Horizontal	14	1.80	-	34.30	8.51	35.58			
PK	5.9514G	121.30	Inf	-Inf	114.07	3	Horizontal	14	1.80	-	34.30	8.52	35.59			
RMS	5.9511G	111.57	Inf	-Inf	104.34	3	Horizontal	14	1.80	-	34.30	8.52	35.59			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 82
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9086G	58.01	74.00	-15.99	40.68	3	Vertical	287	2.37	-	38.62	12.08	33.37			
AV	11.90512G	47.98	54.00	-6.02	30.66	3	Vertical	287	2.37	-	38.61	12.08	33.37			
PK	17.8534G	62.69	74.00	-11.31	39.36	3	Vertical	143	2.74	-	41.63	15.22	33.52			
AV	17.87064G	50.15	54.00	-3.85	26.68	3	Vertical	143	2.74	-	41.77	15.23	33.53			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 82
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90644G	58.69	74.00	-15.31	41.37	3	Horizontal	21	1.41	-	38.61	12.08	33.37			
AV	11.89808G	47.83	54.00	-6.17	30.51	3	Horizontal	21	1.41	-	38.60	12.08	33.36			
PK	17.87985G	62.15	74.00	-11.85	38.61	3	Horizontal	67	1.77	-	41.84	15.24	33.54			
AV	17.86356G	49.86	54.00	-4.14	26.45	3	Horizontal	67	1.77	-	41.71	15.23	33.53			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 82
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82002G	49.08	83.54	-34.46	39.88	1	Vertical	46	1.89	-	39.10	17.28	47.18			
AV	23.82406G	41.00	63.54	-22.54	31.80	1	Vertical	46	1.89	-	39.10	17.28	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_V_2TX
Setting 82
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81546G	56.20	74.00	-17.80	47.00	1	Horizontal	17	1.61	-	39.10	17.28	47.18			
AV	23.82292G	46.50	63.54	-17.04	37.30	1	Horizontal	17	1.61	-	39.10	17.28	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39567G	58.62	74.00	-15.38	40.21	3	Vertical	145	2.22	-	38.90	12.54	33.03			
AV	12.39981G	47.94	54.00	-6.06	29.52	3	Vertical	145	2.22	-	38.90	12.55	33.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3996G	58.62	74.00	-15.38	40.20	3	Horizontal	276	2.45	-	38.90	12.55	33.03			
AV	12.39804G	47.09	54.00	-6.91	28.68	3	Horizontal	276	2.45	-	38.90	12.54	33.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58893G	44.01	83.54	-39.53	40.58	1	Vertical	121	2.00	-	37.80	15.25	49.62			
AV	18.57108G	34.07	63.54	-29.47	30.64	1	Vertical	121	2.00	-	37.80	15.26	49.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5721G	44.07	83.54	-39.47	40.64	1	Horizontal	69	2.02	-	37.80	15.26	49.63			
AV	18.58242G	34.39	63.54	-29.15	30.95	1	Horizontal	69	2.02	-	37.80	15.26	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82556G	59.38	88.20	-28.82	39.95	3	Vertical	237	2.80	-	39.80	12.99	33.36			
RMS	12.83G	49.90	68.20	-18.30	30.48	3	Vertical	237	2.80	-	39.80	12.99	33.37			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83276G	59.36	88.20	-28.84	39.93	3	Horizontal	146	2.44	-	39.80	13.00	33.37			
RMS	12.81668G	50.07	68.20	-18.13	30.64	3	Horizontal	146	2.44	-	39.80	12.98	33.35			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25322G	46.37	83.54	-37.17	42.68	1	Vertical	359	2.10	-	37.99	15.21	49.51			
AV	19.25205G	35.47	63.54	-28.07	31.78	1	Vertical	359	2.10	-	37.99	15.21	49.51			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25952G	43.01	83.54	-40.53	39.36	1	Horizontal	4	1.97	-	37.96	15.21	49.52			
AV	19.2549G	33.82	63.54	-29.72	30.14	1	Horizontal	4	1.97	-	37.98	15.21	49.51			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86613G	58.72	88.20	-29.48	39.28	3	Vertical	167	2.36	-	39.83	13.03	33.42			
RMS	12.85596G	49.70	68.20	-18.50	30.27	3	Vertical	167	2.36	-	39.81	13.02	33.40			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85662G	58.60	88.20	-29.60	39.18	3	Horizontal	152	2.67	-	39.81	13.02	33.41			
RMS	12.85728G	49.53	68.20	-18.67	30.11	3	Horizontal	152	2.67	-	39.81	13.02	33.41			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.29411G	48.70	83.54	-34.84	45.21	1	Vertical	124	1.45	-	37.82	15.21	49.54			
AV	19.30044G	39.02	63.54	-24.52	35.55	1	Vertical	124	1.45	-	37.80	15.21	49.54			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_V_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30473G	49.83	83.54	-33.71	46.37	1	Horizontal	276	1.89	-	37.80	15.21	49.55			
AV	19.29402G	37.89	63.54	-25.65	34.40	1	Horizontal	276	1.89	-	37.82	15.21	49.54			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6475MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9509G	59.40	88.20	-28.80	39.81	3	Vertical	246	1.77	-	40.00	13.12	33.53			
RMS	12.95393G	50.24	68.20	-17.96	30.66	3	Vertical	246	1.77	-	40.00	13.12	33.54			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95135G	59.22	88.20	-28.98	39.63	3	Horizontal	158	2.41	-	40.00	13.12	33.53			
RMS	12.94733G	50.01	68.20	-18.19	30.43	3	Horizontal	158	2.41	-	39.99	13.12	33.53			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41357G	49.32	83.54	-34.22	45.88	1	Vertical	138	1.94	-	37.85	15.21	49.62			
AV	19.41381G	39.68	63.54	-23.86	36.25	1	Vertical	138	1.94	-	37.84	15.21	49.62			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4172G	46.55	83.54	-36.99	43.14	1	Horizontal	13	1.56	-	37.83	15.20	49.62			
AV	19.41909G	36.73	63.54	-26.81	33.33	1	Horizontal	13	1.56	-	37.82	15.20	49.62			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03411G	59.02	88.20	-29.18	39.54	3	Vertical	266	2.94	-	39.86	13.21	33.59			
RMS	13.03342G	49.75	68.20	-18.45	30.27	3	Vertical	266	2.94	-	39.87	13.20	33.59			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03468G	59.10	88.20	-29.10	39.62	3	Horizontal	220	2.35	-	39.86	13.21	33.59			
RMS	13.03429G	49.58	68.20	-18.62	30.10	3	Horizontal	220	2.35	-	39.86	13.21	33.59			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54593G	48.86	83.54	-34.68	45.59	1	Vertical	168	2.08	-	37.71	15.20	49.64			
AV	19.54674G	38.93	63.54	-24.61	35.66	1	Vertical	168	2.08	-	37.71	15.20	49.64			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_V_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54809G	49.66	83.54	-33.88	46.40	1	Horizontal	175	1.53	-	37.70	15.20	49.64			
AV	19.54965G	38.91	63.54	-24.63	35.65	1	Horizontal	175	1.53	-	37.70	15.20	49.64			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07804G	59.40	88.20	-28.80	39.86	3	Vertical	224	2.97	-	39.86	13.25	33.57			
RMS	13.07987G	49.94	68.20	-18.26	30.40	3	Vertical	224	2.97	-	39.86	13.25	33.57			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08371G	59.68	88.20	-28.52	40.11	3	Horizontal	320	2.49	-	39.87	13.26	33.56			
RMS	13.08281G	50.45	68.20	-17.75	30.89	3	Horizontal	320	2.49	-	39.87	13.26	33.57			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59315G	46.42	83.54	-37.12	43.13	1	Vertical	212	1.38	-	37.70	15.19	49.60			
AV	19.6167G	37.86	63.54	-25.68	34.55	1	Vertical	212	1.38	-	37.70	15.19	49.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61418G	48.78	83.54	-34.76	45.48	1	Horizontal	66	1.83	-	37.70	15.19	49.59			
AV	19.61946G	38.49	63.54	-25.05	35.18	1	Horizontal	66	1.83	-	37.70	15.19	49.58			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37995G	60.89	74.00	-13.11	40.42	3	Vertical	71	2.01	-	40.34	13.57	33.44			
AV	13.37533G	48.94	54.00	-5.06	28.47	3	Vertical	71	2.01	-	40.35	13.56	33.44			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37761G	58.14	74.00	-15.86	37.68	3	Horizontal	349	2.27	-	40.34	13.56	33.44			
AV	13.37617G	47.65	54.00	-6.35	27.18	3	Horizontal	349	2.27	-	40.35	13.56	33.44			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08074G	48.86	83.54	-34.68	45.07	1	Vertical	348	1.36	-	37.80	15.24	49.25			
AV	20.07999G	39.20	63.54	-24.34	35.41	1	Vertical	348	1.36	-	37.80	15.24	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09466G	49.78	83.54	-33.76	45.98	1	Horizontal	273	1.73	-	37.80	15.25	49.25			
AV	20.0742G	39.14	63.54	-24.40	35.36	1	Horizontal	273	1.73	-	37.80	15.23	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6875MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76476G	60.41	88.20	-27.79	39.47	3	Vertical	167	2.56	-	40.44	13.97	33.47			
RMS	13.73983G	50.85	68.20	-17.35	29.88	3	Vertical	167	2.56	-	40.50	13.94	33.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73863G	61.32	88.20	-26.88	40.35	3	Horizontal	117	1.60	-	40.50	13.94	33.47			
RMS	13.7488G	50.99	68.20	-17.21	30.01	3	Horizontal	117	1.60	-	40.50	13.95	33.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.63625G	49.00	83.54	-34.54	44.48	1	Vertical	115	1.76	-	37.90	15.69	49.07			
AV	20.63316G	40.27	63.54	-23.27	35.75	1	Vertical	115	1.76	-	37.90	15.69	49.07			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.63367G	48.28	83.54	-35.26	43.76	1	Horizontal	121	1.41	-	37.90	15.69	49.07			
AV	20.63544G	39.42	63.54	-24.12	34.90	1	Horizontal	121	1.41	-	37.90	15.69	49.07			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7942G	60.87	88.20	-27.33	40.03	3	Vertical	20	1.18	-	40.32	14.00	33.48			
RMS	13.77698G	51.42	68.20	-16.78	30.53	3	Vertical	20	1.18	-	40.39	13.98	33.48			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77659G	61.56	88.20	-26.64	40.67	3	Horizontal	1	1.97	-	40.39	13.98	33.48			
RMS	13.7975G	51.28	68.20	-16.92	30.46	3	Horizontal	1	1.97	-	40.31	14.00	33.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68065G	49.55	83.54	-33.99	44.98	1	Vertical	246	1.63	-	37.90	15.72	49.05			
AV	20.67045G	39.84	63.54	-23.70	35.27	1	Vertical	246	1.63	-	37.90	15.72	49.05			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.69316G	49.15	83.54	-34.39	44.56	1	Horizontal	256	2.04	-	37.90	15.73	49.04			
AV	20.6859G	40.87	63.54	-22.67	36.28	1	Horizontal	256	2.04	-	37.90	15.73	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00179G	61.30	88.20	-26.90	40.14	3	Vertical	16	2.26	-	40.50	14.21	33.55			
RMS	14.00317G	52.31	68.20	-15.89	31.16	3	Vertical	16	2.26	-	40.49	14.21	33.55			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9975G	61.22	88.20	-26.98	40.06	3	Horizontal	57	2.37	-	40.50	14.21	33.55			
RMS	13.98115G	52.08	68.20	-16.12	30.93	3	Horizontal	57	2.37	-	40.50	14.19	33.54			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.97312G	47.49	83.54	-36.05	42.47	1	Vertical	210	1.31	-	37.95	15.96	48.89			
AV	20.98149G	38.17	63.54	-25.37	33.13	1	Vertical	210	1.31	-	37.96	15.97	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.97387G	44.66	83.54	-38.88	39.64	1	Horizontal	209	1.65	-	37.95	15.96	48.89			
AV	20.98458G	35.26	63.54	-28.28	30.21	1	Horizontal	209	1.65	-	37.97	15.97	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 77
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.104G	119.39	Inf	-Inf	108.64	3	Vertical	341	1.80	-	36.62	9.28	35.15			
RMS	7.1011G	109.21	Inf	-Inf	98.48	3	Vertical	341	1.80	-	36.61	9.28	35.16			
PK	7.1261G	82.31	88.20	-5.89	71.38	3	Vertical	341	1.80	-	36.76	9.28	35.11			
RMS	7.1263G	66.05	68.20	-2.15	55.12	3	Vertical	341	1.80	-	36.76	9.28	35.11			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 77
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0999G	122.09	Inf	-Inf	111.38	3	Horizontal	356	1.00	-	36.60	9.27	35.16			
RMS	7.0998G	111.41	Inf	-Inf	100.70	3	Horizontal	356	1.00	-	36.60	9.27	35.16			
PK	7.125G	83.42	88.20	-4.78	72.50	3	Horizontal	356	1.00	-	36.75	9.28	35.11			
RMS	7.125G	67.79	68.20	-0.41	56.87	3	Horizontal	356	1.00	-	36.75	9.28	35.11			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 77
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18388G	60.99	88.20	-27.21	39.87	3	Vertical	27	1.19	-	40.50	14.21	33.59			
RMS	14.17575G	51.35	68.20	-16.85	30.23	3	Vertical	27	1.19	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 77
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.2002G	61.13	88.20	-27.07	40.01	3	Horizontal	344	1.36	-	40.50	14.21	33.59			
RMS	14.19837G	51.21	68.20	-16.99	30.09	3	Horizontal	344	1.36	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 77
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28922G	56.94	83.54	-26.60	51.49	1	Vertical	250	2.81	-	38.08	16.22	48.85			
AV	21.28839G	47.43	63.54	-16.11	41.98	1	Vertical	250	2.81	-	38.08	16.22	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 77
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28146G	56.40	83.54	-27.14	50.98	1	Horizontal	348	1.65	-	38.06	16.21	48.85			
AV	21.28659G	45.62	63.54	-17.92	40.18	1	Horizontal	348	1.65	-	38.07	16.22	48.85			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 78
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9208G	85.26	88.20	-2.94	78.04	3	Vertical	14	1.80	-	34.30	8.50	35.58			
RMS	5.9208G	65.88	68.20	-2.32	58.66	3	Vertical	14	1.80	-	34.30	8.50	35.58			
PK	5.951G	117.40	Inf	-Inf	110.17	3	Vertical	14	1.80	-	34.30	8.52	35.59			
RMS	5.9508G	106.44	Inf	-Inf	99.21	3	Vertical	14	1.80	-	34.30	8.52	35.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 78
05-P-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9208G	86.88	88.20	-1.32	79.66	3	Horizontal	15	1.80	-	34.30	8.50	35.58			
RMS	5.9234G	67.24	68.20	-0.96	60.01	3	Horizontal	15	1.80	-	34.30	8.51	35.58			
PK	5.9786G	118.56	Inf	-Inf	111.39	3	Horizontal	15	1.80	-	34.24	8.53	35.60			
RMS	5.9512G	107.65	Inf	-Inf	100.42	3	Horizontal	15	1.80	-	34.30	8.52	35.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 78
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94425G	57.61	74.00	-16.39	40.22	3	Vertical	319	1.42	-	38.69	12.10	33.40			
AV	11.94251G	47.62	54.00	-6.38	30.23	3	Vertical	319	1.42	-	38.69	12.10	33.40			
PK	17.907G	60.63	74.00	-13.37	36.91	3	Vertical	214	1.20	-	42.03	15.25	33.56			
AV	17.88537G	48.12	54.00	-5.88	24.55	3	Vertical	214	1.20	-	41.88	15.24	33.55			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 78
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94479G	58.50	74.00	-15.50	41.11	3	Horizontal	44	1.01	-	38.69	12.10	33.40			
AV	11.93525G	47.85	54.00	-6.15	30.47	3	Horizontal	44	1.01	-	38.67	12.10	33.39			
PK	17.8833G	58.34	74.00	-15.66	34.77	3	Horizontal	222	2.66	-	41.87	15.24	33.54			
AV	17.90304G	47.52	54.00	-6.48	23.82	3	Horizontal	222	2.66	-	42.01	15.25	33.56			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40778G	54.61	74.00	-19.39	36.16	3	Vertical	207	2.42	-	38.92	12.55	33.02			
AV	12.41165G	46.83	54.00	-7.17	28.36	3	Vertical	207	2.42	-	38.92	12.56	33.01			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.42194G	57.22	74.00	-16.78	38.71	3	Horizontal	63	3.00	-	38.94	12.57	33.00			
AV	12.42329G	47.84	54.00	-6.16	29.32	3	Horizontal	63	3.00	-	38.95	12.57	33.00			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61648G	45.63	83.54	-37.91	42.15	1	Vertical	157	1.61	-	37.83	15.25	49.60			
AV	18.61801G	35.75	63.54	-27.79	32.26	1	Vertical	157	1.61	-	37.84	15.25	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61903G	45.06	83.54	-38.48	41.57	1	Horizontal	207	2.16	-	37.84	15.25	49.60			
AV	18.61955G	36.48	63.54	-27.06	32.99	1	Horizontal	207	2.16	-	37.84	15.25	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.79977G	59.23	88.20	-28.97	39.80	3	Vertical	318	1.21	-	39.80	12.96	33.33			
RMS	12.8235G	49.77	68.20	-18.43	30.34	3	Vertical	318	1.21	-	39.80	12.99	33.36			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82338G	59.59	88.20	-28.61	40.16	3	Horizontal	234	2.79	-	39.80	12.99	33.36			
RMS	12.8244G	49.66	68.20	-18.54	30.23	3	Horizontal	234	2.79	-	39.80	12.99	33.36			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21171G	45.60	83.54	-37.94	42.01	1	Vertical	231	1.09	-	37.85	15.22	49.48			
AV	19.2185G	35.53	63.54	-28.01	31.93	1	Vertical	231	1.09	-	37.87	15.22	49.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21007G	45.72	83.54	-37.82	42.14	1	Horizontal	360	1.28	-	37.84	15.22	49.48			
AV	19.21823G	35.02	63.54	-28.52	31.42	1	Horizontal	360	1.28	-	37.87	15.22	49.49			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89189G	59.10	88.20	-29.10	39.61	3	Vertical	102	2.25	-	39.88	13.06	33.45			
RMS	12.89576G	49.25	68.20	-18.95	29.76	3	Vertical	102	2.25	-	39.89	13.06	33.46			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88889G	59.47	88.20	-28.73	39.99	3	Horizontal	328	1.21	-	39.88	13.05	33.45			
RMS	12.87746G	49.55	68.20	-18.65	30.09	3	Horizontal	328	1.21	-	39.85	13.04	33.43			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33753G	46.77	83.54	-36.77	43.33	1	Vertical	21	1.17	-	37.80	15.21	49.57			
AV	19.33509G	36.28	63.54	-27.26	32.84	1	Vertical	21	1.17	-	37.80	15.21	49.57			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33059G	45.67	83.54	-37.87	42.22	1	Horizontal	165	2.78	-	37.80	15.21	49.56			
AV	19.33289G	36.34	63.54	-27.20	32.90	1	Horizontal	165	2.78	-	37.80	15.21	49.57			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95785G	59.62	88.20	-28.58	40.03	3	Vertical	234	1.60	-	40.00	13.13	33.54			
RMS	12.96727G	49.84	68.20	-18.36	30.26	3	Vertical	234	1.60	-	40.00	13.14	33.56			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97222G	59.97	88.20	-28.23	40.39	3	Horizontal	257	1.68	-	40.00	13.14	33.56			
RMS	12.96556G	49.88	68.20	-18.32	30.30	3	Horizontal	257	1.68	-	40.00	13.13	33.55			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45196G	46.86	83.54	-36.68	43.61	1	Vertical	65	2.36	-	37.70	15.20	49.65			
AV	19.45605G	36.09	63.54	-27.45	32.83	1	Vertical	65	2.36	-	37.71	15.20	49.65			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45892G	46.51	83.54	-37.03	43.24	1	Horizontal	258	2.83	-	37.72	15.20	49.65			
AV	19.45057G	36.98	63.54	-26.56	33.73	1	Horizontal	258	2.83	-	37.70	15.20	49.65			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04166G	58.58	88.20	-29.62	39.12	3	Vertical	128	1.68	-	39.83	13.21	33.58			
RMS	13.03974G	49.65	68.20	-18.55	30.18	3	Vertical	128	1.68	-	39.84	13.21	33.58			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03869G	59.02	88.20	-29.18	39.54	3	Horizontal	37	2.82	-	39.85	13.21	33.58			
RMS	13.04151G	49.94	68.20	-18.26	30.48	3	Horizontal	37	2.82	-	39.83	13.21	33.58			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57227G	46.16	83.54	-37.38	42.88	1	Vertical	343	1.97	-	37.70	15.20	49.62			
AV	19.57114G	35.80	63.54	-27.74	32.52	1	Vertical	343	1.97	-	37.70	15.20	49.62			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_V_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57956G	44.33	83.54	-39.21	41.04	1	Horizontal	214	1.69	-	37.70	15.20	49.61			
AV	19.57821G	35.81	63.54	-27.73	32.53	1	Horizontal	214	1.69	-	37.70	15.20	49.62			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13069G	59.72	88.20	-28.48	39.94	3	Vertical	299	2.49	-	40.02	13.31	33.55			
RMS	13.1438G	49.55	68.20	-18.65	29.69	3	Vertical	299	2.49	-	40.08	13.32	33.54			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11554G	58.80	88.20	-29.40	39.10	3	Horizontal	147	2.05	-	39.96	13.29	33.55			
RMS	13.14476G	49.55	68.20	-18.65	29.69	3	Horizontal	147	2.05	-	40.08	13.32	33.54			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69445G	46.31	83.54	-37.23	42.94	1	Vertical	269	2.00	-	37.70	15.19	49.52			
AV	19.69218G	36.41	63.54	-27.13	33.04	1	Vertical	269	2.00	-	37.70	15.19	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69874G	45.43	83.54	-38.11	42.06	1	Horizontal	152	1.59	-	37.70	15.19	49.52			
AV	19.69204G	36.81	63.54	-26.73	33.44	1	Horizontal	152	1.59	-	37.70	15.19	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37759G	57.27	74.00	-16.73	36.81	3	Vertical	118	2.41	-	40.34	13.56	33.44			
AV	13.37252G	48.23	54.00	-5.77	27.76	3	Vertical	118	2.41	-	40.35	13.56	33.44			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38395G	56.68	74.00	-17.32	36.22	3	Horizontal	191	1.36	-	40.33	13.57	33.44			
AV	13.37864G	47.00	54.00	-7.00	26.54	3	Horizontal	191	1.36	-	40.34	13.56	33.44			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05169G	4.48	83.54	-79.06	0.73	1	Vertical	113	2.55	-	37.80	15.21	49.26			
AV	20.05531G	36.09	63.54	-27.45	32.33	1	Vertical	113	2.55	-	37.80	15.22	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05432G	45.29	83.54	-38.25	41.54	1	Horizontal	352	1.19	-	37.80	15.21	49.26			
AV	20.05793G	36.48	63.54	-27.06	32.71	1	Horizontal	352	1.19	-	37.80	15.22	49.25			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76475G	60.46	88.20	-27.74	39.52	3	Vertical	76	2.32	-	40.44	13.97	33.47			
RMS	13.78482G	51.10	68.20	-17.10	30.23	3	Vertical	76	2.32	-	40.36	13.99	33.48			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76904G	60.47	88.20	-27.73	39.56	3	Horizontal	23	1.63	-	40.42	13.97	33.48			
RMS	13.78215G	51.42	68.20	-16.78	30.55	3	Horizontal	23	1.63	-	40.37	13.98	33.48			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65446G	46.27	83.54	-37.27	41.73	1	Vertical	239	1.28	-	37.90	15.70	49.06			
AV	20.65194G	36.93	63.54	-26.61	32.39	1	Vertical	239	1.28	-	37.90	15.70	49.06			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6505G	46.76	83.54	-36.78	42.22	1	Horizontal	321	2.49	-	37.90	15.70	49.06			
AV	20.65057G	35.21	63.54	-28.33	30.67	1	Horizontal	321	2.49	-	37.90	15.70	49.06			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.85162G	60.62	88.20	-27.58	39.75	3	Vertical	123	2.39	-	40.31	14.06	33.50			
RMS	13.84907G	50.73	68.20	-17.47	29.88	3	Vertical	123	2.39	-	40.30	14.05	33.50			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84184G	61.14	88.20	-27.06	40.29	3	Horizontal	329	2.15	-	40.30	14.05	33.50			
RMS	13.84601G	50.83	68.20	-17.37	29.98	3	Horizontal	329	2.15	-	40.30	14.05	33.50			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77351G	44.32	83.54	-39.22	39.62	1	Vertical	83	1.67	-	37.90	15.80	49.00			
AV	20.77997G	35.97	63.54	-27.57	31.25	1	Vertical	83	1.67	-	37.90	15.81	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77688G	46.32	83.54	-37.22	41.62	1	Horizontal	137	2.87	-	37.90	15.80	49.00			
AV	20.77467G	36.02	63.54	-27.52	31.32	1	Horizontal	137	2.87	-	37.90	15.80	49.00			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.02191G	61.04	88.20	-27.16	39.92	3	Vertical	336	1.89	-	40.46	14.21	33.55			
RMS	13.99917G	52.11	68.20	-16.09	30.95	3	Vertical	336	1.89	-	40.50	14.21	33.55			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9968G	61.74	88.20	-26.46	40.58	3	Horizontal	170	1.82	-	40.50	14.21	33.55			
RMS	14.00835G	52.05	68.20	-16.15	30.91	3	Horizontal	170	1.82	-	40.48	14.21	33.55			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01652G	45.41	83.54	-38.13	40.29	1	Vertical	53	2.30	-	38.00	16.00	48.88			
AV	21.01751G	35.83	63.54	-27.71	30.71	1	Vertical	53	2.30	-	38.00	16.00	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01941G	45.37	83.54	-38.17	40.25	1	Horizontal	291	1.95	-	38.00	16.00	48.88			
AV	21.01911G	36.35	63.54	-27.19	31.23	1	Horizontal	291	1.95	-	38.00	16.00	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 74
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0712G	116.98	Inf	-Inf	106.44	3	Vertical	340	1.80	-	36.48	9.27	35.21			
RMS	7.0888G	105.73	Inf	-Inf	95.08	3	Vertical	340	1.80	-	36.56	9.27	35.18			
PK	7.129G	83.61	88.20	-4.59	72.67	3	Vertical	340	1.80	-	36.77	9.28	35.11			
RMS	7.1266G	66.42	68.20	-1.78	55.49	3	Vertical	340	1.80	-	36.76	9.28	35.11			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 74
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0772G	118.23	Inf	-Inf	107.65	3	Horizontal	0	1.00	-	36.51	9.27	35.20			
RMS	7.0798G	107.47	Inf	-Inf	96.87	3	Horizontal	0	1.00	-	36.52	9.27	35.19			
PK	7.1254G	85.06	88.20	-3.14	74.14	3	Horizontal	0	1.00	-	36.75	9.28	35.11			
RMS	7.1296G	67.83	68.20	-0.37	56.87	3	Horizontal	0	1.00	-	36.78	9.28	35.10			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 74
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16058G	60.70	88.20	-27.50	39.58	3	Vertical	90	2.75	-	40.50	14.21	33.59			
RMS	14.18131G	51.68	68.20	-16.52	30.56	3	Vertical	90	2.75	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 74
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16331G	60.60	88.20	-27.60	39.48	3	Horizontal	110	1.82	-	40.50	14.21	33.59			
RMS	14.17318G	51.13	68.20	-17.07	30.01	3	Horizontal	110	1.82	-	40.50	14.21	33.59			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Y_2TX
Setting 74
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25273G	44.74	83.54	-38.80	39.39	1	Vertical	153	2.41	-	38.01	16.19	48.85			
AV	21.25161G	34.40	63.54	-29.14	29.06	1	Vertical	153	2.41	-	38.00	16.19	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Y_2TX
Setting 74
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25346G	44.18	83.54	-39.36	38.83	1	Horizontal	7	1.49	-	38.01	16.19	48.85			
AV	21.25049G	34.48	63.54	-29.06	29.14	1	Horizontal	7	1.49	-	38.00	16.19	48.85			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 78
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9235G	83.89	88.20	-4.31	76.66	3	Vertical	14	1.80	-	34.30	8.51	35.58			
RMS	5.916G	67.09	68.20	-1.11	59.87	3	Vertical	14	1.80	-	34.30	8.50	35.58			
PK	5.9535G	113.53	Inf	-Inf	106.31	3	Vertical	14	1.80	-	34.29	8.52	35.59			
RMS	5.996G	103.48	Inf	-Inf	96.34	3	Vertical	14	1.80	-	34.21	8.54	35.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 78
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	85.01	88.20	-3.19	77.79	3	Horizontal	0	1.80	-	34.30	8.50	35.58			
RMS	5.9235G	67.80	68.20	-0.40	60.57	3	Horizontal	0	1.80	-	34.30	8.51	35.58			
PK	5.976G	115.04	Inf	-Inf	107.86	3	Horizontal	0	1.80	-	34.25	8.53	35.60			
RMS	5.996G	104.33	Inf	-Inf	97.19	3	Horizontal	0	1.80	-	34.21	8.54	35.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 78
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98131G	57.59	74.00	-16.41	40.14	3	Vertical	307	2.71	-	38.76	12.12	33.43			
AV	11.98314G	48.32	54.00	-5.68	30.87	3	Vertical	307	2.71	-	38.77	12.12	33.44			
PK	17.94444G	58.05	74.00	-15.95	34.19	3	Vertical	26	2.47	-	42.18	15.27	33.59			
AV	17.96811G	47.32	54.00	-6.68	23.34	3	Vertical	26	2.47	-	42.31	15.28	33.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 78
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.98056G	57.93	74.00	-16.07	40.48	3	Horizontal	29	1.80	-	38.76	12.12	33.43				
AV	11.98191G	48.50	54.00	-5.50	31.05	3	Horizontal	29	1.80	-	38.76	12.12	33.43				
PK	17.95209G	58.51	74.00	-15.49	34.62	3	Horizontal	102	1.96	-	42.21	15.27	33.59				
AV	17.94735G	48.53	54.00	-5.47	24.66	3	Horizontal	102	1.96	-	42.19	15.27	33.59				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43584G	58.14	74.00	-15.86	39.58	3	Vertical	82	1.49	-	38.97	12.58	32.99			
AV	12.44118G	48.01	54.00	-5.99	29.42	3	Vertical	82	1.49	-	38.98	12.59	32.98			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45411G	57.46	74.00	-16.54	38.82	3	Horizontal	280	1.21	-	39.01	12.60	32.97			
AV	12.44313G	48.18	54.00	-5.82	29.58	3	Horizontal	280	1.21	-	38.99	12.59	32.98			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 108
05-P-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68574G	43.84	83.54	-39.70	40.24	1	Vertical	184	1.53	-	37.90	15.25	49.55			
AV	18.67488G	34.48	63.54	-29.06	30.89	1	Vertical	184	1.53	-	37.90	15.25	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 108
05-P-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66123G	43.99	83.54	-39.55	40.41	1	Horizontal	50	2.93	-	37.90	15.25	49.57			
AV	18.67929G	34.68	63.54	-28.86	31.09	1	Horizontal	50	2.93	-	37.90	15.25	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76247G	59.31	88.20	-28.89	40.10	3	Vertical	151	2.56	-	39.57	12.92	33.28			
RMS	12.75989G	49.69	68.20	-18.51	30.48	3	Vertical	151	2.56	-	39.56	12.92	33.27			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76781G	58.89	88.20	-29.31	39.63	3	Horizontal	50	2.71	-	39.61	12.93	33.28			
RMS	12.755G	49.91	68.20	-18.29	30.73	3	Horizontal	50	2.71	-	39.53	12.92	33.27			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 108
05-P-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15235G	43.82	83.54	-39.72	40.05	1	Vertical	79	1.47	-	37.99	15.22	49.44			
AV	19.15346G	34.14	63.54	-29.40	30.37	1	Vertical	79	1.47	-	37.99	15.22	49.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 108
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15013G	43.59	83.54	-39.95	39.81	1	Horizontal	357	2.76	-	38.00	15.22	49.44			
AV	19.15953G	34.27	63.54	-29.27	30.54	1	Horizontal	357	2.76	-	37.96	15.22	49.45			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94089G	59.45	88.20	-28.75	39.88	3	Vertical	277	2.10	-	39.98	13.11	33.52			
RMS	12.93693G	50.28	68.20	-17.92	30.72	3	Vertical	277	2.10	-	39.97	13.10	33.51			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92166G	59.17	88.20	-29.03	39.63	3	Horizontal	70	1.57	-	39.94	13.09	33.49			
RMS	12.94107G	49.76	68.20	-18.44	30.19	3	Horizontal	70	1.57	-	39.98	13.11	33.52			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 108
05-P-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39968G	44.43	83.54	-39.11	40.93	1	Vertical	168	2.11	-	37.90	15.21	49.61			
AV	19.39914G	35.40	63.54	-28.14	31.90	1	Vertical	168	2.11	-	37.90	15.21	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 108
05-P-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39125G	44.81	83.54	-38.73	41.33	1	Horizontal	204	2.30	-	37.88	15.21	49.61			
AV	19.39867G	35.14	63.54	-28.40	31.64	1	Horizontal	204	2.30	-	37.90	15.21	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08871G	59.48	88.20	-28.72	39.90	3	Vertical	60	1.58	-	39.88	13.26	33.56			
RMS	13.09153G	50.15	68.20	-18.05	30.56	3	Vertical	60	1.58	-	39.88	13.27	33.56			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08421G	59.38	88.20	-28.82	39.81	3	Horizontal	309	2.81	-	39.87	13.26	33.56			
RMS	13.09363G	50.10	68.20	-18.10	30.50	3	Horizontal	309	2.81	-	39.89	13.27	33.56			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 108
05-P-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6378G	44.19	83.54	-39.35	40.87	1	Vertical	316	2.26	-	37.70	15.19	49.57			
AV	19.6378G	34.66	63.54	-28.88	31.34	1	Vertical	316	2.26	-	37.70	15.19	49.57			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 108
05-P-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63049G	44.16	83.54	-39.38	40.84	1	Horizontal	190	2.30	-	37.70	15.19	49.57			
AV	19.63321G	34.46	63.54	-29.08	31.14	1	Horizontal	190	2.30	-	37.70	15.19	49.57			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25861G	58.51	74.00	-15.49	38.53	3	Vertical	123	1.98	-	40.03	13.44	33.49			
AV	13.26395G	47.84	54.00	-6.16	27.83	3	Vertical	123	1.98	-	40.06	13.44	33.49			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2543G	55.98	74.00	-18.02	36.02	3	Horizontal	212	1.01	-	40.02	13.43	33.49			
AV	13.25G	47.17	54.00	-6.83	27.24	3	Horizontal	212	1.01	-	40.00	13.43	33.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87209G	44.92	83.54	-38.62	41.41	1	Vertical	100	2.51	-	37.70	15.18	49.37			
AV	19.87001G	35.37	63.54	-28.17	31.87	1	Vertical	100	2.51	-	37.70	15.18	49.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87197G	44.85	83.54	-38.69	41.34	1	Horizontal	210	1.92	-	37.70	15.18	49.37			
AV	19.87249G	35.16	63.54	-28.38	31.65	1	Horizontal	210	1.92	-	37.70	15.18	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3953G	57.94	74.00	-16.06	37.48	3	Vertical	256	2.12	-	40.31	13.58	33.43			
AV	13.39521G	47.66	54.00	-6.34	27.20	3	Vertical	256	2.12	-	40.31	13.58	33.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39484G	57.26	74.00	-16.74	36.80	3	Horizontal	314	1.06	-	40.31	13.58	33.43			
AV	13.3989G	47.33	54.00	-6.67	26.88	3	Horizontal	314	1.06	-	40.30	13.58	33.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11193G	44.38	83.54	-39.16	40.56	1	Vertical	295	2.17	-	37.80	15.26	49.24			
AV	20.11806G	34.19	63.54	-29.35	30.36	1	Vertical	295	2.17	-	37.80	15.27	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11171G	44.00	83.54	-39.54	40.18	1	Horizontal	34	1.93	-	37.80	15.26	49.24			
AV	20.11607G	34.90	63.54	-28.64	31.08	1	Horizontal	34	1.93	-	37.80	15.26	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57957G	61.23	88.20	-26.97	40.10	3	Vertical	336	2.26	-	40.78	13.77	33.42			
RMS	13.57708G	51.94	68.20	-16.26	30.79	3	Vertical	336	2.26	-	40.79	13.77	33.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57564G	61.21	88.20	-26.99	40.05	3	Horizontal	22	2.92	-	40.80	13.77	33.41			
RMS	13.582G	52.10	68.20	-16.10	30.97	3	Horizontal	22	2.92	-	40.77	13.78	33.42			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35743G	43.10	83.54	-40.44	38.93	1	Vertical	136	2.49	-	37.89	15.46	49.18			
AV	20.35495G	34.17	63.54	-29.37	30.00	1	Vertical	136	2.49	-	37.89	15.46	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35852G	43.60	83.54	-39.94	39.44	1	Horizontal	157	1.90	-	37.88	15.46	49.18			
AV	20.35461G	33.82	63.54	-29.72	29.65	1	Horizontal	157	1.90	-	37.89	15.46	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74266G	60.61	88.20	-27.59	39.64	3	Vertical	340	1.54	-	40.50	13.94	33.47			
RMS	13.72505G	51.17	68.20	-17.03	30.21	3	Vertical	340	1.54	-	40.50	13.92	33.46			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73072G	61.70	88.20	-26.50	40.73	3	Horizontal	63	2.49	-	40.50	13.93	33.46			
RMS	13.72163G	51.43	68.20	-16.77	30.47	3	Horizontal	63	2.49	-	40.50	13.92	33.46			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_V_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59213G	45.90	83.54	-37.64	41.44	1	Vertical	259	2.49	-	37.90	15.65	49.09			
AV	20.59177G	35.29	63.54	-28.25	30.83	1	Vertical	259	2.49	-	37.90	15.65	49.09			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5966G	44.65	83.54	-38.89	40.18	1	Horizontal	140	2.22	-	37.90	15.66	49.09			
AV	20.59484G	35.13	63.54	-28.41	30.67	1	Horizontal	140	2.22	-	37.90	15.65	49.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88994G	61.14	88.20	-27.06	40.09	3	Vertical	162	1.05	-	40.46	14.10	33.51			
RMS	13.89681G	51.66	68.20	-16.54	30.59	3	Vertical	162	1.05	-	40.49	14.10	33.52			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9023G	61.18	88.20	-27.02	40.09	3	Horizontal	45	2.91	-	40.50	14.11	33.52			
RMS	13.90278G	51.45	68.20	-16.75	30.36	3	Horizontal	45	2.91	-	40.50	14.11	33.52			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83206G	44.51	83.54	-39.03	39.73	1	Vertical	347	2.56	-	37.90	15.85	48.97			
AV	20.83271G	35.45	63.54	-28.09	30.67	1	Vertical	347	2.56	-	37.90	15.85	48.97			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83398G	45.03	83.54	-38.51	40.25	1	Horizontal	6	2.08	-	37.90	15.85	48.97			
AV	20.83751G	36.20	63.54	-27.34	31.41	1	Horizontal	6	2.08	-	37.90	15.85	48.96			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 79
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0262G	114.18	Inf	-Inf	103.91	3	Vertical	338	1.80	-	36.30	9.26	35.29			
RMS	7.0186G	104.18	Inf	-Inf	93.97	3	Vertical	338	1.80	-	36.27	9.25	35.31			
PK	7.127G	80.05	88.20	-8.15	69.12	3	Vertical	338	1.80	-	36.76	9.28	35.11			
RMS	7.1266G	66.13	68.20	-2.07	55.20	3	Vertical	338	1.80	-	36.76	9.28	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 79
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0526G	116.50	Inf	-Inf	106.07	3	Horizontal	357	1.02	-	36.41	9.26	35.24			
RMS	7.0198G	105.83	Inf	-Inf	95.60	3	Horizontal	357	1.02	-	36.28	9.25	35.30			
PK	7.125G	81.95	88.20	-6.25	71.03	3	Horizontal	357	1.02	-	36.75	9.28	35.11			
RMS	7.125G	67.91	68.20	-0.29	56.99	3	Horizontal	357	1.02	-	36.75	9.28	35.11			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 79
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.03668G	61.97	88.20	-26.23	40.89	3	Vertical	316	1.01	-	40.43	14.21	33.56			
RMS	14.03692G	51.67	68.20	-16.53	30.59	3	Vertical	316	1.01	-	40.43	14.21	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 79
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05318G	61.69	88.20	-26.51	40.63	3	Horizontal	72	1.20	-	40.41	14.21	33.56			
RMS	14.05561G	51.64	68.20	-16.56	30.57	3	Horizontal	72	1.20	-	40.42	14.21	33.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 79
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07471G	44.20	83.54	-39.34	39.02	1	Vertical	222	2.60	-	38.00	16.05	48.87			
AV	21.07466G	34.78	63.54	-28.76	29.60	1	Vertical	222	2.60	-	38.00	16.05	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 79
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07515G	43.97	83.54	-39.57	38.79	1	Horizontal	345	2.74	-	38.00	16.05	48.87			
AV	21.07571G	35.23	63.54	-28.31	30.05	1	Horizontal	345	2.74	-	38.00	16.05	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 81
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8855G	83.05	88.20	-5.15	75.89	3	Vertical	12	1.80	-	34.24	8.49	35.57			
RMS	5.921G	67.82	68.20	-0.38	60.60	3	Vertical	12	1.80	-	34.30	8.50	35.58			
PK	6.081G	112.60	Inf	-Inf	105.24	3	Vertical	12	1.80	-	34.24	8.57	35.45			
RMS	6.101G	102.04	Inf	-Inf	94.67	3	Vertical	12	1.80	-	34.20	8.58	35.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 81
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9005G	83.64	88.20	-4.56	76.41	3	Horizontal	12	1.80	-	34.30	8.50	35.57			
RMS	5.921G	68.08	68.20	-0.12	60.86	3	Horizontal	12	1.80	-	34.30	8.50	35.58			
PK	6.0535G	113.78	Inf	-Inf	106.44	3	Horizontal	12	1.80	-	34.29	8.56	35.51			
RMS	6.101G	103.34	Inf	-Inf	95.97	3	Horizontal	12	1.80	-	34.20	8.58	35.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 81
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.03596G	56.29	74.00	-17.71	38.66	3	Vertical	340	2.52	-	38.87	12.17	33.41			
AV	12.06431G	47.12	54.00	-6.88	29.37	3	Vertical	340	2.52	-	38.93	12.20	33.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 81
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05567G	56.78	74.00	-17.22	39.07	3	Horizontal	260	1.27	-	38.91	12.19	33.39			
AV	12.06446G	47.75	54.00	-6.25	30.00	3	Horizontal	260	1.27	-	38.93	12.20	33.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 81
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07467G	43.64	83.54	-39.90	40.28	1	Vertical	132	2.74	-	37.55	15.29	49.48			
AV	18.0742G	34.00	63.54	-29.54	30.64	1	Vertical	132	2.74	-	37.55	15.29	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 81
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07452G	45.08	83.54	-38.46	41.72	1	Horizontal	284	1.08	-	37.55	15.29	49.48			
AV	18.07644G	33.92	63.54	-29.62	30.55	1	Horizontal	284	1.08	-	37.56	15.29	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38401G	56.51	74.00	-17.49	38.12	3	Vertical	326	2.83	-	38.90	12.53	33.04			
AV	12.38416G	47.06	54.00	-6.94	28.67	3	Vertical	326	2.83	-	38.90	12.53	33.04			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36841G	57.47	74.00	-16.53	39.12	3	Horizontal	142	2.36	-	38.90	12.51	33.06			
AV	12.38071G	46.83	54.00	-7.17	28.45	3	Horizontal	142	2.36	-	38.90	12.53	33.05			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5574G	43.53	83.54	-40.01	40.11	1	Vertical	273	2.68	-	37.80	15.26	49.64			
AV	18.55024G	34.21	63.54	-29.33	30.80	1	Vertical	273	2.68	-	37.80	15.26	49.65			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55014G	43.67	83.54	-39.87	40.26	1	Horizontal	164	1.01	-	37.80	15.26	49.65			
AV	18.55892G	34.22	63.54	-29.32	30.80	1	Horizontal	164	1.01	-	37.80	15.26	49.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67599G	58.82	74.00	-15.18	39.75	3	Vertical	282	2.70	-	39.40	12.83	33.16			
AV	12.67752G	47.97	54.00	-6.03	28.90	3	Vertical	282	2.70	-	39.40	12.83	33.16			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67905G	57.92	74.00	-16.08	38.84	3	Horizontal	190	2.43	-	39.40	12.84	33.16			
AV	12.68955G	46.68	54.00	-7.32	27.61	3	Horizontal	190	2.43	-	39.40	12.85	33.18			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03481G	43.84	83.54	-39.70	40.04	1	Vertical	256	2.16	-	37.93	15.23	49.36			
AV	19.03008G	34.68	63.54	-28.86	30.87	1	Vertical	256	2.16	-	37.94	15.23	49.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03745G	45.20	83.54	-38.34	41.41	1	Horizontal	360	1.50	-	37.93	15.23	49.37			
AV	19.03698G	35.47	63.54	-28.07	31.68	1	Horizontal	360	1.50	-	37.93	15.23	49.37			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01111G	58.63	88.20	-29.57	39.09	3	Vertical	214	3.00	-	39.96	13.18	33.60			
RMS	13.0244G	49.27	68.20	-18.93	29.76	3	Vertical	214	3.00	-	39.90	13.20	33.59			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01222G	58.59	88.20	-29.61	39.05	3	Horizontal	54	2.83	-	39.95	13.18	33.59			
RMS	13.01678G	49.56	68.20	-18.64	30.03	3	Horizontal	54	2.83	-	39.93	13.19	33.59			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51331G	44.25	83.54	-39.29	40.95	1	Vertical	204	2.32	-	37.77	15.20	49.67			
AV	19.51012G	35.04	63.54	-28.50	31.73	1	Vertical	204	2.32	-	37.78	15.20	49.67			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51583G	45.28	83.54	-38.26	41.98	1	Horizontal	54	1.57	-	37.77	15.20	49.67			
AV	19.51379G	35.14	63.54	-28.40	31.84	1	Horizontal	54	1.57	-	37.77	15.20	49.67			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32052G	57.30	74.00	-16.70	36.99	3	Vertical	155	1.62	-	40.28	13.50	33.47			
AV	13.3258G	47.30	54.00	-6.70	26.95	3	Vertical	155	1.62	-	40.30	13.51	33.46			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32205G	58.80	74.00	-15.20	38.47	3	Horizontal	246	2.29	-	40.29	13.50	33.46			
AV	13.33894G	48.99	54.00	-5.01	28.57	3	Horizontal	246	2.29	-	40.36	13.52	33.46			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99947G	43.67	83.54	-39.87	40.07	1	Vertical	360	1.50	-	37.70	15.17	49.27			
AV	19.99483G	35.53	63.54	-28.01	31.92	1	Vertical	360	1.50	-	37.71	15.17	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99906G	45.08	83.54	-38.46	41.48	1	Horizontal	148	1.03	-	37.70	15.17	49.27			
AV	19.99071G	36.13	63.54	-27.41	32.52	1	Horizontal	148	1.03	-	37.72	15.17	49.28			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64868G	61.54	88.20	-26.66	40.63	3	Vertical	190	2.72	-	40.51	13.84	33.44			
RMS	13.63605G	51.54	68.20	-16.66	30.58	3	Vertical	190	2.72	-	40.56	13.83	33.43			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64358G	61.81	88.20	-26.39	40.88	3	Horizontal	136	2.03	-	40.53	13.84	33.44			
RMS	13.63833G	51.76	68.20	-16.44	30.81	3	Horizontal	136	2.03	-	40.55	13.83	33.43			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47002G	44.71	83.54	-38.83	40.41	1	Vertical	344	1.97	-	37.90	15.55	49.15			
AV	20.47817G	35.12	63.54	-28.42	30.81	1	Vertical	344	1.97	-	37.90	15.56	49.15			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.466G	45.45	83.54	-38.09	41.15	1	Horizontal	145	1.80	-	37.90	15.55	49.15			
AV	20.48256G	35.71	63.54	-27.83	31.39	1	Horizontal	145	1.80	-	37.90	15.56	49.14			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 80
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.039G	112.40	Inf	-Inf	102.05	3	Vertical	344	1.80	-	36.36	9.26	35.27			
RMS	7.014G	101.35	Inf	-Inf	91.15	3	Vertical	344	1.80	-	36.26	9.25	35.31			
PK	7.137G	80.79	88.20	-7.41	69.78	3	Vertical	344	1.80	-	36.82	9.28	35.09			
RMS	7.1265G	66.76	68.20	-1.44	55.83	3	Vertical	344	1.80	-	36.76	9.28	35.11			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 80
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.927G	113.58	Inf	-Inf	103.63	3	Horizontal	10	1.00	-	36.05	9.14	35.24			
RMS	6.96G	102.48	Inf	-Inf	92.45	3	Horizontal	10	1.00	-	36.12	9.19	35.28			
PK	7.1325G	81.09	88.20	-7.11	70.12	3	Horizontal	10	1.00	-	36.79	9.28	35.10			
RMS	7.13G	67.71	68.20	-0.49	56.75	3	Horizontal	10	1.00	-	36.78	9.28	35.10			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 80
05-P-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98326G	60.63	88.20	-27.57	39.48	3	Vertical	328	1.15	-	40.50	14.19	33.54			
RMS	13.98293G	51.31	68.20	-16.89	30.16	3	Vertical	328	1.15	-	40.50	14.19	33.54			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 80
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98446G	60.17	88.20	-28.03	39.03	3	Horizontal	63	1.07	-	40.50	14.19	33.55			
RMS	13.9844G	51.43	68.20	-16.77	30.29	3	Horizontal	63	1.07	-	40.50	14.19	33.55			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 80
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95534G	45.61	83.54	-37.93	40.65	1	Vertical	340	2.10	-	37.91	15.95	48.90			
AV	20.9537G	34.43	63.54	-29.11	29.47	1	Vertical	340	2.10	-	37.91	15.95	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 80
05-P-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95373G	44.21	83.54	-39.33	39.25	1	Horizontal	145	1.80	-	37.91	15.95	48.90			
AV	20.95623G	34.66	63.54	-28.88	29.70	1	Horizontal	145	1.80	-	37.91	15.95	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 82
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8817G	79.71	88.20	-8.49	72.56	3	Vertical	10	1.80	-	34.23	8.49	35.57			
RMS	5.9209G	65.67	68.20	-2.53	58.45	3	Vertical	10	1.80	-	34.30	8.50	35.58			
PK	6.1988G	110.56	Inf	-Inf	102.76	3	Vertical	10	1.80	-	34.40	8.62	35.22			
RMS	6.1512G	99.77	Inf	-Inf	92.18	3	Vertical	10	1.80	-	34.30	8.60	35.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 82
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8817G	81.54	88.20	-6.66	74.39	3	Horizontal	16	1.80	-	34.23	8.49	35.57			
RMS	5.9209G	67.53	68.20	-0.67	60.31	3	Horizontal	16	1.80	-	34.30	8.50	35.58			
PK	6.1561G	111.35	Inf	-Inf	103.74	3	Horizontal	16	1.80	-	34.31	8.60	35.30			
RMS	6.1512G	100.72	Inf	-Inf	93.13	3	Horizontal	16	1.80	-	34.30	8.60	35.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 82
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21545G	58.46	74.00	-15.54	40.23	3	Vertical	17	1.80	-	39.10	12.35	33.22			
AV	12.20694G	48.83	54.00	-5.17	30.61	3	Vertical	17	1.80	-	39.10	12.35	33.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 82
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20181G	58.03	74.00	-15.97	39.83	3	Horizontal	189	1.80	-	39.10	12.34	33.24			
AV	12.21492G	48.85	54.00	-5.15	30.62	3	Horizontal	189	1.80	-	39.10	12.35	33.22			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 82
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31569G	44.41	83.54	-39.13	41.10	1	Vertical	201	2.57	-	37.63	15.27	49.59			
AV	18.3155G	34.65	63.54	-28.89	31.34	1	Vertical	201	2.57	-	37.63	15.27	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 82
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31527G	44.25	83.54	-39.29	40.94	1	Horizontal	271	1.30	-	37.63	15.27	49.59			
AV	18.31508G	34.05	63.54	-29.49	30.74	1	Horizontal	271	1.30	-	37.63	15.27	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52313G	56.76	74.00	-17.24	37.94	3	Vertical	357.1	1.80	-	39.10	12.67	32.95			
AV	12.52748G	47.42	54.00	-6.58	28.60	3	Vertical	357.1	1.80	-	39.10	12.68	32.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52217G	57.53	74.00	-16.47	38.71	3	Horizontal	308	1.00	-	39.10	12.67	32.95			
AV	12.52145G	47.51	54.00	-6.49	28.69	3	Horizontal	308	1.00	-	39.10	12.67	32.95			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79482G	43.63	83.54	-39.91	39.97	1	Vertical	300	1.64	-	37.90	15.24	49.48			
AV	18.79506G	34.43	63.54	-29.11	30.77	1	Vertical	300	1.64	-	37.90	15.24	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.7956G	43.52	83.54	-40.02	39.86	1	Horizontal	336	1.10	-	37.90	15.24	49.48			
AV	18.79487G	34.53	63.54	-29.01	30.87	1	Horizontal	336	1.10	-	37.90	15.24	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85363G	57.51	88.20	-30.69	38.08	3	Vertical	5	1.75	-	39.81	13.02	33.40			
RMS	12.84463G	48.71	68.20	-19.49	29.29	3	Vertical	5	1.75	-	39.80	13.01	33.39			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86131G	57.67	88.20	-30.53	38.23	3	Horizontal	261	1.97	-	39.82	13.03	33.41			
RMS	12.85363G	48.56	68.20	-19.64	29.13	3	Horizontal	261	1.97	-	39.81	13.02	33.40			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27595G	43.03	83.54	-40.51	39.45	1	Vertical	110	2.38	-	37.90	15.21	49.53			
AV	19.27443G	33.35	63.54	-30.19	29.77	1	Vertical	110	2.38	-	37.90	15.21	49.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27478G	43.66	83.54	-39.88	40.08	1	Horizontal	27	2.85	-	37.90	15.21	49.53			
AV	19.27458G	33.67	63.54	-29.87	30.09	1	Horizontal	27	2.85	-	37.90	15.21	49.53			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.15704G	59.41	88.20	-28.79	39.52	3	Vertical	266	1.80	-	40.09	13.33	33.53			
RMS	13.16748G	50.21	68.20	-17.99	30.33	3	Vertical	266	1.80	-	40.07	13.34	33.53			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17966G	59.14	88.20	-29.06	39.26	3	Horizontal	35	1.80	-	40.04	13.36	33.52			
RMS	13.17267G	49.95	68.20	-18.25	30.08	3	Horizontal	35	1.80	-	40.05	13.35	33.53			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75416G	44.66	83.54	-38.88	41.25	1	Vertical	338	1.29	-	37.70	15.18	49.47			
AV	19.75437G	35.06	63.54	-28.48	31.65	1	Vertical	338	1.29	-	37.70	15.18	49.47			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_V_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7541G	44.05	83.54	-39.49	40.64	1	Horizontal	301	1.15	-	37.70	15.18	49.47			
AV	19.75505G	35.06	63.54	-28.48	31.65	1	Horizontal	301	1.15	-	37.70	15.18	49.47			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48679G	62.22	88.20	-25.98	41.27	3	Vertical	107	1.80	-	40.67	13.68	33.40			
RMS	13.49345G	52.54	68.20	-15.66	31.56	3	Vertical	107	1.80	-	40.69	13.68	33.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49864G	62.35	88.20	-25.85	41.35	3	Horizontal	260	1.80	-	40.70	13.69	33.39			
RMS	13.49948G	52.75	68.20	-15.45	31.75	3	Horizontal	260	1.80	-	40.70	13.69	33.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23434G	43.46	83.54	-40.08	39.51	1	Vertical	312	2.71	-	37.80	15.36	49.21			
AV	20.23515G	33.67	63.54	-29.87	29.72	1	Vertical	312	2.71	-	37.80	15.36	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 108
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23419G	43.11	83.54	-40.43	39.16	1	Horizontal	137	2.74	-	37.80	15.36	49.21			
AV	20.23573G	33.98	63.54	-29.56	30.03	1	Horizontal	137	2.74	-	37.80	15.36	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 72
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0445G	105.02	Inf	-Inf	94.64	3	Vertical	348	1.80	-	36.38	9.26	35.26			
RMS	6.8537G	94.93	Inf	-Inf	85.02	3	Vertical	348	1.80	-	36.00	9.04	35.13			
PK	7.2281G	68.81	88.20	-19.39	57.31	3	Vertical	348	1.80	-	37.10	9.32	34.92			
RMS	7.1291G	53.55	68.20	-14.65	42.61	3	Vertical	348	1.80	-	36.77	9.28	35.11			
PK	7.2776G	64.35	74.00	-9.65	52.73	3	Vertical	348	1.80	-	37.10	9.35	34.83			
RMS	7.2587G	51.31	54.00	-2.69	39.74	3	Vertical	348	1.80	-	37.10	9.34	34.87			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_2TX
Setting 72
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8636G	107.77	Inf	-Inf	97.87	3	Horizontal	3	1.80	-	36.00	9.05	35.15			
RMS	6.7484G	96.84	Inf	-Inf	86.67	3	Horizontal	3	1.80	-	36.20	8.95	34.98			
PK	7.229G	69.64	88.20	-18.56	58.14	3	Horizontal	3	1.80	-	37.10	9.32	34.92			
RMS	7.1318G	55.27	68.20	-12.93	44.30	3	Horizontal	3	1.80	-	36.79	9.28	35.10			
PK	7.2533G	66.17	74.00	-7.83	54.62	3	Horizontal	3	1.80	-	37.10	9.33	34.88			
RMS	7.2542G	52.48	54.00	-1.52	40.92	3	Horizontal	3	1.80	-	37.10	9.34	34.88			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 72
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81492G	61.36	88.20	-26.84	40.53	3	Vertical	116	1.80	-	40.30	14.02	33.49			
RMS	13.80609G	52.31	68.20	-15.89	31.49	3	Vertical	116	1.80	-	40.30	14.01	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 72
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80913G	62.02	88.20	-26.18	41.20	3	Horizontal	124	3.00	-	40.30	14.01	33.49			
RMS	13.81111G	52.05	68.20	-16.15	31.23	3	Horizontal	124	3.00	-	40.30	14.01	33.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 72
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71515G	44.53	83.54	-39.01	39.91	1	Vertical	353	1.89	-	37.90	15.75	49.03			
AV	20.71554G	34.91	63.54	-28.63	30.29	1	Vertical	353	1.89	-	37.90	15.75	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



EUT_Y_2TX
Setting 72
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71479G	44.62	83.54	-38.92	40.00	1	Horizontal	252	1.02	-	37.90	15.75	49.03			
AV	20.71527G	35.04	63.54	-28.50	30.42	1	Horizontal	252	1.02	-	37.90	15.75	49.03			




Test Mode: Mode 7

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	RMS	5.9226G	68.17	68.20	-0.03	3	Horizontal	311	1.98	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 84
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	78.41	88.20	-9.79	83.54	3	Vertical	3	2.58	-	32.30	5.64	43.07			
RMS	5.9222G	66.61	68.20	-1.59	71.74	3	Vertical	3	2.58	-	32.30	5.64	43.07			
PK	6.0118G	113.81	Inf	-Inf	118.74	3	Vertical	3	2.58	-	32.40	5.70	43.03			
RMS	6.0122G	104.04	Inf	-Inf	108.97	3	Vertical	3	2.58	-	32.40	5.70	43.03			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Y_4TX
Setting 84
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	80.28	88.20	-7.92	85.41	3	Horizontal	311	1.98	-	32.30	5.64	43.07			
RMS	5.9226G	68.17	68.20	-0.03	73.30	3	Horizontal	311	1.98	-	32.30	5.64	43.07			
PK	6.0174G	115.88	Inf	-Inf	120.79	3	Horizontal	311	1.98	-	32.40	5.71	43.02			
RMS	6.0122G	106.48	Inf	-Inf	111.41	3	Horizontal	311	1.98	-	32.40	5.70	43.03			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Y_4TX
Setting 84
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98263G	53.86	74.00	-20.14	47.05	3	Vertical	320	2.60	-	38.87	10.84	42.90			
AV	11.98293G	42.43	54.00	-11.57	35.62	3	Vertical	320	2.60	-	38.87	10.84	42.90			
PK	17.96805G	63.56	74.00	-10.44	39.71	3	Vertical	287	1.34	-	48.64	16.67	41.46			
AV	17.96757G	47.96	54.00	-6.04	24.12	3	Vertical	287	1.34	-	48.63	16.67	41.46			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Y_4TX
Setting 84
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95764G	53.17	74.00	-20.83	46.45	3	Horizontal	339	2.49	-	38.82	10.82	42.92			
AV	11.98248G	42.46	54.00	-11.54	35.66	3	Horizontal	339	2.49	-	38.86	10.84	42.90			
PK	17.96661G	64.10	74.00	-9.90	40.30	3	Horizontal	287	1.34	-	48.60	16.67	41.47			
AV	17.96868G	47.76	54.00	-6.24	23.89	3	Horizontal	287	1.34	-	48.66	16.67	41.46			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Y_4TX
Setting 84
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93446G	56.91	83.54	-26.63	46.91	1	Vertical	51	2.79	-	38.97	18.15	47.12			
AV	23.9417G	44.41	63.54	-19.13	34.40	1	Vertical	51	2.79	-	38.98	18.15	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 84
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9426G	56.22	83.54	-27.32	46.20	1	Horizontal	42	2.93	-	38.99	18.15	47.12			
AV	23.93882G	44.55	63.54	-18.99	34.54	1	Horizontal	42	2.93	-	38.98	18.15	47.12			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Y_4TX
Setting 88
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	78.27	88.20	-9.93	83.40	3	Vertical	0	2.56	-	32.30	5.64	43.07			
RMS	5.9225G	66.56	68.20	-1.64	71.69	3	Vertical	0	2.56	-	32.30	5.64	43.07			
PK	6.067G	111.76	Inf	-Inf	116.58	3	Vertical	0	2.56	-	32.43	5.76	43.01			
RMS	6.0825G	101.59	Inf	-Inf	106.36	3	Vertical	0	2.56	-	32.46	5.77	43.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX


6025MHz_TX

EUT_Y_4TX
Setting 88
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	79.03	88.20	-9.17	84.16	3	Horizontal	305	1.97	-	32.30	5.64	43.07			
RMS	5.923G	67.92	68.20	-0.28	73.05	3	Horizontal	305	1.97	-	32.30	5.64	43.07			
PK	6.0825G	114.00	Inf	-Inf	118.77	3	Horizontal	305	1.97	-	32.46	5.77	43.00			
RMS	6.0825G	103.34	Inf	-Inf	108.11	3	Horizontal	305	1.97	-	32.46	5.77	43.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX


6025MHz_TX

EUT_V_4TX
Setting 88
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05G	56.37	74.00	-17.63	49.38	3	Vertical	343	1.00	-	39.00	10.90	42.91			
AV	12.05003G	44.51	54.00	-9.49	37.52	3	Vertical	343	1.00	-	39.00	10.90	42.91			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX


6025MHz_TX

EUT_V_4TX
Setting 88
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05105G	55.77	74.00	-18.23	48.78	3	Horizontal	326	2.46	-	39.00	10.90	42.91			
AV	12.0557G	44.73	54.00	-9.27	37.71	3	Horizontal	326	2.46	-	39.02	10.91	42.91			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Y_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08494G	54.82	83.54	-28.72	51.25	1	Vertical	149	2.85	-	37.61	15.44	49.48			
AV	18.06726G	42.34	63.54	-21.20	38.88	1	Vertical	149	2.85	-	37.50	15.43	49.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX


6025MHz_TX

EUT_Y_4TX
Setting 88
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06764G	54.37	83.54	-29.17	50.89	1	Horizontal	198	2.00	-	37.51	15.44	49.47			
AV	18.07872G	42.20	63.54	-21.34	38.67	1	Horizontal	198	2.00	-	37.57	15.44	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Y_4TX
Setting 85
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	75.31	88.20	-12.89	80.44	3	Vertical	0	2.55	-	32.30	5.64	43.07			
RMS	5.9225G	64.93	68.20	-3.27	70.06	3	Vertical	0	2.55	-	32.30	5.64	43.07			
PK	6.061G	111.09	Inf	-Inf	115.93	3	Vertical	0	2.55	-	32.42	5.75	43.01			
RMS	6.0575G	101.18	Inf	-Inf	106.03	3	Vertical	0	2.55	-	32.41	5.75	43.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 85
04-V-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9215G	78.73	88.20	-9.47	83.86	3	Horizontal	301	2.91	-	32.30	5.64	43.07			
RMS	5.9215G	68.13	68.20	-0.07	73.26	3	Horizontal	301	2.91	-	32.30	5.64	43.07			
PK	5.9865G	114.92	Inf	-Inf	119.91	3	Horizontal	301	2.91	-	32.37	5.68	43.04			
RMS	6.0565G	105.84	Inf	-Inf	110.69	3	Horizontal	301	2.91	-	32.41	5.75	43.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_V_4TX
Setting 85
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04994G	57.14	74.00	-16.86	50.15	3	Vertical	211	2.62	-	39.00	10.90	42.91			
AV	12.04982G	44.95	54.00	-9.05	37.96	3	Vertical	211	2.62	-	39.00	10.90	42.91			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_V_4TX
Setting 85
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04988G	58.11	74.00	-15.89	51.12	3	Horizontal	46	1.20	-	39.00	10.90	42.91			
AV	12.04976G	44.93	54.00	-9.07	37.94	3	Horizontal	46	1.20	-	39.00	10.90	42.91			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Y_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06818G	54.72	83.54	-28.82	51.24	1	Vertical	291	1.23	-	37.51	15.44	49.47			
AV	18.06536G	42.03	63.54	-21.51	38.58	1	Vertical	291	1.23	-	37.49	15.43	49.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Y_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07246G	54.31	83.54	-29.23	50.81	1	Horizontal	271	2.54	-	37.53	15.44	49.47			
AV	18.08172G	42.48	63.54	-21.06	38.93	1	Horizontal	271	2.54	-	37.59	15.44	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Y_4TX
Setting 96
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	76.73	88.20	-11.47	81.86	3	Vertical	3	2.54	-	32.30	5.64	43.07			
RMS	5.9218G	67.47	68.20	-0.73	72.60	3	Vertical	3	2.54	-	32.30	5.64	43.07			
PK	6.2466G	109.28	Inf	-Inf	113.22	3	Vertical	3	2.54	-	32.99	6.02	42.95			
RMS	6.2466G	99.14	Inf	-Inf	103.08	3	Vertical	3	2.54	-	32.99	6.02	42.95			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 96
04-V-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	77.55	88.20	-10.65	82.68	3	Horizontal	308	1.97	-	32.30	5.64	43.07			
RMS	5.9226G	67.26	68.20	-0.94	72.39	3	Horizontal	308	1.97	-	32.30	5.64	43.07			
PK	6.2122G	113.46	Inf	-Inf	117.65	3	Horizontal	308	1.97	-	32.85	5.92	42.96			
RMS	6.1474G	102.71	Inf	-Inf	107.26	3	Horizontal	308	1.97	-	32.59	5.84	42.98			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
Setting 96
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21456G	55.66	74.00	-18.34	48.59	3	Vertical	98	2.10	-	38.97	11.07	42.97			
AV	12.20247G	43.40	54.00	-10.60	36.30	3	Vertical	98	2.10	-	39.00	11.06	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_V_4TX
Setting 96
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21834G	54.24	74.00	-19.76	47.17	3	Horizontal	106	1.81	-	38.96	11.08	42.97			
AV	12.20253G	43.28	54.00	-10.72	36.19	3	Horizontal	106	1.81	-	38.99	11.06	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Y_4TX
Setting 96
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31696G	54.97	83.54	-28.57	51.33	1	Vertical	209	1.08	-	37.67	15.56	49.59			
AV	18.30698G	42.39	63.54	-21.15	38.79	1	Vertical	209	1.08	-	37.63	15.56	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Y_4TX
Setting 96
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.32186G	55.03	83.54	-28.51	51.36	1	Horizontal	320	2.36	-	37.69	15.57	49.59			
AV	18.31168G	42.27	63.54	-21.27	38.65	1	Horizontal	320	2.36	-	37.65	15.56	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 93
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	73.22	88.20	-14.98	78.35	3	Vertical	8	2.70	-	32.30	5.64	43.07
RMS	5.921G	61.45	68.20	-6.75	66.58	3	Vertical	8	2.70	-	32.30	5.64	43.07
PK	6.0562G	109.15	Inf	-Inf	114.00	3	Vertical	8	2.70	-	32.41	5.75	43.01
RMS	6.061G	98.36	Inf	-Inf	103.20	3	Vertical	8	2.70	-	32.42	5.75	43.01

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 93
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	76.98	88.20	-11.22	82.11	3	Horizontal	52	3.00	-	32.30	5.64	43.07			
RMS	5.9226G	67.22	68.20	-0.98	72.35	3	Horizontal	52	3.00	-	32.30	5.64	43.07			
PK	6.0618G	114.87	Inf	-Inf	119.71	3	Horizontal	52	3.00	-	32.42	5.75	43.01			
RMS	6.0618G	103.39	Inf	-Inf	108.23	3	Horizontal	52	3.00	-	32.42	5.75	43.01			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_V_4TX
Setting 93
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19833G	54.37	74.00	-19.63	47.26	3	Vertical	85	2.45	-	39.01	11.06	42.96			
AV	12.21615G	42.89	54.00	-11.11	35.82	3	Vertical	85	2.45	-	38.97	11.07	42.97			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_V_4TX
Setting 93
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21189G	55.06	74.00	-18.94	47.98	3	Horizontal	65	1.44	-	38.98	11.07	42.97			
AV	12.20859G	42.91	54.00	-11.09	35.83	3	Horizontal	65	1.44	-	38.98	11.07	42.97			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 93
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32204G	54.19	83.54	-29.35	50.52	1	Vertical	274	2.51	-	37.69	15.57	49.59			
AV	18.31994G	42.57	63.54	-20.97	38.91	1	Vertical	274	2.51	-	37.68	15.57	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 93
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32018G	54.87	83.54	-28.67	51.21	1	Horizontal	292	2.93	-	37.68	15.57	49.59			
AV	18.30934G	42.14	63.54	-21.40	38.53	1	Horizontal	292	2.93	-	37.64	15.56	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT_Y_4TX
Setting 88
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	72.56	88.20	-15.64	77.69	3	Vertical	0	2.57	-	32.30	5.64	43.07			
RMS	5.9226G	63.45	68.20	-4.75	68.58	3	Vertical	0	2.57	-	32.30	5.64	43.07			
PK	6.0418G	110.14	Inf	-Inf	115.03	3	Vertical	0	2.57	-	32.40	5.73	43.02			
RMS	6.057G	99.32	Inf	-Inf	104.17	3	Vertical	0	2.57	-	32.41	5.75	43.01			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 88
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.26	88.20	-9.94	83.39	3	Horizontal	57	2.64	-	32.30	5.64	43.07
RMS	5.925G	67.54	68.20	-0.66	72.67	3	Horizontal	57	2.64	-	32.30	5.64	43.07
PK	6.0746G	115.14	Inf	-Inf	119.93	3	Horizontal	57	2.64	-	32.45	5.76	43.00
RMS	6.0794G	103.50	Inf	-Inf	108.27	3	Horizontal	57	2.64	-	32.46	5.77	43.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT_V_4TX
Setting 88
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.1965G	53.93	74.00	-20.07	46.83	3	Vertical	347	1.34	-	39.01	11.05	42.96			
AV	12.19779G	42.91	54.00	-11.09	35.81	3	Vertical	347	1.34	-	39.01	11.05	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_V_4TX
Setting 88
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19944G	54.02	74.00	-19.98	46.92	3	Horizontal	186	1.44	-	39.00	11.06	42.96			
AV	12.20643G	42.96	54.00	-11.04	35.87	3	Horizontal	186	1.44	-	38.99	11.06	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30696G	54.58	83.54	-28.96	50.98	1	Vertical	61	1.17	-	37.63	15.56	49.59			
AV	18.30678G	42.21	63.54	-21.33	38.61	1	Vertical	61	1.17	-	37.63	15.56	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT_Y_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31824G	54.10	83.54	-29.44	50.45	1	Horizontal	267	2.04	-	37.67	15.57	49.59			
AV	18.31982G	41.83	63.54	-21.71	38.17	1	Horizontal	267	2.04	-	37.68	15.57	49.59			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT_Y_4TX
Setting 79
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0146G	112.04	Inf	-Inf	112.03	3	Vertical	23	2.53	-	35.09	7.25	42.33			
RMS	7.0146G	102.37	Inf	-Inf	102.36	3	Vertical	23	2.53	-	35.09	7.25	42.33			
PK	7.125G	71.01	88.20	-17.19	70.48	3	Vertical	23	2.53	-	35.80	7.22	42.49			
RMS	7.125G	58.81	68.20	-9.39	58.28	3	Vertical	23	2.53	-	35.80	7.22	42.49			
PK	7.285G	50.54	74.00	-23.46	49.85	3	Vertical	23	2.53	-	36.20	7.22	42.73			
AV	7.357G	38.83	54.00	-15.17	38.24	3	Vertical	23	2.53	-	36.19	7.23	42.83			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT_Y_4TX
Setting 79
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.009G	118.52	Inf	-Inf	118.54	3	Horizontal	298	2.54	-	35.05	7.25	42.32			
RMS	7.0138G	108.52	Inf	-Inf	108.52	3	Horizontal	298	2.54	-	35.08	7.25	42.33			
PK	7.129G	81.90	88.20	-6.30	81.36	3	Horizontal	298	2.54	-	35.82	7.22	42.50			
RMS	7.129G	67.39	68.20	-0.81	66.85	3	Horizontal	298	2.54	-	35.82	7.22	42.50			
PK	7.3738G	49.89	74.00	-24.11	49.37	3	Horizontal	298	2.54	-	36.15	7.23	42.86			
AV	7.2546G	38.80	54.00	-15.20	38.06	3	Horizontal	298	2.54	-	36.20	7.22	42.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT_V_4TX
Setting 79
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0497G	60.80	88.20	-27.40	49.48	3	Vertical	344	2.42	-	41.20	12.99	42.87			
RMS	14.04982G	47.62	68.20	-20.58	36.30	3	Vertical	344	2.42	-	41.20	12.99	42.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT_V_4TX
Setting 79
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05G	61.22	88.20	-26.98	49.90	3	Horizontal	312	2.52	-	41.20	12.99	42.87			
RMS	14.05234G	47.70	68.20	-20.50	36.36	3	Horizontal	312	2.52	-	41.21	13.00	42.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX

EUT_V_4TX
Setting 79
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.08296G	57.16	83.54	-26.38	51.52	1	Vertical	97	1.75	-	38.00	16.51	48.87			
AV	21.06584G	44.49	63.54	-19.05	38.87	1	Vertical	97	1.75	-	38.00	16.49	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT_V_4TX
Setting 79
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0691G	57.53	83.54	-26.01	51.91	1	Horizontal	308	2.44	-	38.00	16.49	48.87			
AV	21.06858G	44.83	63.54	-18.71	39.21	1	Horizontal	308	2.44	-	38.00	16.49	48.87			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX


6985MHz_TX

EUT_Y_4TX
Setting 69
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0174G	106.60	Inf	-Inf	106.59	3	Vertical	26	1.00	-	35.10	7.25	42.34
RMS	7.0075G	95.30	Inf	-Inf	95.33	3	Vertical	26	1.00	-	35.04	7.25	42.32
PK	7.1371G	67.39	88.20	-20.81	66.83	3	Vertical	26	1.00	-	35.85	7.22	42.51
RMS	7.1272G	56.64	68.20	-11.56	56.11	3	Vertical	26	1.00	-	35.81	7.22	42.50
PK	7.2577G	50.21	74.00	-23.79	49.48	3	Vertical	26	1.00	-	36.20	7.22	42.69
AV	7.3504G	39.00	54.00	-15.00	38.39	3	Vertical	26	1.00	-	36.20	7.23	42.82

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX


6985MHz_TX

EUT_Y_4TX
Setting 69
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9733G	111.55	Inf	-Inf	111.78	3	Horizontal	301	2.58	-	34.89	7.22	42.34
RMS	6.9589G	101.47	Inf	-Inf	101.79	3	Horizontal	301	2.58	-	34.84	7.20	42.36
PK	7.1281G	77.61	88.20	-10.59	77.08	3	Horizontal	301	2.58	-	35.81	7.22	42.50
RMS	7.129G	67.62	68.20	-0.58	67.08	3	Horizontal	301	2.58	-	35.82	7.22	42.50
PK	7.25G	54.63	74.00	-19.37	53.89	3	Horizontal	301	2.58	-	36.20	7.22	42.68
AV	7.2541G	40.69	54.00	-13.31	39.95	3	Horizontal	301	2.58	-	36.20	7.22	42.68

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX


6985MHz_TX

EUT_V_4TX
Setting 69
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97453G	56.09	88.20	-32.11	45.24	3	Vertical	352	1.06	-	40.90	12.89	42.94			
RMS	13.9592G	44.89	68.20	-23.31	34.09	3	Vertical	352	1.06	-	40.84	12.88	42.92			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX


6985MHz_TX

EUT_V_4TX
Setting 69
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9583G	57.11	88.20	-31.09	46.32	3	Horizontal	305	2.59	-	40.83	12.88	42.92			
RMS	13.97819G	45.64	68.20	-22.56	34.77	3	Horizontal	305	2.59	-	40.91	12.90	42.94			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 69
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96154G	56.18	83.54	-27.36	50.70	1	Vertical	292	2.45	-	37.95	16.43	48.90			
AV	20.95676G	43.76	63.54	-19.78	38.30	1	Vertical	292	2.45	-	37.93	16.43	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 69
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9528G	56.62	83.54	-26.92	51.18	1	Horizontal	215	2.86	-	37.91	16.43	48.90			
AV	20.95478G	42.97	63.54	-20.57	37.52	1	Horizontal	215	2.86	-	37.92	16.43	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6985MHz_TX

EUT_Y_4TX
Setting 69
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9598G	106.15	Inf	-Inf	106.45	3	Vertical	20	2.50	-	34.84	7.21	42.35
RMS	6.9598G	95.96	Inf	-Inf	96.26	3	Vertical	20	2.50	-	34.84	7.21	42.35
PK	7.1353G	71.85	88.20	-16.35	71.30	3	Vertical	20	2.50	-	35.84	7.22	42.51
RMS	7.1254G	57.73	68.20	-10.47	57.20	3	Vertical	20	2.50	-	35.80	7.22	42.49
PK	7.2586G	50.04	74.00	-23.96	49.31	3	Vertical	20	2.50	-	36.20	7.22	42.69
AV	7.264G	38.88	54.00	-15.12	38.16	3	Vertical	20	2.50	-	36.20	7.22	42.70

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6985MHz_TX

EUT_Y_4TX
Setting 69
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9589G	113.38	Inf	-Inf	113.70	3	Horizontal	300	2.57	-	34.84	7.20	42.36
RMS	6.9643G	102.64	Inf	-Inf	102.92	3	Horizontal	300	2.57	-	34.86	7.21	42.35
PK	7.129G	79.00	88.20	-9.20	78.46	3	Horizontal	300	2.57	-	35.82	7.22	42.50
RMS	7.129G	68.07	68.20	-0.13	67.53	3	Horizontal	300	2.57	-	35.82	7.22	42.50
PK	7.2892G	58.90	74.00	-15.10	58.21	3	Horizontal	300	2.57	-	36.20	7.22	42.73
AV	7.25G	43.73	54.00	-10.27	42.99	3	Horizontal	300	2.57	-	36.20	7.22	42.68

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6985MHz_TX




EUT_V_4TX
Setting 69
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97021G	56.56	88.20	-31.64	45.72	3	Vertical	141	2.48	-	40.88	12.89	42.93			
RMS	13.98314G	45.22	68.20	-22.98	34.34	3	Vertical	141	2.48	-	40.93	12.90	42.95			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6985MHz_TX




EUT Y_4TX
Setting 69
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.95614G	55.37	88.20	-32.83	44.59	3	Horizontal	318	1.77	-	40.82	12.87	42.91				
RMS	13.95503G	44.12	68.20	-24.08	33.34	3	Horizontal	318	1.77	-	40.82	12.87	42.91				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6985MHz_TX

EUT_Y_4TX
Setting 69
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9546G	56.22	83.54	-27.32	50.77	1	Vertical	199	1.57	-	37.92	16.43	48.90			
AV	20.94574G	43.56	63.54	-19.98	38.12	1	Vertical	199	1.57	-	37.92	16.43	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6985MHz_TX

EUT_V_4TX
Setting 69
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94744G	56.44	83.54	-27.10	51.01	1	Horizontal	309	1.52	-	37.91	16.43	48.91			
AV	20.96234G	43.57	63.54	-19.97	38.09	1	Horizontal	309	1.52	-	37.95	16.43	48.90			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




EUT_Y_4TX
Setting 64
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7694G	101.42	Inf	-Inf	102.91	3	Vertical	284	1.70	-	34.04	7.03	42.56			
RMS	6.749G	90.67	Inf	-Inf	92.24	3	Vertical	284	1.70	-	34.00	7.02	42.59			
PK	7.1294G	64.00	88.20	-24.20	63.46	3	Vertical	284	1.70	-	35.82	7.22	42.50			
RMS	7.1342G	51.07	68.20	-17.13	50.52	3	Vertical	284	1.70	-	35.84	7.22	42.51			
PK	7.2674G	50.28	74.00	-23.72	49.56	3	Vertical	284	1.70	-	36.20	7.22	42.70			
AV	7.25G	40.04	54.00	-13.96	39.30	3	Vertical	284	1.70	-	36.20	7.22	42.68			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT_Y_4TX
Setting 64
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.809G	107.82	Inf	-Inf	109.16	3	Horizontal	303	2.58	-	34.14	7.04	42.52
RMS	6.7634G	97.80	Inf	-Inf	99.32	3	Horizontal	303	2.58	-	34.03	7.02	42.57
PK	7.2038G	76.01	88.20	-12.19	75.39	3	Horizontal	303	2.58	-	36.02	7.21	42.61
RMS	7.1282G	61.97	68.20	-6.23	61.44	3	Horizontal	303	2.58	-	35.81	7.22	42.50
PK	7.265G	64.69	74.00	-9.31	63.97	3	Horizontal	303	2.58	-	36.20	7.22	42.70
AV	7.2506G	53.62	54.00	-0.38	52.88	3	Horizontal	303	2.58	-	36.20	7.22	42.68

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT_V_4TX
Setting 64
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.3356G	57.39	88.20	-30.81	44.44	3	Vertical	133	1.91	-	41.84	13.42	42.31			
RMS	14.3848G	46.83	68.20	-21.37	33.73	3	Vertical	133	1.91	-	41.83	13.49	42.22			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT_V_4TX
Setting 64
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.3824G	57.87	88.20	-30.33	44.76	3	Horizontal	215	1.01	-	41.84	13.49	42.22			
RMS	14.3776G	46.76	68.20	-21.44	33.67	3	Horizontal	215	1.01	-	41.84	13.48	42.23			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT_V_4TX
Setting 64
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7192G	56.39	83.54	-27.15	50.98	1	Vertical	35	1.02	-	37.98	16.46	49.03			
AV	20.71586G	43.95	63.54	-19.59	38.56	1	Vertical	35	1.02	-	37.96	16.46	49.03			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT_Y_4TX
Setting 64
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70862G	55.76	83.54	-27.78	50.40	1	Horizontal	29	2.54	-	37.93	16.46	49.03			
AV	20.71614G	43.96	63.54	-19.58	38.57	1	Horizontal	29	2.54	-	37.96	16.46	49.03			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT_Y_4TX
Setting 71
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8846G	103.10	Inf	-Inf	103.91	3	Vertical	285	1.66	-	34.51	7.12	42.44			
RMS	6.869G	92.39	Inf	-Inf	93.32	3	Vertical	285	1.66	-	34.41	7.11	42.45			
PK	7.1294G	69.98	88.20	-18.22	69.44	3	Vertical	285	1.66	-	35.82	7.22	42.50			
RMS	7.1294G	57.46	68.20	-10.74	56.92	3	Vertical	285	1.66	-	35.82	7.22	42.50			
PK	7.4762G	49.92	74.00	-24.08	49.38	3	Vertical	285	1.66	-	36.25	7.30	43.01			
AV	7.2554G	39.36	54.00	-14.64	38.62	3	Vertical	285	1.66	-	36.20	7.22	42.68			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT_Y_4TX
Setting 71
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8582G	110.78	Inf	-Inf	111.81	3	Horizontal	300	2.54	-	34.35	7.09	42.47
RMS	6.863G	99.31	Inf	-Inf	100.29	3	Horizontal	300	2.54	-	34.38	7.10	42.46
PK	7.1546G	80.07	88.20	-8.13	79.48	3	Horizontal	300	2.54	-	35.91	7.22	42.54
RMS	7.1342G	67.84	68.20	-0.36	67.29	3	Horizontal	300	2.54	-	35.84	7.22	42.51
PK	7.2842G	62.20	74.00	-11.80	61.50	3	Horizontal	300	2.54	-	36.20	7.22	42.72
AV	7.25G	51.16	54.00	-2.84	50.42	3	Horizontal	300	2.54	-	36.20	7.22	42.68

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT_V_4TX
Setting 71
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80202G	56.97	88.20	-31.23	46.56	3	Vertical	161	1.01	-	40.40	12.72	42.71			
RMS	13.81234G	44.87	68.20	-23.33	34.45	3	Vertical	161	1.01	-	40.42	12.73	42.73			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT_V_4TX
Setting 71
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81237G	56.72	88.20	-31.48	46.30	3	Horizontal	228	2.76	-	40.42	12.73	42.73			
RMS	13.82365G	44.89	68.20	-23.31	34.44	3	Horizontal	228	2.76	-	40.45	12.74	42.74			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT_Y_4TX
Setting 71
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71906G	56.48	83.54	-27.06	51.07	1	Vertical	62	1.42	-	37.98	16.46	49.03			
AV	20.70748G	44.19	63.54	-19.35	38.83	1	Vertical	62	1.42	-	37.93	16.46	49.03			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT_Y_4TX
Setting 71
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72324G	56.54	83.54	-27.00	51.11	1	Horizontal	99	1.37	-	37.99	16.46	49.02			
AV	20.71948G	44.03	63.54	-19.51	38.62	1	Horizontal	99	1.37	-	37.98	16.46	49.03			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Y_4TX
Setting 70
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9302G	103.78	Inf	-Inf	104.28	3	Vertical	282	1.66	-	34.72	7.17	42.39			
RMS	6.8594G	93.21	Inf	-Inf	94.21	3	Vertical	282	1.66	-	34.36	7.10	42.46			
PK	7.1438G	71.48	88.20	-16.72	70.90	3	Vertical	282	1.66	-	35.88	7.22	42.52			
RMS	7.1294G	57.73	68.20	-10.47	57.19	3	Vertical	282	1.66	-	35.82	7.22	42.50			
PK	7.4402G	50.45	74.00	-23.55	49.95	3	Vertical	282	1.66	-	36.18	7.27	42.95			
AV	7.25G	39.86	54.00	-14.14	39.12	3	Vertical	282	1.66	-	36.20	7.22	42.68			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Y_4TX
Setting 70
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8534G	110.10	Inf	-Inf	111.16	3	Horizontal	297	2.62	-	34.32	7.09	42.47			
AV	6.8546G	99.93	Inf	-Inf	100.98	3	Horizontal	297	2.62	-	34.33	7.09	42.47			
PK	7.1546G	82.79	88.20	-5.41	82.20	3	Horizontal	297	2.62	-	35.91	7.22	42.54			
AV	7.1342G	67.38	68.20	-0.82	66.83	3	Horizontal	297	2.62	-	35.84	7.22	42.51			
PK	7.253G	63.15	74.00	-10.85	62.41	3	Horizontal	297	2.62	-	36.20	7.22	42.68			
AV	7.25G	52.47	54.00	-1.53	51.73	3	Horizontal	297	2.62	-	36.20	7.22	42.68			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_V_4TX
Setting 70
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.3032G	57.69	88.20	-30.51	44.99	3	Vertical	87	1.40	-	41.71	13.37	42.38			
RMS	14.3104G	46.89	68.20	-21.31	34.13	3	Vertical	87	1.40	-	41.74	13.38	42.36			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_V_4TX
Setting 70
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.38G	57.09	88.20	-31.11	44.00	3	Horizontal	282	1.66	-	41.84	13.48	42.23			
RMS	14.3716G	46.75	68.20	-21.45	33.66	3	Horizontal	282	1.66	-	41.86	13.47	42.24			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Y_4TX
Setting 70
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70646G	56.49	83.54	-27.05	51.13	1	Vertical	220	2.60	-	37.93	16.46	49.03			
AV	20.71122G	43.68	63.54	-19.86	38.31	1	Vertical	220	2.60	-	37.94	16.46	49.03			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX

EUT_Y_4TX
Setting 70
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71478G	55.32	83.54	-28.22	49.93	1	Horizontal	41	2.87	-	37.96	16.46	49.03			
AV	20.71038G	43.83	63.54	-19.71	38.46	1	Horizontal	41	2.87	-	37.94	16.46	49.03			




Test Mode: Mode 8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	Pass	RMS	7.1252G	68.18	68.20	-0.02	3	Vertical	9	1.42	-

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


7025MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0202G	115.93	Inf	-Inf	115.90	3	Vertical	7	1.40	-	35.12	7.25	42.34			
RMS	6.9954G	105.35	Inf	-Inf	105.45	3	Vertical	7	1.40	-	34.98	7.24	42.32			
PK	7.125G	82.32	88.20	-5.88	81.79	3	Vertical	7	1.40	-	35.80	7.22	42.49			
RMS	7.1254G	67.75	68.20	-0.45	67.22	3	Vertical	7	1.40	-	35.80	7.22	42.49			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


7025MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0062G	114.16	Inf	-Inf	114.19	3	Horizontal	7	1.96	-	35.04	7.25	42.32			
RMS	6.9958G	104.93	Inf	-Inf	105.01	3	Horizontal	7	1.96	-	34.98	7.25	42.31			
PK	7.125G	80.10	88.20	-8.10	79.57	3	Horizontal	7	1.96	-	35.80	7.22	42.49			
RMS	7.1258G	68.09	68.20	-0.11	67.56	3	Horizontal	7	1.96	-	35.80	7.22	42.49			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


7025MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0156G	55.74	88.20	-32.46	44.68	3	Vertical	265	2.99	-	41.06	12.94	42.94			
RMS	14.015G	44.15	68.20	-24.05	33.09	3	Vertical	265	2.99	-	41.06	12.94	42.94			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


7025MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0695G	55.75	88.20	-32.45	44.28	3	Horizontal	279	2.25	-	41.28	13.02	42.83			
RMS	14.0687G	44.17	68.20	-24.03	32.72	3	Horizontal	279	2.25	-	41.27	13.02	42.84			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


7025MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.05124G	49.25	83.54	-34.29	43.91	1	Vertical	133	2.37	-	38.00	16.03	48.69			
AV	21.0615G	37.41	63.54	-26.13	32.06	1	Vertical	133	2.37	-	38.00	16.04	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


7025MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.05718G	48.66	83.54	-34.88	43.32	1	Horizontal	134	1.24	-	38.00	16.03	48.69			
AV	21.066G	38.35	63.54	-25.19	33.00	1	Horizontal	134	1.24	-	38.00	16.04	48.69			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT_Y_4TX
Setting 67
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.963G	111.17	Inf	-Inf	111.46	3	Vertical	3	2.17	-	34.85	7.21	42.35			
RMS	6.963G	100.61	Inf	-Inf	100.90	3	Vertical	3	2.17	-	34.85	7.21	42.35			
PK	7.153G	79.76	88.20	-8.44	79.16	3	Vertical	3	2.17	-	35.91	7.22	42.53			
RMS	7.1325G	66.63	68.20	-1.57	66.08	3	Vertical	3	2.17	-	35.83	7.22	42.50			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT_Y_4TX
Setting 67
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.95G	110.99	Inf	-Inf	111.36	3	Horizontal	350	2.67	-	34.80	7.20	42.37			
RMS	6.96G	101.30	Inf	-Inf	101.60	3	Horizontal	350	2.67	-	34.84	7.21	42.35			
PK	7.125G	77.07	88.20	-11.13	76.54	3	Horizontal	350	2.67	-	35.80	7.22	42.49			
RMS	7.125G	65.19	68.20	-3.01	64.66	3	Horizontal	350	2.67	-	35.80	7.22	42.49			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96442G	56.49	88.20	-31.71	45.67	3	Vertical	316	2.19	-	40.86	12.88	42.92			
RMS	13.95992G	44.48	68.20	-23.72	33.68	3	Vertical	316	2.19	-	40.84	12.88	42.92			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.94378G	56.81	88.20	-31.39	46.05	3	Horizontal	143	2.19	-	40.80	12.86	42.90			
RMS	13.97324G	44.15	68.20	-24.05	33.31	3	Horizontal	143	2.19	-	40.89	12.89	42.94			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96538G	47.41	83.54	-36.13	42.22	1	Vertical	19	2.50	-	37.93	15.96	48.70			
AV	20.95296G	36.12	63.54	-27.42	30.96	1	Vertical	19	2.50	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9667G	47.51	83.54	-36.03	42.32	1	Horizontal	187	1.49	-	37.93	15.96	48.70			
AV	20.9793G	37.31	63.54	-26.23	32.08	1	Horizontal	187	1.49	-	37.96	15.97	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT_Y_4TX
Setting 68
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9605G	112.44	Inf	-Inf	112.74	3	Vertical	350	2.68	-	34.84	7.21	42.35			
RMS	6.96G	102.41	Inf	-Inf	102.71	3	Vertical	350	2.68	-	34.84	7.21	42.35			
PK	7.125G	77.93	88.20	-10.27	77.40	3	Vertical	350	2.68	-	35.80	7.22	42.49			
RMS	7.125G	67.73	68.20	-0.47	67.20	3	Vertical	350	2.68	-	35.80	7.22	42.49			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT_Y_4TX
Setting 68
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.003G	110.72	Inf	-Inf	110.76	3	Horizontal	344	1.80	-	35.02	7.25	42.31			
RMS	6.963G	101.07	Inf	-Inf	101.36	3	Horizontal	344	1.80	-	34.85	7.21	42.35			
PK	7.1375G	78.34	88.20	-9.86	77.78	3	Horizontal	344	1.80	-	35.85	7.22	42.51			
RMS	7.128G	66.21	68.20	-1.99	65.68	3	Horizontal	344	1.80	-	35.81	7.22	42.50			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.95386G	55.83	88.20	-32.37	45.05	3	Vertical	87	1.27	-	40.82	12.87	42.91			
RMS	13.9733G	44.90	68.20	-23.30	34.06	3	Vertical	87	1.27	-	40.89	12.89	42.94			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.94252G	56.06	88.20	-32.14	45.30	3	Horizontal	219	2.20	-	40.80	12.86	42.90			
RMS	13.95212G	44.81	68.20	-23.39	34.04	3	Horizontal	219	2.20	-	40.81	12.87	42.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.92956G	48.72	83.54	-34.82	43.59	1	Vertical	242	1.83	-	37.90	15.93	48.70			
AV	20.97234G	37.50	63.54	-26.04	32.30	1	Vertical	242	1.83	-	37.94	15.96	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94882G	48.66	83.54	-34.88	43.52	1	Horizontal	268	1.09	-	37.90	15.94	48.70			
AV	20.98356G	38.28	63.54	-25.26	33.04	1	Horizontal	268	1.09	-	37.97	15.97	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8666G	108.50	Inf	-Inf	109.46	3	Vertical	2	1.80	-	34.40	7.10	42.46			
RMS	6.8666G	97.64	Inf	-Inf	98.60	3	Vertical	2	1.80	-	34.40	7.10	42.46			
PK	7.1582G	80.85	88.20	-7.35	80.25	3	Vertical	2	1.80	-	35.92	7.22	42.54			
RMS	7.1372G	68.07	68.20	-0.13	67.51	3	Vertical	2	1.80	-	35.85	7.22	42.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8816G	109.17	Inf	-Inf	110.00	3	Horizontal	358	2.22	-	34.49	7.12	42.44			
RMS	6.8618G	98.92	Inf	-Inf	99.91	3	Horizontal	358	2.22	-	34.37	7.10	42.46			
PK	7.1306G	81.89	88.20	-6.31	81.35	3	Horizontal	358	2.22	-	35.82	7.22	42.50			
RMS	7.1306G	66.22	68.20	-1.98	65.68	3	Horizontal	358	2.22	-	35.82	7.22	42.50			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.82746G	56.64	88.20	-31.56	46.20	3	Vertical	257	2.29	-	40.45	12.74	42.75			
RMS	13.81888G	45.11	68.20	-23.09	34.67	3	Vertical	257	2.29	-	40.44	12.73	42.73			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81354G	55.94	88.20	-32.26	45.51	3	Horizontal	225	1.11	-	40.43	12.73	42.73			
RMS	13.8337G	45.16	68.20	-23.04	34.69	3	Horizontal	225	1.11	-	40.47	12.75	42.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7378G	47.78	83.54	-35.76	42.81	1	Vertical	219	2.27	-	37.90	15.77	48.70			
AV	20.69574G	36.05	63.54	-27.49	31.11	1	Vertical	219	2.27	-	37.90	15.74	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.7147G	47.58	83.54	-35.96	42.63	1	Horizontal	167	2.70	-	37.90	15.75	48.70				
AV	20.691G	36.03	63.54	-27.51	31.10	1	Horizontal	167	2.70	-	37.90	15.73	48.70				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9602G	109.10	Inf	-Inf	109.40	3	Vertical	9	1.42	-	34.84	7.21	42.35			
RMS	6.95G	98.99	Inf	-Inf	99.36	3	Vertical	9	1.42	-	34.80	7.20	42.37			
PK	7.1798G	81.85	88.20	-6.35	81.25	3	Vertical	9	1.42	-	35.96	7.21	42.57			
RMS	7.1252G	68.18	68.20	-0.02	67.65	3	Vertical	9	1.42	-	35.80	7.22	42.49			