




EUT Mode


802.11ax HE20 52RU40

Plot on Channel 6415 MHz



Date: 12.JUN.2024 04:14:19

Plot on Channel 6855 MHz




Date: 12.JUN.2024 06:33:17



EUT Mode


802.11ax HE20 106RU53

Plot on Channel 5955 MHz




Date: 12.JUN.2024 03:10:26

Plot on Channel 6195 MHz




Date: 12.JUN.2024 03:44:28

Plot on Channel 6535 MHz



Date: 12.JUN.2024 05:04:35

Plot on Channel 6695 MHz




Date: 12.JUN.2024 06:17:28



EUT Mode


802.11ax HE20 106RU54

Plot on Channel 6415 MHz



Date: 12.JUN.2024 04:21:18

Plot on Channel 6855 MHz



Date: 12.JUN.2024 06:43:38




MIMO <Ant. 4+3(4)>

EUT Mode


802.11ax HE40 Full RU

Plot on Channel 5965 MHz




Date: 8.JUN.2024 07:05:23

Plot on Channel 6205 MHz




Date: 8.JUN.2024 07:12:37

Plot on Channel 6405 MHz



Date: 8.JUN.2024 07:19:14


Plot on Channel 6565 MHz




Date: 8.JUN.2024 07:24:28



Plot on Channel 6685 MHz



Plot on Channel 6845 MHz






MIMO <Ant. 4+3(3)>

EUT Mode


802.11ax HE40 Full RU

Plot on Channel 5965 MHz




Date: 8.JUN.2024 07:09:24

Plot on Channel 6205 MHz




Date: 8.JUN.2024 07:16:30

Plot on Channel 6405 MHz



Date: 8.JUN.2024 07:21:41


Plot on Channel 6565 MHz




Date: 8.JUN.2024 07:26:43



Plot on Channel 6685 MHz



Plot on Channel 6845 MHz






MIMO <Ant. 4+3(4)>

EUT Mode


802.11ax HE80 Full RU

Plot on Channel 5985 MHz




Date: 8.JUN.2024 07:37:14

Plot on Channel 6225 MHz




Date: 8.JUN.2024 07:42:44

Plot on Channel 6385 MHz



Date: 8.JUN.2024 07:47:15


Plot on Channel 6625 MHz




Date: 8.JUN.2024 07:54:54



Plot on Channel 6705 MHz



Plot on Channel 6785 MHz






MIMO <Ant. 4+3(3)>

EUT Mode


802.11ax HE80 Full RU

Plot on Channel 5985 MHz




Date: 8.JUN.2024 07:40:18

Plot on Channel 6225 MHz




Date: 8.JUN.2024 07:45:26

Plot on Channel 6385 MHz



Date: 12.JUN.2024 07:20:31


Plot on Channel 6625 MHz




Date: 8.JUN.2024 07:57:42



Plot on Channel 6705 MHz



Plot on Channel 6785 MHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	37.29	55.88	18.59	L1	OFF	19.8
0.152250	52.28	---	65.88	13.60	L1	OFF	19.8
0.170250	---	34.30	54.95	20.65	L1	OFF	19.8
0.170250	48.97	---	64.95	15.98	L1	OFF	19.8
0.181500	---	30.59	54.42	23.83	L1	OFF	19.8
0.181500	45.58	---	64.42	18.84	L1	OFF	19.8
0.228750	---	28.87	52.50	23.63	L1	OFF	19.8
0.228750	40.35	---	62.50	22.15	L1	OFF	19.8
0.534750	---	25.78	46.00	20.22	L1	OFF	19.8
0.534750	28.82	---	56.00	27.18	L1	OFF	19.8
1.731750	---	25.01	46.00	20.99	L1	OFF	19.9
1.731750	27.28	---	56.00	28.72	L1	OFF	19.9
9.327750	---	26.62	50.00	23.38	L1	OFF	20.2
9.327750	28.39	---	60.00	31.61	L1	OFF	20.2

EUT Information

Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	34.34	55.88	21.54	N	OFF	19.8
0.152250	51.28	---	65.88	14.60	N	OFF	19.8
0.172500	---	35.65	54.84	19.19	N	OFF	19.8
0.172500	49.89	---	64.84	14.95	N	OFF	19.8
0.231000	---	26.62	52.41	25.79	N	OFF	19.8
0.231000	38.07	---	62.41	24.34	N	OFF	19.8
0.260250	---	27.40	51.42	24.02	N	OFF	19.8
0.260250	36.21	---	61.42	25.21	N	OFF	19.8
0.539250	---	25.86	46.00	20.14	N	OFF	19.8
0.539250	30.03	---	56.00	25.97	N	OFF	19.8
9.692250	---	26.54	50.00	23.46	N	OFF	20.3
9.692250	28.38	---	60.00	31.62	N	OFF	20.3



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, Tim Lee and Wilson Wu	Temperature :	21.7~23.5°C
		Relative Humidity :	55.2~62.4%



C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	6E UNII-5	5.925-6.425	4+3	802.11a	1	5955	6Mbps	-	-
Mode 2	6E UNII-5	5.925-6.425	4+3	802.11a	49	6195	6Mbps	-	-
Mode 3	6E UNII-5	5.925-6.425	4+3	802.11a	93	6415	6Mbps	-	-
Mode 4	6E UNII-5	5.925-6.425	4+3	11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	6E UNII-5	5.925-6.425	4+3	11ax HE20	49	6195	MCS0	Full RU	-
Mode 6	6E UNII-5	5.925-6.425	4+3	11ax HE20	93	6415	MCS0	Full RU	-
Mode 7	6E UNII-5	5.925-6.425	4+3	11ax HE40	3	5965	MCS0	Full RU	-
Mode 8	6E UNII-5	5.925-6.425	4+3	11ax HE40	51	6205	MCS0	Full RU	-
Mode 9	6E UNII-5	5.925-6.425	4+3	11ax HE40	91	6405	MCS0	Full RU	-
Mode 10	6E UNII-5	5.925-6.425	4+3	11ax HE80	7	5985	MCS0	Full RU	-
Mode 11	6E UNII-5	5.925-6.425	4+3	11ax HE80	55	6225	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	6E UNII-5	5.925-6.425	4+3	11ax HE80	87	6385	MCS0	Full RU	-
Mode 13	6E UNII-7	6.525-6.875	4+3	802.11a	117	6535	6Mbps	-	-
Mode 14	6E UNII-7	6.525-6.875	4+3	802.11a	149	6695	6Mbps	-	-
Mode 15	6E UNII-7	6.525-6.875	4+3	802.11a	181	6855	6Mbps	-	-
Mode 16	6E UNII-7	6.525-6.875	4+3	11ax HE20	117	6535	MCS0	Full RU	-
Mode 17	6E UNII-7	6.525-6.875	4+3	11ax HE20	149	6695	MCS0	Full RU	-
Mode 18	6E UNII-7	6.525-6.875	4+3	11ax HE20	181	6855	MCS0	Full RU	-
Mode 19	6E UNII-7	6.525-6.875	4+3	11ax HE40	123	6565	MCS0	Full RU	-
Mode 20	6E UNII-7	6.525-6.875	4+3	11ax HE40	147	6685	MCS0	Full RU	-
Mode 21	6E UNII-7	6.525-6.875	4+3	11ax HE40	179	6845	MCS0	Full RU	-
Mode 22	6E UNII-7	6.525-6.875	4+3	11ax HE80	135	6625	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	6E UNII-7	6.525-6.875	4+3	11ax HE80	151	6705	MCS0	Full RU	-
Mode 24	6E UNII-7	6.525-6.875	4+3	11ax HE80	167	6785	MCS0	Full RU	-
Mode 25	6E UNII-5	5.925-6.425	4+3	11ax HE20	1	5955	MCS0	Full RU	LF
Mode 26	6E UNII-5	5.925-6.425	4+3	11ax HE20	1	5955	MCS0	Full RU	SHF
Mode 27	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	Partial 26/0	-
Mode 28	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	Partial 52/37	-
Mode 29	U-NII-5	5.945~6.425	4+3	802.11ax HE20	1	5955	MCS0	Partial 106/53	-

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.71	66.31	68.20	-1.89	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	46.65	54.00	-7.35	H	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	44.71	54.00	-9.29	V	Avg.	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	55.04	88.20	-33.16	H	Peak	Pass	-	Harmonic
4	11ax HE20	1	5924.32	66.31	68.20	-1.89	H	Avg.	Pass	Full RU	Band Edge
	11ax HE20	1	17865.00	49.31	54.00	-4.69	H	Avg.	Pass	Full RU	Harmonic
5	11ax HE20	49	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE20	49	12350.00	44.25	54.00	-9.75	V	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	11ax HE20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE20	93	12830.00	54.93	88.20	-33.27	V	Peak	Pass	Full RU	Harmonic
7	11ax HE40	3	5924.26	64.38	68.20	-3.82	H	Avg.	Pass	Full RU	Band Edge
	11ax HE40	3	17895.00	49.38	54.00	-4.62	V	Avg.	Pass	Full RU	Harmonic
8	11ax HE40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE40	51	12410.00	53.03	74.00	-20.97	V	Peak	Pass	Full RU	Harmonic
9	11ax HE40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE40	91	12810.00	56.73	88.20	-31.47	H	Peak	Pass	Full RU	Harmonic
10	11ax HE80	7	5924.36	65.91	68.20	-2.29	H	Avg.	Pass	Full RU	Band Edge
	11ax HE80	7	17955.00	50.19	54.00	-3.81	H	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
11	11ax HE80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE80	55	12450.00	44.31	54.00	-9.69	V	Avg.	Pass	Full RU	Harmonic
12	11ax HE80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE80	87	12770.00	55.51	88.20	-32.69	H	Peak	Pass	Full RU	Harmonic
13	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	13070.00	53.59	88.20	-34.61	V	Peak	Pass	-	Harmonic
14	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	44.41	54.00	-9.59	V	Avg.	Pass	-	Harmonic
15	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	13710.00	53.61	88.20	-34.59	H	Peak	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
16	11ax HE20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE20	117	13070.00	54.40	88.20	-33.80	H	Peak	Pass	Full RU	Harmonic
17	11ax HE20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE20	149	13390.00	44.83	54.00	-9.17	V	Avg.	Pass	Full RU	Harmonic
18	11ax HE20	181	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE20	181	13710.00	53.38	88.20	-34.82	H	Peak	Pass	Full RU	Harmonic
19	11ax HE40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE40	123	13130.00	53.91	88.20	-34.29	V	Peak	Pass	Full RU	Harmonic
20	11ax HE40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE40	147	13370.00	44.45	54.00	-9.55	H	Avg.	Pass	Full RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
21	11ax HE40	179	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE40	179	13690.00	52.84	88.20	-35.36	H	Peak	Pass	Full RU	Harmonic
22	11ax HE80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE80	135	13250.00	44.43	54.00	-9.57	H	Avg.	Pass	Full RU	Harmonic
23	11ax HE80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE80	151	13410.00	55.15	88.20	-33.05	H	Peak	Pass	Full RU	Harmonic
24	11ax HE80	167	-	-	-	-	-	-	-	Full RU	Band Edge
	11ax HE80	167	13570.00	54.35	88.20	-33.85	H	Peak	Pass	Full RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
25	LF	1	901.06	39.05	46.00	-6.95	V	Peak	Pass	-	LF
26	SHF	1	-	-	-	-	-	-	-	-	SHF
27	802.11ax HE20	1	5912.88	47.20	68.20	-21.00	H	Avg.	Pass	Partial 26/0	Band Edge
27	802.11ax HE20	1	-	-	-	-	-	-	-	Partial 26/0	Harmonic
28	802.11ax HE20	1	5917.17	49.26	68.20	-18.94	H	Avg.	Pass	Partial 52/37	Band Edge
28	802.11ax HE20	1	-	-	-	-	-	-	-	Partial 52/37	Harmonic
29	802.11ax HE20	1	5924.45	57.55	68.20	-10.65	H	Avg.	Pass	Partial 106/53	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial 106/53	Harmonic





Mode	1																																																																																																
	Band Edge																																																																																																
	6E UNII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																
ANT	4+3																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.58</td><td>75.01</td><td>88.20</td><td>-13.19</td><td>62.74</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>152</td><td>33 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	75.01	88.20	-13.19	62.74	34.30	11.56	33.59	0.00	152	33 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>111.26</td><td>-----</td><td>-----</td><td>98.93</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>152</td><td>33 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.26	-----	-----	98.93	34.29	11.66	33.62	0.00	152
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.58	75.01	88.20	-13.19	62.74	34.30	11.56	33.59	0.00	152	33 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	111.26	-----	-----	98.93	34.29	11.66	33.62	0.00	152	33 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>66.31</td><td>68.20</td><td>-1.89</td><td>54.03</td><td>34.30</td><td>11.57</td><td>33.59</td><td>0.00</td><td>152</td><td>33 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	66.31	68.20	-1.89	54.03	34.30	11.57	33.59	0.00	152	33 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.14</td><td>-----</td><td>-----</td><td>92.81</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>152</td><td>33 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.14	-----	-----	92.81	34.29	11.66	33.62	0.00	152
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.71	66.31	68.20	-1.89	54.03	34.30	11.57	33.59	0.00	152	33 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	105.14	-----	-----	92.81	34.29	11.66	33.62	0.00	152	33 AVERAGE																																																																																						







Mode	1																																																																																																		
	Band Edge																																																																																																		
	6E UNII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.93</td><td>72.17</td><td>88.20</td><td>-16.03</td><td>59.90</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>214</td><td>209</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.93	72.17	88.20	-16.03	59.90	34.30	11.56	33.59	0.00	214	209	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.36</td><td>-----</td><td>-----</td><td>96.03</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>214</td><td>209</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.36	-----	-----	96.03	34.29	11.66	33.62	0.00	214	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.93	72.17	88.20	-16.03	59.90	34.30	11.56	33.59	0.00	214	209	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.36	-----	-----	96.03	34.29	11.66	33.62	0.00	214	209	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.06</td><td>63.44</td><td>68.20</td><td>-4.76</td><td>51.17</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>214</td><td>209</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	63.44	68.20	-4.76	51.17	34.30	11.56	33.59	0.00	214	209	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>102.73</td><td>-----</td><td>-----</td><td>90.40</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>214</td><td>209</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.73	-----	-----	90.40	34.29	11.66	33.62	0.00	214	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.06	63.44	68.20	-4.76	51.17	34.30	11.56	33.59	0.00	214	209	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	102.73	-----	-----	90.40	34.29	11.66	33.62	0.00	214	209	AVERAGE																																																																																							





Mode	1																																																																																													
	Harmonic																																																																																													
	6E UNII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																													
ANT	4+3																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL																																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>51.82</td><td>74.00</td><td>-22.18</td><td>59.48</td><td>38.92</td><td>19.25</td><td>66.40</td><td>0.57</td><td>203</td><td>126</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.05</td><td>54.00</td><td>-11.95</td><td>49.71</td><td>38.92</td><td>19.25</td><td>66.40</td><td>0.57</td><td>203</td><td>126</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>59.56</td><td>41.74</td><td>23.67</td><td>68.65</td><td>0.53</td><td>152</td><td>81</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>49.36</td><td>41.74</td><td>23.67</td><td>68.65</td><td>0.53</td><td>152</td><td>81</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	51.82	74.00	-22.18	59.48	38.92	19.25	66.40	0.57	203	126	Peak	2	11910.00	42.05	54.00	-11.95	49.71	38.92	19.25	66.40	0.57	203	126	Average	3	17865.00	56.85	74.00	-17.15	59.56	41.74	23.67	68.65	0.53	152	81	Peak	4	17865.00	46.65	54.00	-7.35	49.36	41.74	23.67	68.65	0.53	152	81	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	11910.00	51.82	74.00	-22.18	59.48	38.92	19.25	66.40	0.57	203	126	Peak																																																																																		
2	11910.00	42.05	54.00	-11.95	49.71	38.92	19.25	66.40	0.57	203	126	Average																																																																																		
3	17865.00	56.85	74.00	-17.15	59.56	41.74	23.67	68.65	0.53	152	81	Peak																																																																																		
4	17865.00	46.65	54.00	-7.35	49.36	41.74	23.67	68.65	0.53	152	81	Average																																																																																		
Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>51.83</td><td>74.00</td><td>-22.17</td><td>59.49</td><td>38.92</td><td>19.25</td><td>66.40</td><td>0.57</td><td>185</td><td>63</td><td>Peak</td></tr><tr><td>2</td><td>11910.00</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>49.75</td><td>38.92</td><td>19.25</td><td>66.40</td><td>0.57</td><td>185</td><td>63</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>56.76</td><td>74.00</td><td>-17.24</td><td>59.47</td><td>41.74</td><td>23.67</td><td>68.65</td><td>0.53</td><td>122</td><td>71</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>46.51</td><td>54.00</td><td>-7.49</td><td>49.22</td><td>41.74</td><td>23.67</td><td>68.65</td><td>0.53</td><td>122</td><td>71</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	51.83	74.00	-22.17	59.49	38.92	19.25	66.40	0.57	185	63	Peak	2	11910.00	42.09	54.00	-11.91	49.75	38.92	19.25	66.40	0.57	185	63	Average	3	17865.00	56.76	74.00	-17.24	59.47	41.74	23.67	68.65	0.53	122	71	Peak	4	17865.00	46.51	54.00	-7.49	49.22	41.74	23.67	68.65	0.53	122	71	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	11910.00	51.83	74.00	-22.17	59.49	38.92	19.25	66.40	0.57	185	63	Peak																																																																																		
2	11910.00	42.09	54.00	-11.91	49.75	38.92	19.25	66.40	0.57	185	63	Average																																																																																		
3	17865.00	56.76	74.00	-17.24	59.47	41.74	23.67	68.65	0.53	122	71	Peak																																																																																		
4	17865.00	46.51	54.00	-7.49	49.22	41.74	23.67	68.65	0.53	122	71	Average																																																																																		





Mode	1	
	Harmonic	
	6E UNII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	1	
	Harmonic	
	6E UNII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	2																																												
	Band Edge																																												
	6E UNII-5_5.925-6.425_802.11a_CH49_6195MHz																																												
ANT	4+3																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>111.52</td><td>-----</td><td>98.50</td><td>34.39</td><td>12.37</td><td>33.74</td><td>0.00</td><td>301</td><td>278</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6195.00	111.52	-----	98.50	34.39	12.37	33.74	0.00	301	278	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6195.00	111.52	-----	98.50	34.39	12.37	33.74	0.00	301	278	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>105.52</td><td>-----</td><td>92.50</td><td>34.39</td><td>12.37</td><td>33.74</td><td>0.00</td><td>301</td><td>278</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6195.00	105.52	-----	92.50	34.39	12.37	33.74	0.00	301	278	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6195.00	105.52	-----	92.50	34.39	12.37	33.74	0.00	301	278	AVERAGE																																		







Mode	2																																													
	Band Edge																																													
	6E UNII-5_5.925-6.425_802.11a_CH49_6195MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>110.31</td><td>-----</td><td>-----</td><td>97.32</td><td>34.38</td><td>12.35</td><td>33.74</td><td>0.00</td><td>301</td><td>200</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	110.31	-----	-----	97.32	34.38	12.35	33.74	0.00	301	200	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	110.31	-----	-----	97.32	34.38	12.35	33.74	0.00	301	200	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>103.64</td><td>-----</td><td>-----</td><td>90.62</td><td>34.39</td><td>12.37</td><td>33.74</td><td>0.00</td><td>301</td><td>200</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	103.64	-----	-----	90.62	34.39	12.37	33.74	0.00	301	200	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	103.64	-----	-----	90.62	34.39	12.37	33.74	0.00	301	200	AVERAGE																																		





Mode	2																																																																																				
	Harmonic																																																																																				
	6E UNII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																				
ANT	4+3																																																																																				
Pol.	Horizontal								Vertical																																																																												
Peak Avg																																																																																					
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL																																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 12390.00</td><td>53.26</td><td>74.00</td><td>-20.74</td><td>59.87</td><td>38.84</td><td>20.29</td><td>66.42</td><td>0.68</td><td>180 66 PEAK</td></tr><tr><td>2 12390.00</td><td>44.16</td><td>54.00</td><td>-9.84</td><td>50.77</td><td>38.84</td><td>20.29</td><td>66.42</td><td>0.68</td><td>180 66 Average</td></tr><tr><td>3 18585.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>47.77</td><td>37.83</td><td>21.61</td><td>53.77</td><td>-9.54</td><td>150 0 Peak</td></tr><tr><td>4 18585.00</td><td>35.57</td><td>54.00</td><td>-18.43</td><td>39.44</td><td>37.83</td><td>21.61</td><td>53.77</td><td>-9.54</td><td>150 0 Average</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 12390.00	53.26	74.00	-20.74	59.87	38.84	20.29	66.42	0.68	180 66 PEAK	2 12390.00	44.16	54.00	-9.84	50.77	38.84	20.29	66.42	0.68	180 66 Average	3 18585.00	43.90	74.00	-30.10	47.77	37.83	21.61	53.77	-9.54	150 0 Peak	4 18585.00	35.57	54.00	-18.43	39.44	37.83	21.61	53.77	-9.54	150 0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																												
1 12390.00	53.26	74.00	-20.74	59.87	38.84	20.29	66.42	0.68	180 66 PEAK																																																																												
2 12390.00	44.16	54.00	-9.84	50.77	38.84	20.29	66.42	0.68	180 66 Average																																																																												
3 18585.00	43.90	74.00	-30.10	47.77	37.83	21.61	53.77	-9.54	150 0 Peak																																																																												
4 18585.00	35.57	54.00	-18.43	39.44	37.83	21.61	53.77	-9.54	150 0 Average																																																																												
Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 12390.00</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>60.37</td><td>38.84</td><td>20.29</td><td>66.42</td><td>0.68</td><td>188 65 PEAK</td></tr><tr><td>2 12390.00</td><td>44.71</td><td>54.00</td><td>-9.29</td><td>51.32</td><td>38.84</td><td>20.29</td><td>66.42</td><td>0.68</td><td>188 65 Average</td></tr><tr><td>3 18585.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>47.77</td><td>37.83</td><td>21.61</td><td>53.77</td><td>-9.54</td><td>150 348 Peak</td></tr><tr><td>4 18585.00</td><td>35.47</td><td>54.00</td><td>-18.53</td><td>39.34</td><td>37.83</td><td>21.61</td><td>53.77</td><td>-9.54</td><td>150 348 Average</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 12390.00	53.76	74.00	-20.24	60.37	38.84	20.29	66.42	0.68	188 65 PEAK	2 12390.00	44.71	54.00	-9.29	51.32	38.84	20.29	66.42	0.68	188 65 Average	3 18585.00	43.90	74.00	-30.10	47.77	37.83	21.61	53.77	-9.54	150 348 Peak	4 18585.00	35.47	54.00	-18.53	39.34	37.83	21.61	53.77	-9.54	150 348 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																												
1 12390.00	53.76	74.00	-20.24	60.37	38.84	20.29	66.42	0.68	188 65 PEAK																																																																												
2 12390.00	44.71	54.00	-9.29	51.32	38.84	20.29	66.42	0.68	188 65 Average																																																																												
3 18585.00	43.90	74.00	-30.10	47.77	37.83	21.61	53.77	-9.54	150 348 Peak																																																																												
4 18585.00	35.47	54.00	-18.53	39.34	37.83	21.61	53.77	-9.54	150 348 Average																																																																												





Mode	2	
	Harmonic	
	6E UNII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	2	
	Harmonic	
	6E UNII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	3																																													
	Band Edge																																													
	6E UNII-5_5.925-6.425_802.11a_CH93_6415MHz																																													
ANT	4+3																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>111.45</td><td>-----</td><td>-----</td><td>98.54</td><td>34.93</td><td>11.81</td><td>33.83</td><td>0.00</td><td>177</td><td>357</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	111.45	-----	-----	98.54	34.93	11.81	33.83	0.00	177	357	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6415.00	111.45	-----	-----	98.54	34.93	11.81	33.83	0.00	177	357	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>105.37</td><td>-----</td><td>-----</td><td>92.43</td><td>34.94</td><td>11.83</td><td>33.83</td><td>0.00</td><td>177</td><td>357</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	105.37	-----	-----	92.43	34.94	11.83	33.83	0.00	177	357	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6415.00	105.37	-----	-----	92.43	34.94	11.83	33.83	0.00	177	357	AVERAGE																																		







Mode	3																																													
	Band Edge																																													
	6E UNII-5_5.925-6.425_802.11a_CH93_6415MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>108.52</td><td>-----</td><td>-----</td><td>95.58</td><td>34.94</td><td>11.83</td><td>33.83</td><td>0.00</td><td>325</td><td>0</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	108.52	-----	-----	95.58	34.94	11.83	33.83	0.00	325	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6415.00	108.52	-----	-----	95.58	34.94	11.83	33.83	0.00	325	0	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>101.69</td><td>-----</td><td>-----</td><td>88.78</td><td>34.93</td><td>11.81</td><td>33.83</td><td>0.00</td><td>325</td><td>0</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	101.69	-----	-----	88.78	34.93	11.81	33.83	0.00	325	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6415.00	101.69	-----	-----	88.78	34.93	11.81	33.83	0.00	325	0	AVERAGE																																		





Mode	3																																																																	
	Harmonic																																																																	
	6E UNII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 Vertical																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>55.04</td><td>88.20</td><td>-33.16</td><td>60.82</td><td>39.62</td><td>20.64</td><td>66.83</td><td>0.79</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>38.65</td><td>74.00</td><td>-35.35</td><td>41.55</td><td>37.98</td><td>22.11</td><td>53.45</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	55.04	88.20	-33.16	60.82	39.62	20.64	66.83	0.79	--	PEAK	2	19245.00	38.65	74.00	-35.35	41.55	37.98	22.11	53.45	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12830.00	55.04	88.20	-33.16	60.82	39.62	20.64	66.83	0.79	--	PEAK																																																							
2	19245.00	38.65	74.00	-35.35	41.55	37.98	22.11	53.45	-9.54	--	PEAK																																																							







Mode	3	
	Harmonic	
	6E UNII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL







Mode	3	
	Harmonic	
	6E UNII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





		4																																																																																																	
Mode	Band Edge																																																																																																		
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>75.01</td><td>88.20</td><td>-13.19</td><td>62.74</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>116</td><td>30</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	75.01	88.20	-13.19	62.74	34.30	11.56	33.59	0.00	116	30	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.64</td><td>-----</td><td>-----</td><td>97.31</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>116</td><td>30</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.64	-----	-----	97.31	34.29	11.66	33.62	0.00	116	30
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.45	75.01	88.20	-13.19	62.74	34.30	11.56	33.59	0.00	116	30	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	109.64	-----	-----	97.31	34.29	11.66	33.62	0.00	116	30	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.32</td><td>66.31</td><td>68.20</td><td>-1.89</td><td>54.04</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>116</td><td>30</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	66.31	68.20	-1.89	54.04	34.30	11.56	33.59	0.00	116	30	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>102.80</td><td>-----</td><td>-----</td><td>90.47</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>116</td><td>30</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.80	-----	-----	90.47	34.29	11.66	33.62	0.00	116	30
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.32	66.31	68.20	-1.89	54.04	34.30	11.56	33.59	0.00	116	30	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	102.80	-----	-----	90.47	34.29	11.66	33.62	0.00	116	30	AVERAGE																																																																																							







Mode	4																																																																																																		
	Band Edge																																																																																																		
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>71.93</td><td>88.20</td><td>-16.27</td><td>59.66</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>383</td><td>194</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	71.93	88.20	-16.27	59.66	34.30	11.56	33.59	0.00	383	194	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.78</td><td>-----</td><td>-----</td><td>95.45</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>383</td><td>194</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.78	-----	-----	95.45	34.29	11.66	33.62	0.00	383	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.32	71.93	88.20	-16.27	59.66	34.30	11.56	33.59	0.00	383	194	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	107.78	-----	-----	95.45	34.29	11.66	33.62	0.00	383	194	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.80</td><td>63.23</td><td>68.20</td><td>-4.97</td><td>50.96</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>383</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.80	63.23	68.20	-4.97	50.96	34.30	11.56	33.59	0.00	383	194	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.95</td><td>-----</td><td>-----</td><td>88.62</td><td>34.29</td><td>11.66</td><td>33.62</td><td>0.00</td><td>383</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.95	-----	-----	88.62	34.29	11.66	33.62	0.00	383	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.80	63.23	68.20	-4.97	50.96	34.30	11.56	33.59	0.00	383	194	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	100.95	-----	-----	88.62	34.29	11.66	33.62	0.00	383	194	AVERAGE																																																																																							





Mode	4																																																																																												
	Harmonic																																																																																												
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz																																																																																												
ANT	4+3																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>60.76</td><td>38.92</td><td>19.25</td><td>66.40</td><td>0.57</td><td>170</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>43.90</td><td>54.00</td><td>-10.10</td><td>51.56</td><td>38.92</td><td>19.25</td><td>66.40</td><td>0.57</td><td>170</td><td>55</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>58.41</td><td>74.00</td><td>-15.59</td><td>61.12</td><td>41.74</td><td>23.67</td><td>68.65</td><td>0.53</td><td>175</td><td>82</td><td>PEAK</td></tr><tr><td>4</td><td>17865.00</td><td>49.31</td><td>54.00</td><td>-4.69</td><td>52.02</td><td>41.74</td><td>23.67</td><td>68.65</td><td>0.53</td><td>175</td><td>82</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	53.10	74.00	-20.90	60.76	38.92	19.25	66.40	0.57	170	55	PEAK	2	11910.00	43.90	54.00	-10.10	51.56	38.92	19.25	66.40	0.57	170	55	Average	3	17865.00	58.41	74.00	-15.59	61.12	41.74	23.67	68.65	0.53	175	82	PEAK	4	17865.00	49.31	54.00	-4.69	52.02	41.74	23.67	68.65	0.53	175	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	11910.00	53.10	74.00	-20.90	60.76	38.92	19.25	66.40	0.57	170	55	PEAK																																																																																	
2	11910.00	43.90	54.00	-10.10	51.56	38.92	19.25	66.40	0.57	170	55	Average																																																																																	
3	17865.00	58.41	74.00	-15.59	61.12	41.74	23.67	68.65	0.53	175	82	PEAK																																																																																	
4	17865.00	49.31	54.00	-4.69	52.02	41.74	23.67	68.65	0.53	175	82	Average																																																																																	
Peak Avg																																																																																													
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>60.12</td><td>38.92</td><td>19.25</td><td>66.40</td><td>0.57</td><td>182</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>51.09</td><td>38.92</td><td>19.25</td><td>66.40</td><td>0.57</td><td>182</td><td>79</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>57.80</td><td>74.00</td><td>-16.20</td><td>60.51</td><td>41.74</td><td>23.67</td><td>68.65</td><td>0.53</td><td>184</td><td>65</td><td>PEAK</td></tr><tr><td>4</td><td>17865.00</td><td>48.78</td><td>54.00</td><td>-5.22</td><td>51.49</td><td>41.74</td><td>23.67</td><td>68.65</td><td>0.53</td><td>184</td><td>65</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	52.46	74.00	-21.54	60.12	38.92	19.25	66.40	0.57	182	79	PEAK	2	11910.00	43.43	54.00	-10.57	51.09	38.92	19.25	66.40	0.57	182	79	Average	3	17865.00	57.80	74.00	-16.20	60.51	41.74	23.67	68.65	0.53	184	65	PEAK	4	17865.00	48.78	54.00	-5.22	51.49	41.74	23.67	68.65	0.53	184	65
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	11910.00	52.46	74.00	-21.54	60.12	38.92	19.25	66.40	0.57	182	79	PEAK																																																																																	
2	11910.00	43.43	54.00	-10.57	51.09	38.92	19.25	66.40	0.57	182	79	Average																																																																																	
3	17865.00	57.80	74.00	-16.20	60.51	41.74	23.67	68.65	0.53	184	65	PEAK																																																																																	
4	17865.00	48.78	54.00	-5.22	51.49	41.74	23.67	68.65	0.53	184	65	Average																																																																																	





Mode	4	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	4	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE20_CH1_Full RU_5955MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	5																																													
	Band Edge																																													
	6E UNII-5_5.925-6.425_11ax HE20_CH49_Full RU_6195MHz																																													
ANT	4+3																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>110.94</td><td>-----</td><td>-----</td><td>97.92</td><td>34.39</td><td>12.37</td><td>33.74</td><td>0.00</td><td>297</td><td>278</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	110.94	-----	-----	97.92	34.39	12.37	33.74	0.00	297	278	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	110.94	-----	-----	97.92	34.39	12.37	33.74	0.00	297	278	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>104.04</td><td>-----</td><td>-----</td><td>91.02</td><td>34.39</td><td>12.37</td><td>33.74</td><td>0.00</td><td>297</td><td>278</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	104.04	-----	-----	91.02	34.39	12.37	33.74	0.00	297	278	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	104.04	-----	-----	91.02	34.39	12.37	33.74	0.00	297	278	AVERAGE																																		







Mode	5																																												
	Band Edge																																												
	6E UNII-5_5.925-6.425_11ax HE20_CH49_Full RU_6195MHz																																												
ANT	4+3																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>110.09</td><td>-----</td><td>-----</td><td>97.07</td><td>34.39</td><td>12.37</td><td>33.74</td><td>0.00</td><td>244</td><td>200 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	110.09	-----	-----	97.07	34.39	12.37	33.74	0.00	244	200 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6195.00	110.09	-----	-----	97.07	34.39	12.37	33.74	0.00	244	200 PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>102.71</td><td>-----</td><td>-----</td><td>89.69</td><td>34.39</td><td>12.37</td><td>33.74</td><td>0.00</td><td>244</td><td>200 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	102.71	-----	-----	89.69	34.39	12.37	33.74	0.00	244	200 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6195.00	102.71	-----	-----	89.69	34.39	12.37	33.74	0.00	244	200 AVERAGE																																		





Mode	5																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	6E UNII-5_5.925-6.425_11ax HE20_CH49_Full RU_6195MHz																																																																																																																																																																							
ANT	4+3																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																						
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12350.00</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>59.47</td><td>39.00</td><td>20.20</td><td>66.41</td><td>0.66</td><td>188</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>50.27</td><td>39.00</td><td>20.20</td><td>66.41</td><td>0.66</td><td>188</td><td>79</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>43.02</td><td>74.00</td><td>-30.98</td><td>46.89</td><td>37.83</td><td>21.61</td><td>53.77</td><td>-9.54</td><td>150</td><td></td><td>Peak</td></tr><tr><td>4</td><td>18585.00</td><td>35.39</td><td>54.00</td><td>-18.61</td><td>39.26</td><td>37.83</td><td>21.61</td><td>53.77</td><td>-9.54</td><td>150</td><td></td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	52.92	74.00	-21.08	59.47	39.00	20.20	66.41	0.66	188	79	PEAK	2	12350.00	43.72	54.00	-10.28	50.27	39.00	20.20	66.41	0.66	188	79	Average	3	18585.00	43.02	74.00	-30.98	46.89	37.83	21.61	53.77	-9.54	150		Peak	4	18585.00	35.39	54.00	-18.61	39.26	37.83	21.61	53.77	-9.54	150		Average	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12350.00</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>60.00</td><td>39.00</td><td>20.20</td><td>66.41</td><td>0.66</td><td>178</td><td>88</td><td>Peak</td></tr><tr><td>2</td><td>12350.00</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>50.80</td><td>39.00</td><td>20.20</td><td>66.41</td><td>0.66</td><td>178</td><td>88</td><td>Average</td></tr><tr><td>3</td><td>18585.00</td><td>42.61</td><td>74.00</td><td>-31.39</td><td>46.48</td><td>37.83</td><td>21.61</td><td>53.77</td><td>-9.54</td><td>150</td><td></td><td>Peak</td></tr><tr><td>4</td><td>18585.00</td><td>35.85</td><td>54.00</td><td>-18.15</td><td>39.72</td><td>37.83</td><td>21.61</td><td>53.77</td><td>-9.54</td><td>150</td><td></td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	53.45	74.00	-20.55	60.00	39.00	20.20	66.41	0.66	178	88	Peak	2	12350.00	44.25	54.00	-9.75	50.80	39.00	20.20	66.41	0.66	178	88	Average	3	18585.00	42.61	74.00	-31.39	46.48	37.83	21.61	53.77	-9.54	150		Peak	4	18585.00	35.85	54.00	-18.15	39.72	37.83	21.61	53.77	-9.54	150		Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	12350.00	52.92	74.00	-21.08	59.47	39.00	20.20	66.41	0.66	188	79	PEAK																																																																																																																																																												
2	12350.00	43.72	54.00	-10.28	50.27	39.00	20.20	66.41	0.66	188	79	Average																																																																																																																																																												
3	18585.00	43.02	74.00	-30.98	46.89	37.83	21.61	53.77	-9.54	150		Peak																																																																																																																																																												
4	18585.00	35.39	54.00	-18.61	39.26	37.83	21.61	53.77	-9.54	150		Average																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	12350.00	53.45	74.00	-20.55	60.00	39.00	20.20	66.41	0.66	178	88	Peak																																																																																																																																																												
2	12350.00	44.25	54.00	-9.75	50.80	39.00	20.20	66.41	0.66	178	88	Average																																																																																																																																																												
3	18585.00	42.61	74.00	-31.39	46.48	37.83	21.61	53.77	-9.54	150		Peak																																																																																																																																																												
4	18585.00	35.85	54.00	-18.15	39.72	37.83	21.61	53.77	-9.54	150		Average																																																																																																																																																												





Mode	5	
	Harmonic	
	6E UNII-5 5.925-6.425 11ax HE20_CH49_Full RU_6195MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	5	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE20_CH49_Full RU_6195MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL



Mode	6																																																					
	Band Edge																																																					
	6E UNII-5_5.925-6.425_11ax HE20_CH93_Full RU_6415MHz																																																					
ANT	4+3																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>111.15</td><td>-----</td><td>-----</td><td>98.24</td><td>34.93</td><td>11.81</td><td>33.83</td><td>0.00</td><td>293</td><td>278</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	111.15	-----	-----	98.24	34.93	11.81	33.83	0.00	293	278	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6415.00	111.15	-----	-----	98.24	34.93	11.81	33.83	0.00	293	278	PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>104.24</td><td>-----</td><td>-----</td><td>91.33</td><td>34.93</td><td>11.81</td><td>33.83</td><td>0.00</td><td>293</td><td>278</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6415.00	104.24	-----	-----	91.33	34.93	11.81	33.83	0.00	293	278	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6415.00	104.24	-----	-----	91.33	34.93	11.81	33.83	0.00	293	278	AVERAGE																																										







Mode	6																																												
	Band Edge																																												
	6E UNII-5_5.925-6.425_11ax HE20_CH93_Full RU_6415MHz																																												
ANT	4+3																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>106.36</td><td>-----</td><td>93.42</td><td>34.94</td><td>11.83</td><td>33.83</td><td>0.00</td><td>309</td><td>195</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	106.36	-----	93.42	34.94	11.83	33.83	0.00	309	195	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6415.00	106.36	-----	93.42	34.94	11.83	33.83	0.00	309	195	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>100.07</td><td>-----</td><td>87.16</td><td>34.93</td><td>11.81</td><td>33.83</td><td>0.00</td><td>309</td><td>195</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	100.07	-----	87.16	34.93	11.81	33.83	0.00	309	195	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6415.00	100.07	-----	87.16	34.93	11.81	33.83	0.00	309	195	AVERAGE																																		





Mode	6																																																																																																																								
	Harmonic																																																																																																																								
	6E UNII-5_5.925-6.425_11ax HE20_CH93_Full RU_6415MHz																																																																																																																								
ANT	4+3																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>54.56</td><td>88.20</td><td>-33.64</td><td>60.34</td><td>39.62</td><td>20.64</td><td>66.83</td><td>0.79</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>41.68</td><td>37.98</td><td>22.11</td><td>53.45</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.56	88.20	-33.64	60.34	39.62	20.64	66.83	0.79	--	PEAK	2	19245.00	38.78	74.00	-35.22	41.68	37.98	22.11	53.45	-9.54	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>54.93</td><td>88.20</td><td>-33.27</td><td>60.71</td><td>39.62</td><td>20.64</td><td>66.83</td><td>0.79</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>36.92</td><td>74.00</td><td>-37.08</td><td>39.82</td><td>37.98</td><td>22.11</td><td>53.45</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.93	88.20	-33.27	60.71	39.62	20.64	66.83	0.79	--	PEAK	2	19245.00	36.92	74.00	-37.08	39.82	37.98	22.11	53.45	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	54.56	88.20	-33.64	60.34	39.62	20.64	66.83	0.79	--	PEAK																																																																																																														
2	19245.00	38.78	74.00	-35.22	41.68	37.98	22.11	53.45	-9.54	--	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	54.93	88.20	-33.27	60.71	39.62	20.64	66.83	0.79	--	PEAK																																																																																																														
2	19245.00	36.92	74.00	-37.08	39.82	37.98	22.11	53.45	-9.54	--	PEAK																																																																																																														







Mode	6	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE20_CH93_Full RU_6415MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL







Mode	6	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE20_CH93_Full RU_6415MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	7																																																																																																
	Band Edge																																																																																																
	6E UNII-5_5.925-6.425_11ax HE40_CH3_Full RU_5965MHz																																																																																																
ANT	4+3																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.40</td><td>73.24</td><td>88.20</td><td>-14.96</td><td>60.97</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>161</td><td>31 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	73.24	88.20	-14.96	60.97	34.30	11.56	33.59	0.00	161	31 PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>107.05</td><td>-----</td><td>-----</td><td>94.72</td><td>34.28</td><td>11.68</td><td>33.63</td><td>0.00</td><td>161</td><td>31 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.05	-----	-----	94.72	34.28	11.68	33.63	0.00	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.40	73.24	88.20	-14.96	60.97	34.30	11.56	33.59	0.00	161	31 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	107.05	-----	-----	94.72	34.28	11.68	33.63	0.00	161	31 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.26</td><td>64.38</td><td>68.20</td><td>-3.82</td><td>52.11</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>161</td><td>31 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.26	64.38	68.20	-3.82	52.11	34.30	11.56	33.59	0.00	161	31 AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>98.61</td><td>-----</td><td>-----</td><td>86.28</td><td>34.27</td><td>11.70</td><td>33.64</td><td>0.00</td><td>161</td><td>31 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	98.61	-----	-----	86.28	34.27	11.70	33.64	0.00	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.26	64.38	68.20	-3.82	52.11	34.30	11.56	33.59	0.00	161	31 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	98.61	-----	-----	86.28	34.27	11.70	33.64	0.00	161	31 AVERAGE																																																																																						







		7																																																																																																	
Mode	Band Edge																																																																																																		
	6E UNII-5_5.925-6.425_11ax HE40_CH3_Full RU_5965MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.40</td><td>69.77</td><td>88.20</td><td>-18.43</td><td>57.50</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>400</td><td>212</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	69.77	88.20	-18.43	57.50	34.30	11.56	33.59	0.00	400	212	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>103.72</td><td>-----</td><td>-----</td><td>91.39</td><td>34.27</td><td>11.70</td><td>33.64</td><td>0.00</td><td>400</td><td>212</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.72	-----	-----	91.39	34.27	11.70	33.64	0.00	400	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.40	69.77	88.20	-18.43	57.50	34.30	11.56	33.59	0.00	400	212	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	103.72	-----	-----	91.39	34.27	11.70	33.64	0.00	400	212	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.40</td><td>59.95</td><td>68.20</td><td>-8.25</td><td>47.68</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>400</td><td>212</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	59.95	68.20	-8.25	47.68	34.30	11.56	33.59	0.00	400	212	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>95.75</td><td>-----</td><td>-----</td><td>83.42</td><td>34.28</td><td>11.68</td><td>33.63</td><td>0.00</td><td>400</td><td>212</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.75	-----	-----	83.42	34.28	11.68	33.63	0.00	400	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.40	59.95	68.20	-8.25	47.68	34.30	11.56	33.59	0.00	400	212	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	95.75	-----	-----	83.42	34.28	11.68	33.63	0.00	400	212	AVERAGE																																																																																							





Mode	7																																																																																																																																													
	Harmonic																																																																																																																																													
	6E UNII-5_5.925-6.425_11ax HE40_CH3_Full RU_5965MHz																																																																																																																																													
ANT	4+3																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11930.00</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>60.87</td><td>38.96</td><td>19.29</td><td>66.39</td><td>0.57</td><td>177 88 PEAK</td></tr><tr><td>2 11930.00</td><td>44.28</td><td>54.00</td><td>-9.72</td><td>51.85</td><td>38.96</td><td>19.29</td><td>66.39</td><td>0.57</td><td>177 88 Average</td></tr><tr><td>3 17895.00</td><td>58.17</td><td>74.00</td><td>-15.83</td><td>60.44</td><td>42.22</td><td>23.70</td><td>68.72</td><td>0.53</td><td>182 68 PEAK</td></tr><tr><td>4 17895.00</td><td>49.13</td><td>54.00</td><td>-4.87</td><td>51.40</td><td>42.22</td><td>23.70</td><td>68.72</td><td>0.53</td><td>182 68 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11930.00	53.30	74.00	-20.70	60.87	38.96	19.29	66.39	0.57	177 88 PEAK	2 11930.00	44.28	54.00	-9.72	51.85	38.96	19.29	66.39	0.57	177 88 Average	3 17895.00	58.17	74.00	-15.83	60.44	42.22	23.70	68.72	0.53	182 68 PEAK	4 17895.00	49.13	54.00	-4.87	51.40	42.22	23.70	68.72	0.53	182 68 Average	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11930.00</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>62.26</td><td>38.96</td><td>19.29</td><td>66.39</td><td>0.57</td><td>176 89 PEAK</td></tr><tr><td>2 11930.00</td><td>45.61</td><td>54.00</td><td>-8.39</td><td>53.18</td><td>38.96</td><td>19.29</td><td>66.39</td><td>0.57</td><td>176 89 Average</td></tr><tr><td>3 17895.00</td><td>58.39</td><td>74.00</td><td>-15.61</td><td>60.66</td><td>42.22</td><td>23.70</td><td>68.72</td><td>0.53</td><td>173 81 PEAK</td></tr><tr><td>4 17895.00</td><td>49.38</td><td>54.00</td><td>-4.62</td><td>51.65</td><td>42.22</td><td>23.70</td><td>68.72</td><td>0.53</td><td>173 81 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11930.00	54.69	74.00	-19.31	62.26	38.96	19.29	66.39	0.57	176 89 PEAK	2 11930.00	45.61	54.00	-8.39	53.18	38.96	19.29	66.39	0.57	176 89 Average	3 17895.00	58.39	74.00	-15.61	60.66	42.22	23.70	68.72	0.53	173 81 PEAK	4 17895.00	49.38	54.00	-4.62	51.65	42.22	23.70	68.72	0.53	173 81 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 11930.00	53.30	74.00	-20.70	60.87	38.96	19.29	66.39	0.57	177 88 PEAK																																																																																																																																					
2 11930.00	44.28	54.00	-9.72	51.85	38.96	19.29	66.39	0.57	177 88 Average																																																																																																																																					
3 17895.00	58.17	74.00	-15.83	60.44	42.22	23.70	68.72	0.53	182 68 PEAK																																																																																																																																					
4 17895.00	49.13	54.00	-4.87	51.40	42.22	23.70	68.72	0.53	182 68 Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 11930.00	54.69	74.00	-19.31	62.26	38.96	19.29	66.39	0.57	176 89 PEAK																																																																																																																																					
2 11930.00	45.61	54.00	-8.39	53.18	38.96	19.29	66.39	0.57	176 89 Average																																																																																																																																					
3 17895.00	58.39	74.00	-15.61	60.66	42.22	23.70	68.72	0.53	173 81 PEAK																																																																																																																																					
4 17895.00	49.38	54.00	-4.62	51.65	42.22	23.70	68.72	0.53	173 81 Average																																																																																																																																					





Mode	7	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE40_CH3_Full RU_5965MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	7	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE40_CH3_Full RU_5965MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	8																																													
	Band Edge																																													
	6E UNII-5_5.925-6.425_11ax HE40_CH51_Full RU_6205MHz																																													
ANT	4+3																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>108.60</td><td>-----</td><td>-----</td><td>95.57</td><td>34.42</td><td>12.36</td><td>33.75</td><td>0.00</td><td>298</td><td>278</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	108.60	-----	-----	95.57	34.42	12.36	33.75	0.00	298	278	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6205.00	108.60	-----	-----	95.57	34.42	12.36	33.75	0.00	298	278	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>101.21</td><td>-----</td><td>-----</td><td>88.19</td><td>34.40</td><td>12.37</td><td>33.75</td><td>0.00</td><td>298</td><td>278</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	101.21	-----	-----	88.19	34.40	12.37	33.75	0.00	298	278	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6205.00	101.21	-----	-----	88.19	34.40	12.37	33.75	0.00	298	278	AVERAGE																																		







Mode	8																																												
	Band Edge																																												
	6E UNII-5_5.925-6.425_11ax HE40_CH51_Full RU_6205MHz																																												
ANT	4+3																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>107.70</td><td>-----</td><td>-----</td><td>94.67</td><td>34.42</td><td>12.36</td><td>33.75</td><td>0.00</td><td>273</td><td>200 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	107.70	-----	-----	94.67	34.42	12.36	33.75	0.00	273	200 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6205.00	107.70	-----	-----	94.67	34.42	12.36	33.75	0.00	273	200 PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>99.60</td><td>-----</td><td>-----</td><td>86.58</td><td>34.40</td><td>12.37</td><td>33.75</td><td>0.00</td><td>273</td><td>200 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	99.60	-----	-----	86.58	34.40	12.37	33.75	0.00	273	200 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6205.00	99.60	-----	-----	86.58	34.40	12.37	33.75	0.00	273	200 AVERAGE																																		





Mode	8																																																																																																																																							
	Harmonic																																																																																																																																							
	6E UNII-5_5.925-6.425_11ax HE40_CH51_Full RU_6205MHz																																																																																																																																							
ANT	4+3																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>28.22</td><td>38.00</td><td>18.98</td><td>33.18</td><td>0.00</td><td>178</td><td>88</td><td>PEAK</td></tr><tr><td>2 12410.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>19.22</td><td>38.00</td><td>18.98</td><td>33.18</td><td>0.00</td><td>178</td><td>88</td><td>Average</td></tr><tr><td>3 18615.00</td><td>39.09</td><td>74.00</td><td>-34.91</td><td>49.81</td><td>--</td><td>21.64</td><td>32.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12410.00	52.82	74.00	-21.18	28.22	38.00	18.98	33.18	0.00	178	88	PEAK	2 12410.00	43.82	74.00	-30.18	19.22	38.00	18.98	33.18	0.00	178	88	Average	3 18615.00	39.09	74.00	-34.91	49.81	--	21.64	32.36	0.00	--	--	PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>53.03</td><td>74.00</td><td>-20.97</td><td>28.43</td><td>38.00</td><td>18.98</td><td>33.18</td><td>0.00</td><td>199</td><td>123</td><td>PEAK</td></tr><tr><td>2 12410.00</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>19.43</td><td>38.00</td><td>18.98</td><td>33.18</td><td>0.00</td><td>199</td><td>123</td><td>Average</td></tr><tr><td>3 18615.00</td><td>38.23</td><td>74.00</td><td>-35.77</td><td>48.95</td><td>--</td><td>21.64</td><td>32.36</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12410.00	53.03	74.00	-20.97	28.43	38.00	18.98	33.18	0.00	199	123	PEAK	2 12410.00	44.03	74.00	-29.97	19.43	38.00	18.98	33.18	0.00	199	123	Average	3 18615.00	38.23	74.00	-35.77	48.95	--	21.64	32.36	0.00	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12410.00	52.82	74.00	-21.18	28.22	38.00	18.98	33.18	0.00	178	88	PEAK																																																																																																																													
2 12410.00	43.82	74.00	-30.18	19.22	38.00	18.98	33.18	0.00	178	88	Average																																																																																																																													
3 18615.00	39.09	74.00	-34.91	49.81	--	21.64	32.36	0.00	--	--	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1 12410.00	53.03	74.00	-20.97	28.43	38.00	18.98	33.18	0.00	199	123	PEAK																																																																																																																													
2 12410.00	44.03	74.00	-29.97	19.43	38.00	18.98	33.18	0.00	199	123	Average																																																																																																																													
3 18615.00	38.23	74.00	-35.77	48.95	--	21.64	32.36	0.00	--	--	Peak																																																																																																																													





Mode	8	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE40_CH51_Full RU_6205MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
17.7G ~18G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	8	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE40_CH51_Full RU_6205MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	9																																																					
	Band Edge																																																					
	6E UNII-5_5.925-6.425_11ax HE40_CH91_Full RU_6405MHz																																																					
ANT	4+3																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>108.84</td><td>-----</td><td>-----</td><td>95.98</td><td>34.90</td><td>11.78</td><td>33.82</td><td>0.00</td><td>292</td><td>278</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	108.84	-----	-----	95.98	34.90	11.78	33.82	0.00	292	278	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6405.00	108.84	-----	-----	95.98	34.90	11.78	33.82	0.00	292	278	PEAK																																										
Avg	Blank					 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>101.47</td><td>-----</td><td>-----</td><td>88.61</td><td>34.90</td><td>11.78</td><td>33.82</td><td>0.00</td><td>292</td><td>278</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	101.47	-----	-----	88.61	34.90	11.78	33.82	0.00	292	278	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6405.00	101.47	-----	-----	88.61	34.90	11.78	33.82	0.00	292	278	AVERAGE																																										







Mode	9																																													
	Band Edge																																													
	6E UNII-5_5.925-6.425_11ax HE40_CH91_Full RU_6405MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>104.67</td><td>-----</td><td>-----</td><td>91.81</td><td>34.90</td><td>11.78</td><td>33.82</td><td>0.00</td><td>257</td><td>188</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	104.67	-----	-----	91.81	34.90	11.78	33.82	0.00	257	188	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6405.00	104.67	-----	-----	91.81	34.90	11.78	33.82	0.00	257	188	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>97.14</td><td>-----</td><td>-----</td><td>84.28</td><td>34.90</td><td>11.78</td><td>33.82</td><td>0.00</td><td>257</td><td>188</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	97.14	-----	-----	84.28	34.90	11.78	33.82	0.00	257	188	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6405.00	97.14	-----	-----	84.28	34.90	11.78	33.82	0.00	257	188	AVERAGE																																		





Mode	9																																																																	
	Harmonic																																																																	
	6E UNII-5_5.925-6.425_11ax HE40_CH91_Full RU_6405MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>56.73</td><td>88.20</td><td>-31.47</td><td>62.58</td><td>39.54</td><td>20.63</td><td>66.81</td><td>0.79</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>37.23</td><td>74.00</td><td>-36.77</td><td>40.29</td><td>37.06</td><td>22.09</td><td>53.47</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	56.73	88.20	-31.47	62.58	39.54	20.63	66.81	0.79	--	PEAK	2	19215.00	37.23	74.00	-36.77	40.29	37.06	22.09	53.47	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12810.00	56.73	88.20	-31.47	62.58	39.54	20.63	66.81	0.79	--	PEAK																																																							
2	19215.00	37.23	74.00	-36.77	40.29	37.06	22.09	53.47	-9.54	--	PEAK																																																							







Mode	9	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE40_CH91_Full RU_6405MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL







Mode	9	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE40_CH91_Full RU_6405MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL



Mode	10																																																																																																		
	Band Edge																																																																																																		
	6E UNII-5_5.925-6.425_11ax HE80_CH7_Full RU_5985MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.88</td><td>73.43</td><td>88.20</td><td>-14.77</td><td>61.16</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>182</td><td>26</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	73.43	88.20	-14.77	61.16	34.30	11.56	33.59	0.00	182	26	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>103.57</td><td>-----</td><td>-----</td><td>91.23</td><td>34.21</td><td>11.80</td><td>33.67</td><td>0.00</td><td>182</td><td>26</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	103.57	-----	-----	91.23	34.21	11.80	33.67	0.00	182	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.88	73.43	88.20	-14.77	61.16	34.30	11.56	33.59	0.00	182	26	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	103.57	-----	-----	91.23	34.21	11.80	33.67	0.00	182	26	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.36</td><td>65.91</td><td>68.20</td><td>-2.29</td><td>53.64</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>182</td><td>26</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	65.91	68.20	-2.29	53.64	34.30	11.56	33.59	0.00	182	26	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>95.91</td><td>-----</td><td>-----</td><td>83.57</td><td>34.21</td><td>11.80</td><td>33.67</td><td>0.00</td><td>182</td><td>26</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	95.91	-----	-----	83.57	34.21	11.80	33.67	0.00	182	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.36	65.91	68.20	-2.29	53.64	34.30	11.56	33.59	0.00	182	26	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	95.91	-----	-----	83.57	34.21	11.80	33.67	0.00	182	26	AVERAGE																																																																																							







Mode	10																																																																																																		
	Band Edge																																																																																																		
	6E UNII-5_5.925-6.425_11ax HE80_CH7_Full RU_5985MHz																																																																																																		
ANT	4+3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>67.61</td><td>88.20</td><td>-20.59</td><td>55.33</td><td>34.30</td><td>11.57</td><td>33.59</td><td>0.00</td><td>300</td><td>96</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	67.61	88.20	-20.59	55.33	34.30	11.57	33.59	0.00	300	96	PEAK	Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>98.59</td><td>-----</td><td>-----</td><td>86.25</td><td>34.23</td><td>11.76</td><td>33.65</td><td>0.00</td><td>300</td><td>96</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	98.59	-----	-----	86.25	34.23	11.76	33.65	0.00	300	96
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.84	67.61	88.20	-20.59	55.33	34.30	11.57	33.59	0.00	300	96	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	98.59	-----	-----	86.25	34.23	11.76	33.65	0.00	300	96	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.52</td><td>61.18</td><td>68.20</td><td>-7.02</td><td>48.91</td><td>34.30</td><td>11.56</td><td>33.59</td><td>0.00</td><td>300</td><td>96</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.52	61.18	68.20	-7.02	48.91	34.30	11.56	33.59	0.00	300	96	AVERAGE	Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>92.38</td><td>-----</td><td>-----</td><td>80.04</td><td>34.26</td><td>11.72</td><td>33.64</td><td>0.00</td><td>300</td><td>96</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	92.38	-----	-----	80.04	34.26	11.72	33.64	0.00	300	96
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.52	61.18	68.20	-7.02	48.91	34.30	11.56	33.59	0.00	300	96	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	92.38	-----	-----	80.04	34.26	11.72	33.64	0.00	300	96	AVERAGE																																																																																							





Mode	10												
	Harmonic												
	6E UNII-5_5.925-6.425_11ax HE80_CH7_Full RU_5985MHz												
ANT	4+3												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11970.00	54.00	74.00	-20.00	61.43	39.00	19.38	66.38	0.57	168	52	PEAK	
2	11970.00	45.00	54.00	-9.00	52.43	39.00	19.38	66.38	0.57	168	52	Average	
3	17955.00	59.19	74.00	-14.81	60.90	42.83	23.78	68.86	0.54	160	53	Peak	
4	17955.00	50.19	54.00	-3.81	51.90	42.83	23.78	68.86	0.54	160	53	Average	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11970.00	54.99	74.00	-19.01	62.42	39.00	19.38	66.38	0.57	177	43	PEAK	
2	11970.00	45.98	54.00	-8.02	53.41	39.00	19.38	66.38	0.57	177	43	Average	
3	17955.00	59.06	74.00	-14.94	60.77	42.83	23.78	68.86	0.54	166	122	Peak	
4	17955.00	50.06	54.00	-3.94	51.77	42.83	23.78	68.86	0.54	166	122	Average	





Mode	10	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE80_CH7_Full RU_5985MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	10	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE80_CH7_Full RU_5985MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	11																																											
	Band Edge																																											
	6E UNII-5_5.925-6.425_11ax HE80_CH55_Full RU_6225MHz																																											
ANT	4+3																																											
Pol.	Horizontal	Fundamental																																										
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>106.19</td><td>-----</td><td>93.18</td><td>34.44</td><td>12.32</td><td>33.75</td><td>0.00</td><td>293</td><td>278</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6225.00	106.19	-----	93.18	34.44	12.32	33.75	0.00	293	278	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6225.00	106.19	-----	93.18	34.44	12.32	33.75	0.00	293	278	PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>98.63</td><td>-----</td><td>85.64</td><td>34.47</td><td>12.28</td><td>33.76</td><td>0.00</td><td>293</td><td>278</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6225.00	98.63	-----	85.64	34.47	12.28	33.76	0.00	293	278	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6225.00	98.63	-----	85.64	34.47	12.28	33.76	0.00	293	278	AVERAGE																																	



Mode	11																																													
	Band Edge																																													
	6E UNII-5_5.925-6.425_11ax HE80_CH55_Full RU_6225MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>104.83</td><td>-----</td><td>-----</td><td>91.82</td><td>34.44</td><td>12.32</td><td>33.75</td><td>0.00</td><td>302</td><td>358</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	104.83	-----	-----	91.82	34.44	12.32	33.75	0.00	302	358	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	104.83	-----	-----	91.82	34.44	12.32	33.75	0.00	302	358	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>97.19</td><td>-----</td><td>-----</td><td>84.20</td><td>34.47</td><td>12.28</td><td>33.76</td><td>0.00</td><td>302</td><td>358</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6225.00	97.19	-----	-----	84.20	34.47	12.28	33.76	0.00	302	358	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6225.00	97.19	-----	-----	84.20	34.47	12.28	33.76	0.00	302	358	AVERAGE																																		





Mode	11																																																																																																																																	
	Harmonic																																																																																																																																	
	6E UNII-5_5.925-6.425_11ax HE80_CH55_Full RU_6225MHz																																																																																																																																	
ANT	4+3																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12450.00</td><td>53.91</td><td>74.00</td><td>-20.09</td><td>60.42</td><td>38.00</td><td>20.42</td><td>66.42</td><td>0.69</td><td>134</td><td>86 Peak</td></tr><tr><td>2 12450.00</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>50.73</td><td>38.00</td><td>20.42</td><td>66.42</td><td>0.69</td><td>134</td><td>86 Average</td></tr><tr><td>3 18675.00</td><td>39.84</td><td>74.00</td><td>-34.16</td><td>43.67</td><td>37.75</td><td>21.69</td><td>53.73</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12450.00	53.91	74.00	-20.09	60.42	38.00	20.42	66.42	0.69	134	86 Peak	2 12450.00	44.22	54.00	-9.78	50.73	38.00	20.42	66.42	0.69	134	86 Average	3 18675.00	39.84	74.00	-34.16	43.67	37.75	21.69	53.73	-9.54	--	-- PEAK	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12450.00</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>59.95</td><td>38.00</td><td>20.42</td><td>66.42</td><td>0.69</td><td>174</td><td>111 Peak</td></tr><tr><td>2 12450.00</td><td>44.31</td><td>54.00</td><td>-9.69</td><td>50.82</td><td>38.00</td><td>20.42</td><td>66.42</td><td>0.69</td><td>174</td><td>111 Average</td></tr><tr><td>3 18675.00</td><td>38.85</td><td>74.00</td><td>-35.15</td><td>42.68</td><td>37.75</td><td>21.69</td><td>53.73</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12450.00	53.44	74.00	-20.56	59.95	38.00	20.42	66.42	0.69	174	111 Peak	2 12450.00	44.31	54.00	-9.69	50.82	38.00	20.42	66.42	0.69	174	111 Average	3 18675.00	38.85	74.00	-35.15	42.68	37.75	21.69	53.73	-9.54	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12450.00	53.91	74.00	-20.09	60.42	38.00	20.42	66.42	0.69	134	86 Peak																																																																																																																								
2 12450.00	44.22	54.00	-9.78	50.73	38.00	20.42	66.42	0.69	134	86 Average																																																																																																																								
3 18675.00	39.84	74.00	-34.16	43.67	37.75	21.69	53.73	-9.54	--	-- PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 12450.00	53.44	74.00	-20.56	59.95	38.00	20.42	66.42	0.69	174	111 Peak																																																																																																																								
2 12450.00	44.31	54.00	-9.69	50.82	38.00	20.42	66.42	0.69	174	111 Average																																																																																																																								
3 18675.00	38.85	74.00	-35.15	42.68	37.75	21.69	53.73	-9.54	--	-- PEAK																																																																																																																								





Mode	11	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE80_CH55_Full RU_6225MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	11	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE80_CH55_Full RU_6225MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	12																																												
	Band Edge																																												
	6E UNII-5_5.925-6.425_11ax HE80_CH87_Full RU_6385MHz																																												
ANT	4+3																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>107.51</td><td>-----</td><td>-----</td><td>94.65</td><td>34.88</td><td>11.80</td><td>33.82</td><td>0.00</td><td>294</td><td>287 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	107.51	-----	-----	94.65	34.88	11.80	33.82	0.00	294	287 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6385.00	107.51	-----	-----	94.65	34.88	11.80	33.82	0.00	294	287 PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>98.26</td><td>-----</td><td>-----</td><td>85.42</td><td>34.80</td><td>11.85</td><td>33.81</td><td>0.00</td><td>294</td><td>287 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	98.26	-----	-----	85.42	34.80	11.85	33.81	0.00	294	287 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6385.00	98.26	-----	-----	85.42	34.80	11.85	33.81	0.00	294	287 AVERAGE																																		







Mode	12																																													
	Band Edge																																													
	6E UNII-5_5.925-6.425_11ax HE80_CH87_Full RU_6385MHz																																													
ANT	4+3																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>106.77</td><td>-----</td><td>-----</td><td>93.91</td><td>34.88</td><td>11.80</td><td>33.82</td><td>0.00</td><td>307</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	106.77	-----	-----	93.91	34.88	11.80	33.82	0.00	307	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6385.00	106.77	-----	-----	93.91	34.88	11.80	33.82	0.00	307	360	PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>97.16</td><td>-----</td><td>-----</td><td>84.32</td><td>34.80</td><td>11.85</td><td>33.81</td><td>0.00</td><td>307</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	97.16	-----	-----	84.32	34.80	11.85	33.81	0.00	307	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6385.00	97.16	-----	-----	84.32	34.80	11.85	33.81	0.00	307	360	AVERAGE																																		





Mode	12																																																																	
	Harmonic																																																																	
	6E UNII-5_5.925-6.425_11ax HE80_CH87_Full RU_6385MHz																																																																	
ANT	4+3																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL						Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>55.51</td><td>88.20</td><td>-32.69</td><td>61.49</td><td>39.38</td><td>20.62</td><td>66.76</td><td>0.78</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>37.50</td><td>74.00</td><td>-36.50</td><td>40.69</td><td>37.00</td><td>22.06</td><td>53.51</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	55.51	88.20	-32.69	61.49	39.38	20.62	66.76	0.78	--	PEAK	2	19155.00	37.50	74.00	-36.50	40.69	37.00	22.06	53.51	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12770.00	55.51	88.20	-32.69	61.49	39.38	20.62	66.76	0.78	--	PEAK																																																							
2	19155.00	37.50	74.00	-36.50	40.69	37.00	22.06	53.51	-9.54	--	PEAK																																																							





Mode	12	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE80_CH87_Full RU_6385MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL
	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-240711 VERTICAL





Mode	12	
	Harmonic	
	6E UNII-5_5.925-6.425_11ax HE80_CH87_Full RU_6385MHz	
ANT	4+3	
Pol.	Horizontal	Vertical
31G ~40G Avg	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH12-HY Condition: AVG(UNII)_6E 1m SHF_00993_231124 VERTICAL





Mode	13																																											
	Band Edge																																											
	6E UNII-7_6.525-6.875_802.11a_CH117_6535MHz																																											
ANT	4+3																																											
Pol.	Horizontal	Fundamental																																										
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>111.51</td><td>-----</td><td>97.71</td><td>35.52</td><td>12.14</td><td>33.86</td><td>0.00</td><td>310</td><td>45</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6535.00	111.51	-----	97.71	35.52	12.14	33.86	0.00	310	45	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6535.00	111.51	-----	97.71	35.52	12.14	33.86	0.00	310	45	PEAK																																	
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>103.39</td><td>-----</td><td>89.59</td><td>35.52</td><td>12.14</td><td>33.86</td><td>0.00</td><td>310</td><td>45</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6535.00	103.39	-----	89.59	35.52	12.14	33.86	0.00	310	45	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6535.00	103.39	-----	89.59	35.52	12.14	33.86	0.00	310	45	AVERAGE																																	



Mode	13																																												
	Band Edge																																												
	6E UNII-7_6.525-6.875_802.11a_CH117_6535MHz																																												
ANT	4+3																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>111.44</td><td>-----</td><td>-----</td><td>97.64</td><td>35.52</td><td>12.14</td><td>33.86</td><td>0.00</td><td>284</td><td>350 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	111.44	-----	-----	97.64	35.52	12.14	33.86	0.00	284	350 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6535.00	111.44	-----	-----	97.64	35.52	12.14	33.86	0.00	284	350 PEAK																																		
Avg	Blank	 Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-240711 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>103.55</td><td>-----</td><td>-----</td><td>89.75</td><td>35.52</td><td>12.14</td><td>33.86</td><td>0.00</td><td>284</td><td>350 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	103.55	-----	-----	89.75	35.52	12.14	33.86	0.00	284	350 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6535.00	103.55	-----	-----	89.75	35.52	12.14	33.86	0.00	284	350 AVERAGE																																		



Mode	13																																																																						
	Harmonic																																																																						
	6E UNII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																						
ANT	4+3																																																																						
Pol.	Horizontal																																																																						
Peak Avg	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.37</td><td>88.20</td><td>-34.83</td><td>59.12</td><td>39.66</td><td>20.66</td><td>66.93</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>37.38</td><td>74.00</td><td>-36.62</td><td>40.23</td><td>37.68</td><td>22.27</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.37	88.20	-34.83	59.12	39.66	20.66	66.93	0.86	--	--	PEAK	2	19605.00	37.38	74.00	-36.62	40.23	37.68	22.27	53.26	-9.54	--	--	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	13070.00	53.37	88.20	-34.83	59.12	39.66	20.66	66.93	0.86	--	--	PEAK																																																											
2	19605.00	37.38	74.00	-36.62	40.23	37.68	22.27	53.26	-9.54	--	--	PEAK																																																											
Vertical																																																																							
	 Site : 03CH12-HY Condition: PEAK(UNII)_6E 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.59</td><td>88.20</td><td>-34.61</td><td>59.34</td><td>39.66</td><td>20.66</td><td>66.93</td><td>0.86</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>37.26</td><td>74.00</td><td>-36.74</td><td>40.11</td><td>37.68</td><td>22.27</td><td>53.26</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	53.59	88.20	-34.61	59.34	39.66	20.66	66.93	0.86	--	--	PEAK	2	19605.00	37.26	74.00	-36.74	40.11	37.68	22.27	53.26	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	13070.00	53.59	88.20	-34.61	59.34	39.66	20.66	66.93	0.86	--	--	PEAK																																																											
2	19605.00	37.26	74.00	-36.74	40.11	37.68	22.27	53.26	-9.54	--	--	PEAK																																																											