


802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 20
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	117.46	Inf	-Inf	111.10	3	Vertical	360	2.45	-	34.50	7.20	35.34
AV	5.3212G	103.14	Inf	-Inf	96.78	3	Vertical	360	2.45	-	34.50	7.20	35.34
PK	5.3504G	69.58	74.00	-4.42	63.22	3	Vertical	360	2.45	-	34.50	7.20	35.34
AV	5.3504G	52.85	54.00	-1.15	46.49	3	Vertical	360	2.45	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 20
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	117.43	Inf	-Inf	111.07	3	Horizontal	2	1.00	-	34.50	7.20	35.34
AV	5.3216G	104.14	Inf	-Inf	97.78	3	Horizontal	2	1.00	-	34.50	7.20	35.34
PK	5.3508G	68.10	74.00	-5.90	61.74	3	Horizontal	2	1.00	-	34.50	7.20	35.34
AV	5.3512G	52.98	54.00	-1.02	46.62	3	Horizontal	2	1.00	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 20
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6514G	54.93	74.00	-19.07	41.37	3	Vertical	279	1.40	-	38.30	10.60	35.34
AV	10.64798G	41.12	54.00	-12.88	27.56	3	Vertical	279	1.40	-	38.30	10.60	35.34
PK	15.95808G	59.70	74.00	-14.30	44.59	3	Vertical	273	2.25	-	37.48	13.38	35.75
AV	15.9453G	46.19	54.00	-7.81	31.05	3	Vertical	273	2.25	-	37.51	13.37	35.74

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 20
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.63856G	54.64	74.00	-19.36	41.11	3	Horizontal	34	1.97	-	38.28	10.60	35.35	
AV	10.65476G	41.21	54.00	-12.79	27.64	3	Horizontal	34	1.97	-	38.31	10.60	35.34	
PK	15.96492G	59.76	74.00	-14.24	44.67	3	Horizontal	348	2.38	-	37.47	13.38	35.76	
AV	15.95178G	46.26	54.00	-7.74	31.13	3	Horizontal	348	2.38	-	37.50	13.38	35.75	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	61.04	74.00	-12.96	54.61	3	Vertical	348	2.55	-	34.52	7.26	35.35	
AV	5.46G	48.65	54.00	-5.35	42.22	3	Vertical	348	2.55	-	34.52	7.26	35.35	
PK	5.47G	65.91	68.20	-2.29	59.45	3	Vertical	348	2.55	-	34.54	7.27	35.35	
PK	5.5012G	118.50	Inf	-Inf	111.95	3	Vertical	348	2.55	-	34.60	7.30	35.35	
AV	5.502G	105.94	Inf	-Inf	99.39	3	Vertical	348	2.55	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	63.55	74.00	-10.45	57.12	3	Horizontal	360	1.09	-	34.52	7.26	35.35	
AV	5.46G	48.69	54.00	-5.31	42.26	3	Horizontal	360	1.09	-	34.52	7.26	35.35	
PK	5.47G	66.55	68.20	-1.65	60.09	3	Horizontal	360	1.09	-	34.54	7.27	35.35	
PK	5.502G	118.02	Inf	-Inf	111.47	3	Horizontal	360	1.09	-	34.60	7.30	35.35	
AV	5.5012G	105.15	Inf	-Inf	98.60	3	Horizontal	360	1.09	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00492G	56.51	74.00	-17.49	42.51	3	Vertical	118	2.28	-	38.40	10.65	35.05
AV	11.0078G	42.18	54.00	-11.82	28.17	3	Vertical	118	2.28	-	38.41	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01122G	56.00	74.00	-18.00	41.99	3	Horizontal	351	1.98	-	38.41	10.65	35.05
AV	11.00468G	42.23	54.00	-11.77	28.23	3	Horizontal	351	1.98	-	38.40	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 23.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4072G	60.84	74.00	-13.16	54.39	3	Vertical	352	2.63	-	34.59	7.21	35.35
AV	5.392G	48.07	54.00	-5.93	41.64	3	Vertical	352	2.63	-	34.58	7.20	35.35
PK	5.4672G	59.88	68.20	-8.32	53.43	3	Vertical	352	2.63	-	34.53	7.27	35.35
PK	5.5768G	120.98	Inf	-Inf	114.39	3	Vertical	352	2.63	-	34.60	7.38	35.39
AV	5.5768G	108.90	Inf	-Inf	102.31	3	Vertical	352	2.63	-	34.60	7.38	35.39
PK	5.748G	59.43	68.20	-8.77	53.30	3	Vertical	352	2.63	-	34.20	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 23.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4G	59.97	74.00	-14.03	53.52	3	Horizontal	22	1.00	-	34.60	7.20	35.35
AV	5.3808G	47.60	54.00	-6.40	41.19	3	Horizontal	22	1.00	-	34.56	7.20	35.35
PK	5.4616G	61.01	68.20	-7.19	54.58	3	Horizontal	22	1.00	-	34.52	7.26	35.35
PK	5.5736G	120.48	Inf	-Inf	113.90	3	Horizontal	22	1.00	-	34.60	7.37	35.39
AV	5.5832G	108.41	Inf	-Inf	101.82	3	Horizontal	22	1.00	-	34.60	7.38	35.39
PK	5.7688G	60.31	68.20	-7.89	54.19	3	Horizontal	22	1.00	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 23.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.15844G	55.19	74.00	-18.81	41.18	3	Vertical	11	1.73	-	38.56	10.67	35.22	
AV	11.16G	43.69	54.00	-10.31	29.68	3	Vertical	11	1.73	-	38.56	10.67	35.22	

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 23.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.16102G	56.42	74.00	-17.58	42.41	3	Horizontal	237	2.93	-	38.56	10.67	35.22
AV	11.16G	45.68	54.00	-8.32	31.67	3	Horizontal	237	2.93	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 20
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	117.15	Inf	-Inf	110.90	3	Vertical	87	1.20	-	34.30	7.40	35.45
AV	5.7028G	103.64	Inf	-Inf	97.40	3	Vertical	87	1.20	-	34.29	7.40	35.45
PK	5.725G	66.70	68.20	-1.50	60.51	3	Vertical	87	1.20	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 20
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6992G	116.39	Inf	-Inf	110.14	3	Horizontal	351	2.82	-	34.30	7.40	35.45	
AV	5.6982G	103.23	Inf	-Inf	96.97	3	Horizontal	351	2.82	-	34.31	7.40	35.45	
PK	5.727G	67.67	68.20	-0.53	61.48	3	Horizontal	351	2.82	-	34.25	7.40	35.46	

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 20
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41074G	55.75	74.00	-18.25	41.72	3	Vertical	149	1.69	-	38.82	10.71	35.50
AV	11.39706G	42.45	54.00	-11.55	28.42	3	Vertical	149	1.69	-	38.80	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 20
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4123G	55.27	74.00	-18.73	41.24	3	Horizontal	166	1.40	-	38.82	10.71	35.50
AV	11.39274G	42.52	54.00	-11.48	28.50	3	Horizontal	166	1.40	-	38.79	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
 Setting 23.5
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.398G	60.69	74.00	-13.31	54.24	3	Vertical	360	1.40	-	34.60	7.20	35.35
AV	5.4092G	47.23	54.00	-6.77	40.79	3	Vertical	360	1.40	-	34.58	7.21	35.35
PK	5.4652G	58.68	68.20	-9.52	52.23	3	Vertical	360	1.40	-	34.53	7.27	35.35
PK	5.7172G	120.11	Inf	-Inf	113.90	3	Vertical	360	1.40	-	34.27	7.40	35.46
AV	5.7172G	108.59	Inf	-Inf	102.38	3	Vertical	360	1.40	-	34.27	7.40	35.46
PK	5.9426G	59.64	68.20	-8.56	52.90	3	Vertical	360	1.40	-	34.77	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 23.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4316G	59.71	74.00	-14.29	53.29	3	Horizontal	354	2.79	-	34.54	7.23	35.35
AV	5.3798G	47.01	54.00	-6.99	40.60	3	Horizontal	354	2.79	-	34.56	7.20	35.35
PK	5.468G	58.98	68.20	-9.22	52.52	3	Horizontal	354	2.79	-	34.54	7.27	35.35
PK	5.7144G	117.78	Inf	-Inf	111.57	3	Horizontal	354	2.79	-	34.27	7.40	35.46
AV	5.7228G	106.93	Inf	-Inf	100.74	3	Horizontal	354	2.79	-	34.25	7.40	35.46
PK	5.8684G	59.69	68.20	-8.51	53.34	3	Horizontal	354	2.79	-	34.41	7.47	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 23.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43982G	56.79	74.00	-17.21	42.72	3	Vertical	12	1.97	-	38.88	10.72	35.53
AV	11.43994G	44.11	54.00	-9.89	30.04	3	Vertical	12	1.97	-	38.88	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 23.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.44696G	56.25	74.00	-17.75	42.18	3	Horizontal	244	1.80	-	38.89	10.72	35.54
AV	11.44G	44.06	54.00	-9.94	29.99	3	Horizontal	244	1.80	-	38.88	10.72	35.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_X_2TX
Setting 20.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	62.26	74.00	-11.74	56.43	3	Vertical	0	2.53	-	34.00	7.17	35.34
AV	5.1482G	47.62	54.00	-6.38	41.79	3	Vertical	0	2.53	-	34.00	7.17	35.34
PK	5.2748G	114.76	Inf	-Inf	108.45	3	Vertical	0	2.53	-	34.45	7.20	35.34
AV	5.2748G	102.36	Inf	-Inf	96.05	3	Vertical	0	2.53	-	34.45	7.20	35.34
PK	5.3588G	69.16	74.00	-4.84	62.78	3	Vertical	0	2.53	-	34.52	7.20	35.34
AV	5.3576G	53.39	54.00	-0.61	47.01	3	Vertical	0	2.53	-	34.52	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	61.96	74.00	-12.04	56.14	3	Horizontal	6	1.07	-	33.99	7.17	35.34
AV	5.1494G	47.43	54.00	-6.57	41.60	3	Horizontal	6	1.07	-	34.00	7.17	35.34
PK	5.2658G	115.66	Inf	-Inf	109.37	3	Horizontal	6	1.07	-	34.43	7.20	35.34
AV	5.2748G	103.29	Inf	-Inf	96.98	3	Horizontal	6	1.07	-	34.45	7.20	35.34
PK	5.3864G	70.10	74.00	-3.90	63.68	3	Horizontal	6	1.07	-	34.57	7.20	35.35
AV	5.3576G	53.11	54.00	-0.89	46.73	3	Horizontal	6	1.07	-	34.52	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53946G	54.73	68.20	-13.47	41.39	3	Vertical	283	2.03	-	38.20	10.58	35.44
PK	15.81198G	60.06	74.00	-13.94	44.52	3	Vertical	105	1.61	-	37.86	13.31	35.63
AV	15.81028G	46.25	54.00	-7.75	30.70	3	Vertical	105	1.61	-	37.87	13.31	35.63

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54016G	54.72	68.20	-13.48	41.38	3	Horizontal	161	2.42	-	38.20	10.58	35.44
PK	15.80992G	60.62	74.00	-13.38	45.08	3	Horizontal	69	1.80	-	37.87	13.30	35.63
AV	15.8094G	46.34	54.00	-7.66	30.80	3	Horizontal	69	1.80	-	37.87	13.30	35.63

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 19
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	114.52	Inf	-Inf	108.16	3	Vertical	-0	2.47	-	34.50	7.20	35.34
AV	5.3108G	100.93	Inf	-Inf	94.57	3	Vertical	-0	2.47	-	34.50	7.20	35.34
PK	5.3508G	68.09	74.00	-5.91	61.73	3	Vertical	-0	2.47	-	34.50	7.20	35.34
AV	5.3504G	51.44	54.00	-2.56	45.08	3	Vertical	-0	2.47	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 19
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3116G	113.91	Inf	-Inf	107.55	3	Horizontal	-0	1.05	-	34.50	7.20	35.34
AV	5.3112G	101.52	Inf	-Inf	95.16	3	Horizontal	-0	1.05	-	34.50	7.20	35.34
PK	5.3508G	69.68	74.00	-4.32	63.32	3	Horizontal	-0	1.05	-	34.50	7.20	35.34
AV	5.3516G	51.21	54.00	-2.79	44.85	3	Horizontal	-0	1.05	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT X_2TX
Setting 19
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62382G	54.25	74.00	-19.75	40.77	3	Vertical	260	1.87	-	38.25	10.59	35.36
AV	10.6171G	40.82	54.00	-13.18	27.37	3	Vertical	260	1.87	-	38.23	10.59	35.37
PK	15.92622G	59.83	74.00	-14.17	44.65	3	Vertical	50	2.50	-	37.55	13.36	35.73
AV	15.92566G	46.16	54.00	-7.84	30.98	3	Vertical	50	2.50	-	37.55	13.36	35.73

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 19
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62426G	54.45	74.00	-19.55	40.97	3	Horizontal	292	2.92	-	38.25	10.59	35.36
AV	10.61772G	40.82	54.00	-13.18	27.36	3	Horizontal	292	2.92	-	38.24	10.59	35.37
PK	15.93378G	59.94	74.00	-14.06	44.77	3	Horizontal	93	1.29	-	37.53	13.37	35.73
AV	15.93162G	46.21	54.00	-7.79	31.03	3	Horizontal	93	1.29	-	37.54	13.37	35.73

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 19
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	63.71	74.00	-10.29	57.28	3	Vertical	349	2.70	-	34.52	7.26	35.35	
AV	5.4596G	48.37	54.00	-5.63	41.94	3	Vertical	349	2.70	-	34.52	7.26	35.35	
PK	5.4608G	63.89	68.20	-4.31	57.46	3	Vertical	349	2.70	-	34.52	7.26	35.35	
PK	5.5012G	114.01	Inf	-Inf	107.46	3	Vertical	349	2.70	-	34.60	7.30	35.35	
AV	5.5016G	101.18	Inf	-Inf	94.63	3	Vertical	349	2.70	-	34.60	7.30	35.35	

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 19
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4528G	63.33	74.00	-10.67	56.92	3	Horizontal	353	1.00	-	34.51	7.25	35.35	
PK	5.4616G	64.87	68.20	-3.33	58.44	3	Horizontal	353	1.00	-	34.52	7.26	35.35	
AV	5.4596G	48.46	54.00	-5.54	42.03	3	Horizontal	353	1.00	-	34.52	7.26	35.35	
PK	5.5124G	113.73	Inf	-Inf	107.18	3	Horizontal	353	1.00	-	34.60	7.31	35.36	
AV	5.5028G	101.43	Inf	-Inf	94.88	3	Horizontal	353	1.00	-	34.60	7.30	35.35	

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 19
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01764G	55.29	74.00	-18.71	41.28	3	Vertical	95	1.62	-	38.42	10.65	35.06
AV	11.0186G	41.77	54.00	-12.23	27.76	3	Vertical	95	1.62	-	38.42	10.65	35.06
PK	16.52762G	61.84	68.20	-6.36	44.86	3	Vertical	248	1.19	-	38.54	13.77	35.33

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 19
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01704G	55.23	74.00	-18.77	41.22	3	Horizontal	247	2.92	-	38.42	10.65	35.06
AV	11.01702G	41.87	54.00	-12.13	27.86	3	Horizontal	247	2.92	-	38.42	10.65	35.06
PK	16.5295G	62.01	68.20	-6.19	45.02	3	Horizontal	214	1.59	-	38.55	13.77	35.33

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	64.28	74.00	-9.72	57.88	3	Vertical	349	2.78	-	34.50	7.25	35.35
AV	5.4548G	49.52	54.00	-4.48	43.11	3	Vertical	349	2.78	-	34.51	7.25	35.35
PK	5.4652G	65.44	68.20	-2.76	58.99	3	Vertical	349	2.78	-	34.53	7.27	35.35
PK	5.5516G	115.70	Inf	-Inf	109.13	3	Vertical	349	2.78	-	34.60	7.35	35.38
AV	5.5516G	103.19	Inf	-Inf	96.62	3	Vertical	349	2.78	-	34.60	7.35	35.38
PK	5.7284G	59.41	68.20	-8.79	53.23	3	Vertical	349	2.78	-	34.24	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4428G	63.74	74.00	-10.26	57.34	3	Horizontal	354	1.07	-	34.51	7.24	35.35
PK	5.466G	66.28	68.20	-1.92	59.83	3	Horizontal	354	1.07	-	34.53	7.27	35.35
AV	5.4564G	50.03	54.00	-3.97	43.61	3	Horizontal	354	1.07	-	34.51	7.26	35.35
PK	5.534G	115.27	Inf	-Inf	108.71	3	Horizontal	354	1.07	-	34.60	7.33	35.37
AV	5.5428G	102.86	Inf	-Inf	96.29	3	Horizontal	354	1.07	-	34.60	7.34	35.37
PK	5.73G	59.33	68.20	-8.87	53.16	3	Horizontal	354	1.07	-	34.24	7.40	35.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09534G	54.87	74.00	-19.13	40.86	3	Vertical	351	1.99	-	38.50	10.66	35.15
AV	11.0971G	41.61	54.00	-12.39	27.60	3	Vertical	351	1.99	-	38.50	10.66	35.15
PK	16.64748G	62.07	68.20	-6.13	44.62	3	Vertical	77	2.47	-	38.81	13.85	35.21

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10144G	55.66	74.00	-18.34	41.64	3	Horizontal	308	1.34	-	38.50	10.67	35.15
AV	11.10024G	41.57	54.00	-12.43	27.55	3	Horizontal	308	1.34	-	38.50	10.67	35.15
PK	16.65374G	61.97	68.20	-6.23	44.53	3	Horizontal	27	2.69	-	38.79	13.86	35.21

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6584G	113.95	Inf	-Inf	107.51	3	Vertical	356	1.22	-	34.47	7.40	35.43
AV	5.678G	102.09	Inf	-Inf	95.74	3	Vertical	356	1.22	-	34.39	7.40	35.44
PK	5.7296G	67.76	68.20	-0.44	61.58	3	Vertical	356	1.22	-	34.24	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 19.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6624G	113.33	Inf	-Inf	106.91	3	Horizontal	20	1.11	-	34.45	7.40	35.43
AV	5.6724G	100.74	Inf	-Inf	94.37	3	Horizontal	20	1.11	-	34.41	7.40	35.44
PK	5.7304G	66.21	68.20	-1.99	60.04	3	Horizontal	20	1.11	-	34.24	7.40	35.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34024G	55.62	74.00	-18.38	41.60	3	Vertical	199	1.18	-	38.74	10.70	35.42
AV	11.33596G	41.83	54.00	-12.17	27.81	3	Vertical	199	1.18	-	38.74	10.70	35.42
PK	17.00816G	64.56	68.20	-3.64	45.39	3	Vertical	164	1.50	-	39.92	14.11	34.86

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33662G	55.66	74.00	-18.34	41.64	3	Horizontal	26	1.67	-	38.74	10.70	35.42
AV	11.33562G	41.88	54.00	-12.12	27.86	3	Horizontal	26	1.67	-	38.74	10.70	35.42
PK	17.014G	64.47	68.20	-3.73	45.28	3	Horizontal	79	1.08	-	39.94	14.11	34.86

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
 Setting 23.5
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.41G	59.25	74.00	-14.75	52.81	3	Vertical	80	2.40	-	34.58	7.21	35.35
PK	5.464G	58.82	68.20	-9.38	52.38	3	Vertical	80	2.40	-	34.53	7.26	35.35
AV	5.452G	47.25	54.00	-6.75	40.85	3	Vertical	80	2.40	-	34.50	7.25	35.35
PK	5.6956G	117.54	Inf	-Inf	111.27	3	Vertical	80	2.40	-	34.32	7.40	35.45
AV	5.7052G	104.39	Inf	-Inf	98.15	3	Vertical	80	2.40	-	34.29	7.40	35.45
PK	5.8552G	64.70	68.20	-3.50	58.44	3	Vertical	80	2.40	-	34.33	7.46	35.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 23.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	59.85	74.00	-14.15	53.44	3	Horizontal	355	2.24	-	34.51	7.25	35.35
AV	5.4424G	47.04	54.00	-6.96	40.63	3	Horizontal	355	2.24	-	34.52	7.24	35.35
PK	5.4664G	58.51	68.20	-9.69	52.06	3	Horizontal	355	2.24	-	34.53	7.27	35.35
PK	5.7076G	116.50	Inf	-Inf	110.27	3	Horizontal	355	2.24	-	34.28	7.40	35.45
AV	5.7064G	103.42	Inf	-Inf	97.18	3	Horizontal	355	2.24	-	34.29	7.40	35.45
PK	5.8576G	66.75	68.20	-1.45	60.47	3	Horizontal	355	2.24	-	34.35	7.46	35.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 23.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42003G	58.07	74.00	-15.93	44.03	3	Vertical	9	1.90	-	38.84	10.71	35.51
AV	11.41997G	48.89	54.00	-5.11	34.85	3	Vertical	9	1.90	-	38.84	10.71	35.51
PK	17.1253G	63.93	68.20	-4.27	44.31	3	Vertical	339	1.30	-	40.30	14.19	34.87

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 23.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42201G	56.95	74.00	-17.05	42.91	3	Horizontal	244	1.78	-	38.84	10.71	35.51
AV	11.41999G	45.56	54.00	-8.44	31.52	3	Horizontal	244	1.78	-	38.84	10.71	35.51
PK	17.13146G	64.96	68.20	-3.24	45.31	3	Horizontal	228	1.76	-	40.33	14.19	34.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.14	74.00	-13.86	54.31	3	Vertical	360	2.46	-	34.00	7.17	35.34
AV	5.149G	47.02	54.00	-6.98	41.19	3	Vertical	360	2.46	-	34.00	7.17	35.34
PK	5.301G	109.60	Inf	-Inf	103.24	3	Vertical	360	2.46	-	34.50	7.20	35.34
AV	5.3G	98.07	Inf	-Inf	91.71	3	Vertical	360	2.46	-	34.50	7.20	35.34
PK	5.37G	71.58	74.00	-2.42	65.18	3	Vertical	360	2.46	-	34.54	7.20	35.34
AV	5.36G	52.52	54.00	-1.48	46.14	3	Vertical	360	2.46	-	34.52	7.20	35.34
PK	5.482G	61.18	68.20	-7.02	54.69	3	Vertical	360	2.46	-	34.56	7.28	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	59.20	74.00	-14.80	53.43	3	Horizontal	0	1.02	-	33.94	7.16	35.33
AV	5.14G	46.78	54.00	-7.22	40.97	3	Horizontal	0	1.02	-	33.98	7.17	35.34
PK	5.291G	110.60	Inf	-Inf	104.26	3	Horizontal	0	1.02	-	34.48	7.20	35.34
AV	5.292G	98.25	Inf	-Inf	91.91	3	Horizontal	0	1.02	-	34.48	7.20	35.34
PK	5.352G	72.33	74.00	-1.67	65.97	3	Horizontal	0	1.02	-	34.50	7.20	35.34
AV	5.361G	53.06	54.00	-0.94	46.68	3	Horizontal	0	1.02	-	34.52	7.20	35.34
PK	5.482G	63.39	68.20	-4.81	56.90	3	Horizontal	0	1.02	-	34.56	7.28	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57712G	54.31	68.20	-13.89	40.92	3	Vertical	319	1.90	-	38.20	10.59	35.40
PK	15.87422G	60.02	74.00	-13.98	44.68	3	Vertical	71	1.15	-	37.68	13.34	35.68
AV	15.87126G	46.24	54.00	-7.76	30.89	3	Vertical	71	1.15	-	37.69	13.34	35.68

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57788G	54.63	68.20	-13.57	41.24	3	Horizontal	38	1.79	-	38.20	10.59	35.40
PK	15.8674G	59.65	74.00	-14.35	44.30	3	Horizontal	315	2.98	-	37.70	13.33	35.68
AV	15.8735G	46.16	54.00	-7.84	30.82	3	Horizontal	315	2.98	-	37.68	13.34	35.68

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.285G	59.70	68.20	-8.50	53.37	3	Vertical	358	2.78	-	34.47	7.20	35.34
PK	5.427G	64.88	74.00	-9.12	58.45	3	Vertical	358	2.78	-	34.55	7.23	35.35
PK	5.467G	67.52	68.20	-0.68	61.07	3	Vertical	358	2.78	-	34.53	7.27	35.35
AV	5.455G	48.73	54.00	-5.27	42.32	3	Vertical	358	2.78	-	34.51	7.25	35.35
PK	5.536G	111.08	Inf	-Inf	104.51	3	Vertical	358	2.78	-	34.60	7.34	35.37
AV	5.535G	98.74	Inf	-Inf	92.17	3	Vertical	358	2.78	-	34.60	7.34	35.37
PK	5.758G	60.42	68.20	-7.78	54.30	3	Vertical	358	2.78	-	34.20	7.40	35.48

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	59.89	68.20	-8.31	53.53	3	Horizontal	0	1.05	-	34.50	7.20	35.34
PK	5.447G	65.39	74.00	-8.61	58.98	3	Horizontal	0	1.05	-	34.51	7.25	35.35
AV	5.445G	49.39	54.00	-4.61	42.98	3	Horizontal	0	1.05	-	34.51	7.25	35.35
PK	5.465G	66.43	68.20	-1.77	59.99	3	Horizontal	0	1.05	-	34.53	7.26	35.35
PK	5.547G	110.12	Inf	-Inf	103.54	3	Horizontal	0	1.05	-	34.60	7.35	35.37
AV	5.526G	98.00	Inf	-Inf	91.43	3	Horizontal	0	1.05	-	34.60	7.33	35.36
PK	5.764G	60.74	68.20	-7.46	54.62	3	Horizontal	0	1.05	-	34.20	7.40	35.48

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05785G	55.00	74.00	-19.00	40.98	3	Vertical	125	1.29	-	38.46	10.66	35.10
AV	11.0575G	41.75	54.00	-12.25	27.73	3	Vertical	125	1.29	-	38.46	10.66	35.10
PK	16.59183G	62.19	68.20	-6.01	44.79	3	Vertical	24	2.79	-	38.86	13.81	35.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05932G	55.48	74.00	-18.52	41.47	3	Horizontal	221	1.30	-	38.46	10.66	35.11
AV	11.06166G	41.74	54.00	-12.26	27.73	3	Horizontal	221	1.30	-	38.46	10.66	35.11
PK	16.59244G	62.80	68.20	-5.40	45.40	3	Horizontal	89	1.54	-	38.86	13.81	35.27

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT X_2TX
Setting 19
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	60.67	74.00	-13.33	54.27	3	Vertical	360	2.83	-	34.50	7.25	35.35
AV	5.4564G	47.65	54.00	-6.35	41.23	3	Vertical	360	2.83	-	34.51	7.26	35.35
PK	5.4668G	61.49	68.20	-6.71	55.04	3	Vertical	360	2.83	-	34.53	7.27	35.35
PK	5.6164G	111.50	Inf	-Inf	104.94	3	Vertical	360	2.83	-	34.57	7.40	35.41
AV	5.606G	98.28	Inf	-Inf	91.69	3	Vertical	360	2.83	-	34.59	7.40	35.40
PK	5.7268G	61.92	68.20	-6.28	55.73	3	Vertical	360	2.83	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT X_2TX
Setting 19
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	61.33	74.00	-12.67	54.91	3	Horizontal	22	1.03	-	34.51	7.26	35.35
AV	5.4532G	47.94	54.00	-6.06	41.53	3	Horizontal	22	1.03	-	34.51	7.25	35.35
PK	5.4668G	61.65	68.20	-6.55	55.20	3	Horizontal	22	1.03	-	34.53	7.27	35.35
PK	5.6132G	111.77	Inf	-Inf	105.21	3	Horizontal	22	1.03	-	34.57	7.40	35.41
AV	5.6116G	97.99	Inf	-Inf	91.42	3	Horizontal	22	1.03	-	34.58	7.40	35.41
PK	5.7276G	67.93	68.20	-0.27	61.75	3	Horizontal	22	1.03	-	34.24	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 19
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22162G	54.93	74.00	-19.07	40.92	3	Vertical	114	2.98	-	38.62	10.68	35.29
AV	11.22166G	41.26	54.00	-12.74	27.25	3	Vertical	114	2.98	-	38.62	10.68	35.29
PK	16.82825G	62.51	68.20	-5.69	44.05	3	Vertical	7	1.46	-	39.51	13.98	35.03

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT X_2TX
Setting 19
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21939G	55.49	74.00	-18.51	41.48	3	Horizontal	31	1.04	-	38.62	10.68	35.29
AV	11.21958G	41.43	54.00	-12.57	27.42	3	Horizontal	31	1.04	-	38.62	10.68	35.29
PK	16.83019G	62.68	68.20	-5.52	44.21	3	Horizontal	307	1.24	-	39.52	13.98	35.03

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6756G	111.23	Inf	-Inf	104.87	3	Vertical	79	2.42	-	34.40	7.40	35.44
AV	5.6956G	97.79	Inf	-Inf	91.52	3	Vertical	79	2.42	-	34.32	7.40	35.45
PK	5.8604G	67.51	68.20	-0.69	61.22	3	Vertical	79	2.42	-	34.36	7.46	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	110.13	Inf	-Inf	103.89	3	Horizontal	11	2.23	-	34.29	7.40	35.45
AV	5.6932G	97.35	Inf	-Inf	91.07	3	Horizontal	11	2.23	-	34.33	7.40	35.45
PK	5.8564G	68.10	68.20	-0.10	61.83	3	Horizontal	11	2.23	-	34.34	7.46	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 20
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3796G	56.24	74.00	-17.76	42.22	3	Vertical	12	1.88	-	38.78	10.71	35.47
AV	11.37993G	44.36	54.00	-9.64	30.34	3	Vertical	12	1.88	-	38.78	10.71	35.47
PK	17.06756G	65.51	68.20	-2.69	46.13	3	Vertical	349	1.02	-	40.10	14.15	34.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
Setting 20
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38013G	57.28	74.00	-16.72	43.26	3	Horizontal	245	1.80	-	38.78	10.71	35.47
AV	11.37996G	44.32	54.00	-9.68	30.30	3	Horizontal	245	1.80	-	38.78	10.71	35.47
PK	17.07162G	65.75	68.20	-2.45	46.36	3	Horizontal	40	1.78	-	40.11	14.15	34.87