


FCC Class B Radiated Sweep 18GHz-26.5GHz 3m PK AVG



— Restricted_20 - - - Restricted — Preview Result 1V-PK+
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
18666.400000	46.6	180.0	H	146.0	9.7	27.40	74.00	
19682.575000	46.1	201.0	H	57.0	9.8	27.90	74.00	
22034.100000	47.2	256.0	H	217.0	10.7	26.80	74.00	
23190.100000	46.9	125.0	V	118.0	10.7	41.30	88.20	
24243.250000	47.4	169.0	H	15.0	10.5	40.80	88.20	
25576.050000	47.2	300.0	V	0.0	10.7	41.00	88.20	

Final Result 2

Frequency (MHz)	Average (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
18666.400000	33.3	180.0	H	146.0	9.7	20.70	54.00	
19682.575000	32.8	201.0	H	57.0	9.8	21.20	54.00	
22034.100000	34.0	256.0	H	217.0	10.7	20.00	54.00	
23190.100000	33.7	125.0	V	118.0	10.7	34.50	68.20	
24243.250000	33.5	169.0	H	15.0	10.5	34.70	68.20	
25576.050000	33.4	300.0	V	0.0	10.7	34.80	68.20	

FCC Class B Radiated Sweep 18GHz-26.5GHz 3m PK AVG



— Restricted_20 - - - Restricted — Preview Result 1V-PK+
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
18681.275000	46.6	110.0	V	48.0	9.7	27.40	74.00	
20901.050000	47.2	193.0	H	263.0	10.1	26.80	74.00	
22394.500000	47.2	110.0	V	95.0	10.6	26.80	74.00	
23705.200000	47.4	204.0	H	255.0	10.5	26.60	74.00	
25073.700000	47.6	100.0	H	304.0	10.5	40.60	88.20	
25808.950000	47.0	161.0	H	138.0	10.5	41.20	88.20	

Final Result 2

Frequency (MHz)	Average (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
18681.275000	33.3	110.0	V	48.0	9.7	20.70	54.00	
20901.050000	33.6	193.0	H	263.0	10.1	20.40	54.00	
22394.500000	33.7	110.0	V	95.0	10.6	20.30	54.00	
23705.200000	33.5	204.0	H	255.0	10.5	20.50	54.00	
25073.700000	33.9	100.0	H	304.0	10.5	34.30	68.20	
25808.950000	33.8	161.0	H	138.0	10.5	34.40	68.20	

FCC Class B Radiated Sweep 18GHz-26.5GHz 3m PK AVG



— Restricted_20 — Restricted — Preview Result 1V-PK+
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
18671.925000	47.3	130.0	H	52.0	9.7	26.70	74.00	
19173.850000	46.7	160.0	V	295.0	10.0	27.30	74.00	
21145.850000	47.0	170.0	V	6.0	10.0	27.00	74.00	
22662.675000	46.6	125.0	H	174.0	10.6	27.40	74.00	
24273.000000	46.9	153.0	H	167.0	10.5	41.30	88.20	
26088.600000	47.7	290.0	V	336.0	11.5	40.50	88.20	

Final Result 2

Frequency (MHz)	Average (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
18671.925000	33.2	130.0	H	52.0	9.7	20.80	54.00	
19173.850000	33.1	160.0	V	295.0	10.0	20.90	54.00	
21145.850000	33.3	170.0	V	6.0	10.0	20.70	54.00	
22662.675000	33.2	125.0	H	174.0	10.6	20.80	54.00	
24273.000000	33.5	153.0	H	167.0	10.5	34.70	68.20	
26088.600000	34.8	290.0	V	336.0	11.5	33.40	68.20	

FCC Class B Radiated Sweep 18GHz-26.5GHz 3m PK AVG



— Restricted_20 - - - Restricted — Preview Result 1V-PK+
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG

Final Result 1

Frequency (MHz)	MaxPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
19200.200000	46.9	176.0	V	238.0	10.1	27.10	74.00	
19683.000000	46.4	291.0	H	0.0	9.8	27.60	74.00	
20799.050000	46.1	166.0	H	173.0	10.0	27.90	74.00	
22567.050000	46.7	130.0	V	140.0	10.5	27.30	74.00	
25116.200000	47.1	273.0	V	169.0	10.5	41.10	88.20	
26206.325000	48.4	286.0	V	328.0	11.9	39.80	88.20	

Final Result 2


Frequency (MHz)	Average (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)	Comment
19200.200000	33.2	176.0	V	238.0	10.1	20.80	54.00	
19683.000000	32.9	291.0	H	0.0	9.8	21.10	54.00	
20799.050000	33.0	166.0	H	173.0	10.0	21.00	54.00	
22567.050000	33.6	130.0	V	140.0	10.5	20.40	54.00	
25116.200000	33.9	273.0	V	169.0	10.5	34.30	68.20	
26206.325000	35.3	286.0	V	328.0	11.9	32.90	68.20	



Company:	Aptiv Services US LLC.		Test Date:	7/21/2022		
EUT Name:	EP2000		Test Engineer:	Andreas Davidsson		
Model:	EP2000		Test Result:	PASS		
Operating Mode:	TX Mode					
Mode	Test CH	Frequency (MHz)	99% Bandwidth (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Limit (KHz)	Conclusion
Bluetooth LE	0	2402	1.0249	0.6968	≥ 500	PASS
	19	2440	1.0281	0.6897	≥ 500	PASS
	39	2480	1.0279	0.6873	≥ 500	PASS
802.11b	0	2412	13.449	9.780	≥ 500	PASS
	7	2442	13.441	9.813	≥ 500	PASS
	11	2472	13.434	9.790	≥ 500	PASS
802.11g	0	2412	17.07	16.43	≥ 500	PASS
	7	2442	17.016	16.45	≥ 500	PASS
	11	2472	17.062	16.47	≥ 500	PASS
802.11n (20)	0	2412	17.941	17.62	≥ 500	PASS
	7	2442	17.983	17.65	≥ 500	PASS
	11	2472	18.012	17.63	≥ 500	PASS
Mode	Test CH	Frequency (MHz)	99% Bandwidth (MHz)	20 dB Bandwidth (MHz)	20 dB Bandwidth Limit (KHz)	Conclusion
Bluetooth	0	2402	1.1836	1.370	≥ 500	PASS
	39	2441	1.1818	1.370	≥ 500	PASS
	78	2480	1.1801	1.365	≥ 500	PASS
Test Equipment: Please refer to section 5.2						


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650)965-4000 Fax: (650)965-3000

**BLE Ch0 99% OBW****BLECh0 6Db BW**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**BLE Ch19 99% OBW****BLE Ch19 6Db BW**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**BLE Ch39 99% OBW****BLE Ch39 6Db BW**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Ch0 99% OBW****Bluetooth Ch0 20Db BW**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Ch39 99% OBW****Bluetooth Ch39 20Db BW**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Ch78 99% OBW****Bluetooth Ch78 20Db BW**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11n(20) Ch0 99% OBW****802.11g Ch0 6Db BW**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**802.11n(20) Ch7 99% OBW****802.11g Ch1 6Db BW**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000


**802.11n(20) Ch11 99% OBW****802.11n(20) Ch11 6Db BW**



Company:		Aptiv Services US LLC.		Test Date		7/21/2022	
EUT Name		EP2000		Test Engineer		Andreas Davidsson	
Model:		EP2000		Test Result		PASS	
Operating Mode		TX Mode					
Mode	Test CH	Frequency (MHz)	Raw Peak Output Power Path B (dBm)		Corrected Peak Output Power (dBm)	Limit (dBm)	Conclusion
Bluetooth LE (2Mbps)	0	2402	1.684		1.68	≤ 30	Pass
	19	2440	0.001		0.00	≤ 30	Pass
	39	2480	-0.781		-0.78	≤ 30	Pass
Bluetooth BDR	0	2402	-3.215		-3.22	≤ 30	Pass
	19	2441	-3.782		-3.78	≤ 30	Pass
	39	2480	-4.249		-4.25	≤ 30	Pass
Bluetooth EDR	0	2402	-0.823		-0.82	≤ 30	Pass
	39	2441	-1.462		-1.46	≤ 30	Pass
	78	2480	-1.914		-1.91	≤ 30	Pass
Mode	Test CH	Frequency (MHz)	Raw Peak Output Power Path A (dBm)	Raw Peak Output Power Path B (dBm)	Corrected Peak Output Power (dBm)	Limit (dBm)	Conclusion
802.11b	0	2412	9.16	8.25	11.74	≤ 30	Pass
	7	2442	10.29	8.70	12.58	≤ 30	Pass
	11	2462	10.55	9.74	13.17	≤ 30	Pass
802.11g	0	2412	10.82	9.87	13.38	≤ 30	Pass
	7	2442	11.96	10.65	14.36	≤ 30	Pass
	11	2462	12.13	12.02	15.09	≤ 30	Pass
802.11n (20)	0	2412	10.95	9.95	13.49	≤ 30	Pass
	7	2442	11.82	10.73	14.32	≤ 30	Pass
	11	2462	12.09	11.73	14.92	≤ 30	Pass
Test Equipment: Please refer to section 5.2							


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**BLE Ch 0**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**BLE Ch 19**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650)965-4000 Fax: (650)965-3000

**BLE Ch 39**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Ch 0**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Ch 39**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Ch 79**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000


**802.11g Ch1 Path A****802.11g Ch1 Path B**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000




802.11g Ch7 Path A



802.11g Ch7 Path B

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000


**802.11g Ch11 Path A****802.11g Ch11 Path B**



Company:	Aptiv Services US LLC.		Test Date			1/21/2022	
EUT Name	EP2000		Test Engineer			Andreas Davidsson	
Model:	EP2000		Test Result			PASS	
Operating Mode	TX Mode						
Mode	Test CH	Frequency (MHz)	Peak (dBm)			Limit (dBm)	Conclusion
Bluetooth LE (2Mbps)	0	2402	1.154			≤ 8	Pass
	19	2440	-0.472			≤ 8	Pass
	39	2480	-1.243			≤ 8	Pass
Bluetooth BDR	0	2402	-3.369			≤ 8	Pass
	39	2441	-3.977			≤ 8	Pass
	78	2480	-4.443			≤ 8	Pass
Bluetooth EDR	0	2402	-3.656			≤ 8	Pass
	39	2441	-4.131			≤ 8	Pass
	78	2480	-5.012			≤ 8	Pass
Mode	Test CH	Frequency (MHz)	Raw Peak Path A (dBm)	Raw Peak Path B (dBm)	Final Peak (dBm)	Limit (dBm)	Conclusion
802.11b	0	2412	-6.185	-7.724	-3.88	≤ 8	Pass
	7	2442	-5.512	-6.563	-3.00	≤ 8	Pass
	11	2462	-4.489	-5.490	-1.95	≤ 8	Pass
802.11g	0	2412	-6.799	-7.861	-4.29	≤ 8	Pass
	7	2442	-5.874	-6.967	-3.38	≤ 8	Pass
	11	2462	-5.548	-5.944	-2.73	≤ 8	Pass
802.11n (20)	0	2412	-7.130	-7.580	-4.34	≤ 8	Pass
	7	2442	-6.031	-6.571	-3.28	≤ 8	Pass
	11	2462	-5.664	-5.863	-2.75	≤ 8	Pass
Test Equipment: Please refer to 5.2							


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**BLE Ch 0**

**ELECTRO MAGNETIC TEST, INC.**


1547 Plymouth Street, Mountain View, CA 94043 Tel: (650)965-4000 Fax: (650)965-3000



BLE Ch 19


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**BLE Ch 39**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Ch 0**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Ch 39**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Ch 79**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000





802.11b Ch1 Path A

802.11b Ch1 Path B

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650)965-4000 Fax: (650)965-3000

**802.11b Ch7 Path A****802.11b Ch7 Path B**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650)965-4000 Fax: (650)965-3000



802.11b Ch11 Path A


802.11b Ch11 Path B



Company:		Aptiv Services US LLC.		Test Date		7/21/2022		
EUT Name		EP2000		Test Engineer		Andreas Davidsson		
Model:		EP2000		Test Result		PASS		
Operating Mode		TX Mode						
Mode		Test CH	Frequency (MHz)	Conclusion				
Bluetooth LE (2Mbps)		0	2402	Pass				
		39	2480	Pass				
Bluetooth (Non Hopping)		0	2402	Pass				
		78	2480	Pass				
Bluetooth (Hopping)		0	2402	Pass				
		78	2480	Pass				
802.11b		0	2412	Pass				
		11	2462	Pass				
802.11g		0	2412	Pass				
		11	2462	Pass				
802.11n (20)		0	2412	Pass				
		11	2462	Pass				
Mode	Test CH	Frequency (MHz)	Raw Peak Output Power (dBm)		Antenna Gain (dBi)	Corrected Peak Output Power (dBuV/m)	Limit (dBuV/m)	Conclusion
Bluetooth LE	39	2480	-60.175		1.11	36.19	53.98	Pass
Bluetooth BDR	78	2480	-61.241		1.11	35.13	53.98	Pass
Bluetooth EDR	78	2480	-60.412		1.11	35.96	53.98	Pass
Mode	Test CH	Frequency (MHz)	Raw Peak Output Power Path A External (dBm)	Raw Peak Output Power Path B Internal (dBm)	Antenna Gain (dBi)	Corrected Peak Output Power (dBuV/m)	Limit (dBuV/m)	Conclusion
802.11b	11	2462	-59.294	-56.714	3 (Ext) / 0.97 (Int)	42.26	53.98	Pass
802.11g	11	2462	-51.039	-50.416	3 (Ext) / 0.97 (Int)	49.58	53.98	Pass
802.11n (20)	11	2462	-48.653	-49.058	3 (Ext) / 0.97 (Int)	51.57	53.98	Pass
Test Equipment: Please refer to 5.2								

**ELECTRO MAGNETIC TEST, INC.**


1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



BLE (2Mbps) Ch0


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**BLE (2Mbps) Ch39**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Hopping Ch0**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650)965-4000 Fax: (650)965-3000

**Bluetooth Hopping Ch79**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth Non Hopping Ch0**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650)965-4000 Fax: (650)965-3000

**Bluetooth Non Hopping Ch79**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



802.11b Ch1

**ELECTRO MAGNETIC TEST, INC.**


1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



802.11b Ch11


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**BLE Ch39**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth BDR Ch78**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth EDR Ch78**


ELECTRO MAGNETIC TEST, INC.


1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

FHSS: Channel Separation Test

Company:	Aptiv Services US LLC.		Test Date	1/6/2022	
EUT Name	EP2000		Test Engineer	Andreas Davidsson	
Model:	EP2000		Test Result	PASS	
Operating Mode	TX Mode				
Mode	Test CH	Frequency (MHz)	Channel Separation (MHz)	Limit (MHz)	Conclusion
Bluetooth	Low	2402	0.997	>0.444	Pass
	Adjacent	2403			
	Middle	2441	1.000	>0.432	Pass
	Adjacent	2442			
	High	2480	1.003	>0.414	Pass
	Adjacent	2479			
Test Equipment: Please refer to 5.2					

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



Date: 6JAN.2022 09:56:44


Bluetooth Middle



Test Equipment: Please refer to 5.2


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth DH1 Hops**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth DH1 Pulse Width**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth DH3 Hops**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth DH3 Pulse Width**


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth DH5 Hops**

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**Bluetooth DH5 Pulse Width**

**ELECTRO MAGNETIC TEST, INC.**


1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

FHSS: Quantity of hopping channel Test

Company:	Aptiv Services US LLC.	Test Date	1/6/2022
EUT Name	EP2000	Test Engineer	Andreas Davidsson
Model:	EP2000	Test Result	PASS
Operating Mode	TX Mode		
Mode	Number of Hopping Channels	Requirement:	Conclusion
Bluetooth	79	At least 15 hopping channels for 2400MHz-2483.5MHz.	Pass
Test Equipment: Please refer to 5.2			

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000




Date: 6.JAN.2022 09:43:35

Bluetooth Low Channels

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000




Date: 6.JAN.2022 09:44:46

Bluetooth Middle Channels

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000



Date: 6JAN.2022 09:46:08

Bluetooth High Channels



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

APPENDIX B



TEST SETUP DIAGRAMS

FIGURE 1 – TABLETOP CONDUCTED EMISSIONS TEST SETUP – SITE “D”

FIGURE 1a – FLOORSTANDING CONDUCTED EMISSIONS TEST SETUP – SITE “D”

EMT**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**FIGURE 2 - PLOT MAP AND LAYOUT OF TEST SITE "A"****FIGURE 3 - LAYOUT OF 5 METER SEMI-ANCHOIC CHAMBER**



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

APPENDIX C

MODIFICATIONS TO THE EUT



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

MODIFICATIONS TO THE EUT

No modifications were made to the EUT by Electro Magnetic Test, Inc. personnel during the testing.



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

APPENDIX D

ADDITIONAL MODELS COVERED UNDER THIS REPORT



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

ADDITIONAL MODELS COVERED UNDER THIS REPORT

There are no additional models to be covered under this report.



ELECTRO MAGNETIC TEST, INC.

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

End of Report

This page is intentionally left blank
and marks the last page of this report