

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

11/11/2024

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84937G	2.78	6.1942G	-41.30	-37.07	-4.23	1
6.71461G	2.98	6.2586G	-38.27	-37.02	-1.25	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

11/11/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.120149G	-10.13	7.0713G	-58.87	-50.13	-8.74	1
7.121473G	-10.29	7.0809G	-58.95	-50.29	-8.66	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.010049G	-2.52	6.94385G	-53.05	-42.52	-10.53	1
6.987304G	-1.71	6.94355G	-52.78	-41.71	-11.07	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

11/11/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99411G	0.20	6.9023G	-47.86	-39.80	-8.06	1
6.99491G	0.15	6.9038G	-48.92	-39.68	-9.24	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

11/11/2024

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9692G	3.11	6.7228G	-44.80	-36.89	-7.91	1
6.90882G	4.30	6.7928G	-33.11	-25.91	-7.20	2



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	5.956275G	-3.5	5.985975G	-55.55	-42.7	-12.85	1
a40_Nss1,(6Mbps)_1TX	Pass	6.402501G	1.32	6.36945G	-25.91	-20	-5.91	1
a80_Nss1,(6Mbps)_1TX	Pass	5.9896G	0.77	6.0621G	-24.73	-19.56	-5.17	1
a160_Nss1,(6Mbps)_1TX	Pass	6.05099G	0.9	6.1704G	-23.51	-19.28	-4.23	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.518749G	-2	6.546825G	-57.17	-42	-15.17	1
a40_Nss1,(6Mbps)_1TX	Pass	6.528899G	0.82	6.5622G	-27.84	-22.27	-5.57	1
a80_Nss1,(6Mbps)_1TX	Pass	6.5416G	6.38	6.4598G	-19.23	-13.88	-5.35	1
a160_Nss1,(6Mbps)_1TX	Pass	6.5004G	6.45	6.6702G	-21.53	-13.8	-7.73	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.878774G	-0.65	6.85915G	-35.55	-23.85	-11.7	1
a40_Nss1,(6Mbps)_1TX	Pass	6.571298G	0.87	6.6024G	-27.02	-21.82	-5.2	1
a80_Nss1,(6Mbps)_1TX	Pass	6.6195G	6.9	6.5385G	-17.62	-13.12	-4.5	1
a160_Nss1,(6Mbps)_1TX	Pass	6.6812G	5.19	6.5064G	-16.96	-14.81	-2.15	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.901298G	-0.46	6.9272G	-50.37	-40.46	-9.91	1
a40_Nss1,(6Mbps)_1TX	Pass	6.933648G	3.25	6.9637G	-26.27	-16.78	-9.49	1
a80_Nss1,(6Mbps)_1TX	Pass	7.00221G	6.36	6.9366G	-16.63	-13.65	-2.98	1
a160_Nss1,(6Mbps)_1TX	Pass	6.9896G	1.8	6.8282G	-23.94	-18.83	-5.11	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.956275G	-3.5	5.985975G	-55.55	-42.7	-12.85	1
6195MHz	Pass	6.1963G	-3.34	6.164G	-57.31	-43.23	-14.08	1
6415MHz	Pass	6.417524G	-2.05	6.383G	-57.04	-42.05	-14.99	1
6435MHz	Pass	6.429976G	-1.44	6.466875G	-56.88	-41.44	-15.44	1
6475MHz	Pass	6.471226G	-1.85	6.50625G	-57.38	-41.85	-15.53	1
6515MHz	Pass	6.518749G	-2	6.546825G	-57.17	-42	-15.17	1
6535MHz	Pass	6.530026G	-2.37	6.567575G	-57.4	-42.37	-15.03	1
6695MHz	Pass	6.69625G	-2.47	6.72605G	-57.55	-42.13	-15.42	1
6875MHz	Pass	6.878774G	-0.65	6.85915G	-35.55	-23.85	-11.7	1
6895MHz	Pass	6.901298G	-0.46	6.9272G	-50.37	-40.46	-9.91	1
6995MHz	Pass	6.99375G	-2.02	6.964775G	-52.2	-42.02	-10.18	1
7095MHz	Pass	7.0963G	-2.97	7.064125G	-55.07	-42.97	-12.1	1
7115MHz	Pass	7.116275G	-7.22	7.0713G	-58.09	-47.22	-10.87	1
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.971398G	3.68	6.00465G	-25.69	-16.34	-9.35	1
6205MHz	Pass	6.201401G	0.24	6.2422G	-25.83	-19.9	-5.93	1
6405MHz	Pass	6.402501G	1.32	6.36945G	-25.91	-20	-5.91	1
6445MHz	Pass	6.442501G	0.82	6.4788G	-28.72	-19.38	-9.34	1
6485MHz	Pass	6.477652G	1.43	6.5227G	-26.46	-19.03	-7.43	1
6525MHz	Pass	6.528899G	0.82	6.5622G	-27.84	-22.27	-5.57	1
6565MHz	Pass	6.571298G	0.87	6.6024G	-27.02	-21.82	-5.2	1
6685MHz	Pass	6.681301G	0.7	6.6491G	-25.71	-19.8	-5.91	1
6885MHz	Pass	6.880201G	6.07	6.84015G	-23.76	-15.07	-8.69	1
6925MHz	Pass	6.933648G	3.25	6.9637G	-26.27	-16.78	-9.49	1
7005MHz	Pass	7.001101G	3.5	6.966G	-26.23	-16.4	-9.83	1
7085MHz	Pass	7.078452G	1.09	7.04475G	-29.46	-18.98	-10.48	1
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9896G	0.77	6.0621G	-24.73	-19.56	-5.17	1
6225MHz	Pass	6.2194G	6.55	6.1293G	-18.95	-13.55	-5.4	1
6385MHz	Pass	6.3768G	7.17	6.3023G	-19.41	-12.87	-6.54	1
6465MHz	Pass	6.4504G	6.27	6.5622G	-23.72	-14.99	-8.73	1
6545MHz	Pass	6.5416G	6.38	6.4598G	-19.23	-13.88	-5.35	1
6625MHz	Pass	6.6195G	6.9	6.5385G	-17.62	-13.12	-4.5	1
6705MHz	Pass	6.6927G	6.03	6.6212G	-19.12	-14.62	-4.5	1
6785MHz	Pass	6.7787G	7.59	6.8831G	-17.98	-12.42	-5.56	1
6865MHz	Pass	6.83851G	7.32	6.9636G	-20.06	-12.68	-7.38	1
6945MHz	Pass	6.9376G	7.01	6.8505G	-16.32	-13.08	-3.24	1
7025MHz	Pass	7.00221G	6.36	6.9366G	-16.63	-13.65	-2.98	1
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05099G	0.9	6.1704G	-23.51	-19.28	-4.23	1
6185MHz	Pass	6.1894G	5.35	6.352G	-21.36	-14.66	-6.7	1
6345MHz	Pass	6.3496G	6.49	6.5086G	-20.8	-13.68	-7.12	1
6505MHz	Pass	6.5004G	6.45	6.6702G	-21.53	-13.8	-7.73	1
6665MHz	Pass	6.6812G	5.19	6.5064G	-16.96	-14.81	-2.15	1
6825MHz	Pass	6.8188G	5.62	6.666G	-19.26	-14.38	-4.88	1
6985MHz	Pass	6.9896G	1.8	6.8282G	-23.94	-18.83	-5.11	1

5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

MASK

5955MHz_TX

09/11/2024




5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX

MASK

6405MHz_TX

09/11/2024




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

MASK

5985MHz_TX

09/11/2024

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9896G	0.77	6.0621G	-24.73	-19.56	-5.17	1


5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX

MASK

6025MHz_TX

09/11/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05099G	0.90	6.1704G	-23.51	-19.28	-4.23	1

6.425-6.525GHz_a20_Nss1,(6Mbps)_1TX

MASK

6515MHz_TX

09/11/2024




6.425-6.525GHz_a40_Nss1,(6Mbps)_1TX

MASK

6525MHz_TX

09/11/2024




6.425-6.525GHz_a80_Nss1,(6Mbps)_1TX

MASK

6545MHz_TX

09/11/2024




6.425-6.525GHz_a160_Nss1,(6Mbps)_1TX

MASK

6505MHz_TX

09/11/2024






6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

MASK

6875MHz_TX

09/11/2024




6.525-6.875GHz_a40_Nss1,(6Mbps)_1TX

MASK

6565MHz_TX

09/11/2024




6.525-6.875GHz_a80_Nss1,(6Mbps)_1TX

MASK

6625MHz_TX

09/11/2024




6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

MASK

6665MHz_TX

09/11/2024




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

MASK

6895MHz_TX

09/11/2024




6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX

MASK

6925MHz_TX

09/11/2024




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

MASK

7025MHz_TX

09/11/2024




6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX

MASK

6985MHz_TX

09/11/2024





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	PK	40.67M	31.98	40.00	-8.02	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	PK	40.67M	31.98	40.00	-8.02	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	28.49	40.00	-11.51	3	Vertical	360	1.00
6265MHz	Pass	PK	106.63M	27.51	43.50	-15.99	3	Vertical	360	1.00
6265MHz	Pass	PK	270.56M	25.55	46.00	-20.45	3	Vertical	360	1.00
6265MHz	Pass	PK	482.99M	24.11	46.00	-21.89	3	Vertical	360	1.00
6265MHz	Pass	PK	703.18M	32.28	46.00	-13.72	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	24.85	40.00	-15.15	3	Horizontal	0	1.00
6265MHz	Pass	PK	79.47M	25.90	40.00	-14.10	3	Horizontal	0	1.00
6265MHz	Pass	PK	107.6M	31.30	43.50	-12.20	3	Horizontal	0	1.00
6265MHz	Pass	PK	142.52M	24.58	43.50	-18.92	3	Horizontal	0	1.00
6265MHz	Pass	PK	302.57M	26.36	46.00	-19.64	3	Horizontal	0	1.00
6265MHz	Pass	PK	703.18M	34.52	46.00	-11.48	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	40.67M	31.98	40.00	-8.02	-9.09	3	Vertical	360	1.00	41.07	17.82	0.47	27.38
PK	61.04M	28.49	40.00	-11.51	-15.28	3	Vertical	360	1.00	43.77	11.48	0.58	27.34
PK	106.63M	27.51	43.50	-15.99	-10.09	3	Vertical	360	1.00	37.60	16.35	0.78	27.22
PK	270.56M	25.55	46.00	-20.45	-7.49	3	Vertical	360	1.00	33.04	17.91	1.25	26.65
PK	482.99M	24.11	46.00	-21.89	-3.87	3	Vertical	360	1.00	27.98	22.47	1.67	28.01
PK	703.18M	32.28	46.00	-13.72	-2.34	3	Vertical	360	1.00	34.62	24.00	1.99	28.33

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.04M	24.85	40.00	-15.15	-15.28	3	Horizontal	0	1.00	40.13	11.48	0.58	27.34
PK	79.47M	25.90	40.00	-14.10	-14.41	3	Horizontal	0	1.00	40.31	12.20	0.68	27.29
PK	107.6M	31.30	43.50	-12.20	-9.92	3	Horizontal	0	1.00	41.22	16.51	0.79	27.22
PK	142.52M	24.58	43.50	-18.92	-10.20	3	Horizontal	0	1.00	34.78	15.98	0.91	27.09
PK	302.57M	26.36	46.00	-19.64	-7.00	3	Horizontal	0	1.00	33.36	18.37	1.32	26.69
PK	703.18M	34.52	46.00	-11.48	-2.34	3	Horizontal	0	1.00	36.86	24.00	1.99	28.33



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	12.39026G	41.22	54.00	-12.78	3	Vertical	229	2.11
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	12.38942G	41.26	54.00	-12.74	3	Vertical	230	2.09
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.9248G	56.85	68.20	-11.35	3	Vertical	206	2.27
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.925G	58.49	68.20	-9.71	3	Vertical	211	2.18
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.9235G	60.83	68.20	-7.37	3	Vertical	209	2.18
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	5.925G	56.30	68.20	-11.90	3	Vertical	212	2.60
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.0302G	42.74	68.20	-25.46	3	Vertical	160	1.06
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.02972G	42.51	68.20	-25.69	3	Vertical	161	1.06
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.05016G	43.32	68.20	-24.88	3	Vertical	159	1.00
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.08944G	43.02	68.20	-25.18	3	Vertical	161	1.00
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	12.97048G	40.65	68.20	-27.55	3	Vertical	3	1.53
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	13.15992G	41.85	68.20	-26.35	3	Vertical	172	1.06
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.38984G	42.82	54.00	-11.18	3	Vertical	77	1.97
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.39058G	42.89	54.00	-11.11	3	Vertical	77	1.91
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.37102G	42.85	54.00	-11.15	3	Vertical	77	1.93
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	13.25084G	49.89	74.00	-24.11	3	Horizontal	185	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.33424G	41.61	54.00	-12.39	3	Vertical	80	1.93
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	13.55784G	42.06	68.20	-26.14	3	Horizontal	67	2.35
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	7.1255G	68.02	68.20	-0.18	3	Vertical	215	2.39
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	67.90	68.20	-0.30	3	Vertical	209	1.69
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	7.1252G	64.59	68.20	-3.61	3	Vertical	215	2.11
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	58.20	68.20	-10.00	3	Vertical	214	2.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	7.126G	62.00	68.20	-6.20	3	Vertical	217	2.44
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	7.25G	53.18	54.00	-0.82	3	Vertical	216	2.40

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	43.33	68.20	-24.87	3	Vertical	231	2.43
5955MHz	Pass	AV	5.9613G	99.00	Inf	-Inf	3	Vertical	231	2.43
5955MHz	Pass	PK	5.8929G	53.96	88.20	-34.24	3	Vertical	231	2.43
5955MHz	Pass	PK	5.9565G	107.14	Inf	-Inf	3	Vertical	231	2.43
5955MHz	Pass	AV	11.91076G	40.51	54.00	-13.49	3	Vertical	252	2.21
5955MHz	Pass	PK	11.90942G	49.22	74.00	-24.78	3	Vertical	252	2.21
5955MHz	Pass	AV	11.91698G	39.91	54.00	-14.09	3	Horizontal	55	2.65
5955MHz	Pass	PK	11.90658G	49.66	74.00	-24.34	3	Horizontal	55	2.65
6195MHz	Pass	AV	12.39026G	41.22	54.00	-12.78	3	Vertical	229	2.11
6195MHz	Pass	PK	12.3863G	50.06	74.00	-23.94	3	Vertical	229	2.11
6195MHz	Pass	AV	12.38932G	39.82	54.00	-14.18	3	Horizontal	189	1.50
6195MHz	Pass	PK	12.38438G	49.87	74.00	-24.13	3	Horizontal	189	1.50
6415MHz	Pass	AV	12.83062G	41.23	68.20	-26.97	3	Vertical	173	1.98
6415MHz	Pass	PK	12.8389G	50.55	88.20	-37.65	3	Vertical	173	1.98
6415MHz	Pass	AV	12.83648G	40.96	68.20	-27.24	3	Horizontal	348	1.50
6415MHz	Pass	PK	12.82082G	50.14	88.20	-38.06	3	Horizontal	348	1.50
6435MHz	Pass	AV	12.8693G	41.39	68.20	-26.81	3	Vertical	160	1.03
6435MHz	Pass	PK	12.87028G	50.22	88.20	-37.98	3	Vertical	160	1.03
6435MHz	Pass	AV	12.86594G	41.05	68.20	-27.15	3	Horizontal	37	1.50
6435MHz	Pass	PK	12.87952G	50.29	88.20	-37.91	3	Horizontal	37	1.50
6475MHz	Pass	AV	12.9492G	41.54	68.20	-26.66	3	Vertical	168	1.26
6475MHz	Pass	PK	12.94824G	50.33	88.20	-37.87	3	Vertical	168	1.26
6475MHz	Pass	AV	12.94764G	40.90	68.20	-27.30	3	Horizontal	74	2.56
6475MHz	Pass	PK	12.95302G	49.96	88.20	-38.24	3	Horizontal	74	2.56
6515MHz	Pass	AV	13.0302G	42.74	68.20	-25.46	3	Vertical	160	1.06
6515MHz	Pass	PK	13.03058G	51.49	88.20	-36.71	3	Vertical	160	1.06
6515MHz	Pass	AV	13.0343G	40.50	68.20	-27.70	3	Horizontal	70	2.12
6515MHz	Pass	PK	13.03544G	49.47	88.20	-38.73	3	Horizontal	70	2.12
6535MHz	Pass	AV	13.06962G	42.83	68.20	-25.37	3	Vertical	160	1.03
6535MHz	Pass	PK	13.07204G	51.94	88.20	-36.26	3	Vertical	160	1.03
6535MHz	Pass	AV	13.07272G	40.76	68.20	-27.44	3	Horizontal	191	2.71
6535MHz	Pass	PK	13.06262G	49.57	88.20	-38.63	3	Horizontal	191	2.71
6695MHz	Pass	AV	13.38984G	42.82	54.00	-11.18	3	Vertical	77	1.97
6695MHz	Pass	PK	13.38904G	51.16	74.00	-22.84	3	Vertical	77	1.97
6695MHz	Pass	AV	13.38856G	41.10	54.00	-12.90	3	Horizontal	154	2.37
6695MHz	Pass	PK	13.397G	50.59	74.00	-23.41	3	Horizontal	154	2.37
6875MHz	Pass	AV	13.75056G	42.74	68.20	-25.46	3	Vertical	165	1.57
6875MHz	Pass	PK	13.74456G	51.78	88.20	-36.42	3	Vertical	165	1.57
6875MHz	Pass	AV	13.75146G	42.18	68.20	-26.02	3	Horizontal	333	1.52
6875MHz	Pass	PK	13.7555G	50.93	88.20	-37.27	3	Horizontal	333	1.52
6895MHz	Pass	AV	13.79054G	42.46	68.20	-25.74	3	Vertical	166	1.61
6895MHz	Pass	PK	13.7823G	51.26	88.20	-36.94	3	Vertical	166	1.61
6895MHz	Pass	AV	13.78376G	41.95	68.20	-26.25	3	Horizontal	0	1.75
6895MHz	Pass	PK	13.7867G	50.67	88.20	-37.53	3	Horizontal	0	1.75
6995MHz	Pass	AV	13.98192G	42.34	68.20	-25.86	3	Vertical	273	3.00
6995MHz	Pass	PK	13.99524G	52.09	88.20	-36.11	3	Vertical	273	3.00
6995MHz	Pass	AV	13.98266G	42.43	68.20	-25.77	3	Horizontal	220	1.50
6995MHz	Pass	PK	13.98164G	51.84	88.20	-36.36	3	Horizontal	220	1.50
7095MHz	Pass	AV	7.0935G	100.37	Inf	-Inf	3	Vertical	214	2.40
7095MHz	Pass	AV	7.1253G	48.21	68.20	-19.99	3	Vertical	214	2.40
7095MHz	Pass	PK	7.0932G	107.16	Inf	-Inf	3	Vertical	214	2.40
7095MHz	Pass	PK	7.125G	61.70	88.20	-26.50	3	Vertical	214	2.40
7095MHz	Pass	AV	14.19044G	44.19	68.20	-24.01	3	Vertical	79	1.93
7095MHz	Pass	PK	14.18804G	53.50	88.20	-34.70	3	Vertical	79	1.93
7095MHz	Pass	AV	14.19082G	43.41	68.20	-24.79	3	Horizontal	166	2.82
7095MHz	Pass	PK	14.1869G	51.95	88.20	-36.25	3	Horizontal	166	2.82
7115MHz	Pass	AV	7.1095G	94.73	Inf	-Inf	3	Vertical	215	2.39
7115MHz	Pass	AV	7.1255G	68.02	68.20	-0.18	3	Vertical	215	2.39
7115MHz	Pass	PK	7.1105G	100.48	Inf	-Inf	3	Vertical	215	2.39
7115MHz	Pass	PK	7.1255G	75.94	88.20	-12.26	3	Vertical	215	2.39

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22228G	42.96	68.20	-25.24	3	Vertical	0	1.50
7115MHz	Pass	PK	14.23638G	51.83	88.20	-36.37	3	Vertical	0	1.50
7115MHz	Pass	AV	14.221G	43.10	68.20	-25.10	3	Horizontal	190	1.50
7115MHz	Pass	PK	14.221G	51.54	88.20	-36.66	3	Horizontal	190	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	44.19	68.20	-24.01	3	Vertical	232	2.42
5955MHz	Pass	AV	5.9625G	98.94	Inf	-Inf	3	Vertical	232	2.42
5955MHz	Pass	PK	5.9241G	58.73	88.20	-29.47	3	Vertical	232	2.42
5955MHz	Pass	PK	5.9481G	109.13	Inf	-Inf	3	Vertical	232	2.42
5955MHz	Pass	AV	11.90984G	40.56	54.00	-13.44	3	Vertical	36	2.33
5955MHz	Pass	PK	11.9099G	48.65	74.00	-25.35	3	Vertical	36	2.33
5955MHz	Pass	AV	11.91298G	39.31	54.00	-14.69	3	Horizontal	47	2.59
5955MHz	Pass	PK	11.90466G	48.77	74.00	-25.23	3	Horizontal	47	2.59
6195MHz	Pass	AV	12.38942G	41.26	54.00	-12.74	3	Vertical	230	2.09
6195MHz	Pass	PK	12.38524G	49.71	74.00	-24.29	3	Vertical	230	2.09
6195MHz	Pass	AV	12.38604G	39.79	54.00	-14.21	3	Horizontal	130	1.50
6195MHz	Pass	PK	12.39058G	48.69	74.00	-25.31	3	Horizontal	130	1.50
6415MHz	Pass	AV	12.83668G	41.11	68.20	-27.09	3	Vertical	157	1.50
6415MHz	Pass	PK	12.83658G	49.50	88.20	-38.70	3	Vertical	157	1.50
6415MHz	Pass	AV	12.84G	40.95	68.20	-27.25	3	Horizontal	21	1.50
6415MHz	Pass	PK	12.8221G	50.73	88.20	-37.47	3	Horizontal	21	1.50
6435MHz	Pass	AV	12.87138G	41.02	68.20	-27.18	3	Vertical	329	1.50
6435MHz	Pass	PK	12.86692G	50.19	88.20	-38.01	3	Vertical	329	1.50
6435MHz	Pass	AV	12.8665G	41.01	68.20	-27.19	3	Horizontal	241	1.25
6435MHz	Pass	PK	12.878G	49.93	88.20	-38.27	3	Horizontal	241	1.25
6475MHz	Pass	AV	12.94968G	41.51	68.20	-26.69	3	Vertical	167	1.31
6475MHz	Pass	PK	12.95216G	50.52	88.20	-37.68	3	Vertical	167	1.31
6475MHz	Pass	AV	12.95028G	40.75	68.20	-27.45	3	Horizontal	81	1.02
6475MHz	Pass	PK	12.95864G	50.04	88.20	-38.16	3	Horizontal	81	1.02
6515MHz	Pass	AV	13.02972G	42.51	68.20	-25.69	3	Vertical	161	1.06
6515MHz	Pass	PK	13.03012G	51.74	88.20	-36.46	3	Vertical	161	1.06
6515MHz	Pass	AV	13.03146G	40.37	68.20	-27.83	3	Horizontal	35	2.68
6515MHz	Pass	PK	13.02116G	49.61	88.20	-38.59	3	Horizontal	35	2.68
6535MHz	Pass	AV	13.06958G	42.97	68.20	-25.23	3	Vertical	159	1.00
6535MHz	Pass	PK	13.06502G	51.91	88.20	-36.29	3	Vertical	159	1.00
6535MHz	Pass	AV	13.06878G	40.54	68.20	-27.66	3	Horizontal	360	1.50
6535MHz	Pass	PK	13.07952G	50.22	88.20	-37.98	3	Horizontal	360	1.50
6695MHz	Pass	AV	13.39058G	42.89	54.00	-11.11	3	Vertical	77	1.91
6695MHz	Pass	PK	13.3949G	51.52	74.00	-22.48	3	Vertical	77	1.91
6695MHz	Pass	AV	13.38888G	41.06	54.00	-12.94	3	Horizontal	41	1.50
6695MHz	Pass	PK	13.38146G	50.77	74.00	-23.23	3	Horizontal	41	1.50
6875MHz	Pass	AV	13.74954G	42.91	68.20	-25.29	3	Vertical	165	1.66
6875MHz	Pass	PK	13.74532G	52.64	88.20	-35.56	3	Vertical	165	1.66
6875MHz	Pass	AV	13.74688G	42.07	68.20	-26.13	3	Horizontal	268	1.50
6875MHz	Pass	PK	13.75604G	50.91	88.20	-37.29	3	Horizontal	268	1.50
6895MHz	Pass	AV	13.78714G	42.24	68.20	-25.96	3	Vertical	202	1.50
6895MHz	Pass	PK	13.79994G	50.59	88.20	-37.61	3	Vertical	202	1.50
6895MHz	Pass	AV	13.78216G	41.95	68.20	-26.25	3	Horizontal	263	1.94
6895MHz	Pass	PK	13.78952G	51.56	88.20	-36.64	3	Horizontal	263	1.94
6995MHz	Pass	AV	13.99978G	42.45	68.20	-25.75	3	Vertical	290	1.27
6995MHz	Pass	PK	13.99614G	51.34	88.20	-36.86	3	Vertical	290	1.27
6995MHz	Pass	AV	13.9808G	42.41	68.20	-25.79	3	Horizontal	92	1.50
6995MHz	Pass	PK	13.98232G	51.96	88.20	-36.24	3	Horizontal	92	1.50
7095MHz	Pass	AV	7.0914G	98.68	Inf	-Inf	3	Vertical	209	2.07
7095MHz	Pass	AV	7.1253G	50.00	68.20	-18.20	3	Vertical	209	2.07
7095MHz	Pass	PK	7.0884G	110.17	Inf	-Inf	3	Vertical	209	2.07
7095MHz	Pass	PK	7.1256G	65.68	88.20	-22.52	3	Vertical	209	2.07
7095MHz	Pass	AV	14.19016G	46.02	68.20	-22.18	3	Vertical	83	2.85
7095MHz	Pass	PK	14.19466G	54.58	88.20	-33.62	3	Vertical	83	2.85
7095MHz	Pass	AV	14.19036G	43.04	68.20	-25.16	3	Horizontal	292	1.05
7095MHz	Pass	PK	14.19774G	52.65	88.20	-35.55	3	Horizontal	292	1.05
7115MHz	Pass	AV	7.1105G	95.04	Inf	-Inf	3	Vertical	209	1.69

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1255G	67.90	68.20	-0.30	3	Vertical	209	1.69
7115MHz	Pass	PK	7.1085G	101.38	Inf	-Inf	3	Vertical	209	1.69
7115MHz	Pass	PK	7.1255G	78.95	88.20	-9.25	3	Vertical	209	1.69
7115MHz	Pass	AV	14.223G	42.60	68.20	-25.60	3	Vertical	78	1.14
7115MHz	Pass	PK	14.2286G	52.35	88.20	-35.85	3	Vertical	78	1.14
7115MHz	Pass	AV	14.22496G	42.49	68.20	-25.71	3	Horizontal	237	3.00
7115MHz	Pass	PK	14.23298G	52.90	88.20	-35.30	3	Horizontal	237	3.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	56.85	68.20	-11.35	3	Vertical	206	2.27
5965MHz	Pass	AV	5.9782G	98.96	Inf	-Inf	3	Vertical	206	2.27
5965MHz	Pass	PK	5.9248G	75.69	88.20	-12.51	3	Vertical	206	2.27
5965MHz	Pass	PK	5.9833G	110.43	Inf	-Inf	3	Vertical	206	2.27
5965MHz	Pass	AV	11.92952G	40.21	54.00	-13.79	3	Vertical	39	2.35
5965MHz	Pass	PK	11.92056G	51.14	74.00	-22.86	3	Vertical	39	2.35
5965MHz	Pass	AV	11.93282G	39.03	54.00	-14.97	3	Horizontal	326	1.50
5965MHz	Pass	PK	11.93314G	48.45	74.00	-25.55	3	Horizontal	326	1.50
6205MHz	Pass	AV	12.41078G	41.43	54.00	-12.57	3	Vertical	180	3.00
6205MHz	Pass	PK	12.40922G	50.65	74.00	-23.35	3	Vertical	180	3.00
6205MHz	Pass	AV	12.41766G	39.88	54.00	-14.12	3	Horizontal	244	1.05
6205MHz	Pass	PK	12.40986G	49.46	74.00	-24.54	3	Horizontal	244	1.05
6405MHz	Pass	AV	12.8105G	41.22	68.20	-26.98	3	Vertical	173	2.23
6405MHz	Pass	PK	12.81158G	51.01	88.20	-37.19	3	Vertical	173	2.23
6405MHz	Pass	AV	12.81126G	40.79	68.20	-27.41	3	Horizontal	309	1.50
6405MHz	Pass	PK	12.80674G	50.81	88.20	-37.39	3	Horizontal	309	1.50
6445MHz	Pass	AV	12.8906G	40.99	68.20	-27.21	3	Vertical	360	2.47
6445MHz	Pass	PK	12.8917G	51.08	88.20	-37.12	3	Vertical	360	2.47
6445MHz	Pass	AV	12.89952G	40.95	68.20	-27.25	3	Horizontal	270	2.41
6445MHz	Pass	PK	12.88382G	50.24	88.20	-37.96	3	Horizontal	270	2.41
6485MHz	Pass	AV	12.96522G	41.35	68.20	-26.85	3	Vertical	179	1.50
6485MHz	Pass	PK	12.97716G	50.87	88.20	-37.33	3	Vertical	179	1.50
6485MHz	Pass	AV	12.96988G	40.78	68.20	-27.42	3	Horizontal	142	1.00
6485MHz	Pass	PK	12.96682G	50.02	88.20	-38.18	3	Horizontal	142	1.00
6525MHz	Pass	AV	13.05016G	43.32	68.20	-24.88	3	Vertical	159	1.00
6525MHz	Pass	PK	13.0502G	51.67	88.20	-36.53	3	Vertical	159	1.00
6525MHz	Pass	AV	13.05696G	40.38	68.20	-27.82	3	Horizontal	328	1.41
6525MHz	Pass	PK	13.05786G	50.01	88.20	-38.19	3	Horizontal	328	1.41
6565MHz	Pass	AV	13.13116G	41.99	68.20	-26.21	3	Vertical	39	1.49
6565MHz	Pass	PK	13.12234G	51.10	88.20	-37.10	3	Vertical	39	1.49
6565MHz	Pass	AV	13.13836G	40.73	68.20	-27.47	3	Horizontal	263	1.22
6565MHz	Pass	PK	13.13772G	49.15	88.20	-39.05	3	Horizontal	263	1.22
6685MHz	Pass	AV	13.37102G	42.85	54.00	-11.15	3	Vertical	77	1.93
6685MHz	Pass	PK	13.37416G	52.70	74.00	-21.30	3	Vertical	77	1.93
6685MHz	Pass	AV	13.36916G	41.56	54.00	-12.44	3	Horizontal	230	2.47
6685MHz	Pass	PK	13.37876G	50.82	74.00	-23.18	3	Horizontal	230	2.47
6885MHz	Pass	AV	13.76724G	42.51	68.20	-25.69	3	Vertical	166	1.51
6885MHz	Pass	PK	13.76808G	51.45	88.20	-36.75	3	Vertical	166	1.51
6885MHz	Pass	AV	13.77922G	41.87	68.20	-26.33	3	Horizontal	350	2.69
6885MHz	Pass	PK	13.76888G	50.78	88.20	-37.42	3	Horizontal	350	2.69
6925MHz	Pass	AV	13.8409G	42.02	68.20	-26.18	3	Vertical	166	2.74
6925MHz	Pass	PK	13.8452G	51.79	88.20	-36.41	3	Vertical	166	2.74
6925MHz	Pass	AV	13.85996G	41.64	68.20	-26.56	3	Horizontal	8	2.51
6925MHz	Pass	PK	13.8464G	50.41	88.20	-37.79	3	Horizontal	8	2.51
7005MHz	Pass	AV	14.01498G	42.61	68.20	-25.59	3	Vertical	157	1.86
7005MHz	Pass	PK	14.01312G	51.34	88.20	-36.86	3	Vertical	157	1.86
7005MHz	Pass	AV	14.01176G	42.61	68.20	-25.59	3	Horizontal	124	2.29
7005MHz	Pass	PK	14.01916G	51.80	88.20	-36.40	3	Horizontal	124	2.29
7085MHz	Pass	AV	7.0775G	97.87	Inf	-Inf	3	Vertical	215	2.11
7085MHz	Pass	AV	7.1252G	64.59	68.20	-3.61	3	Vertical	215	2.11
7085MHz	Pass	PK	7.0802G	109.08	Inf	-Inf	3	Vertical	215	2.11
7085MHz	Pass	PK	7.1252G	78.89	88.20	-9.31	3	Vertical	215	2.11
7085MHz	Pass	AV	14.16142G	43.05	68.20	-25.15	3	Vertical	267	1.50
7085MHz	Pass	PK	14.1732G	51.15	88.20	-37.05	3	Vertical	267	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	14.16074G	42.99	68.20	-25.21	3	Horizontal	18	1.50
7085MHz	Pass	PK	14.16438G	52.49	88.20	-35.71	3	Horizontal	18	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	58.49	68.20	-9.71	3	Vertical	211	2.18
5985MHz	Pass	AV	5.9915G	96.45	Inf	-Inf	3	Vertical	211	2.18
5985MHz	Pass	PK	5.919G	73.11	88.20	-15.09	3	Vertical	211	2.18
5985MHz	Pass	PK	5.995G	107.48	Inf	-Inf	3	Vertical	211	2.18
5985MHz	Pass	AV	11.964G	39.06	54.00	-14.94	3	Vertical	279	1.50
5985MHz	Pass	PK	11.98344G	48.47	74.00	-25.53	3	Vertical	279	1.50
5985MHz	Pass	AV	11.9622G	39.04	54.00	-14.96	3	Horizontal	156	2.04
5985MHz	Pass	PK	11.97588G	48.62	74.00	-25.38	3	Horizontal	156	2.04
6225MHz	Pass	AV	12.43964G	40.12	54.00	-13.88	3	Vertical	148	1.31
6225MHz	Pass	PK	12.44704G	49.08	74.00	-24.92	3	Vertical	148	1.31
6225MHz	Pass	AV	12.46004G	39.68	54.00	-14.32	3	Horizontal	344	1.50
6225MHz	Pass	PK	12.46144G	49.29	74.00	-24.71	3	Horizontal	344	1.50
6385MHz	Pass	AV	12.78572G	40.73	68.20	-27.47	3	Vertical	297	1.50
6385MHz	Pass	PK	12.75928G	49.66	88.20	-38.54	3	Vertical	297	1.50
6385MHz	Pass	AV	12.78896G	40.65	68.20	-27.55	3	Horizontal	162	1.50
6385MHz	Pass	PK	12.77812G	49.05	88.20	-39.15	3	Horizontal	162	1.50
6465MHz	Pass	AV	12.91008G	41.13	68.20	-27.07	3	Vertical	193	1.35
6465MHz	Pass	PK	12.94112G	50.33	88.20	-37.87	3	Vertical	193	1.35
6465MHz	Pass	AV	12.91172G	40.86	68.20	-27.34	3	Horizontal	274	1.50
6465MHz	Pass	PK	12.93672G	50.01	88.20	-38.19	3	Horizontal	274	1.50
6545MHz	Pass	AV	13.08944G	43.02	68.20	-25.18	3	Vertical	161	1.00
6545MHz	Pass	PK	13.102G	53.41	88.20	-34.79	3	Vertical	161	1.00
6545MHz	Pass	AV	13.09872G	41.06	68.20	-27.14	3	Horizontal	215	1.01
6545MHz	Pass	PK	13.07164G	49.91	88.20	-38.29	3	Horizontal	215	1.01
6625MHz	Pass	AV	13.2478G	42.61	68.20	-25.59	3	Vertical	78	2.88
6625MHz	Pass	PK	13.24264G	51.91	88.20	-36.29	3	Vertical	78	2.88
6625MHz	Pass	AV	13.23416G	40.92	68.20	-27.28	3	Horizontal	185	1.50
6625MHz	Pass	PK	13.25084G	49.89	74.00	-24.11	3	Horizontal	185	1.50
6705MHz	Pass	AV	13.41352G	42.37	68.20	-25.83	3	Vertical	76	1.21
6705MHz	Pass	PK	13.4118G	50.42	88.20	-37.78	3	Vertical	76	1.21
6705MHz	Pass	AV	13.41208G	41.16	68.20	-27.04	3	Horizontal	128	2.49
6705MHz	Pass	PK	13.42976G	49.84	88.20	-38.36	3	Horizontal	128	2.49
6785MHz	Pass	AV	13.55572G	42.56	68.20	-25.64	3	Vertical	208	1.40
6785MHz	Pass	PK	13.56808G	51.84	88.20	-36.36	3	Vertical	208	1.40
6785MHz	Pass	AV	13.5618G	42.16	68.20	-26.04	3	Horizontal	184	1.73
6785MHz	Pass	PK	13.57056G	50.30	88.20	-37.90	3	Horizontal	184	1.73
6865MHz	Pass	AV	13.72052G	42.60	68.20	-25.60	3	Vertical	28	1.23
6865MHz	Pass	PK	13.7112G	50.82	88.20	-37.38	3	Vertical	28	1.23
6865MHz	Pass	AV	13.71576G	42.36	68.20	-25.84	3	Horizontal	75	1.00
6865MHz	Pass	PK	13.7298G	51.13	88.20	-37.07	3	Horizontal	75	1.00
6945MHz	Pass	AV	13.8942G	42.06	68.20	-26.14	3	Vertical	95	2.85
6945MHz	Pass	PK	13.87008G	50.82	88.20	-37.38	3	Vertical	95	2.85
6945MHz	Pass	AV	13.90332G	41.99	68.20	-26.21	3	Horizontal	164	1.06
6945MHz	Pass	PK	13.90084G	49.96	88.20	-38.24	3	Horizontal	164	1.06
7025MHz	Pass	AV	6.9962G	96.77	Inf	-Inf	3	Vertical	214	2.50
7025MHz	Pass	AV	7.1255G	58.20	68.20	-10.00	3	Vertical	214	2.50
7025MHz	Pass	PK	6.9935G	107.76	Inf	-Inf	3	Vertical	214	2.50
7025MHz	Pass	PK	7.1258G	71.54	88.20	-16.66	3	Vertical	214	2.50
7025MHz	Pass	AV	14.0636G	42.79	68.20	-25.41	3	Vertical	106	2.37
7025MHz	Pass	PK	14.0336G	51.12	88.20	-37.08	3	Vertical	106	2.37
7025MHz	Pass	AV	14.06472G	42.75	68.20	-25.45	3	Horizontal	2	1.50
7025MHz	Pass	PK	14.0454G	51.88	88.20	-36.32	3	Horizontal	2	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	60.83	68.20	-7.37	3	Vertical	209	2.18
6025MHz	Pass	AV	5.993G	94.15	Inf	-Inf	3	Vertical	209	2.18
6025MHz	Pass	PK	5.9245G	73.97	88.20	-14.23	3	Vertical	209	2.18
6025MHz	Pass	PK	5.9885G	104.77	Inf	-Inf	3	Vertical	209	2.18
6025MHz	Pass	AV	12.04176G	39.45	54.00	-14.55	3	Vertical	39	2.65
6025MHz	Pass	PK	12.02984G	48.78	74.00	-25.22	3	Vertical	39	2.65

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.0104G	39.15	54.00	-14.85	3	Horizontal	287	1.50
6025MHz	Pass	PK	12.01288G	47.23	74.00	-26.77	3	Horizontal	287	1.50
6185MHz	Pass	AV	12.3556G	39.73	54.00	-14.27	3	Vertical	266	1.50
6185MHz	Pass	PK	12.36368G	48.76	74.00	-25.24	3	Vertical	266	1.50
6185MHz	Pass	AV	12.35712G	39.73	54.00	-14.27	3	Horizontal	77	1.50
6185MHz	Pass	PK	12.36952G	47.99	74.00	-26.01	3	Horizontal	77	1.50
6345MHz	Pass	AV	12.72464G	40.23	68.20	-27.97	3	Vertical	330	1.50
6345MHz	Pass	PK	12.69816G	48.90	74.00	-25.10	3	Vertical	330	1.50
6345MHz	Pass	AV	12.72472G	40.24	68.20	-27.96	3	Horizontal	51	1.50
6345MHz	Pass	PK	12.66816G	49.13	74.00	-24.87	3	Horizontal	51	1.50
6505MHz	Pass	AV	12.97048G	40.65	68.20	-27.55	3	Vertical	3	1.53
6505MHz	Pass	PK	12.99896G	48.56	88.20	-39.64	3	Vertical	3	1.53
6505MHz	Pass	AV	12.97112G	40.59	68.20	-27.61	3	Horizontal	196	1.64
6505MHz	Pass	PK	12.98128G	50.41	88.20	-37.79	3	Horizontal	196	1.64
6665MHz	Pass	AV	13.33424G	41.61	54.00	-12.39	3	Vertical	80	1.93
6665MHz	Pass	PK	13.34616G	50.55	74.00	-23.45	3	Vertical	80	1.93
6665MHz	Pass	AV	13.36992G	40.87	54.00	-13.13	3	Horizontal	259	1.50
6665MHz	Pass	PK	13.36304G	50.65	74.00	-23.35	3	Horizontal	259	1.50
6825MHz	Pass	AV	13.67048G	42.51	68.20	-25.69	3	Vertical	357	1.80
6825MHz	Pass	PK	13.6316G	50.69	88.20	-37.51	3	Vertical	357	1.80
6825MHz	Pass	AV	13.63472G	42.34	68.20	-25.86	3	Horizontal	244	2.33
6825MHz	Pass	PK	13.67048G	51.76	88.20	-36.44	3	Horizontal	244	2.33
6985MHz	Pass	AV	6.92G	95.62	Inf	-Inf	3	Vertical	217	2.44
6985MHz	Pass	AV	7.126G	62.00	68.20	-6.20	3	Vertical	217	2.44
6985MHz	Pass	PK	6.91G	106.40	Inf	-Inf	3	Vertical	217	2.44
6985MHz	Pass	PK	7.1385G	73.46	88.20	-14.74	3	Vertical	217	2.44
6985MHz	Pass	AV	14.00384G	42.40	68.20	-25.80	3	Vertical	42	1.50
6985MHz	Pass	PK	13.96184G	50.88	88.20	-37.32	3	Vertical	42	1.50
6985MHz	Pass	AV	14.01G	42.39	68.20	-25.81	3	Horizontal	351	2.56
6985MHz	Pass	PK	13.984G	50.52	88.20	-37.68	3	Horizontal	351	2.56
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	56.30	68.20	-11.90	3	Vertical	212	2.60
6105MHz	Pass	AV	5.997G	91.80	Inf	-Inf	3	Vertical	212	2.60
6105MHz	Pass	PK	5.924G	71.30	88.20	-16.90	3	Vertical	212	2.60
6105MHz	Pass	PK	5.997G	103.24	Inf	-Inf	3	Vertical	212	2.60
6105MHz	Pass	AV	12.27928G	39.68	54.00	-14.32	3	Vertical	254	1.08
6105MHz	Pass	PK	12.2444G	48.57	74.00	-25.43	3	Vertical	254	1.08
6105MHz	Pass	AV	12.27736G	39.71	54.00	-14.29	3	Horizontal	226	1.43
6105MHz	Pass	PK	12.2564G	48.17	74.00	-25.83	3	Horizontal	226	1.43
6265MHz	Pass	AV	12.50264G	39.68	54.00	-14.32	3	Vertical	187	1.90
6265MHz	Pass	PK	12.55288G	50.29	74.00	-23.71	3	Vertical	187	1.90
6265MHz	Pass	AV	12.51928G	39.66	54.00	-14.34	3	Horizontal	12	1.50
6265MHz	Pass	PK	12.58616G	48.66	74.00	-25.34	3	Horizontal	12	1.50
6425MHz	Pass	AV	12.90424G	40.94	68.20	-27.26	3	Vertical	181	2.85
6425MHz	Pass	PK	12.79896G	49.40	88.20	-38.80	3	Vertical	181	2.85
6425MHz	Pass	AV	12.90232G	40.87	68.20	-27.33	3	Horizontal	297	1.50
6425MHz	Pass	PK	12.85608G	50.19	88.20	-38.01	3	Horizontal	297	1.50
6585MHz	Pass	AV	13.15992G	41.85	68.20	-26.35	3	Vertical	172	1.06
6585MHz	Pass	PK	13.23384G	49.83	88.20	-38.37	3	Vertical	172	1.06
6585MHz	Pass	AV	13.24824G	40.75	68.20	-27.45	3	Horizontal	179	2.91
6585MHz	Pass	PK	13.1028G	49.33	88.20	-38.87	3	Horizontal	179	2.91
6745MHz	Pass	AV	13.55768G	42.04	68.20	-26.16	3	Vertical	133	1.47
6745MHz	Pass	PK	13.55192G	50.90	88.20	-37.30	3	Vertical	133	1.47
6745MHz	Pass	AV	13.55784G	42.06	68.20	-26.14	3	Horizontal	67	2.35
6745MHz	Pass	PK	13.54184G	50.49	88.20	-37.71	3	Horizontal	67	2.35
6905MHz	Pass	AV	6.87G	90.84	Inf	-Inf	3	Vertical	216	2.40
6905MHz	Pass	AV	7.25G	53.18	54.00	-0.82	3	Vertical	216	2.40
6905MHz	Pass	PK	6.867G	102.08	Inf	-Inf	3	Vertical	216	2.40
6905MHz	Pass	PK	7.25G	62.87	74.00	-11.13	3	Vertical	216	2.40
6905MHz	Pass	PK	7.252G	64.48	74.00	-9.52	3	Vertical	216	2.40
6905MHz	Pass	AV	13.74728G	42.06	68.20	-26.14	3	Vertical	226	2.34
6905MHz	Pass	PK	13.73336G	50.67	88.20	-37.53	3	Vertical	226	2.34




RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_LPI

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	13.7492G	42.00	68.20	-26.20	3	Horizontal	14	2.41
6905MHz	Pass	PK	13.84456G	51.01	88.20	-37.19	3	Horizontal	14	2.41


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	56.85	68.20	-11.35	1.89	3	Vertical	206	2.27	54.96	34.55	5.18	37.84
AV	5.9782G	98.96	Inf	-Inf	1.96	3	Vertical	206	2.27	97.00	34.50	5.26	37.80
PK	5.9248G	75.69	88.20	-12.51	1.89	3	Vertical	206	2.27	73.80	34.55	5.18	37.84
PK	5.9833G	110.43	Inf	-Inf	1.97	3	Vertical	206	2.27	108.46	34.50	5.26	37.79

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92952G	40.21	54.00	-13.79	9.58	3	Vertical	39	2.35	30.63	39.16	8.36	37.94
PK	11.92056G	51.14	74.00	-22.86	9.56	3	Vertical	39	2.35	41.58	39.14	8.36	37.94


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.9235G	60.83	68.20	-7.37	1.89	3	Vertical	209	2.18	58.94	34.55	5.18	37.84				
AV	5.993G	94.15	Inf	-Inf	1.99	3	Vertical	209	2.18	92.16	34.50	5.28	37.79				
PK	5.9245G	73.97	88.20	-14.23	1.89	3	Vertical	209	2.18	72.08	34.55	5.18	37.84				
PK	5.9885G	104.77	Inf	-Inf	1.98	3	Vertical	209	2.18	102.79	34.50	5.27	37.79				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	12.04176G	39.45	54.00	-14.55	9.80	3	Vertical	39	2.65	29.65	39.38	8.42	38.00				
PK	12.02984G	48.78	74.00	-25.22	9.79	3	Vertical	39	2.65	38.99	39.36	8.42	37.99				


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_1TX

6515MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_1TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6745MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_1TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1095G	94.73	Inf	-Inf	5.49	3	Vertical	215	2.39	89.24	36.86	5.86	37.23
AV	7.1255G	68.02	68.20	-0.18	5.61	3	Vertical	215	2.39	62.41	36.95	5.87	37.21
PK	7.1105G	100.48	Inf	-Inf	5.49	3	Vertical	215	2.39	94.99	36.86	5.86	37.23
PK	7.1255G	75.94	88.20	-12.26	5.61	3	Vertical	215	2.39	70.33	36.95	5.87	37.21

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_1TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22228G	42.96	68.20	-25.24	12.17	3	Vertical	0	1.50	30.79	40.81	9.62	38.26
PK	14.23638G	51.83	88.20	-36.37	12.13	3	Vertical	0	1.50	39.70	40.75	9.63	38.25


6.875-7.125GHz_802.11a_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0775G	97.87	Inf	-Inf	5.25	3	Vertical	215	2.11	92.62	36.66	5.86	37.27
AV	7.1252G	64.59	68.20	-3.61	5.61	3	Vertical	215	2.11	58.98	36.95	5.87	37.21
PK	7.0802G	109.08	Inf	-Inf	5.27	3	Vertical	215	2.11	103.81	36.68	5.86	37.27
PK	7.1252G	78.89	88.20	-9.31	5.61	3	Vertical	215	2.11	73.28	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16142G	43.05	68.20	-25.15	12.30	3	Vertical	267	1.50	30.75	40.98	9.59	38.27
PK	14.1732G	51.15	88.20	-37.05	12.28	3	Vertical	267	1.50	38.87	40.95	9.60	38.27


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.92G	95.62	Inf	-Inf	4.72	3	Vertical	217	2.44	90.90	36.30	5.81	37.39
AV	7.126G	62.00	68.20	-6.20	5.62	3	Vertical	217	2.44	56.38	36.96	5.87	37.21
PK	6.91G	106.40	Inf	-Inf	4.72	3	Vertical	217	2.44	101.68	36.30	5.81	37.39
PK	7.1385G	73.46	88.20	-14.74	5.71	3	Vertical	217	2.44	67.75	37.03	5.87	37.19

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00384G	42.40	68.20	-25.80	12.02	3	Vertical	42	1.50	30.38	40.81	9.52	38.31
PK	13.96184G	50.88	88.20	-37.32	11.88	3	Vertical	42	1.50	39.00	40.72	9.50	38.34


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	PK	32.91M	30.62	40.00	-9.38	3	Vertical	360	1.00

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	PK	32.91M	30.62	40.00	-9.38	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	28.56	40.00	-11.44	3	Vertical	360	1.00
6265MHz	Pass	PK	89.17M	27.90	43.50	-15.60	3	Vertical	360	1.00
6265MHz	Pass	PK	271.53M	25.69	46.00	-20.31	3	Vertical	360	1.00
6265MHz	Pass	PK	302.57M	24.47	46.00	-21.53	3	Vertical	360	1.00
6265MHz	Pass	PK	671.17M	33.20	46.00	-12.80	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	22.20	40.00	-17.80	3	Horizontal	0	1.00
6265MHz	Pass	PK	86.26M	24.97	40.00	-15.03	3	Horizontal	0	1.00
6265MHz	Pass	PK	107.6M	32.70	43.50	-10.80	3	Horizontal	0	1.00
6265MHz	Pass	PK	142.52M	24.28	43.50	-19.22	3	Horizontal	0	1.00
6265MHz	Pass	PK	271.53M	24.40	46.00	-21.60	3	Horizontal	0	1.00
6265MHz	Pass	PK	671.17M	30.48	46.00	-15.52	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	32.91M	30.62	40.00	-9.38	-4.98	3	Vertical	360	1.00	35.60	21.97	0.43	27.38
PK	61.04M	28.56	40.00	-11.44	-15.28	3	Vertical	360	1.00	43.84	11.48	0.58	27.34
PK	89.17M	27.90	43.50	-15.60	-12.63	3	Vertical	360	1.00	40.53	13.92	0.71	27.26
PK	271.53M	25.69	46.00	-20.31	-7.50	3	Vertical	360	1.00	33.19	17.90	1.25	26.65
PK	302.57M	24.47	46.00	-21.53	-7.00	3	Vertical	360	1.00	31.47	18.37	1.32	26.69
PK	671.17M	33.20	46.00	-12.80	-2.38	3	Vertical	360	1.00	35.58	24.07	1.95	28.40

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.04M	22.20	40.00	-17.80	-15.28	3	Horizontal	0	1.00	37.48	11.48	0.58	27.34
PK	86.26M	24.97	40.00	-15.03	-13.13	3	Horizontal	0	1.00	38.10	13.45	0.69	27.27
PK	107.6M	32.70	43.50	-10.80	-9.92	3	Horizontal	0	1.00	42.62	16.51	0.79	27.22
PK	142.52M	24.28	43.50	-19.22	-10.20	3	Horizontal	0	1.00	34.48	15.98	0.91	27.09
PK	271.53M	24.40	46.00	-21.60	-7.50	3	Horizontal	0	1.00	31.90	17.90	1.25	26.65
PK	671.17M	30.48	46.00	-15.52	-2.38	3	Horizontal	0	1.00	32.86	24.07	1.95	28.40



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.38904G	41.71	54.00	-12.29	3	Vertical	228	1.88
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38942G	39.87	54.00	-14.13	3	Vertical	228	2.06
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.92862G	39.86	54.00	-14.14	3	Vertical	34	2.47
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.925G	57.94	68.20	-10.26	3	Vertical	208	2.57
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	66.39	68.20	-1.81	3	Vertical	209	2.67
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	61.67	68.20	-6.53	3	Vertical	206	2.55
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.94886G	42.68	68.20	-25.52	3	Vertical	112	2.12
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.0315G	41.90	68.20	-26.30	3	Vertical	160	1.03
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.04896G	42.60	68.20	-25.60	3	Vertical	160	1.03
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.099G	42.48	68.20	-25.72	3	Vertical	36	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.00894G	40.92	68.20	-27.28	3	Vertical	178	1.31
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.1789G	42.24	68.20	-25.96	3	Vertical	233	1.23
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38902G	45.19	54.00	-8.81	3	Vertical	169	1.18
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38956G	43.25	54.00	-10.75	3	Vertical	169	1.14
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.36948G	43.31	54.00	-10.69	3	Vertical	167	1.18
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.57014G	43.87	68.20	-24.33	3	Vertical	111	1.21
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.32932G	43.96	54.00	-10.04	3	Vertical	168	1.08
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.2505G	52.96	54.00	-1.04	3	Vertical	196	2.47
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.1255G	68.10	68.20	-0.10	3	Vertical	213	2.61
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.84	68.20	-0.36	3	Vertical	212	2.60
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	59.27	68.20	-8.93	3	Vertical	209	2.53
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1711G	46.79	68.20	-21.41	3	Vertical	198	2.59
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.126G	65.39	68.20	-2.81	3	Vertical	200	2.46

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9202G	42.58	68.20	-25.62	3	Vertical	210	2.63
5955MHz	Pass	AV	5.9595G	98.86	Inf	-Inf	3	Vertical	210	2.63
5955MHz	Pass	PK	5.9208G	53.14	88.20	-35.06	3	Vertical	210	2.63
5955MHz	Pass	PK	5.9592G	106.24	Inf	-Inf	3	Vertical	210	2.63
5955MHz	Pass	AV	11.91234G	41.38	54.00	-12.62	3	Vertical	41	1.56
5955MHz	Pass	PK	11.90916G	50.47	74.00	-23.53	3	Vertical	41	1.56
5955MHz	Pass	AV	11.91355G	41.16	54.00	-12.84	3	Horizontal	85	2.05
5955MHz	Pass	PK	11.91203G	50.82	74.00	-23.18	3	Horizontal	85	2.05
6195MHz	Pass	AV	12.38904G	41.71	54.00	-12.29	3	Vertical	228	1.88
6195MHz	Pass	PK	12.38944G	50.69	74.00	-23.31	3	Vertical	228	1.88
6195MHz	Pass	AV	12.39216G	41.24	54.00	-12.76	3	Horizontal	107	2.07
6195MHz	Pass	PK	12.38194G	50.36	74.00	-23.64	3	Horizontal	107	2.07
6415MHz	Pass	AV	12.8325G	42.54	68.20	-25.66	3	Vertical	329	2.52
6415MHz	Pass	PK	12.82988G	51.83	88.20	-36.37	3	Vertical	329	2.52
6415MHz	Pass	AV	12.82986G	42.62	68.20	-25.58	3	Horizontal	249	1.00
6415MHz	Pass	PK	12.83276G	52.49	88.20	-35.71	3	Horizontal	249	1.00
6435MHz	Pass	AV	12.87456G	42.60	68.20	-25.60	3	Vertical	24	1.33
6435MHz	Pass	PK	12.8789G	51.97	88.20	-36.23	3	Vertical	24	1.33
6435MHz	Pass	AV	12.87508G	42.60	68.20	-25.60	3	Horizontal	166	1.50
6435MHz	Pass	PK	12.87976G	52.38	88.20	-35.82	3	Horizontal	166	1.50
6475MHz	Pass	AV	12.94886G	42.68	68.20	-25.52	3	Vertical	112	2.12
6475MHz	Pass	PK	12.94802G	51.27	88.20	-36.93	3	Vertical	112	2.12
6475MHz	Pass	AV	12.94768G	42.55	68.20	-25.65	3	Horizontal	255	2.25
6475MHz	Pass	PK	12.9444G	51.79	88.20	-36.41	3	Horizontal	255	2.25
6515MHz	Pass	PK	13.02208G	51.99	88.20	-36.21	3	Vertical	269	2.49
6515MHz	Pass	AV	13.0361G	42.17	68.20	-26.03	3	Vertical	269	2.49
6515MHz	Pass	PK	13.02422G	50.82	88.20	-37.38	3	Horizontal	31	2.36
6515MHz	Pass	AV	13.03246G	42.24	68.20	-25.96	3	Horizontal	31	2.36
6535MHz	Pass	AV	13.0682G	43.78	68.20	-24.42	3	Vertical	156	1.15
6535MHz	Pass	PK	13.0672G	52.95	88.20	-35.25	3	Vertical	156	1.15
6535MHz	Pass	AV	13.06646G	42.49	68.20	-25.71	3	Horizontal	182	1.92
6535MHz	Pass	PK	13.07626G	51.40	88.20	-36.80	3	Horizontal	182	1.92
6695MHz	Pass	AV	13.38902G	45.19	54.00	-8.81	3	Vertical	169	1.18
6695MHz	Pass	PK	13.38898G	54.13	74.00	-19.87	3	Vertical	169	1.18
6695MHz	Pass	AV	13.39764G	43.17	54.00	-10.83	3	Horizontal	341	1.50
6695MHz	Pass	PK	13.3915G	53.07	74.00	-20.93	3	Horizontal	341	1.50
6875MHz	Pass	AV	13.75098G	45.19	68.20	-23.01	3	Vertical	41	1.00
6875MHz	Pass	PK	13.75198G	54.82	88.20	-33.38	3	Vertical	41	1.00
6875MHz	Pass	AV	13.74724G	43.90	68.20	-24.30	3	Horizontal	41	1.50
6875MHz	Pass	PK	13.74582G	52.92	88.20	-35.28	3	Horizontal	41	1.50
6895MHz	Pass	AV	13.79104G	44.61	68.20	-23.59	3	Vertical	42	1.17
6895MHz	Pass	PK	13.79116G	53.58	88.20	-34.62	3	Vertical	42	1.17
6895MHz	Pass	AV	13.78758G	43.74	68.20	-24.46	3	Horizontal	256	1.50
6895MHz	Pass	PK	13.79544G	53.55	88.20	-34.65	3	Horizontal	256	1.50
6995MHz	Pass	AV	13.982G	44.51	68.20	-23.69	3	Vertical	206	2.39
6995MHz	Pass	PK	13.99904G	54.46	88.20	-33.74	3	Vertical	206	2.39
6995MHz	Pass	AV	13.98058G	44.43	68.20	-23.77	3	Horizontal	272	2.11
6995MHz	Pass	PK	13.99694G	53.63	88.20	-34.57	3	Horizontal	272	2.11
7095MHz	Pass	AV	7.0992G	99.14	Inf	-Inf	3	Vertical	213	2.63
7095MHz	Pass	AV	7.2405G	45.98	68.20	-22.22	3	Vertical	213	2.63
7095MHz	Pass	PK	7.0998G	107.02	Inf	-Inf	3	Vertical	213	2.63
7095MHz	Pass	PK	7.2444G	57.27	88.20	-30.93	3	Vertical	213	2.63
7095MHz	Pass	AV	14.18968G	46.58	68.20	-21.62	3	Vertical	76	1.91
7095MHz	Pass	PK	14.18896G	54.88	88.20	-33.32	3	Vertical	76	1.91
7095MHz	Pass	AV	14.19016G	45.33	68.20	-22.87	3	Horizontal	214	1.07
7095MHz	Pass	PK	14.1827G	54.59	88.20	-33.61	3	Horizontal	214	1.07
7115MHz	Pass	AV	7.1195G	98.03	Inf	-Inf	3	Vertical	213	2.61
7115MHz	Pass	AV	7.1255G	68.10	68.20	-0.10	3	Vertical	213	2.61
7115MHz	Pass	PK	7.1195G	103.79	Inf	-Inf	3	Vertical	213	2.61
7115MHz	Pass	PK	7.1255G	76.11	88.20	-12.09	3	Vertical	213	2.61



RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_LPI

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22758G	44.93	68.20	-23.27	3	Vertical	358	3.00
7115MHz	Pass	PK	14.22932G	53.89	88.20	-34.31	3	Vertical	358	3.00
7115MHz	Pass	AV	14.2204G	44.52	68.20	-23.68	3	Horizontal	25	1.50
7115MHz	Pass	PK	14.23532G	54.42	88.20	-33.78	3	Horizontal	25	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	42.95	68.20	-25.25	3	Vertical	209	2.52
5955MHz	Pass	AV	5.9622G	98.55	Inf	-Inf	3	Vertical	209	2.52
5955MHz	Pass	PK	5.886G	53.47	88.20	-34.73	3	Vertical	209	2.52
5955MHz	Pass	PK	5.9598G	109.54	Inf	-Inf	3	Vertical	209	2.52
5955MHz	Pass	AV	11.91324G	39.24	54.00	-14.76	3	Vertical	169	1.50
5955MHz	Pass	PK	11.90524G	48.76	74.00	-25.24	3	Vertical	169	1.50
5955MHz	Pass	AV	11.9114G	39.19	54.00	-14.81	3	Horizontal	163	1.50
5955MHz	Pass	PK	11.91594G	49.13	74.00	-24.87	3	Horizontal	163	1.50
6195MHz	Pass	AV	12.38942G	39.87	54.00	-14.13	3	Vertical	228	2.06
6195MHz	Pass	PK	12.39176G	48.46	74.00	-25.54	3	Vertical	228	2.06
6195MHz	Pass	AV	12.38484G	39.17	54.00	-14.83	3	Horizontal	324	2.85
6195MHz	Pass	PK	12.38968G	49.28	74.00	-24.72	3	Horizontal	324	2.85
6415MHz	Pass	AV	12.83848G	40.44	68.20	-27.76	3	Vertical	3	1.50
6415MHz	Pass	PK	12.824G	50.26	88.20	-37.94	3	Vertical	3	1.50
6415MHz	Pass	AV	12.835G	40.45	68.20	-27.75	3	Horizontal	204	2.59
6415MHz	Pass	PK	12.82048G	49.67	88.20	-38.53	3	Horizontal	204	2.59
6435MHz	Pass	AV	12.86926G	40.53	68.20	-27.67	3	Vertical	180	1.50
6435MHz	Pass	PK	12.86838G	50.55	88.20	-37.65	3	Vertical	180	1.50
6435MHz	Pass	AV	12.86944G	40.47	68.20	-27.73	3	Horizontal	228	2.78
6435MHz	Pass	PK	12.86578G	50.08	88.20	-38.12	3	Horizontal	228	2.78
6475MHz	Pass	AV	12.94908G	40.96	68.20	-27.24	3	Vertical	167	2.78
6475MHz	Pass	PK	12.9594G	50.37	88.20	-37.83	3	Vertical	167	2.78
6475MHz	Pass	AV	12.94988G	40.39	68.20	-27.81	3	Horizontal	160	1.91
6475MHz	Pass	PK	12.9521G	50.46	88.20	-37.74	3	Horizontal	160	1.91
6515MHz	Pass	AV	13.0315G	41.90	68.20	-26.30	3	Vertical	160	1.03
6515MHz	Pass	PK	13.02938G	51.49	88.20	-36.71	3	Vertical	160	1.03
6515MHz	Pass	AV	13.03476G	40.29	68.20	-27.91	3	Horizontal	154	1.35
6515MHz	Pass	PK	13.02674G	49.79	88.20	-38.41	3	Horizontal	154	1.35
6535MHz	Pass	AV	13.06912G	43.08	68.20	-25.12	3	Vertical	158	1.04
6535MHz	Pass	PK	13.06908G	52.80	88.20	-35.40	3	Vertical	158	1.04
6535MHz	Pass	AV	13.06922G	40.58	68.20	-27.62	3	Horizontal	26	2.14
6535MHz	Pass	PK	13.06136G	50.46	88.20	-37.74	3	Horizontal	26	2.14
6695MHz	Pass	AV	13.38956G	43.25	54.00	-10.75	3	Vertical	169	1.14
6695MHz	Pass	PK	13.38762G	52.49	74.00	-21.51	3	Vertical	169	1.14
6695MHz	Pass	AV	13.3909G	41.26	54.00	-12.74	3	Horizontal	227	2.32
6695MHz	Pass	PK	13.39132G	50.72	74.00	-23.28	3	Horizontal	227	2.32
6875MHz	Pass	AV	13.74814G	42.25	68.20	-25.95	3	Vertical	354	1.50
6875MHz	Pass	PK	13.74784G	53.24	88.20	-34.96	3	Vertical	354	1.50
6875MHz	Pass	AV	13.74822G	41.97	68.20	-26.23	3	Horizontal	200	2.95
6875MHz	Pass	PK	13.75542G	51.47	88.20	-36.73	3	Horizontal	200	2.95
6895MHz	Pass	AV	13.79048G	42.73	68.20	-25.47	3	Vertical	43	1.11
6895MHz	Pass	PK	13.78022G	52.52	88.20	-35.68	3	Vertical	43	1.11
6895MHz	Pass	AV	13.78062G	41.62	68.20	-26.58	3	Horizontal	149	1.50
6895MHz	Pass	PK	13.7818G	50.81	88.20	-37.39	3	Horizontal	149	1.50
6995MHz	Pass	AV	13.98186G	42.42	68.20	-25.78	3	Vertical	229	1.50
6995MHz	Pass	PK	13.9833G	52.35	88.20	-35.85	3	Vertical	229	1.50
6995MHz	Pass	AV	13.98096G	42.39	68.20	-25.81	3	Horizontal	55	1.50
6995MHz	Pass	PK	13.99516G	52.12	88.20	-36.08	3	Horizontal	55	1.50
7095MHz	Pass	AV	7.0875G	98.43	Inf	-Inf	3	Vertical	209	2.62
7095MHz	Pass	AV	7.1256G	46.01	68.20	-22.19	3	Vertical	209	2.62
7095MHz	Pass	PK	7.0899G	109.09	Inf	-Inf	3	Vertical	209	2.62
7095MHz	Pass	PK	7.1841G	57.50	88.20	-30.70	3	Vertical	209	2.62
7095MHz	Pass	AV	14.18974G	44.76	68.20	-23.44	3	Vertical	78	1.92
7095MHz	Pass	PK	14.19218G	53.94	88.20	-34.26	3	Vertical	78	1.92
7095MHz	Pass	AV	14.18998G	43.23	68.20	-24.97	3	Horizontal	214	1.25
7095MHz	Pass	PK	14.18778G	52.84	88.20	-35.36	3	Horizontal	214	1.25
7115MHz	Pass	AV	7.1095G	96.72	Inf	-Inf	3	Vertical	212	2.60

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1255G	67.84	68.20	-0.36	3	Vertical	212	2.60
7115MHz	Pass	PK	7.1095G	102.83	Inf	-Inf	3	Vertical	212	2.60
7115MHz	Pass	PK	7.1255G	78.81	88.20	-9.39	3	Vertical	212	2.60
7115MHz	Pass	AV	14.2217G	42.40	68.20	-25.80	3	Vertical	99	2.97
7115MHz	Pass	PK	14.22662G	52.10	88.20	-36.10	3	Vertical	99	2.97
7115MHz	Pass	AV	14.22208G	42.34	68.20	-25.86	3	Horizontal	53	1.50
7115MHz	Pass	PK	14.22248G	52.38	88.20	-35.82	3	Horizontal	53	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	44.76	68.20	-23.44	3	Vertical	208	2.43
5965MHz	Pass	AV	5.9797G	98.94	Inf	-Inf	3	Vertical	208	2.43
5965MHz	Pass	PK	5.9248G	63.71	88.20	-24.49	3	Vertical	208	2.43
5965MHz	Pass	PK	5.98G	109.34	Inf	-Inf	3	Vertical	208	2.43
5965MHz	Pass	AV	11.92862G	39.86	54.00	-14.14	3	Vertical	34	2.47
5965MHz	Pass	PK	11.93288G	48.80	74.00	-25.20	3	Vertical	34	2.47
5965MHz	Pass	AV	11.9294G	39.07	54.00	-14.93	3	Horizontal	252	2.39
5965MHz	Pass	PK	11.92916G	48.99	74.00	-25.01	3	Horizontal	252	2.39
6205MHz	Pass	AV	12.40942G	39.63	54.00	-14.37	3	Vertical	143	2.89
6205MHz	Pass	PK	12.41124G	48.57	74.00	-25.43	3	Vertical	143	2.89
6205MHz	Pass	AV	12.41798G	39.11	54.00	-14.89	3	Horizontal	37	1.50
6205MHz	Pass	PK	12.40372G	48.84	74.00	-25.16	3	Horizontal	37	1.50
6405MHz	Pass	AV	12.80796G	40.51	68.20	-27.69	3	Vertical	209	1.50
6405MHz	Pass	PK	12.81608G	49.99	88.20	-38.21	3	Vertical	209	1.50
6405MHz	Pass	AV	12.80544G	40.46	68.20	-27.74	3	Horizontal	97	2.92
6405MHz	Pass	PK	12.80616G	50.20	88.20	-38.00	3	Horizontal	97	2.92
6445MHz	Pass	AV	12.8891G	40.45	68.20	-27.75	3	Vertical	162	1.98
6445MHz	Pass	PK	12.8967G	50.40	88.20	-37.80	3	Vertical	162	1.98
6445MHz	Pass	AV	12.88684G	40.52	68.20	-27.68	3	Horizontal	213	2.45
6445MHz	Pass	PK	12.88498G	49.68	88.20	-38.52	3	Horizontal	213	2.45
6485MHz	Pass	AV	12.9665G	41.11	68.20	-27.09	3	Vertical	178	1.38
6485MHz	Pass	PK	12.96886G	49.67	88.20	-38.53	3	Vertical	178	1.38
6485MHz	Pass	AV	12.97786G	40.36	68.20	-27.84	3	Horizontal	296	1.50
6485MHz	Pass	PK	12.96034G	50.50	88.20	-37.70	3	Horizontal	296	1.50
6525MHz	Pass	AV	13.04896G	42.60	68.20	-25.60	3	Vertical	160	1.03
6525MHz	Pass	PK	13.05386G	52.54	88.20	-35.66	3	Vertical	160	1.03
6525MHz	Pass	AV	13.0594G	40.33	68.20	-27.87	3	Horizontal	172	1.50
6525MHz	Pass	PK	13.05204G	50.30	88.20	-37.90	3	Horizontal	172	1.50
6565MHz	Pass	AV	13.1291G	42.80	68.20	-25.40	3	Vertical	35	1.54
6565MHz	Pass	PK	13.13464G	52.02	88.20	-36.18	3	Vertical	35	1.54
6565MHz	Pass	AV	13.12924G	41.52	68.20	-26.68	3	Horizontal	213	1.09
6565MHz	Pass	PK	13.13466G	50.86	88.20	-37.34	3	Horizontal	213	1.09
6685MHz	Pass	AV	13.36948G	43.31	54.00	-10.69	3	Vertical	167	1.18
6685MHz	Pass	PK	13.3694G	52.60	74.00	-21.40	3	Vertical	167	1.18
6685MHz	Pass	AV	13.37274G	40.84	54.00	-13.16	3	Horizontal	127	1.50
6685MHz	Pass	PK	13.36564G	50.50	74.00	-23.50	3	Horizontal	127	1.50
6885MHz	Pass	AV	13.77038G	43.18	68.20	-25.02	3	Vertical	42	1.14
6885MHz	Pass	PK	13.771G	52.56	88.20	-35.64	3	Vertical	42	1.14
6885MHz	Pass	AV	13.77428G	41.89	68.20	-26.31	3	Horizontal	148	3.00
6885MHz	Pass	PK	13.77196G	52.18	88.20	-36.02	3	Horizontal	148	3.00
6925MHz	Pass	AV	13.85054G	42.45	68.20	-25.75	3	Vertical	43	1.22
6925MHz	Pass	PK	13.85266G	51.62	88.20	-36.58	3	Vertical	43	1.22
6925MHz	Pass	AV	13.85952G	41.74	68.20	-26.46	3	Horizontal	212	2.75
6925MHz	Pass	PK	13.84548G	51.87	88.20	-36.33	3	Horizontal	212	2.75
7005MHz	Pass	AV	14.01162G	42.90	68.20	-25.30	3	Vertical	231	1.95
7005MHz	Pass	PK	14.00422G	52.35	88.20	-35.85	3	Vertical	231	1.95
7005MHz	Pass	AV	14.01208G	42.49	68.20	-25.71	3	Horizontal	120	2.65
7005MHz	Pass	PK	14.01674G	52.37	88.20	-35.83	3	Horizontal	120	2.65
7085MHz	Pass	AV	7.0799G	98.99	Inf	-Inf	3	Vertical	209	2.53
7085MHz	Pass	AV	7.1252G	59.27	68.20	-8.93	3	Vertical	209	2.53
7085MHz	Pass	PK	7.067G	110.07	Inf	-Inf	3	Vertical	209	2.53
7085MHz	Pass	PK	7.1276G	73.36	88.20	-14.84	3	Vertical	209	2.53
7085MHz	Pass	AV	14.16968G	44.98	68.20	-23.22	3	Vertical	77	1.93
7085MHz	Pass	PK	14.16732G	54.23	88.20	-33.97	3	Vertical	77	1.93



RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_LPI

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	14.16986G	43.40	68.20	-24.80	3	Horizontal	213	1.12
7085MHz	Pass	PK	14.16464G	52.68	88.20	-35.52	3	Horizontal	213	1.12
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	57.94	68.20	-10.26	3	Vertical	208	2.57
5985MHz	Pass	AV	5.9975G	99.05	Inf	-Inf	3	Vertical	208	2.57
5985MHz	Pass	PK	5.9245G	72.58	88.20	-15.62	3	Vertical	208	2.57
5985MHz	Pass	PK	5.9945G	109.66	Inf	-Inf	3	Vertical	208	2.57
5985MHz	Pass	AV	11.96364G	39.22	54.00	-14.78	3	Vertical	191	2.04
5985MHz	Pass	PK	11.96206G	48.33	74.00	-25.67	3	Vertical	191	2.04
5985MHz	Pass	AV	11.9625G	39.22	54.00	-14.78	3	Horizontal	328	1.50
5985MHz	Pass	PK	11.97656G	48.93	74.00	-25.07	3	Horizontal	328	1.50
6225MHz	Pass	AV	12.44738G	39.35	54.00	-14.65	3	Vertical	104	2.78
6225MHz	Pass	PK	12.45222G	49.38	74.00	-24.62	3	Vertical	104	2.78
6225MHz	Pass	AV	12.45884G	39.18	54.00	-14.82	3	Horizontal	315	3.00
6225MHz	Pass	PK	12.45188G	49.41	74.00	-24.59	3	Horizontal	315	3.00
6385MHz	Pass	AV	12.77422G	40.41	68.20	-27.79	3	Vertical	123	2.97
6385MHz	Pass	PK	12.7761G	51.63	88.20	-36.57	3	Vertical	123	2.97
6385MHz	Pass	AV	12.77206G	40.43	68.20	-27.77	3	Horizontal	98	1.08
6385MHz	Pass	PK	12.774G	50.43	88.20	-37.77	3	Horizontal	98	1.08
6465MHz	Pass	AV	12.92936G	41.10	68.20	-27.10	3	Vertical	165	1.50
6465MHz	Pass	PK	12.92146G	50.47	88.20	-37.73	3	Vertical	165	1.50
6465MHz	Pass	AV	12.92232G	40.43	68.20	-27.77	3	Horizontal	24	2.87
6465MHz	Pass	PK	12.92746G	50.33	88.20	-37.87	3	Horizontal	24	2.87
6545MHz	Pass	AV	13.099G	42.48	68.20	-25.72	3	Vertical	36	1.50
6545MHz	Pass	PK	13.09346G	51.43	88.20	-36.77	3	Vertical	36	1.50
6545MHz	Pass	AV	13.09924G	41.02	68.20	-27.18	3	Horizontal	24	2.89
6545MHz	Pass	PK	13.09596G	50.31	88.20	-37.89	3	Horizontal	24	2.89
6625MHz	Pass	AV	13.24424G	43.73	68.20	-24.47	3	Vertical	205	1.46
6625MHz	Pass	PK	13.24672G	53.00	88.20	-35.20	3	Vertical	205	1.46
6625MHz	Pass	AV	13.2441G	41.55	68.20	-26.65	3	Horizontal	199	2.85
6625MHz	Pass	PK	13.24682G	51.74	88.20	-36.46	3	Horizontal	199	2.85
6705MHz	Pass	AV	13.40958G	42.69	68.20	-25.51	3	Vertical	167	1.42
6705MHz	Pass	PK	13.41474G	52.20	88.20	-36.00	3	Vertical	167	1.42
6705MHz	Pass	AV	13.42G	41.39	68.20	-26.81	3	Horizontal	21	1.97
6705MHz	Pass	PK	13.40854G	51.12	88.20	-37.08	3	Horizontal	21	1.97
6785MHz	Pass	AV	13.57014G	43.87	68.20	-24.33	3	Vertical	111	1.21
6785MHz	Pass	PK	13.5728G	52.28	88.20	-35.92	3	Vertical	111	1.21
6785MHz	Pass	AV	13.5601G	42.76	68.20	-25.44	3	Horizontal	170	2.89
6785MHz	Pass	PK	13.57034G	53.14	88.20	-35.06	3	Horizontal	170	2.89
6865MHz	Pass	AV	13.72G	42.52	68.20	-25.68	3	Vertical	164	1.54
6865MHz	Pass	PK	13.73448G	53.58	88.20	-34.62	3	Vertical	164	1.54
6865MHz	Pass	AV	13.72314G	41.73	68.20	-26.47	3	Horizontal	122	1.94
6865MHz	Pass	PK	13.72092G	51.93	88.20	-36.27	3	Horizontal	122	1.94
6945MHz	Pass	AV	13.89812G	42.17	68.20	-26.03	3	Vertical	44	1.50
6945MHz	Pass	PK	13.89966G	51.92	88.20	-36.28	3	Vertical	44	1.50
6945MHz	Pass	AV	13.9G	42.16	68.20	-26.04	3	Horizontal	192	1.00
6945MHz	Pass	PK	13.88002G	52.24	88.20	-35.96	3	Horizontal	192	1.00
7025MHz	Pass	PK	7.016G	101.98	Inf	-Inf	3	Vertical	198	2.59
7025MHz	Pass	AV	7.0136G	95.11	Inf	-Inf	3	Vertical	198	2.59
7025MHz	Pass	PK	7.1621G	55.10	88.20	-33.10	3	Vertical	198	2.59
7025MHz	Pass	AV	7.1711G	46.79	68.20	-21.41	3	Vertical	198	2.59
7025MHz	Pass	AV	14.04788G	42.90	68.20	-25.30	3	Vertical	57	1.18
7025MHz	Pass	PK	14.04434G	52.95	88.20	-35.25	3	Vertical	57	1.18
7025MHz	Pass	AV	14.04674G	42.55	68.20	-25.65	3	Horizontal	263	2.15
7025MHz	Pass	PK	14.05716G	52.34	88.20	-35.86	3	Horizontal	263	2.15
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	66.39	68.20	-1.81	3	Vertical	209	2.67
6025MHz	Pass	AV	6G	99.06	Inf	-Inf	3	Vertical	209	2.67
6025MHz	Pass	PK	5.925G	74.41	88.20	-13.79	3	Vertical	209	2.67
6025MHz	Pass	PK	5.995G	107.94	Inf	-Inf	3	Vertical	209	2.67
6025MHz	Pass	AV	12.05628G	39.89	54.00	-14.11	3	Vertical	50	2.66
6025MHz	Pass	PK	12.04776G	49.66	74.00	-24.34	3	Vertical	50	2.66

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.05448G	39.48	54.00	-14.52	3	Horizontal	157	1.50
6025MHz	Pass	PK	12.05416G	48.88	74.00	-25.12	3	Horizontal	157	1.50
6185MHz	Pass	AV	12.36186G	40.24	54.00	-13.76	3	Vertical	228	2.03
6185MHz	Pass	PK	12.3694G	49.51	74.00	-24.49	3	Vertical	228	2.03
6185MHz	Pass	AV	12.36042G	39.44	54.00	-14.56	3	Horizontal	92	2.14
6185MHz	Pass	PK	12.3794G	49.04	74.00	-24.96	3	Horizontal	92	2.14
6345MHz	Pass	AV	12.69266G	40.34	54.00	-13.66	3	Vertical	75	1.50
6345MHz	Pass	PK	12.68476G	50.25	74.00	-23.75	3	Vertical	75	1.50
6345MHz	Pass	AV	12.69268G	40.32	54.00	-13.68	3	Horizontal	124	2.51
6345MHz	Pass	PK	12.69748G	51.57	74.00	-22.43	3	Horizontal	124	2.51
6505MHz	Pass	AV	13.00894G	40.92	68.20	-27.28	3	Vertical	178	1.31
6505MHz	Pass	PK	13.0027G	50.14	88.20	-38.06	3	Vertical	178	1.31
6505MHz	Pass	AV	13.00672G	40.27	68.20	-27.93	3	Horizontal	2	2.23
6505MHz	Pass	PK	13.01788G	49.85	88.20	-38.35	3	Horizontal	2	2.23
6665MHz	Pass	AV	13.32932G	43.96	54.00	-10.04	3	Vertical	168	1.08
6665MHz	Pass	PK	13.32196G	53.15	74.00	-20.85	3	Vertical	168	1.08
6665MHz	Pass	AV	13.33254G	41.05	54.00	-12.95	3	Horizontal	214	1.50
6665MHz	Pass	PK	13.3281G	51.10	74.00	-22.90	3	Horizontal	214	1.50
6825MHz	Pass	AV	13.64508G	42.56	68.20	-25.64	3	Vertical	360	1.97
6825MHz	Pass	PK	13.65986G	51.91	88.20	-36.29	3	Vertical	360	1.97
6825MHz	Pass	AV	13.64052G	42.37	68.20	-25.83	3	Horizontal	144	2.95
6825MHz	Pass	PK	13.64138G	51.66	88.20	-36.54	3	Horizontal	144	2.95
6985MHz	Pass	PK	6.918G	108.50	Inf	-Inf	3	Vertical	200	2.46
6985MHz	Pass	AV	6.9085G	99.87	Inf	-Inf	3	Vertical	200	2.46
6985MHz	Pass	PK	7.126G	75.09	88.20	-13.11	3	Vertical	200	2.46
6985MHz	Pass	AV	7.126G	65.39	68.20	-2.81	3	Vertical	200	2.46
6985MHz	Pass	AV	13.97856G	42.66	68.20	-25.54	3	Vertical	49	1.50
6985MHz	Pass	PK	13.97086G	52.22	88.20	-35.98	3	Vertical	49	1.50
6985MHz	Pass	AV	13.97588G	42.58	68.20	-25.62	3	Horizontal	58	1.50
6985MHz	Pass	PK	13.97958G	52.07	88.20	-36.13	3	Horizontal	58	1.50
802.11be EHT320_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	5.923G	72.23	88.20	-15.97	3	Vertical	206	2.55
6105MHz	Pass	AV	5.925G	61.67	68.20	-6.53	3	Vertical	206	2.55
6105MHz	Pass	PK	6.21G	105.10	Inf	-Inf	3	Vertical	206	2.55
6105MHz	Pass	AV	6.245G	95.27	Inf	-Inf	3	Vertical	206	2.55
6105MHz	Pass	AV	12.21096G	39.77	54.00	-14.23	3	Vertical	360	2.04
6105MHz	Pass	PK	12.20748G	49.89	74.00	-24.11	3	Vertical	360	2.04
6105MHz	Pass	AV	12.21732G	39.78	54.00	-14.22	3	Horizontal	0	1.50
6105MHz	Pass	PK	12.21016G	49.41	74.00	-24.59	3	Horizontal	0	1.50
6265MHz	Pass	AV	12.52816G	39.43	54.00	-14.57	3	Vertical	182	2.12
6265MHz	Pass	PK	12.53422G	49.44	74.00	-24.56	3	Vertical	182	2.12
6265MHz	Pass	AV	12.53064G	39.38	54.00	-14.62	3	Horizontal	143	1.35
6265MHz	Pass	PK	12.53156G	50.63	74.00	-23.37	3	Horizontal	143	1.35
6425MHz	Pass	AV	12.85364G	40.32	68.20	-27.88	3	Vertical	14	2.96
6425MHz	Pass	PK	12.85914G	50.13	88.20	-38.07	3	Vertical	14	2.96
6425MHz	Pass	AV	12.8536G	40.32	68.20	-27.88	3	Horizontal	272	1.14
6425MHz	Pass	PK	12.85878G	49.95	88.20	-38.25	3	Horizontal	272	1.14
6585MHz	Pass	AV	13.1789G	42.24	68.20	-25.96	3	Vertical	233	1.23
6585MHz	Pass	PK	13.1784G	53.24	88.20	-34.96	3	Vertical	233	1.23
6585MHz	Pass	AV	13.16186G	40.38	68.20	-27.82	3	Horizontal	281	2.85
6585MHz	Pass	PK	13.16826G	50.01	88.20	-38.19	3	Horizontal	281	2.85
6745MHz	Pass	AV	13.48G	41.67	68.20	-26.53	3	Vertical	120	1.05
6745MHz	Pass	PK	13.48366G	51.10	88.20	-37.10	3	Vertical	120	1.05
6745MHz	Pass	AV	13.49244G	41.27	68.20	-26.93	3	Horizontal	230	1.50
6745MHz	Pass	PK	13.4966G	51.31	88.20	-36.89	3	Horizontal	230	1.50
6905MHz	Pass	AV	6.86841G	96.54	Inf	-Inf	3	Vertical	196	2.47
6905MHz	Pass	AV	7.2505G	52.96	54.00	-1.04	3	Vertical	196	2.47
6905MHz	Pass	PK	6.8725G	103.81	Inf	-Inf	3	Vertical	196	2.47
6905MHz	Pass	PK	7.2505G	62.19	74.00	-11.81	3	Vertical	196	2.47
6905MHz	Pass	AV	13.8104G	41.93	68.20	-26.27	3	Vertical	41	1.50
6905MHz	Pass	PK	13.80936G	50.89	88.20	-37.31	3	Vertical	41	1.50
6905MHz	Pass	AV	13.8124G	41.80	68.20	-26.40	3	Horizontal	112	1.81




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_LPI

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	13.81318G	50.75	88.20	-37.45	3	Horizontal	112	1.81


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	44.76	68.20	-23.44	1.89	3	Vertical	208	2.43	42.87	34.55	5.18	37.84
AV	5.9797G	98.94	Inf	-Inf	1.96	3	Vertical	208	2.43	96.98	34.50	5.26	37.80
PK	5.9248G	63.71	88.20	-24.49	1.89	3	Vertical	208	2.43	61.82	34.55	5.18	37.84
PK	5.98G	109.34	Inf	-Inf	1.96	3	Vertical	208	2.43	107.38	34.50	5.26	37.80

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92862G	39.86	54.00	-14.14	9.58	3	Vertical	34	2.47	30.28	39.16	8.36	37.94
PK	11.93288G	48.80	74.00	-25.20	9.60	3	Vertical	34	2.47	39.20	39.17	8.37	37.94


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	66.39	68.20	-1.81	1.89	3	Vertical	209	2.67	64.50	34.55	5.18	37.84
AV	6G	99.06	Inf	-Inf	2.01	3	Vertical	209	2.67	97.05	34.50	5.29	37.78
PK	5.925G	74.41	88.20	-13.79	1.89	3	Vertical	209	2.67	72.52	34.55	5.18	37.84
PK	5.995G	107.94	Inf	-Inf	2.00	3	Vertical	209	2.67	105.94	34.50	5.28	37.78

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05628G	39.89	54.00	-14.11	9.84	3	Vertical	50	2.66	30.05	39.41	8.43	38.00
PK	12.04776G	49.66	74.00	-24.34	9.83	3	Vertical	50	2.66	39.83	39.40	8.43	38.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.86841G	96.54	Inf	-Inf	4.63	3	Vertical	196	2.47	91.91	36.24	5.79	37.40
AV	7.2505G	52.96	54.00	-1.04	6.28	3	Vertical	196	2.47	46.68	37.40	5.93	37.05
PK	6.8725G	103.81	Inf	-Inf	4.64	3	Vertical	196	2.47	99.17	36.24	5.80	37.40
PK	7.2505G	62.19	74.00	-11.81	6.28	3	Vertical	196	2.47	55.91	37.40	5.93	37.05

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8104G	41.93	68.20	-26.27	11.37	3	Vertical	41	1.50	30.56	40.40	9.41	38.44
PK	13.80936G	50.89	88.20	-37.31	11.37	3	Vertical	41	1.50	39.52	40.40	9.41	38.44


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1095G	96.72	Inf	-Inf	5.49	3	Vertical	212	2.60	91.23	36.86	5.86	37.23
AV	7.1255G	67.84	68.20	-0.36	5.61	3	Vertical	212	2.60	62.23	36.95	5.87	37.21
PK	7.1095G	102.83	Inf	-Inf	5.49	3	Vertical	212	2.60	97.34	36.86	5.86	37.23
PK	7.1255G	78.81	88.20	-9.39	5.61	3	Vertical	212	2.60	73.20	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2217G	42.40	68.20	-25.80	12.17	3	Vertical	99	2.97	30.23	40.81	9.62	38.26
PK	14.2266G	52.10	88.20	-36.10	12.15	3	Vertical	99	2.97	39.95	40.79	9.62	38.26


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.016G	101.98	Inf	-Inf	4.79	3	Vertical	198	2.59	97.19	36.30	5.84	37.35
AV	7.0136G	95.11	Inf	-Inf	4.77	3	Vertical	198	2.59	90.34	36.28	5.84	37.35
PK	7.1621G	55.10	88.20	-33.10	5.86	3	Vertical	198	2.59	49.24	37.15	5.87	37.16
AV	7.1711G	46.79	68.20	-21.41	5.90	3	Vertical	198	2.59	40.89	37.18	5.87	37.15

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04788G	42.90	68.20	-25.30	12.14	3	Vertical	57	1.18	30.76	40.90	9.54	38.30
PK	14.04434G	52.95	88.20	-35.25	12.13	3	Vertical	57	1.18	40.82	40.89	9.54	38.30


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	PK	61.04M	30.23	40.00	-9.77	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6265MHz_PoE	Pass	PK	31.94M	29.74	40.00	-10.26	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	61.04M	30.23	40.00	-9.77	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	83.35M	30.17	40.00	-9.83	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	271.53M	25.75	46.00	-20.25	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	549.92M	30.17	46.00	-15.83	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	673.11M	35.72	46.00	-10.28	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	61.04M	24.16	40.00	-15.84	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	105.66M	30.11	43.50	-13.39	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	148.34M	24.43	43.50	-19.07	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	201.69M	31.65	43.50	-11.85	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	302.57M	28.07	46.00	-17.93	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	428.67M	32.89	46.00	-13.11	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	29.74	40.00	-10.26	-4.49	3	Vertical	0	1.00	34.23	22.46	0.43	27.38
PK	61.04M	30.23	40.00	-9.77	-15.28	3	Vertical	0	1.00	45.51	11.48	0.58	27.34
PK	83.35M	30.17	40.00	-9.83	-13.81	3	Vertical	0	1.00	43.98	12.79	0.68	27.28
PK	271.53M	25.75	46.00	-20.25	-7.50	3	Vertical	0	1.00	33.25	17.90	1.25	26.65
PK	549.92M	30.17	46.00	-15.83	-2.73	3	Vertical	0	1.00	32.90	23.94	1.74	28.41
PK	673.11M	35.72	46.00	-10.28	-2.36	3	Vertical	0	1.00	38.08	24.09	1.95	28.40

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.04M	24.16	40.00	-15.84	-15.28	3	Horizontal	360	1.00	39.44	11.48	0.58	27.34
PK	105.66M	30.11	43.50	-13.39	-10.23	3	Horizontal	360	1.00	40.34	16.22	0.78	27.23
PK	148.34M	24.43	43.50	-19.07	-10.40	3	Horizontal	360	1.00	34.83	15.75	0.92	27.07
PK	201.69M	31.65	43.50	-11.85	-11.41	3	Horizontal	360	1.00	43.06	14.32	1.09	26.82
PK	302.57M	28.07	46.00	-17.93	-7.00	3	Horizontal	360	1.00	35.07	18.37	1.32	26.69
PK	428.67M	32.89	46.00	-13.11	-4.51	3	Horizontal	360	1.00	37.40	21.61	1.57	27.69



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.38844G	39.19	54.00	-14.81	3	Vertical	180	2.95
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	12.41072G	38.52	54.00	-15.48	3	Vertical	226	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.9245G	62.09	68.20	-6.11	3	Vertical	210	2.56
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.923G	65.33	68.20	-2.87	3	Vertical	209	2.66
802.11be EHT320_Nss2,(MCS0)_RX	Pass	AV	5.924G	61.25	68.20	-6.95	3	Vertical	204	2.63
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.94994G	40.22	68.20	-27.98	3	Vertical	106	1.07
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.0499G	40.65	68.20	-27.55	3	Vertical	164	2.94
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.0983G	40.80	68.20	-27.40	3	Vertical	37	2.37
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.01178G	40.26	68.20	-27.94	3	Horizontal	44	1.50
802.11be EHT320_Nss2,(MCS0)_RX	Pass	AV	13.16966G	40.84	68.20	-27.36	3	Vertical	232	1.28
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.38942G	40.64	54.00	-13.36	3	Vertical	168	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.36944G	42.21	54.00	-11.79	3	Vertical	165	1.14
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	13.25678G	52.89	74.00	-21.11	3	Vertical	202	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.32032G	41.67	54.00	-12.33	3	Vertical	202	1.79
802.11be EHT320_Nss2,(MCS0)_RX	Pass	AV	7.1255G	65.21	68.20	-2.99	3	Vertical	211	2.56
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	7.1255G	67.89	68.20	-0.31	3	Vertical	212	2.58
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	7.1252G	65.56	68.20	-2.64	3	Vertical	209	1.49
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	7.1255G	58.84	68.20	-9.36	3	Vertical	201	2.57
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	7.125G	65.05	68.20	-3.15	3	Vertical	198	2.79

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	43.56	68.20	-24.64	3	Vertical	210	2.54
5955MHz	Pass	AV	5.9619G	98.94	Inf	-Inf	3	Vertical	210	2.54
5955MHz	Pass	PK	5.9238G	55.98	88.20	-32.22	3	Vertical	210	2.54
5955MHz	Pass	PK	5.9625G	110.04	Inf	-Inf	3	Vertical	210	2.54
5955MHz	Pass	AV	11.91128G	38.25	54.00	-15.75	3	Vertical	346	1.44
5955MHz	Pass	PK	11.8572G	49.67	74.00	-24.33	3	Vertical	346	1.44
5955MHz	Pass	AV	11.91241G	38.31	54.00	-15.69	3	Horizontal	23	1.50
5955MHz	Pass	PK	11.91415G	50.30	74.00	-23.70	3	Horizontal	23	1.50
6195MHz	Pass	AV	12.38844G	39.19	54.00	-14.81	3	Vertical	180	2.95
6195MHz	Pass	PK	12.39224G	49.54	74.00	-24.46	3	Vertical	180	2.95
6195MHz	Pass	AV	12.38468G	38.09	54.00	-15.91	3	Horizontal	338	1.50
6195MHz	Pass	PK	12.38364G	49.28	74.00	-24.72	3	Horizontal	338	1.50
6415MHz	Pass	AV	12.8355G	39.52	68.20	-28.68	3	Vertical	163	2.41
6415MHz	Pass	PK	12.83614G	50.72	88.20	-37.48	3	Vertical	163	2.41
6415MHz	Pass	AV	12.83604G	39.46	68.20	-28.74	3	Horizontal	177	1.50
6415MHz	Pass	PK	12.83274G	50.13	88.20	-38.07	3	Horizontal	177	1.50
6435MHz	Pass	AV	12.87286G	39.46	68.20	-28.74	3	Vertical	25	1.50
6435MHz	Pass	PK	12.87092G	50.20	88.20	-38.00	3	Vertical	25	1.50
6435MHz	Pass	AV	12.86638G	39.45	68.20	-28.75	3	Horizontal	200	1.38
6435MHz	Pass	PK	12.87308G	49.96	88.20	-38.24	3	Horizontal	200	1.38
6475MHz	Pass	AV	12.94994G	40.22	68.20	-27.98	3	Vertical	106	1.07
6475MHz	Pass	PK	12.9479G	51.34	88.20	-36.86	3	Vertical	106	1.07
6475MHz	Pass	AV	12.94814G	39.40	68.20	-28.80	3	Horizontal	271	1.84
6475MHz	Pass	PK	12.94714G	49.44	88.20	-38.76	3	Horizontal	271	1.84
6515MHz	Pass	AV	13.02988G	39.69	68.20	-28.51	3	Vertical	177	1.60
6515MHz	Pass	PK	13.02474G	49.98	88.20	-38.22	3	Vertical	177	1.60
6515MHz	Pass	AV	13.0373G	39.29	68.20	-28.91	3	Horizontal	314	1.26
6515MHz	Pass	PK	13.02952G	49.69	88.20	-38.51	3	Horizontal	314	1.26
6535MHz	Pass	AV	13.0702G	40.77	68.20	-27.43	3	Vertical	156	1.04
6535MHz	Pass	PK	13.06858G	51.71	88.20	-36.49	3	Vertical	156	1.04
6535MHz	Pass	AV	13.07062G	39.37	68.20	-28.83	3	Horizontal	207	2.89
6535MHz	Pass	PK	13.0682G	49.91	88.20	-38.29	3	Horizontal	207	2.89
6695MHz	Pass	AV	13.38942G	40.64	54.00	-13.36	3	Vertical	168	1.50
6695MHz	Pass	PK	13.38332G	51.63	74.00	-22.37	3	Vertical	168	1.50
6695MHz	Pass	AV	13.3897G	40.43	54.00	-13.57	3	Horizontal	117	2.99
6695MHz	Pass	PK	13.39562G	51.90	74.00	-22.10	3	Horizontal	117	2.99
6875MHz	Pass	AV	13.75002G	40.96	68.20	-27.24	3	Vertical	21	1.28
6875MHz	Pass	PK	13.75678G	51.23	88.20	-36.97	3	Vertical	21	1.28
6875MHz	Pass	AV	13.7476G	40.84	68.20	-27.36	3	Horizontal	147	2.88
6875MHz	Pass	PK	13.7499G	52.01	88.20	-36.19	3	Horizontal	147	2.88
6895MHz	Pass	PK	13.88152G	50.89	88.20	-37.31	3	Vertical	187	1.79
6895MHz	Pass	AV	13.94872G	41.48	68.20	-26.72	3	Vertical	187	1.79
6895MHz	Pass	PK	13.91704G	50.75	88.20	-37.45	3	Horizontal	24	2.36
6895MHz	Pass	AV	13.95G	41.51	68.20	-26.69	3	Horizontal	24	2.36
6995MHz	Pass	AV	13.98044G	41.26	68.20	-26.94	3	Vertical	315	1.50
6995MHz	Pass	PK	13.98044G	51.97	88.20	-36.23	3	Vertical	315	1.50
6995MHz	Pass	AV	13.99978G	41.29	68.20	-26.91	3	Horizontal	195	1.50
6995MHz	Pass	PK	13.9869G	51.72	88.20	-36.48	3	Horizontal	195	1.50
7095MHz	Pass	AV	7.0884G	98.80	Inf	-Inf	3	Vertical	213	2.60
7095MHz	Pass	AV	7.1256G	47.51	68.20	-20.69	3	Vertical	213	2.60
7095MHz	Pass	PK	7.0866G	109.15	Inf	-Inf	3	Vertical	213	2.60
7095MHz	Pass	PK	7.1934G	58.52	88.20	-29.68	3	Vertical	213	2.60
7095MHz	Pass	AV	14.19004G	42.67	68.20	-25.53	3	Vertical	331	1.97
7095MHz	Pass	PK	14.18666G	52.62	88.20	-35.58	3	Vertical	331	1.97
7095MHz	Pass	AV	14.19156G	41.73	68.20	-26.47	3	Horizontal	281	1.50
7095MHz	Pass	PK	14.19166G	51.95	88.20	-36.25	3	Horizontal	281	1.50
7115MHz	Pass	AV	7.1195G	95.72	Inf	-Inf	3	Vertical	212	2.58
7115MHz	Pass	AV	7.1255G	67.89	68.20	-0.31	3	Vertical	212	2.58
7115MHz	Pass	PK	7.1095G	103.31	Inf	-Inf	3	Vertical	212	2.58
7115MHz	Pass	PK	7.1255G	78.88	88.20	-9.32	3	Vertical	212	2.58



RSE TX above 1GHz_Non-Beamforming_Radio 3_2T2S_LPI

Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.2242G	41.63	68.20	-26.57	3	Vertical	87	2.65
7115MHz	Pass	PK	14.23098G	51.38	88.20	-36.82	3	Vertical	87	2.65
7115MHz	Pass	AV	14.22254G	41.54	68.20	-26.66	3	Horizontal	40	2.27
7115MHz	Pass	PK	14.22166G	52.49	88.20	-35.71	3	Horizontal	40	2.27
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	46.39	68.20	-21.81	3	Vertical	211	2.60
5965MHz	Pass	AV	5.9824G	98.98	Inf	-Inf	3	Vertical	211	2.60
5965MHz	Pass	PK	5.9212G	63.36	88.20	-24.84	3	Vertical	211	2.60
5965MHz	Pass	PK	5.9821G	109.85	Inf	-Inf	3	Vertical	211	2.60
5965MHz	Pass	AV	11.9293G	38.31	54.00	-15.69	3	Vertical	230	2.49
5965MHz	Pass	PK	11.9298G	48.10	74.00	-25.90	3	Vertical	230	2.49
5965MHz	Pass	AV	11.93024G	38.11	54.00	-15.89	3	Horizontal	0	2.46
5965MHz	Pass	PK	11.93776G	49.16	74.00	-24.84	3	Horizontal	0	2.46
6205MHz	Pass	AV	12.41072G	38.52	54.00	-15.48	3	Vertical	226	1.50
6205MHz	Pass	PK	12.41378G	50.23	74.00	-23.77	3	Vertical	226	1.50
6205MHz	Pass	AV	12.41878G	38.03	54.00	-15.97	3	Horizontal	187	1.50
6205MHz	Pass	PK	12.41538G	48.37	74.00	-25.63	3	Horizontal	187	1.50
6405MHz	Pass	AV	12.80716G	39.50	68.20	-28.70	3	Vertical	5	1.00
6405MHz	Pass	PK	12.80312G	50.02	88.20	-38.18	3	Vertical	5	1.00
6405MHz	Pass	AV	12.80632G	39.45	68.20	-28.75	3	Horizontal	341	1.66
6405MHz	Pass	PK	12.81146G	50.25	88.20	-37.95	3	Horizontal	341	1.66
6445MHz	Pass	AV	12.8893G	39.68	68.20	-28.52	3	Vertical	145	1.11
6445MHz	Pass	PK	12.8871G	50.58	88.20	-37.62	3	Vertical	145	1.11
6445MHz	Pass	AV	12.88798G	39.52	68.20	-28.68	3	Horizontal	168	3.00
6445MHz	Pass	PK	12.89576G	51.31	88.20	-36.89	3	Horizontal	168	3.00
6485MHz	Pass	AV	12.9692G	39.86	68.20	-28.34	3	Vertical	177	1.50
6485MHz	Pass	PK	12.97082G	51.07	88.20	-37.13	3	Vertical	177	1.50
6485MHz	Pass	AV	12.96052G	39.32	68.20	-28.88	3	Horizontal	217	1.38
6485MHz	Pass	PK	12.96294G	49.56	88.20	-38.64	3	Horizontal	217	1.38
6525MHz	Pass	AV	13.0499G	40.65	68.20	-27.55	3	Vertical	164	2.94
6525MHz	Pass	PK	13.04724G	51.98	88.20	-36.22	3	Vertical	164	2.94
6525MHz	Pass	AV	13.05414G	39.48	68.20	-28.72	3	Horizontal	31	1.00
6525MHz	Pass	PK	13.05884G	50.15	88.20	-38.05	3	Horizontal	31	1.00
6565MHz	Pass	AV	13.12934G	41.14	68.20	-27.06	3	Vertical	32	1.30
6565MHz	Pass	PK	13.12362G	53.78	88.20	-34.42	3	Vertical	32	1.30
6565MHz	Pass	AV	13.13952G	39.65	68.20	-28.55	3	Horizontal	236	1.46
6565MHz	Pass	PK	13.12228G	49.86	88.20	-38.34	3	Horizontal	236	1.46
6685MHz	Pass	AV	13.36944G	42.21	54.00	-11.79	3	Vertical	165	1.14
6685MHz	Pass	PK	13.37374G	52.54	74.00	-21.46	3	Vertical	165	1.14
6685MHz	Pass	AV	13.37114G	40.25	54.00	-13.75	3	Horizontal	195	1.89
6685MHz	Pass	PK	13.36346G	50.77	74.00	-23.23	3	Horizontal	195	1.89
6885MHz	Pass	AV	13.76988G	41.41	68.20	-26.79	3	Vertical	163	2.54
6885MHz	Pass	PK	13.76034G	52.06	88.20	-36.14	3	Vertical	163	2.54
6885MHz	Pass	AV	13.77396G	40.60	68.20	-27.60	3	Horizontal	66	1.50
6885MHz	Pass	PK	13.76002G	51.75	88.20	-36.45	3	Horizontal	66	1.50
6925MHz	Pass	AV	13.84394G	41.47	68.20	-26.73	3	Vertical	40	1.17
6925MHz	Pass	PK	13.8433G	52.24	88.20	-35.96	3	Vertical	40	1.17
6925MHz	Pass	AV	13.85608G	40.51	68.20	-27.69	3	Horizontal	233	1.50
6925MHz	Pass	PK	13.85558G	51.13	88.20	-37.07	3	Horizontal	233	1.50
7005MHz	Pass	AV	14.01428G	41.44	68.20	-26.76	3	Vertical	51	1.50
7005MHz	Pass	PK	14.0198G	52.56	88.20	-35.64	3	Vertical	51	1.50
7005MHz	Pass	AV	14.01444G	41.45	68.20	-26.75	3	Horizontal	346	1.50
7005MHz	Pass	PK	14.01364G	52.16	88.20	-36.04	3	Horizontal	346	1.50
7085MHz	Pass	AV	7.082G	98.68	Inf	-Inf	3	Vertical	209	1.49
7085MHz	Pass	AV	7.1252G	65.56	68.20	-2.64	3	Vertical	209	1.49
7085MHz	Pass	PK	7.0706G	109.65	Inf	-Inf	3	Vertical	209	1.49
7085MHz	Pass	PK	7.1258G	77.92	88.20	-10.28	3	Vertical	209	1.49
7085MHz	Pass	AV	14.1643G	42.92	68.20	-25.28	3	Vertical	324	3.00
7085MHz	Pass	PK	14.16882G	52.75	88.20	-35.45	3	Vertical	324	3.00
7085MHz	Pass	AV	14.1601G	41.93	68.20	-26.27	3	Horizontal	155	1.72
7085MHz	Pass	PK	14.16372G	52.75	88.20	-35.45	3	Horizontal	155	1.72
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-



RSE TX above 1GHz_Non-Beamforming_Radio 3_2T2S_LPI


Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9245G	62.09	68.20	-6.11	3	Vertical	210	2.56
5985MHz	Pass	AV	5.9985G	98.83	Inf	-Inf	3	Vertical	210	2.56
5985MHz	Pass	PK	5.9195G	77.25	88.20	-10.95	3	Vertical	210	2.56
5985MHz	Pass	PK	5.996G	109.04	Inf	-Inf	3	Vertical	210	2.56
5985MHz	Pass	AV	11.96062G	38.80	54.00	-15.20	3	Vertical	244	1.50
5985MHz	Pass	PK	11.9748G	49.19	74.00	-24.81	3	Vertical	244	1.50
5985MHz	Pass	AV	11.97494G	38.93	54.00	-15.07	3	Horizontal	46	1.50
5985MHz	Pass	PK	11.9729G	49.16	74.00	-24.84	3	Horizontal	46	1.50
6225MHz	Pass	AV	12.45088G	38.41	54.00	-15.59	3	Vertical	192	1.00
6225MHz	Pass	PK	12.44942G	49.59	74.00	-24.41	3	Vertical	192	1.00
6225MHz	Pass	AV	12.4579G	38.07	54.00	-15.93	3	Horizontal	194	1.50
6225MHz	Pass	PK	12.44496G	49.07	74.00	-24.93	3	Horizontal	194	1.50
6385MHz	Pass	AV	12.77476G	39.39	68.20	-28.81	3	Vertical	19	1.96
6385MHz	Pass	PK	12.76186G	50.01	88.20	-38.19	3	Vertical	19	1.96
6385MHz	Pass	AV	12.77378G	39.40	68.20	-28.80	3	Horizontal	295	2.84
6385MHz	Pass	PK	12.77508G	50.72	88.20	-37.48	3	Horizontal	295	2.84
6465MHz	Pass	AV	12.93352G	39.73	68.20	-28.47	3	Vertical	154	1.34
6465MHz	Pass	PK	12.92994G	50.95	88.20	-37.25	3	Vertical	154	1.34
6465MHz	Pass	AV	12.92292G	39.41	68.20	-28.79	3	Horizontal	165	1.50
6465MHz	Pass	PK	12.92492G	49.75	88.20	-38.45	3	Horizontal	165	1.50
6545MHz	Pass	AV	13.0983G	40.80	68.20	-27.40	3	Vertical	37	2.37
6545MHz	Pass	PK	13.09704G	52.73	88.20	-35.47	3	Vertical	37	2.37
6545MHz	Pass	AV	13.09932G	39.55	68.20	-28.65	3	Horizontal	214	2.32
6545MHz	Pass	PK	13.09388G	50.26	88.20	-37.94	3	Horizontal	214	2.32
6625MHz	Pass	AV	13.24216G	42.47	68.20	-25.73	3	Vertical	202	1.50
6625MHz	Pass	PK	13.25678G	52.89	74.00	-21.11	3	Vertical	202	1.50
6625MHz	Pass	AV	13.24446G	39.98	68.20	-28.22	3	Horizontal	80	2.64
6625MHz	Pass	PK	13.24334G	51.28	88.20	-36.92	3	Horizontal	80	2.64
6705MHz	Pass	AV	13.41566G	42.10	68.20	-26.10	3	Vertical	109	1.14
6705MHz	Pass	PK	13.40104G	53.07	88.20	-35.13	3	Vertical	109	1.14
6705MHz	Pass	AV	13.41626G	40.14	68.20	-28.06	3	Horizontal	228	1.50
6705MHz	Pass	PK	13.41434G	50.45	88.20	-37.75	3	Horizontal	228	1.50
6785MHz	Pass	AV	13.56052G	42.13	68.20	-26.07	3	Vertical	108	1.27
6785MHz	Pass	PK	13.5696G	53.37	88.20	-34.83	3	Vertical	108	1.27
6785MHz	Pass	AV	13.56074G	41.12	68.20	-27.08	3	Horizontal	195	3.00
6785MHz	Pass	PK	13.56634G	52.66	88.20	-35.54	3	Horizontal	195	3.00
6865MHz	Pass	AV	13.72G	41.28	68.20	-26.92	3	Vertical	26	1.47
6865MHz	Pass	PK	13.72382G	53.16	88.20	-35.04	3	Vertical	26	1.47
6865MHz	Pass	AV	13.72958G	40.73	68.20	-27.47	3	Horizontal	278	2.62
6865MHz	Pass	PK	13.72842G	51.42	88.20	-36.78	3	Horizontal	278	2.62
6945MHz	Pass	AV	13.89996G	40.94	68.20	-27.26	3	Vertical	5	1.50
6945MHz	Pass	PK	13.89002G	51.34	88.20	-36.86	3	Vertical	5	1.50
6945MHz	Pass	AV	13.9G	40.99	68.20	-27.21	3	Horizontal	217	1.26
6945MHz	Pass	PK	13.89252G	51.83	88.20	-36.37	3	Horizontal	217	1.26
7025MHz	Pass	AV	7.0127G	99.12	Inf	-Inf	3	Vertical	201	2.57
7025MHz	Pass	AV	7.1255G	58.84	68.20	-9.36	3	Vertical	201	2.57
7025MHz	Pass	PK	7.0106G	107.79	Inf	-Inf	3	Vertical	201	2.57
7025MHz	Pass	PK	7.1273G	66.35	88.20	-21.85	3	Vertical	201	2.57
7025MHz	Pass	AV	14.04842G	41.68	68.20	-26.52	3	Vertical	117	1.89
7025MHz	Pass	PK	14.04598G	52.26	88.20	-35.94	3	Vertical	117	1.89
7025MHz	Pass	AV	14.04888G	41.51	68.20	-26.69	3	Horizontal	127	1.70
7025MHz	Pass	PK	14.05538G	51.76	88.20	-36.44	3	Horizontal	127	1.70
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	65.33	68.20	-2.87	3	Vertical	209	2.66
6025MHz	Pass	AV	5.9995G	97.44	Inf	-Inf	3	Vertical	209	2.66
6025MHz	Pass	PK	5.9245G	78.10	88.20	-10.10	3	Vertical	209	2.66
6025MHz	Pass	PK	6.008G	105.57	Inf	-Inf	3	Vertical	209	2.66
6025MHz	Pass	AV	12.0434G	39.11	54.00	-14.89	3	Vertical	256	1.19
6025MHz	Pass	PK	12.05162G	49.15	74.00	-24.85	3	Vertical	256	1.19
6025MHz	Pass	AV	12.05858G	39.09	54.00	-14.91	3	Horizontal	355	1.50
6025MHz	Pass	PK	12.05254G	49.06	74.00	-24.94	3	Horizontal	355	1.50
6185MHz	Pass	AV	12.3732G	39.00	54.00	-15.00	3	Vertical	54	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.36476G	49.20	74.00	-24.80	3	Vertical	54	1.50
6185MHz	Pass	AV	12.36956G	39.01	54.00	-14.99	3	Horizontal	307	1.50
6185MHz	Pass	PK	12.3655G	48.04	74.00	-25.96	3	Horizontal	307	1.50
6345MHz	Pass	AV	12.69526G	40.07	54.00	-13.93	3	Vertical	9	1.50
6345MHz	Pass	PK	12.69278G	49.96	74.00	-24.04	3	Vertical	9	1.50
6345MHz	Pass	AV	12.69676G	40.11	54.00	-13.89	3	Horizontal	135	1.73
6345MHz	Pass	PK	12.68928G	49.95	74.00	-24.05	3	Horizontal	135	1.73
6505MHz	Pass	AV	13.0073G	40.17	68.20	-28.03	3	Vertical	329	1.50
6505MHz	Pass	PK	13.01378G	50.00	88.20	-38.20	3	Vertical	329	1.50
6505MHz	Pass	AV	13.01178G	40.26	68.20	-27.94	3	Horizontal	44	1.50
6505MHz	Pass	PK	13.01716G	50.44	88.20	-37.76	3	Horizontal	44	1.50
6665MHz	Pass	AV	13.32032G	41.67	54.00	-12.33	3	Vertical	202	1.79
6665MHz	Pass	PK	13.3302G	51.75	74.00	-22.25	3	Vertical	202	1.79
6665MHz	Pass	AV	13.33386G	40.74	54.00	-13.26	3	Horizontal	300	1.50
6665MHz	Pass	PK	13.32218G	50.67	74.00	-23.33	3	Horizontal	300	1.50
6825MHz	Pass	AV	13.65068G	42.04	68.20	-26.16	3	Vertical	353	1.96
6825MHz	Pass	PK	13.65708G	53.78	88.20	-34.42	3	Vertical	353	1.96
6825MHz	Pass	AV	13.65526G	41.77	68.20	-26.43	3	Horizontal	281	3.00
6825MHz	Pass	PK	13.6421G	52.64	88.20	-35.56	3	Horizontal	281	3.00
6985MHz	Pass	AV	6.9225G	99.22	Inf	-Inf	3	Vertical	198	2.79
6985MHz	Pass	AV	7.125G	65.05	68.20	-3.15	3	Vertical	198	2.79
6985MHz	Pass	PK	6.9215G	108.76	Inf	-Inf	3	Vertical	198	2.79
6985MHz	Pass	PK	7.1275G	74.35	88.20	-13.85	3	Vertical	198	2.79
6985MHz	Pass	AV	13.97088G	42.11	68.20	-26.09	3	Vertical	339	2.81
6985MHz	Pass	PK	13.96986G	51.66	88.20	-36.54	3	Vertical	339	2.81
6985MHz	Pass	AV	13.96942G	42.25	68.20	-25.95	3	Horizontal	48	1.50
6985MHz	Pass	PK	13.9775G	52.16	88.20	-36.04	3	Horizontal	48	1.50
802.11be EHT320_Nss2,(MCS0)_RX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	5.92G	74.06	88.20	-14.14	3	Vertical	204	2.63
6105MHz	Pass	AV	5.924G	61.25	68.20	-6.95	3	Vertical	204	2.63
6105MHz	Pass	PK	6.243G	104.31	Inf	-Inf	3	Vertical	204	2.63
6105MHz	Pass	AV	6.208G	94.62	Inf	-Inf	3	Vertical	204	2.63
6105MHz	Pass	AV	12.21062G	39.01	54.00	-14.99	3	Vertical	354	2.21
6105MHz	Pass	PK	12.21892G	50.32	74.00	-23.68	3	Vertical	354	2.21
6105MHz	Pass	AV	12.2002G	38.84	54.00	-15.16	3	Horizontal	37	2.35
6105MHz	Pass	PK	12.2194G	49.85	74.00	-24.15	3	Horizontal	37	2.35
6265MHz	Pass	AV	12.53286G	38.48	54.00	-15.52	3	Vertical	118	2.18
6265MHz	Pass	PK	12.52392G	48.62	74.00	-25.38	3	Vertical	118	2.18
6265MHz	Pass	AV	12.52838G	38.49	54.00	-15.51	3	Horizontal	319	1.50
6265MHz	Pass	PK	12.5272G	49.45	74.00	-24.55	3	Horizontal	319	1.50
6425MHz	Pass	AV	12.8525G	39.47	68.20	-28.73	3	Vertical	172	1.50
6425MHz	Pass	PK	12.85802G	50.63	88.20	-37.57	3	Vertical	172	1.50
6425MHz	Pass	AV	12.85274G	39.40	68.20	-28.80	3	Horizontal	37	1.76
6425MHz	Pass	PK	12.84402G	50.85	88.20	-37.35	3	Horizontal	37	1.76
6585MHz	Pass	AV	13.16966G	40.84	68.20	-27.36	3	Vertical	232	1.28
6585MHz	Pass	PK	13.16222G	51.63	88.20	-36.57	3	Vertical	232	1.28
6585MHz	Pass	AV	13.16932G	39.49	68.20	-28.71	3	Horizontal	131	1.50
6585MHz	Pass	PK	13.1703G	49.40	88.20	-38.80	3	Horizontal	131	1.50
6745MHz	Pass	AV	13.49346G	40.46	68.20	-27.74	3	Vertical	144	1.50
6745MHz	Pass	PK	13.48032G	51.18	88.20	-37.02	3	Vertical	144	1.50
6745MHz	Pass	AV	13.4926G	40.42	68.20	-27.78	3	Horizontal	45	2.17
6745MHz	Pass	PK	13.49074G	51.58	88.20	-36.62	3	Horizontal	45	2.17
6905MHz	Pass	AV	6.8025G	95.81	Inf	-Inf	3	Vertical	211	2.56
6905MHz	Pass	AV	7.1255G	65.21	68.20	-2.99	3	Vertical	211	2.56
6905MHz	Pass	PK	6.7935G	104.69	Inf	-Inf	3	Vertical	211	2.56
6905MHz	Pass	PK	7.1275G	75.54	88.20	-12.66	3	Vertical	211	2.56
6905MHz	Pass	AV	13.81958G	41.58	68.20	-26.62	3	Vertical	245	1.99
6905MHz	Pass	PK	13.80938G	51.25	88.20	-36.95	3	Vertical	245	1.99
6905MHz	Pass	AV	13.80702G	41.40	68.20	-26.80	3	Horizontal	70	2.30
6905MHz	Pass	PK	13.80962G	51.74	88.20	-36.46	3	Horizontal	70	2.30


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	62.09	68.20	-6.11	1.89	3	Vertical	210	2.56	60.20	34.55	5.18	37.84
AV	5.9985G	98.83	Inf	-Inf	2.01	3	Vertical	210	2.56	96.82	34.50	5.29	37.78
PK	5.9195G	77.25	88.20	-10.95	1.88	3	Vertical	210	2.56	75.37	34.56	5.17	37.85
PK	5.996G	109.04	Inf	-Inf	2.00	3	Vertical	210	2.56	107.04	34.50	5.28	37.78

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96062G	38.80	54.00	-15.20	9.64	3	Vertical	244	1.50	29.16	39.22	8.38	37.96
PK	11.9748G	49.19	74.00	-24.81	9.67	3	Vertical	244	1.50	39.52	39.25	8.39	37.97


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_RX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	74.06	88.20	-14.14	1.88	3	Vertical	204	2.63	72.18	34.56	5.17	37.85
AV	5.924G	61.25	68.20	-6.95	1.89	3	Vertical	204	2.63	59.36	34.55	5.18	37.84
PK	6.243G	104.31	Inf	-Inf	2.47	3	Vertical	204	2.63	101.84	34.69	5.41	37.63
AV	6.208G	94.62	Inf	-Inf	2.33	3	Vertical	204	2.63	92.29	34.62	5.37	37.66

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_RX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.21062G	39.01	54.00	-14.99	9.93	3	Vertical	354	2.21	29.08	39.48	8.52	38.07
PK	12.21892G	50.32	74.00	-23.68	9.91	3	Vertical	354	2.21	40.41	39.46	8.52	38.07


5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_RX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_RX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_RX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_RX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_RX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_RX

6905MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1195G	95.72	Inf	-Inf	5.56	3	Vertical	212	2.58	90.16	36.92	5.86	37.22
AV	7.1255G	67.89	68.20	-0.31	5.61	3	Vertical	212	2.58	62.28	36.95	5.87	37.21
PK	7.1095G	103.31	Inf	-Inf	5.49	3	Vertical	212	2.58	97.82	36.86	5.86	37.23
PK	7.1255G	78.88	88.20	-9.32	5.61	3	Vertical	212	2.58	73.27	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2242G	41.63	68.20	-26.57	12.16	3	Vertical	87	2.65	29.47	40.80	9.62	38.26
PK	14.23098G	51.38	88.20	-36.82	12.15	3	Vertical	87	2.65	39.23	40.78	9.62	38.25


6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0127G	99.12	Inf	-Inf	4.77	3	Vertical	201	2.57	94.35	36.28	5.84	37.35
AV	7.1255G	58.84	68.20	-9.36	5.61	3	Vertical	201	2.57	53.23	36.95	5.87	37.21
PK	7.0106G	107.79	Inf	-Inf	4.74	3	Vertical	201	2.57	103.05	36.26	5.84	37.36
PK	7.1273G	66.35	88.20	-21.85	5.62	3	Vertical	201	2.57	60.73	36.96	5.87	37.21

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04842G	41.68	68.20	-26.52	12.14	3	Vertical	117	1.89	29.54	40.90	9.54	38.30
PK	14.04598G	52.26	88.20	-35.94	12.13	3	Vertical	117	1.89	40.13	40.89	9.54	38.30


6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.89614G	42.41	54.00	-11.59	3	Vertical	151	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.93516G	42.63	54.00	-11.37	3	Vertical	197	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	11.92344G	42.61	54.00	-11.39	3	Vertical	84	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	63.63	68.20	-4.57	3	Vertical	7	2.82
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.914G	60.71	68.20	-7.49	3	Vertical	21	2.64
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.87594G	43.93	68.20	-24.27	3	Horizontal	161	2.28
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.03776G	44.24	68.20	-23.96	3	Vertical	341	2.04
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.92904G	44.06	68.20	-24.14	3	Horizontal	149	2.63
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.94712G	44.08	68.20	-24.12	3	Horizontal	27	1.87
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	13.13368G	38.61	68.20	-29.59	3	Horizontal	225	2.23
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38808G	44.78	54.00	-9.22	3	Vertical	353	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.34888G	47.38	54.00	-6.62	3	Vertical	195	2.10
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.35864G	44.66	54.00	-9.34	3	Vertical	354	1.35
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	PK	13.3228G	55.58	74.00	-18.42	3	Vertical	270	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	PK	13.39304G	56.47	74.00	-17.53	3	Horizontal	265	2.70
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	68.01	68.20	-0.19	3	Vertical	38	2.28
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2335G	53.63	68.20	-14.57	3	Vertical	197	2.66
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	54.28	68.20	-13.92	3	Vertical	197	2.81
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	62.77	68.20	-5.43	3	Vertical	217	2.78
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1275G	65.42	68.20	-2.78	3	Vertical	231	2.58

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	49.50	68.20	-18.70	3	Vertical	16	1.46
5955MHz	Pass	AV	5.964G	98.91	Inf	-Inf	3	Vertical	16	1.46
5955MHz	Pass	PK	5.9088G	60.96	88.20	-27.24	3	Vertical	16	1.46
5955MHz	Pass	PK	5.9631G	110.39	Inf	-Inf	3	Vertical	16	1.46
5955MHz	Pass	AV	11.89614G	42.41	54.00	-11.59	3	Vertical	151	1.50
5955MHz	Pass	PK	11.90298G	54.49	74.00	-19.51	3	Vertical	151	1.50
5955MHz	Pass	AV	11.92242G	42.33	54.00	-11.67	3	Horizontal	207	1.50
5955MHz	Pass	PK	11.90292G	54.13	74.00	-19.87	3	Horizontal	207	1.50
6195MHz	Pass	PK	12.39354G	53.92	74.00	-20.08	3	Vertical	113	2.01
6195MHz	Pass	AV	12.37884G	42.04	54.00	-11.96	3	Vertical	113	2.01
6195MHz	Pass	PK	12.37872G	53.76	74.00	-20.24	3	Horizontal	279	2.03
6195MHz	Pass	AV	12.38196G	42.06	54.00	-11.94	3	Horizontal	279	2.03
6415MHz	Pass	PK	12.82742G	55.04	88.20	-33.16	3	Vertical	103	2.31
6415MHz	Pass	AV	12.84488G	43.74	68.20	-24.46	3	Vertical	103	2.31
6415MHz	Pass	PK	12.84308G	55.59	88.20	-32.61	3	Horizontal	210	2.36
6415MHz	Pass	AV	12.84476G	43.71	68.20	-24.49	3	Horizontal	210	2.36
6435MHz	Pass	PK	12.87318G	55.89	88.20	-32.31	3	Vertical	115	2.75
6435MHz	Pass	AV	12.86874G	43.84	68.20	-24.36	3	Vertical	115	2.75
6435MHz	Pass	PK	12.87354G	55.59	88.20	-32.61	3	Horizontal	161	2.28
6435MHz	Pass	AV	12.87594G	43.93	68.20	-24.27	3	Horizontal	161	2.28
6475MHz	Pass	AV	12.9506G	43.84	68.20	-24.36	3	Vertical	341	2.00
6475MHz	Pass	PK	12.95324G	55.93	88.20	-32.27	3	Vertical	341	2.00
6475MHz	Pass	AV	12.94388G	43.87	68.20	-24.33	3	Horizontal	352	1.50
6475MHz	Pass	PK	12.96122G	55.12	88.20	-33.08	3	Horizontal	352	1.50
6515MHz	Pass	AV	13.01992G	43.47	68.20	-24.73	3	Vertical	352	2.97
6515MHz	Pass	PK	13.0279G	54.95	88.20	-33.25	3	Vertical	352	2.97
6515MHz	Pass	AV	13.01896G	43.43	68.20	-24.77	3	Horizontal	45	1.35
6515MHz	Pass	PK	13.0243G	55.30	88.20	-32.90	3	Horizontal	45	1.35
6535MHz	Pass	AV	13.073G	43.43	68.20	-24.77	3	Vertical	39	1.50
6535MHz	Pass	PK	13.06388G	55.46	88.20	-32.74	3	Vertical	39	1.50
6535MHz	Pass	AV	13.0769G	43.41	68.20	-24.79	3	Horizontal	199	1.50
6535MHz	Pass	PK	13.07726G	54.96	88.20	-33.24	3	Horizontal	199	1.50
6695MHz	Pass	AV	13.38808G	44.78	54.00	-9.22	3	Vertical	353	1.50
6695MHz	Pass	PK	13.378G	57.24	74.00	-16.76	3	Vertical	353	1.50
6695MHz	Pass	AV	13.4047G	44.22	68.20	-23.98	3	Horizontal	289	1.57
6695MHz	Pass	PK	13.40446G	55.86	88.20	-32.34	3	Horizontal	289	1.57
6875MHz	Pass	AV	13.7467G	44.62	68.20	-23.58	3	Vertical	180	1.93
6875MHz	Pass	PK	13.75486G	56.48	88.20	-31.72	3	Vertical	180	1.93
6875MHz	Pass	AV	13.7425G	43.87	68.20	-24.33	3	Horizontal	275	2.35
6875MHz	Pass	PK	13.73554G	56.33	88.20	-31.87	3	Horizontal	275	2.35
6895MHz	Pass	AV	13.79498G	44.14	68.20	-24.06	3	Vertical	204	1.93
6895MHz	Pass	PK	13.78472G	55.82	88.20	-32.38	3	Vertical	204	1.93
6895MHz	Pass	AV	13.77608G	43.96	68.20	-24.24	3	Horizontal	360	1.50
6895MHz	Pass	PK	13.77986G	55.93	88.20	-32.27	3	Horizontal	360	1.50
6995MHz	Pass	AV	13.9852G	44.02	68.20	-24.18	3	Vertical	148	1.50
6995MHz	Pass	PK	13.9936G	56.12	88.20	-32.08	3	Vertical	148	1.50
6995MHz	Pass	AV	13.99876G	43.96	68.20	-24.24	3	Horizontal	282	1.81
6995MHz	Pass	PK	13.98136G	55.99	88.20	-32.21	3	Horizontal	282	1.81
7095MHz	Pass	AV	7.1028G	98.75	Inf	-Inf	3	Vertical	196	2.57
7095MHz	Pass	AV	7.233G	53.70	68.20	-14.50	3	Vertical	196	2.57
7095MHz	Pass	PK	7.1031G	109.28	Inf	-Inf	3	Vertical	196	2.57
7095MHz	Pass	PK	7.2357G	65.64	88.20	-22.56	3	Vertical	196	2.57
7095MHz	Pass	AV	14.18562G	44.86	68.20	-23.34	3	Vertical	205	1.50
7095MHz	Pass	PK	14.19912G	58.16	88.20	-30.04	3	Vertical	205	1.50
7095MHz	Pass	AV	14.18736G	44.96	68.20	-23.24	3	Horizontal	220	1.50
7095MHz	Pass	PK	14.19288G	56.71	88.20	-31.49	3	Horizontal	220	1.50
7115MHz	Pass	AV	7.1065G	95.62	Inf	-Inf	3	Vertical	38	2.28
7115MHz	Pass	AV	7.1255G	68.01	68.20	-0.19	3	Vertical	38	2.28
7115MHz	Pass	PK	7.1065G	102.06	Inf	-Inf	3	Vertical	38	2.28
7115MHz	Pass	PK	7.1255G	78.47	88.20	-9.73	3	Vertical	38	2.28



RSE TX above 1GHz_Beamforming_Radio 3 2T1S_LPI

Appendix E.12


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.2254G	45.19	68.20	-23.01	3	Vertical	27	3.00
7115MHz	Pass	PK	14.22652G	56.65	88.20	-31.55	3	Vertical	27	3.00
7115MHz	Pass	AV	14.22348G	44.87	68.20	-23.33	3	Horizontal	180	2.31
7115MHz	Pass	PK	14.22532G	56.83	88.20	-31.37	3	Horizontal	180	2.31
802.11be EHT40-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	49.89	68.20	-18.31	3	Vertical	213	2.96
5965MHz	Pass	AV	5.9593G	100.58	Inf	-Inf	3	Vertical	213	2.96
5965MHz	Pass	PK	5.9221G	64.76	88.20	-23.44	3	Vertical	213	2.96
5965MHz	Pass	PK	5.9734G	110.62	Inf	-Inf	3	Vertical	213	2.96
5965MHz	Pass	AV	11.93516G	42.63	54.00	-11.37	3	Vertical	197	1.50
5965MHz	Pass	PK	11.91992G	54.31	74.00	-19.69	3	Vertical	197	1.50
5965MHz	Pass	AV	11.92292G	42.60	54.00	-11.40	3	Horizontal	221	1.82
5965MHz	Pass	PK	11.95256G	54.35	74.00	-19.65	3	Horizontal	221	1.82
6205MHz	Pass	AV	12.4346G	42.39	54.00	-11.61	3	Vertical	48	1.42
6205MHz	Pass	PK	12.3956G	54.00	74.00	-20.00	3	Vertical	48	1.42
6205MHz	Pass	AV	12.42788G	42.29	54.00	-11.71	3	Horizontal	293	1.50
6205MHz	Pass	PK	12.43508G	53.04	74.00	-20.96	3	Horizontal	293	1.50
6405MHz	Pass	AV	12.83664G	43.85	68.20	-24.35	3	Vertical	71	2.21
6405MHz	Pass	PK	12.81768G	55.53	88.20	-32.67	3	Vertical	71	2.21
6405MHz	Pass	AV	12.83484G	43.89	68.20	-24.31	3	Horizontal	230	2.93
6405MHz	Pass	PK	12.80868G	54.89	88.20	-33.31	3	Horizontal	230	2.93
6445MHz	Pass	AV	12.8858G	44.08	68.20	-24.12	3	Vertical	147	1.30
6445MHz	Pass	PK	12.91628G	55.43	88.20	-32.77	3	Vertical	147	1.30
6445MHz	Pass	AV	12.8858G	44.06	68.20	-24.14	3	Horizontal	123	2.32
6445MHz	Pass	PK	12.91736G	54.60	88.20	-33.60	3	Horizontal	123	2.32
6485MHz	Pass	AV	12.96352G	44.03	68.20	-24.17	3	Vertical	345	1.05
6485MHz	Pass	PK	12.99424G	54.90	88.20	-33.30	3	Vertical	345	1.05
6485MHz	Pass	AV	12.96376G	44.07	68.20	-24.13	3	Horizontal	37	2.17
6485MHz	Pass	PK	12.97384G	55.10	88.20	-33.10	3	Horizontal	37	2.17
6525MHz	Pass	AV	13.03776G	44.24	68.20	-23.96	3	Vertical	341	2.04
6525MHz	Pass	PK	13.03032G	54.81	88.20	-33.39	3	Vertical	341	2.04
6525MHz	Pass	AV	13.0254G	43.84	68.20	-24.36	3	Horizontal	14	1.50
6525MHz	Pass	PK	13.04472G	55.61	88.20	-32.59	3	Horizontal	14	1.50
6565MHz	Pass	AV	13.11284G	44.88	68.20	-23.32	3	Vertical	34	1.21
6565MHz	Pass	PK	13.1324G	55.04	88.20	-33.16	3	Vertical	34	1.21
6565MHz	Pass	AV	13.1G	43.90	68.20	-24.30	3	Horizontal	261	1.91
6565MHz	Pass	PK	13.14176G	55.94	88.20	-32.26	3	Horizontal	261	1.91
6685MHz	Pass	AV	13.34888G	47.38	54.00	-6.62	3	Vertical	195	2.10
6685MHz	Pass	PK	13.38284G	55.97	74.00	-18.03	3	Vertical	195	2.10
6685MHz	Pass	AV	13.3478G	47.02	54.00	-6.98	3	Horizontal	218	2.12
6685MHz	Pass	PK	13.379G	55.27	74.00	-18.73	3	Horizontal	218	2.12
6885MHz	Pass	AV	13.74648G	46.48	68.20	-21.72	3	Vertical	179	1.73
6885MHz	Pass	PK	13.75188G	56.29	88.20	-31.91	3	Vertical	179	1.73
6885MHz	Pass	AV	13.74984G	44.58	68.20	-23.62	3	Horizontal	119	2.73
6885MHz	Pass	PK	13.78788G	56.35	88.20	-31.85	3	Horizontal	119	2.73
6925MHz	Pass	AV	13.8314G	47.92	68.20	-20.28	3	Vertical	188	2.90
6925MHz	Pass	PK	13.86764G	55.45	88.20	-32.75	3	Vertical	188	2.90
6925MHz	Pass	AV	13.83092G	44.43	68.20	-23.77	3	Horizontal	159	2.90
6925MHz	Pass	PK	13.8362G	55.80	88.20	-32.40	3	Horizontal	159	2.90
7005MHz	Pass	AV	13.99092G	44.90	68.20	-23.30	3	Vertical	236	2.49
7005MHz	Pass	PK	13.99656G	55.52	88.20	-32.68	3	Vertical	236	2.49
7005MHz	Pass	AV	14.01756G	44.44	68.20	-23.76	3	Horizontal	114	2.42
7005MHz	Pass	PK	14.03532G	55.85	88.20	-32.35	3	Horizontal	114	2.42
7085MHz	Pass	AV	7.088G	99.59	Inf	-Inf	3	Vertical	197	2.66
7085MHz	Pass	AV	7.2335G	53.63	68.20	-14.57	3	Vertical	197	2.66
7085MHz	Pass	PK	7.0793G	111.21	Inf	-Inf	3	Vertical	197	2.66
7085MHz	Pass	PK	7.2281G	66.31	88.20	-21.89	3	Vertical	197	2.66
7085MHz	Pass	AV	14.18596G	44.99	68.20	-23.21	3	Vertical	211	1.32
7085MHz	Pass	PK	14.18692G	57.38	88.20	-30.82	3	Vertical	211	1.32
7085MHz	Pass	AV	14.18248G	44.97	68.20	-23.23	3	Horizontal	68	1.50
7085MHz	Pass	PK	14.18536G	55.97	88.20	-32.23	3	Horizontal	68	1.50
802.11be EHT80-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9193G	53.83	68.20	-14.37	3	Vertical	200	2.89
5985MHz	Pass	AV	5.9619G	101.46	Inf	-Inf	3	Vertical	200	2.89
5985MHz	Pass	PK	5.9226G	74.28	88.20	-13.92	3	Vertical	200	2.89
5985MHz	Pass	PK	5.9616G	113.21	Inf	-Inf	3	Vertical	200	2.89
5985MHz	Pass	AV	11.92344G	42.61	54.00	-11.39	3	Vertical	84	1.50
5985MHz	Pass	PK	11.92584G	53.63	74.00	-20.37	3	Vertical	84	1.50
5985MHz	Pass	AV	11.9244G	42.52	54.00	-11.48	3	Horizontal	90	2.56
5985MHz	Pass	PK	12.01728G	53.91	74.00	-20.09	3	Horizontal	90	2.56
6225MHz	Pass	AV	12.50448G	42.45	54.00	-11.55	3	Vertical	101	1.50
6225MHz	Pass	PK	12.45864G	53.85	74.00	-20.15	3	Vertical	101	1.50
6225MHz	Pass	AV	12.4836G	42.40	54.00	-11.60	3	Horizontal	237	1.42
6225MHz	Pass	PK	12.504G	54.43	74.00	-19.57	3	Horizontal	237	1.42
6385MHz	Pass	AV	12.81992G	43.70	68.20	-24.50	3	Vertical	339	2.04
6385MHz	Pass	PK	12.78464G	55.28	88.20	-32.92	3	Vertical	339	2.04
6385MHz	Pass	AV	12.81272G	43.73	68.20	-24.47	3	Horizontal	3	2.75
6385MHz	Pass	PK	12.74024G	56.04	88.20	-32.16	3	Horizontal	3	2.75
6465MHz	Pass	AV	12.96312G	43.99	68.20	-24.21	3	Vertical	127	2.57
6465MHz	Pass	PK	12.95232G	56.12	88.20	-32.08	3	Vertical	127	2.57
6465MHz	Pass	AV	12.92904G	44.06	68.20	-24.14	3	Horizontal	149	2.63
6465MHz	Pass	PK	12.93744G	56.35	88.20	-31.85	3	Horizontal	149	2.63
6545MHz	Pass	AV	13.0384G	44.00	68.20	-24.20	3	Vertical	40	2.19
6545MHz	Pass	PK	13.14952G	55.84	88.20	-32.36	3	Vertical	40	2.19
6545MHz	Pass	AV	13.10368G	43.73	68.20	-24.47	3	Horizontal	132	3.00
6545MHz	Pass	PK	13.12048G	55.89	88.20	-32.31	3	Horizontal	132	3.00
6625MHz	Pass	AV	13.19312G	46.76	68.20	-21.44	3	Vertical	185	1.98
6625MHz	Pass	PK	13.29728G	55.15	74.00	-18.85	3	Vertical	185	1.98
6625MHz	Pass	AV	13.30544G	44.06	54.00	-9.94	3	Horizontal	163	2.15
6625MHz	Pass	PK	13.2992G	55.82	74.00	-18.18	3	Horizontal	163	2.15
6705MHz	Pass	AV	13.35864G	44.66	54.00	-9.34	3	Vertical	354	1.35
6705MHz	Pass	PK	13.38432G	56.04	74.00	-17.96	3	Vertical	354	1.35
6705MHz	Pass	AV	13.40784G	44.37	68.20	-23.83	3	Horizontal	301	1.50
6705MHz	Pass	PK	13.36392G	56.07	74.00	-17.93	3	Horizontal	301	1.50
6785MHz	Pass	AV	13.5124G	45.50	68.20	-22.70	3	Vertical	161	3.00
6785MHz	Pass	PK	13.56736G	56.28	88.20	-31.92	3	Vertical	161	3.00
6785MHz	Pass	AV	13.53496G	44.47	68.20	-23.73	3	Horizontal	284	1.58
6785MHz	Pass	PK	13.57096G	55.94	88.20	-32.26	3	Horizontal	284	1.58
6865MHz	Pass	AV	13.67264G	44.90	68.20	-23.30	3	Vertical	175	2.10
6865MHz	Pass	PK	13.76024G	55.48	88.20	-32.72	3	Vertical	175	2.10
6865MHz	Pass	AV	13.70264G	44.17	68.20	-24.03	3	Horizontal	69	1.50
6865MHz	Pass	PK	13.7492G	55.33	88.20	-32.87	3	Horizontal	69	1.50
6945MHz	Pass	AV	13.83072G	45.24	68.20	-22.96	3	Vertical	167	1.33
6945MHz	Pass	PK	13.908G	55.86	88.20	-32.34	3	Vertical	167	1.33
6945MHz	Pass	AV	13.83576G	44.36	68.20	-23.84	3	Horizontal	0	2.88
6945MHz	Pass	PK	13.91976G	54.87	88.20	-33.33	3	Horizontal	0	2.88
7025MHz	Pass	PK	6.9878G	113.83	Inf	-Inf	3	Vertical	197	2.81
7025MHz	Pass	AV	6.998G	102.10	Inf	-Inf	3	Vertical	197	2.81
7025MHz	Pass	PK	7.1282G	68.26	88.20	-19.94	3	Vertical	197	2.81
7025MHz	Pass	AV	7.1252G	54.28	68.20	-13.92	3	Vertical	197	2.81
7025MHz	Pass	AV	14.09992G	44.64	68.20	-23.56	3	Vertical	133	3.00
7025MHz	Pass	PK	14.0068G	55.99	88.20	-32.21	3	Vertical	133	3.00
7025MHz	Pass	AV	14.0992G	44.70	68.20	-23.50	3	Horizontal	32	3.00
7025MHz	Pass	PK	14.05456G	55.61	88.20	-32.59	3	Horizontal	32	3.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	63.63	68.20	-4.57	3	Vertical	7	2.82
6025MHz	Pass	AV	5.9515G	100.06	Inf	-Inf	3	Vertical	7	2.82
6025MHz	Pass	PK	5.9135G	76.95	88.20	-11.25	3	Vertical	7	2.82
6025MHz	Pass	PK	5.9615G	112.16	Inf	-Inf	3	Vertical	7	2.82
6025MHz	Pass	AV	12.07208G	42.55	54.00	-11.45	3	Vertical	328	1.50
6025MHz	Pass	PK	12.02504G	54.98	74.00	-19.02	3	Vertical	328	1.50
6025MHz	Pass	AV	12.06488G	42.53	54.00	-11.47	3	Horizontal	158	2.63
6025MHz	Pass	PK	12.02216G	54.43	74.00	-19.57	3	Horizontal	158	2.63
6185MHz	Pass	AV	12.48376G	42.42	54.00	-11.58	3	Vertical	156	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.40264G	53.44	74.00	-20.56	3	Vertical	156	1.50
6185MHz	Pass	AV	12.4852G	42.45	54.00	-11.55	3	Horizontal	219	2.06
6185MHz	Pass	PK	12.4444G	54.18	74.00	-19.82	3	Horizontal	219	2.06
6345MHz	Pass	AV	12.80856G	43.67	68.20	-24.53	3	Vertical	9	1.38
6345MHz	Pass	PK	12.74376G	55.04	88.20	-33.16	3	Vertical	9	1.38
6345MHz	Pass	AV	12.8076G	43.69	68.20	-24.51	3	Horizontal	55	1.50
6345MHz	Pass	PK	12.60792G	54.95	74.00	-19.05	3	Horizontal	55	1.50
6505MHz	Pass	AV	12.93656G	44.03	68.20	-24.17	3	Vertical	70	2.42
6505MHz	Pass	PK	12.99416G	55.18	88.20	-33.02	3	Vertical	70	2.42
6505MHz	Pass	AV	12.94712G	44.08	68.20	-24.12	3	Horizontal	27	1.87
6505MHz	Pass	PK	12.9596G	55.71	88.20	-32.49	3	Horizontal	27	1.87
6665MHz	Pass	AV	13.4428G	44.37	68.20	-23.83	3	Vertical	270	1.50
6665MHz	Pass	PK	13.3228G	55.58	74.00	-18.42	3	Vertical	270	1.50
6665MHz	Pass	AV	13.4452G	44.39	68.20	-23.81	3	Horizontal	208	1.17
6665MHz	Pass	PK	13.41928G	56.10	88.20	-32.10	3	Horizontal	208	1.17
6825MHz	Pass	AV	13.53096G	44.50	68.20	-23.70	3	Vertical	81	2.62
6825MHz	Pass	PK	13.54104G	56.11	88.20	-32.09	3	Vertical	81	2.62
6825MHz	Pass	AV	13.53528G	44.45	68.20	-23.75	3	Horizontal	160	1.50
6825MHz	Pass	PK	13.5444G	55.56	88.20	-32.64	3	Horizontal	160	1.50
6985MHz	Pass	AV	6.918G	103.78	Inf	-Inf	3	Vertical	217	2.78
6985MHz	Pass	AV	7.1255G	62.77	68.20	-5.43	3	Vertical	217	2.78
6985MHz	Pass	PK	6.9095G	116.01	Inf	-Inf	3	Vertical	217	2.78
6985MHz	Pass	PK	7.1395G	75.69	88.20	-12.51	3	Vertical	217	2.78
6985MHz	Pass	AV	14.0588G	44.67	68.20	-23.53	3	Vertical	13	1.18
6985MHz	Pass	PK	13.98008G	56.30	88.20	-31.90	3	Vertical	13	1.18
6985MHz	Pass	AV	14.05784G	44.63	68.20	-23.57	3	Horizontal	206	1.50
6985MHz	Pass	PK	14.00648G	56.47	88.20	-31.73	3	Horizontal	206	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.914G	60.71	68.20	-7.49	3	Vertical	21	2.64
6105MHz	Pass	AV	5.95G	98.83	Inf	-Inf	3	Vertical	21	2.64
6105MHz	Pass	PK	5.919G	73.28	88.20	-14.92	3	Vertical	21	2.64
6105MHz	Pass	PK	6.263G	107.35	Inf	-Inf	3	Vertical	21	2.64
6105MHz	Pass	AV	12.06312G	42.55	54.00	-11.45	3	Vertical	248	1.76
6105MHz	Pass	PK	12.20616G	54.44	74.00	-19.56	3	Vertical	248	1.76
6105MHz	Pass	AV	12.42865G	42.51	54.00	-11.49	3	Horizontal	247	2.20
6105MHz	Pass	PK	12.42888G	54.17	74.00	-19.83	3	Horizontal	247	2.20
6265MHz	Pass	AV	12.74792G	43.64	68.20	-24.56	3	Vertical	76	2.75
6265MHz	Pass	PK	12.75656G	54.83	88.20	-33.37	3	Vertical	76	2.75
6265MHz	Pass	AV	12.69704G	43.65	54.00	-10.35	3	Horizontal	147	1.50
6265MHz	Pass	PK	12.72968G	54.78	88.20	-33.42	3	Horizontal	147	1.50
6425MHz	Pass	AV	12.94024G	44.01	68.20	-24.19	3	Vertical	141	1.50
6425MHz	Pass	PK	12.93448G	55.50	88.20	-32.70	3	Vertical	141	1.50
6425MHz	Pass	AV	12.94024G	44.04	68.20	-24.16	3	Horizontal	264	1.50
6425MHz	Pass	PK	12.874G	55.49	88.20	-32.71	3	Horizontal	264	1.50
6585MHz	Pass	PK	13.16536G	49.17	88.20	-39.03	3	Vertical	188	1.09
6585MHz	Pass	AV	13.17352G	38.57	68.20	-29.63	3	Vertical	188	1.09
6585MHz	Pass	PK	13.1428G	50.19	88.20	-38.01	3	Horizontal	225	2.23
6585MHz	Pass	AV	13.13368G	38.61	68.20	-29.59	3	Horizontal	225	2.23
6745MHz	Pass	AV	13.49384G	44.47	68.20	-23.73	3	Vertical	71	1.50
6745MHz	Pass	PK	13.43336G	56.71	88.20	-31.49	3	Vertical	71	1.50
6745MHz	Pass	AV	13.47272G	44.48	68.20	-23.72	3	Horizontal	265	2.70
6745MHz	Pass	PK	13.39304G	56.47	74.00	-17.53	3	Horizontal	265	2.70
6905MHz	Pass	AV	6.9245G	97.96	Inf	-Inf	3	Vertical	231	2.58
6905MHz	Pass	AV	7.1275G	65.42	68.20	-2.78	3	Vertical	231	2.58
6905MHz	Pass	PK	6.9225G	104.93	Inf	-Inf	3	Vertical	231	2.58
6905MHz	Pass	PK	7.1275G	75.67	88.20	-12.53	3	Vertical	231	2.58
6905MHz	Pass	AV	14.04808G	44.56	68.20	-23.64	3	Vertical	93	2.20
6905MHz	Pass	PK	14.04792G	56.11	88.20	-32.09	3	Vertical	93	2.20
6905MHz	Pass	AV	14.04904G	44.47	68.20	-23.73	3	Horizontal	28	2.14
6905MHz	Pass	PK	13.96264G	55.80	88.20	-32.40	3	Horizontal	28	2.14


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX

