

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

BT-Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.51.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	71.942	29.38	-24.25	40.0	-10.62	Peak	359.40	200	Horizontal	Pass
2	120.006	37.40	-22.71	43.5	-6.10	Peak	306.20	173	Horizontal	Pass
2*	120.006	36.37	-22.71	43.5	-7.13	QP	306.20	173	Horizontal	Pass
3	167.948	30.61	-23.35	43.5	-12.89	Peak	294.70	200	Horizontal	Pass
4	311.957	35.30	-17.56	46.0	-10.70	Peak	35.20	100	Horizontal	Pass
5	359.960	37.35	-16.37	46.0	-8.65	Peak	51.20	100	Horizontal	Pass
6	551.972	30.98	-11.31	46.0	-15.02	Peak	0.00	200	Horizontal	Pass

BT-Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.41.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	47.941	29.35	-19.41	40.0	-10.65	Peak	218.10	100	Vertical	Pass
2	59.820	29.81	-20.75	40.0	-10.19	Peak	178.90	100	Vertical	Pass
3	71.942	30.73	-24.25	40.0	-9.27	Peak	34.20	200	Vertical	Pass
4	120.006	38.98	-22.71	43.5	-4.52	Peak	357.90	100	Vertical	Pass
4*	120.006	37.72	-22.71	43.5	-5.78	QP	357.90	100	Vertical	Pass
5	311.957	34.70	-17.56	46.0	-11.30	Peak	318.00	200	Vertical	Pass
6	359.960	36.09	-16.37	46.0	-9.91	Peak	313.10	100	Vertical	Pass

1-18G

BT-Low channel-Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_13.26.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1220.222	41.63	-12.80	74.0	-32.37	Peak	134.80	100	Horizontal	Pass
1**	1220.222	30.16	-12.80	54.0	-23.84	AV	134.80	100	Horizontal	Pass
2	1993.126	45.91	-10.48	74.0	-28.09	Peak	335.00	100	Horizontal	Pass
2**	1993.126	34.14	-10.48	54.0	-19.86	AV	335.00	100	Horizontal	Pass
3	2400.325	49.14	-4.48	74.0	-24.86	Peak	148.20	100	Horizontal	Pass
3**	2400.325	39.49	-4.48	54.0	-14.51	AV	148.20	100	Horizontal	Pass
4	2888.264	49.68	-3.89	74.0	-24.32	Peak	175.40	100	Horizontal	Pass
4**	2888.264	38.60	-3.89	54.0	-15.40	AV	175.40	100	Horizontal	Pass
5	4965.754	53.05	-0.55	74.0	-20.95	Peak	184.90	100	Horizontal	Pass
5**	4965.754	41.61	-0.55	54.0	-12.39	AV	184.90	100	Horizontal	Pass
6	6059.118	55.40	2.06	74.0	-18.60	Peak	180.00	100	Horizontal	Pass
6**	6059.118	44.71	2.06	54.0	-9.29	AV	180.00	100	Horizontal	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.31.15

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7951.262	39.36	7.14	74.0	-34.64	Peak	358.30	100	Horizontal	Pass
1**	7951.262	30.60	7.14	54.0	-23.40	AV	358.30	100	Horizontal	Pass
2	9972.007	44.81	13.21	74.0	-29.19	Peak	79.00	100	Horizontal	Pass
2**	9972.007	36.21	13.21	54.0	-17.79	AV	79.00	100	Horizontal	Pass
3	11189.953	46.09	14.49	74.0	-27.91	Peak	9.70	100	Horizontal	Pass
3**	11189.953	37.85	14.49	54.0	-16.15	AV	9.70	100	Horizontal	Pass
4	12476.631	49.12	16.95	74.0	-24.88	Peak	42.10	100	Horizontal	Pass
4**	12476.631	40.11	16.95	54.0	-13.89	AV	42.10	100	Horizontal	Pass
5	14150.962	53.01	21.25	74.0	-20.99	Peak	241.20	100	Horizontal	Pass
5**	14150.962	43.64	21.25	54.0	-10.36	AV	241.20	100	Horizontal	Pass
6	17810.297	58.94	24.75	74.0	-15.06	Peak	195.10	100	Horizontal	Pass
6**	17810.297	49.38	24.75	54.0	-4.62	AV	195.10	100	Horizontal	Pass

BT-Low channel-Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_13.30.33

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.195	41.92	-12.78	74.0	-32.08	Peak	284.40	100	Vertical	Pass
1**	1442.195	30.96	-12.78	54.0	-23.04	AV	284.40	100	Vertical	Pass
2	2129.359	48.39	-8.89	74.0	-25.61	Peak	302.20	100	Vertical	Pass
2**	2129.359	37.13	-8.89	54.0	-16.87	AV	302.20	100	Vertical	Pass
3	2401.075	48.88	-4.48	74.0	-25.12	Peak	360.00	100	Vertical	Pass
3**	2401.075	39.80	-4.48	54.0	-14.20	AV	360.00	100	Vertical	Pass
4	4099.363	51.15	-1.45	74.0	-22.85	Peak	336.60	100	Vertical	Pass
4**	4099.363	40.66	-1.45	54.0	-13.34	AV	336.60	100	Vertical	Pass
5	4714.286	52.17	-1.02	74.0	-21.83	Peak	331.80	100	Vertical	Pass
5**	4714.286	42.18	-1.02	54.0	-11.82	AV	331.80	100	Vertical	Pass
6	6831.521	58.19	3.89	74.0	-15.81	Peak	298.30	100	Vertical	Pass
6**	6831.521	47.37	3.89	54.0	-6.63	AV	298.30	100	Vertical	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.00.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8974.006	42.55	11.52	74.0	-31.45	Peak	0.70	100	Vertical	Pass
1**	8974.006	32.70	11.52	54.0	-21.30	AV	0.70	100	Vertical	Pass
2	10862.784	46.51	14.69	74.0	-27.49	Peak	122.50	100	Vertical	Pass
2**	10862.784	37.13	14.69	54.0	-16.87	AV	122.50	100	Vertical	Pass
3	12410.647	48.37	16.98	74.0	-25.63	Peak	0.70	100	Vertical	Pass
3**	12410.647	39.68	16.98	54.0	-14.32	AV	0.70	100	Vertical	Pass
4	13095.226	50.82	18.46	74.0	-23.18	Peak	294.80	100	Vertical	Pass
4**	13095.226	41.68	18.46	54.0	-12.32	AV	294.80	100	Vertical	Pass
5	14192.202	52.92	22.26	74.0	-21.08	Peak	164.50	100	Vertical	Pass
5**	14192.202	44.54	22.26	54.0	-9.46	AV	164.50	100	Vertical	Pass
6	17450.137	58.01	24.83	74.0	-15.99	Peak	141.50	100	Vertical	Pass
6**	17450.137	49.37	24.83	54.0	-4.63	AV	141.50	100	Vertical	Pass

BT-Middle channel-Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_13.23.47

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.181	41.66	-13.07	74.0	-32.34	Peak	302.30	100	Horizontal	Pass
1**	1551.181	30.65	-13.07	54.0	-23.35	AV	302.30	100	Horizontal	Pass
2	2092.863	44.89	-9.12	74.0	-29.11	Peak	148.40	100	Horizontal	Pass
2**	2092.863	34.46	-9.12	54.0	-19.54	AV	148.40	100	Horizontal	Pass
3	2400.825	48.89	-4.48	74.0	-25.11	Peak	0.00	100	Horizontal	Pass
3**	2400.825	39.47	-4.48	54.0	-14.53	AV	0.00	100	Horizontal	Pass
4	2786.527	49.15	-4.28	74.0	-24.85	Peak	169.00	100	Horizontal	Pass
4**	2786.527	38.25	-4.28	54.0	-15.75	AV	169.00	100	Horizontal	Pass
5	3613.423	49.82	-2.61	74.0	-24.18	Peak	1.50	100	Horizontal	Pass
5**	3613.423	39.57	-2.61	54.0	-14.43	AV	1.50	100	Horizontal	Pass
6	5237.220	53.37	-0.37	74.0	-20.63	Peak	308.70	100	Horizontal	Pass
6**	5237.220	42.91	-0.37	54.0	-11.09	AV	308.70	100	Horizontal	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.17.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8949.263	41.72	10.73	74.0	-32.28	Peak	188.80	100	Horizontal	Pass
1**	8949.263	32.09	10.73	54.0	-21.91	AV	188.80	100	Horizontal	Pass
2	10145.214	45.04	13.11	74.0	-28.96	Peak	221.30	100	Horizontal	Pass
2**	10145.214	36.43	13.11	54.0	-17.57	AV	221.30	100	Horizontal	Pass
3	11283.429	46.69	15.66	74.0	-27.31	Peak	305.80	100	Horizontal	Pass
3**	11283.429	36.96	15.66	54.0	-17.04	AV	305.80	100	Horizontal	Pass
4	12471.132	49.58	17.08	74.0	-24.42	Peak	282.30	100	Horizontal	Pass
4**	12471.132	39.91	17.08	54.0	-14.09	AV	282.30	100	Horizontal	Pass
5	14186.703	52.85	22.33	74.0	-21.15	Peak	352.00	100	Horizontal	Pass
5**	14186.703	44.56	22.33	54.0	-9.44	AV	352.00	100	Horizontal	Pass
6	14764.059	54.28	21.52	74.0	-19.72	Peak	315.40	100	Horizontal	Pass
6**	14764.059	44.74	21.52	54.0	-9.26	AV	315.40	100	Horizontal	Pass

BT-Middle channel-Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_13.20.33

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1410.449	41.93	-12.79	74.0	-32.07	Peak	310.70	100	Vertical	Pass
1**	1410.449	30.96	-12.79	54.0	-23.04	AV	310.70	100	Vertical	Pass
2	2215.848	46.47	-8.24	74.0	-27.53	Peak	11.10	100	Vertical	Pass
2**	2215.848	35.57	-8.24	54.0	-18.43	AV	11.10	100	Vertical	Pass
3	2401.075	49.26	-4.48	74.0	-24.74	Peak	247.10	100	Vertical	Pass
3**	2401.075	39.65	-4.48	54.0	-14.35	AV	247.10	100	Vertical	Pass
4	2937.508	49.46	-3.81	74.0	-24.54	Peak	56.40	100	Vertical	Pass
4**	2937.508	37.97	-3.81	54.0	-16.03	AV	56.40	100	Vertical	Pass
5	3855.893	50.42	-3.23	74.0	-23.58	Peak	205.00	100	Vertical	Pass
5**	3855.893	38.94	-3.23	54.0	-15.06	AV	205.00	100	Vertical	Pass
6	5173.728	53.68	0.25	74.0	-20.32	Peak	221.50	100	Vertical	Pass
6**	5173.728	43.03	0.25	54.0	-10.97	AV	221.50	100	Vertical	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.02.58

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8976.756	41.89	11.61	74.0	-32.11	Peak	350.60	100	Vertical	Pass
1**	8976.756	32.93	11.61	54.0	-21.07	AV	350.60	100	Vertical	Pass
2	10109.473	44.88	13.29	74.0	-29.12	Peak	166.80	100	Vertical	Pass
2**	10109.473	37.00	13.29	54.0	-17.00	AV	166.80	100	Vertical	Pass
3	10871.032	46.27	14.71	74.0	-27.73	Peak	221.90	100	Vertical	Pass
3**	10871.032	37.24	14.71	54.0	-16.76	AV	221.90	100	Vertical	Pass
4	12446.388	48.88	17.12	74.0	-25.12	Peak	0.00	100	Vertical	Pass
4**	12446.388	40.10	17.12	54.0	-13.90	AV	0.00	100	Vertical	Pass
5	14192.202	53.02	22.26	74.0	-20.98	Peak	84.90	100	Vertical	Pass
5**	14192.202	45.17	22.26	54.0	-8.83	AV	84.90	100	Vertical	Pass
6	17472.132	57.33	25.05	74.0	-16.67	Peak	255.40	100	Vertical	Pass
6**	17472.132	49.30	25.05	54.0	-4.70	AV	255.40	100	Vertical	Pass

BT-High channel-Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.55.07

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1741.407	42.25	-12.46	74.0	-31.75	Peak	261.80	100	Horizontal	Pass
1**	1741.407	31.39	-12.46	54.0	-22.61	AV	261.80	100	Horizontal	Pass
2	2456.818	49.52	-4.97	74.0	-24.48	Peak	191.30	100	Horizontal	Pass
2**	2456.818	39.27	-4.97	54.0	-14.73	AV	191.30	100	Horizontal	Pass
3	3028.496	48.98	-4.61	74.0	-25.02	Peak	147.90	100	Horizontal	Pass
3**	3028.496	39.11	-4.61	54.0	-14.89	AV	147.90	100	Horizontal	Pass
4	3714.911	49.73	-2.75	74.0	-24.27	Peak	180.70	100	Horizontal	Pass
4**	3714.911	39.04	-2.75	54.0	-14.96	AV	180.70	100	Horizontal	Pass
5	4975.253	53.09	-0.62	74.0	-20.91	Peak	126.80	100	Horizontal	Pass
5**	4975.253	41.88	-0.62	54.0	-12.12	AV	126.80	100	Horizontal	Pass
6	6044.619	55.48	2.05	74.0	-18.52	Peak	183.20	100	Horizontal	Pass
6**	6044.619	45.13	2.05	54.0	-8.87	AV	183.20	100	Horizontal	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.22.08

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8033.742	38.93	8.17	74.0	-35.07	Peak	247.90	100	Horizontal	Pass
1**	8033.742	29.72	8.17	54.0	-24.28	AV	247.90	100	Horizontal	Pass
2	9914.271	44.66	13.53	74.0	-29.34	Peak	284.80	100	Horizontal	Pass
2**	9914.271	35.84	13.53	54.0	-18.16	AV	284.80	100	Horizontal	Pass
3	12454.636	49.09	17.15	74.0	-24.91	Peak	257.20	100	Horizontal	Pass
3**	12454.636	40.10	17.15	54.0	-13.90	AV	257.20	100	Horizontal	Pass
4	14170.207	52.39	21.83	74.0	-21.61	Peak	359.30	100	Horizontal	Pass
4**	14170.207	44.25	21.83	54.0	-9.75	AV	359.30	100	Horizontal	Pass
5	16111.222	53.86	20.38	74.0	-20.14	Peak	44.00	100	Horizontal	Pass
5**	16111.222	44.12	20.38	54.0	-9.88	AV	44.00	100	Horizontal	Pass
6	17829.543	57.93	24.17	74.0	-16.07	Peak	279.90	100	Horizontal	Pass
6**	17829.543	48.84	24.17	54.0	-5.16	AV	279.90	100	Horizontal	Pass

BT-High channel-Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_13.15.00

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.931	41.90	-13.05	74.0	-32.10	Peak	268.40	100	Vertical	Pass
1**	1551.931	31.18	-13.05	54.0	-22.82	AV	268.40	100	Vertical	Pass
2	2128.609	46.14	-8.89	74.0	-27.86	Peak	333.70	100	Vertical	Pass
2**	2128.609	35.83	-8.89	54.0	-18.17	AV	333.70	100	Vertical	Pass
3	2460.317	49.49	-4.99	74.0	-24.51	Peak	173.50	100	Vertical	Pass
3**	2460.317	38.53	-4.99	54.0	-15.47	AV	173.50	100	Vertical	Pass
4	3624.922	49.90	-2.30	74.0	-24.10	Peak	242.50	100	Vertical	Pass
4**	3624.922	39.86	-2.30	54.0	-14.14	AV	242.50	100	Vertical	Pass
5	5079.240	53.22	0.15	74.0	-20.78	Peak	223.80	100	Vertical	Pass
5**	5079.240	42.95	0.15	54.0	-11.05	AV	223.80	100	Vertical	Pass
6	6040.620	55.26	2.05	74.0	-18.74	Peak	47.70	100	Vertical	Pass
6**	6040.620	44.97	2.05	54.0	-9.03	AV	47.70	100	Vertical	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.06.59

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8957.511	41.16	10.99	74.0	-32.84	Peak	105.00	100	Vertical	Pass
1**	8957.511	32.51	10.99	54.0	-21.49	AV	105.00	100	Vertical	Pass
2	10123.219	44.63	13.27	74.0	-29.37	Peak	90.10	100	Vertical	Pass
2**	10123.219	35.80	13.27	54.0	-18.20	AV	90.10	100	Vertical	Pass
3	12438.140	48.95	17.09	74.0	-25.05	Peak	360.00	100	Vertical	Pass
3**	12438.140	39.75	17.09	54.0	-14.25	AV	360.00	100	Vertical	Pass
4	13150.212	50.48	18.53	74.0	-23.52	Peak	141.90	100	Vertical	Pass
4**	13150.212	41.37	18.53	54.0	-12.63	AV	141.90	100	Vertical	Pass
5	14200.450	53.85	22.07	74.0	-20.15	Peak	248.70	100	Vertical	Pass
5**	14200.450	44.51	22.07	54.0	-9.49	AV	248.70	100	Vertical	Pass
6	17804.799	58.25	24.91	74.0	-15.75	Peak	52.60	100	Vertical	Pass
6**	17804.799	50.03	24.91	54.0	-3.97	AV	52.60	100	Vertical	Pass

BT-Bandedge -Low channel- Horizontal-DH5 –TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.00.33

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	44.00	-10.38	74.0	-30.00	Peak	188.10	100	Horizontal	Pass
1**	2390.000	34.23	-10.38	54.0	-19.77	AV	188.10	100	Horizontal	Pass

BT-Bandedge -Low channel- Vertical-DH5 -TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_10.58.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	44.33	-10.38	74.0	-29.67	Peak	127.30	100	Vertical	Pass
1**	2390.000	34.29	-10.38	54.0	-19.71	AV	127.30	100	Vertical	Pass

BT-Bandedge -High channel- Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.03.23

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	46.76	-9.97	74.0	-27.24	Peak	11.16	100	Horizontal	Pass
1**	2483.500	36.07	-9.97	54.0	-17.93	AV	11.16	100	Horizontal	Pass

BT-Bandedge -High channel- Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.05.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	47.77	-9.97	74.0	-26.23	Peak	99.01	100	Vertical	Pass
1**	2483.500	36.14	-9.97	54.0	-17.86	AV	99.01	100	Vertical	Pass

30M-1G

BT-Hopping-Horizontal-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.23.23

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	47.941	27.57	-19.41	40.0	-12.43	Peak	254.60	100	Horizontal	Pass
2	71.942	30.66	-24.25	40.0	-9.34	Peak	360.00	200	Horizontal	Pass
3	120.004	34.96	-22.71	43.5	-8.54	Peak	360.00	100	Horizontal	Pass
3*	120.004	33.58	-22.71	43.5	-9.92	QP	360.00	100	Horizontal	Pass
4	311.957	33.53	-17.56	46.0	-12.47	Peak	320.40	200	Horizontal	Pass
5	359.960	36.76	-16.37	46.0	-9.24	Peak	316.20	100	Horizontal	Pass
6	551.972	36.05	-11.31	46.0	-9.95	Peak	252.40	100	Horizontal	Pass

BT-Hopping -Vertical-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.33.10

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	47.941	28.58	-19.41	40.0	-11.42	Peak	226.30	100	Vertical	Pass
2	59.820	29.57	-20.75	40.0	-10.43	Peak	164.30	200	Vertical	Pass
3	71.942	31.84	-24.25	40.0	-8.16	Peak	40.50	300	Vertical	Pass
4	120.006	36.63	-22.71	43.5	-6.87	Peak	157.50	100	Vertical	Pass
4*	120.006	35.50	-22.71	43.5	-8.00	QP	157.50	100	Vertical	Pass
5	359.960	36.63	-16.37	46.0	-9.37	Peak	314.10	100	Vertical	Pass
6	551.972	36.22	-11.31	46.0	-9.78	Peak	256.40	100	Vertical	Pass

1-18G

BT-Hopping -Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_13.37.38

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1098.988	42.34	-13.41	74.0	-31.66	Peak	202.80	100	Horizontal	Pass
1**	1098.988	34.14	-13.41	54.0	-19.86	AV	202.80	100	Horizontal	Pass
2	2129.109	46.95	-8.89	74.0	-27.05	Peak	316.20	100	Horizontal	Pass
2**	2129.109	36.58	-8.89	54.0	-17.42	AV	316.20	100	Horizontal	Pass
3	2402.325	49.00	-4.49	74.0	-25.00	Peak	33.10	100	Horizontal	Pass
3**	2402.325	39.23	-4.49	54.0	-14.77	AV	33.10	100	Horizontal	Pass
4	3618.923	49.73	-2.45	74.0	-24.27	Peak	237.50	100	Horizontal	Pass
4**	3618.923	39.38	-2.45	54.0	-14.62	AV	237.50	100	Horizontal	Pass
5	5467.192	53.79	0.02	74.0	-20.21	Peak	112.40	100	Horizontal	Pass
5**	5467.192	43.57	0.02	54.0	-10.43	AV	112.40	100	Horizontal	Pass
6	6086.614	55.36	2.00	74.0	-18.64	Peak	103.40	100	Horizontal	Pass
6**	6086.614	45.12	2.00	54.0	-8.88	AV	103.40	100	Horizontal	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.35.13

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9180.205	41.80	10.65	74.0	-32.20	Peak	64.80	100	Horizontal	Pass
1**	9180.205	33.23	10.65	54.0	-20.77	AV	64.80	100	Horizontal	Pass
2	10873.782	46.82	14.72	74.0	-27.18	Peak	303.40	100	Horizontal	Pass
2**	10873.782	37.89	14.72	54.0	-16.11	AV	303.40	100	Horizontal	Pass
3	12438.140	48.45	17.09	74.0	-25.55	Peak	345.80	100	Horizontal	Pass
3**	12438.140	40.09	17.09	54.0	-13.91	AV	345.80	100	Horizontal	Pass
4	14222.444	52.34	21.56	74.0	-21.66	Peak	92.40	100	Horizontal	Pass
4**	14222.444	43.63	21.56	54.0	-10.37	AV	92.40	100	Horizontal	Pass
5	16072.732	53.73	20.49	74.0	-20.27	Peak	78.60	100	Horizontal	Pass
5**	16072.732	44.56	20.49	54.0	-9.44	AV	78.60	100	Horizontal	Pass
6	17815.796	58.47	24.58	74.0	-15.53	Peak	18.70	100	Horizontal	Pass
6**	17815.796	50.33	24.58	54.0	-3.67	AV	18.70	100	Horizontal	Pass

BT-Hopping -Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_13.33.04

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1676.415	41.37	-12.84	74.0	-32.63	Peak	243.50	100	Vertical	Pass
1**	1676.415	31.44	-12.84	54.0	-22.56	AV	243.50	100	Vertical	Pass
2	2122.360	46.17	-8.88	74.0	-27.83	Peak	293.30	100	Vertical	Pass
2**	2122.360	34.65	-8.88	54.0	-19.35	AV	293.30	100	Vertical	Pass
3	2427.822	48.71	-4.71	74.0	-25.29	Peak	184.70	100	Vertical	Pass
3**	2427.822	41.10	-4.71	54.0	-12.90	AV	184.70	100	Vertical	Pass
4	3671.416	50.41	-2.50	74.0	-23.59	Peak	218.60	100	Vertical	Pass
4**	3671.416	39.17	-2.50	54.0	-14.83	AV	218.60	100	Vertical	Pass
5	4174.353	50.83	-2.21	74.0	-23.17	Peak	111.10	100	Vertical	Pass
5**	4174.353	40.65	-2.21	54.0	-13.35	AV	111.10	100	Vertical	Pass
6	6211.099	55.87	1.64	74.0	-18.13	Peak	346.30	100	Vertical	Pass
6**	6211.099	44.76	1.64	54.0	-9.24	AV	346.30	100	Vertical	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.37.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8033.742	39.31	8.17	74.0	-34.69	Peak	181.30	100	Vertical	Pass
1**	8033.742	30.66	8.17	54.0	-23.34	AV	181.30	100	Vertical	Pass
2	10150.712	44.99	13.07	74.0	-29.01	Peak	92.30	100	Vertical	Pass
2**	10150.712	36.24	13.07	54.0	-17.76	AV	92.30	100	Vertical	Pass
3	11635.341	47.46	14.81	74.0	-26.54	Peak	339.10	100	Vertical	Pass
3**	11635.341	38.43	14.81	54.0	-15.57	AV	339.10	100	Vertical	Pass
4	13086.978	50.22	18.35	74.0	-23.78	Peak	46.60	100	Vertical	Pass
4**	13086.978	41.97	18.35	54.0	-12.03	AV	46.60	100	Vertical	Pass
5	14183.954	54.11	22.24	74.0	-19.89	Peak	13.80	100	Vertical	Pass
5**	14183.954	44.46	22.24	54.0	-9.54	AV	13.80	100	Vertical	Pass
6	17802.049	58.47	25.00	74.0	-15.53	Peak	41.70	100	Vertical	Pass
6**	17802.049	50.09	25.00	54.0	-3.91	AV	41.70	100	Vertical	Pass

BT-Bandedge-Hopping- Horizontal-DH5 –TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.13.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	43.60	-10.38	74.0	-30.40	Peak	159.97	100	Horizontal	Pass
1**	2390.000	34.35	-10.38	54.0	-19.65	AV	159.97	100	Horizontal	Pass
2	2483.500	44.12	-9.97	74.0	-29.88	Peak	36.17	100	Horizontal	Pass
2**	2483.500	34.74	-9.97	54.0	-19.26	AV	36.17	100	Horizontal	Pass

BT-Bandedge-Hopping-Vertical-DH5 -TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_11.11.16

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	43.84	-10.38	74.0	-30.16	Peak	78.50	100	Vertical	Pass
1**	2390.000	34.45	-10.38	54.0	-19.55	AV	78.50	100	Vertical	Pass
2	2483.500	44.23	-9.97	74.0	-29.77	Peak	256.72	100	Vertical	Pass
2**	2483.500	35.01	-9.97	54.0	-18.99	AV	256.72	100	Vertical	Pass

30M-1G

BT 3M-Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.32.12

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	71.942	29.44	-24.25	40.0	-10.56	Peak	336.10	200	Horizontal	Pass
2	120.005	37.92	-22.71	43.5	-5.58	Peak	297.10	173	Horizontal	Pass
2*	120.005	36.94	-22.71	43.5	-6.56	QP	297.10	173	Horizontal	Pass
3	311.957	35.34	-17.56	46.0	-10.66	Peak	49.10	100	Horizontal	Pass
4	359.960	37.51	-16.37	46.0	-8.49	Peak	46.70	100	Horizontal	Pass
5	551.972	31.69	-11.31	46.0	-14.31	Peak	0.00	200	Horizontal	Pass
6	791.987	34.72	-6.57	46.0	-11.28	Peak	305.30	100	Horizontal	Pass

BT 3M -Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.40.59

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	59.820	32.45	-20.75	40.0	-7.55	Peak	51.60	100	Vertical	Pass
2	120.006	38.69	-22.71	43.5	-4.81	Peak	299.80	100	Vertical	Pass
2*	120.006	37.31	-22.71	43.5	-6.19	QP	299.80	100	Vertical	Pass
3	311.957	33.43	-17.56	46.0	-12.57	Peak	320.60	100	Vertical	Pass
4	359.960	35.11	-16.37	46.0	-10.89	Peak	302.10	100	Vertical	Pass
5	503.969	33.82	-12.47	46.0	-12.18	Peak	245.50	100	Vertical	Pass
6	551.972	36.31	-11.31	46.0	-9.69	Peak	256.80	100	Vertical	Pass

1-18G

BT 3M -Low channel-Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_15.08.15

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie


Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1248.719	42.66	-12.78	74.0	-31.34	Peak	339.50	100	Horizontal	Pass
1**	1248.719	31.37	-12.78	54.0	-22.63	AV	339.50	100	Horizontal	Pass
2	2400.825	50.57	-4.48	74.0	-23.43	Peak	219.30	100	Horizontal	Pass
2**	2400.825	39.16	-4.48	54.0	-14.84	AV	219.30	100	Horizontal	Pass
3	2972.003	48.90	-3.13	74.0	-25.10	Peak	85.30	100	Horizontal	Pass
3**	2972.003	38.75	-3.13	54.0	-15.25	AV	85.30	100	Horizontal	Pass
4	3654.918	49.53	-2.28	74.0	-24.47	Peak	298.00	100	Horizontal	Pass
4**	3654.918	39.43	-2.28	54.0	-14.57	AV	298.00	100	Horizontal	Pass
5	5273.716	52.82	-0.13	74.0	-21.18	Peak	311.40	100	Horizontal	Pass
5**	5273.716	42.68	-0.13	54.0	-11.32	AV	311.40	100	Horizontal	Pass
6	6678.540	57.57	3.60	74.0	-16.43	Peak	201.60	100	Horizontal	Pass
6**	6678.540	46.65	3.60	54.0	-7.35	AV	201.60	100	Horizontal	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.50.26

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%

Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8949.263	42.49	10.73	74.0	-31.51	Peak	2.30	100	Horizontal	Pass
1**	8949.263	33.30	10.73	54.0	-20.70	AV	2.30	100	Horizontal	Pass
2	10854.536	45.82	14.67	74.0	-28.18	Peak	233.80	100	Horizontal	Pass
2**	10854.536	37.71	14.67	54.0	-16.29	AV	233.80	100	Horizontal	Pass
3	11869.033	46.87	15.95	74.0	-27.13	Peak	299.00	100	Horizontal	Pass
3**	11869.033	37.85	15.95	54.0	-16.15	AV	299.00	100	Horizontal	Pass
4	13188.703	50.08	18.51	74.0	-23.92	Peak	61.20	100	Horizontal	Pass
4**	13188.703	41.93	18.51	54.0	-12.07	AV	61.20	100	Horizontal	Pass
5	14755.811	53.42	21.42	74.0	-20.58	Peak	117.00	100	Horizontal	Pass
5**	14755.811	43.97	21.42	54.0	-10.03	AV	117.00	100	Horizontal	Pass
6	17463.884	57.15	24.97	74.0	-16.85	Peak	357.00	100	Horizontal	Pass
6**	17463.884	48.71	24.97	54.0	-5.29	AV	357.00	100	Horizontal	Pass

BT 3M -Low channel-Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_15.04.44

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.196	42.10	-12.68	74.0	-31.90	Peak	338.00	100	Vertical	Pass
1**	1435.196	31.33	-12.68	54.0	-22.67	AV	338.00	100	Vertical	Pass
2	2127.609	47.15	-8.89	74.0	-26.85	Peak	10.70	100	Vertical	Pass
2**	2127.609	36.76	-8.89	54.0	-17.24	AV	10.70	100	Vertical	Pass
3	2427.822	48.94	-4.71	74.0	-25.06	Peak	0.00	100	Vertical	Pass
3**	2427.822	39.37	-4.71	54.0	-14.63	AV	0.00	100	Vertical	Pass
4	3495.438	48.95	-4.35	74.0	-25.05	Peak	116.10	100	Vertical	Pass
4**	3495.438	37.78	-4.35	54.0	-16.22	AV	116.10	100	Vertical	Pass
5	5529.184	53.80	0.52	74.0	-20.20	Peak	358.40	100	Vertical	Pass
5**	5529.184	43.46	0.52	54.0	-10.54	AV	358.40	100	Vertical	Pass
6	6789.026	57.20	4.05	74.0	-16.80	Peak	204.60	100	Vertical	Pass
6**	6789.026	47.15	4.05	54.0	-6.85	AV	204.60	100	Vertical	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.41.11

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8193.202	39.00	7.40	74.0	-35.00	Peak	303.70	100	Vertical	Pass
1**	8193.202	29.78	7.40	54.0	-24.22	AV	303.70	100	Vertical	Pass
2	10090.227	45.76	13.21	74.0	-28.24	Peak	351.00	100	Vertical	Pass
2**	10090.227	35.92	13.21	54.0	-18.08	AV	351.00	100	Vertical	Pass
3	12394.151	48.73	16.90	74.0	-25.27	Peak	354.90	100	Vertical	Pass
3**	12394.151	40.20	16.90	54.0	-13.80	AV	354.90	100	Vertical	Pass
4	13144.714	50.24	18.53	74.0	-23.76	Peak	34.60	100	Vertical	Pass
4**	13144.714	41.90	18.53	54.0	-12.10	AV	34.60	100	Vertical	Pass
5	14175.706	52.72	21.99	74.0	-21.28	Peak	81.50	100	Vertical	Pass
5**	14175.706	44.36	21.99	54.0	-9.64	AV	81.50	100	Vertical	Pass
6	15756.561	53.65	18.05	74.0	-20.35	Peak	81.50	100	Vertical	Pass
6**	15756.561	44.16	18.05	54.0	-9.84	AV	81.50	100	Vertical	Pass

BT 3M -Middle channel-Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.59.19

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1401.700	43.13	-12.81	74.0	-30.87	Peak	262.30	100	Horizontal	Pass
1**	1401.700	34.59	-12.81	54.0	-19.41	AV	262.30	100	Horizontal	Pass
2	2128.359	49.07	-8.89	74.0	-24.93	Peak	0.00	100	Horizontal	Pass
2**	2128.359	38.69	-8.89	54.0	-15.31	AV	0.00	100	Horizontal	Pass
3	2392.326	48.95	-4.35	74.0	-25.05	Peak	111.20	100	Horizontal	Pass
3**	2392.326	39.39	-4.35	54.0	-14.61	AV	111.20	100	Horizontal	Pass
4	3773.903	49.93	-2.69	74.0	-24.07	Peak	132.40	100	Horizontal	Pass
4**	3773.903	38.96	-2.69	54.0	-15.04	AV	132.40	100	Horizontal	Pass
5	5665.167	54.65	0.82	74.0	-19.35	Peak	70.30	100	Horizontal	Pass
5**	5665.167	44.64	0.82	54.0	-9.36	AV	70.30	100	Horizontal	Pass
6	6897.013	58.43	3.77	74.0	-15.57	Peak	83.70	100	Horizontal	Pass
6**	6897.013	47.76	3.77	54.0	-6.24	AV	83.70	100	Horizontal	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.51.50

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9391.902	43.28	11.51	74.0	-30.72	Peak	98.70	100	Horizontal	Pass
1**	9391.902	34.68	11.51	54.0	-19.32	AV	98.70	100	Horizontal	Pass
2	10120.470	45.10	13.29	74.0	-28.90	Peak	336.10	100	Horizontal	Pass
2**	10120.470	35.99	13.29	54.0	-18.01	AV	336.10	100	Horizontal	Pass
3	12424.394	48.90	17.03	74.0	-25.10	Peak	2.10	100	Horizontal	Pass
3**	12424.394	39.99	17.03	54.0	-14.01	AV	2.10	100	Horizontal	Pass
4	14186.703	52.95	22.33	74.0	-21.05	Peak	160.10	100	Horizontal	Pass
4**	14186.703	44.96	22.33	54.0	-9.04	AV	160.10	100	Horizontal	Pass
5	16916.771	54.96	21.53	74.0	-19.04	Peak	192.80	100	Horizontal	Pass
5**	16916.771	44.84	21.53	54.0	-9.16	AV	192.80	100	Horizontal	Pass
6	17804.799	58.36	24.91	74.0	-15.64	Peak	93.50	100	Horizontal	Pass
6**	17804.799	49.90	24.91	54.0	-4.10	AV	93.50	100	Horizontal	Pass

BT 3M -Middle channel-Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_15.01.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.979	42.22	-12.88	74.0	-31.78	Peak	267.60	100	Vertical	Pass
1**	1165.979	30.63	-12.88	54.0	-23.37	AV	267.60	100	Vertical	Pass
2	2401.575	49.54	-4.49	74.0	-24.46	Peak	235.90	100	Vertical	Pass
2**	2401.575	39.82	-4.49	54.0	-14.18	AV	235.90	100	Vertical	Pass
3	2987.252	49.45	-3.05	74.0	-24.55	Peak	65.30	100	Vertical	Pass
3**	2987.252	38.71	-3.05	54.0	-15.29	AV	65.30	100	Vertical	Pass
4	3662.417	50.18	-2.34	74.0	-23.82	Peak	318.10	100	Vertical	Pass
4**	3662.417	39.76	-2.34	54.0	-14.24	AV	318.10	100	Vertical	Pass
5	4674.291	51.50	-1.07	74.0	-22.50	Peak	31.60	100	Vertical	Pass
5**	4674.291	40.95	-1.07	54.0	-13.05	AV	31.60	100	Vertical	Pass
6	6145.607	54.76	1.52	74.0	-19.24	Peak	158.10	100	Vertical	Pass
6**	6145.607	44.09	1.52	54.0	-9.91	AV	158.10	100	Vertical	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.44.17

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8583.604	40.83	7.46	74.0	-33.17	Peak	98.30	100	Vertical	Pass
1**	8583.604	30.02	7.46	54.0	-23.98	AV	98.30	100	Vertical	Pass
2	10106.723	44.56	13.28	74.0	-29.44	Peak	341.00	100	Vertical	Pass
2**	10106.723	36.05	13.28	54.0	-17.95	AV	341.00	100	Vertical	Pass
3	10898.525	46.03	14.78	74.0	-27.97	Peak	360.00	100	Vertical	Pass
3**	10898.525	36.85	14.78	54.0	-17.15	AV	360.00	100	Vertical	Pass
4	12454.636	49.01	17.15	74.0	-24.99	Peak	232.70	100	Vertical	Pass
4**	12454.636	40.46	17.15	54.0	-13.54	AV	232.70	100	Vertical	Pass
5	14192.202	52.35	22.26	74.0	-21.65	Peak	140.00	100	Vertical	Pass
5**	14192.202	44.93	22.26	54.0	-9.07	AV	140.00	100	Vertical	Pass
6	17422.644	57.19	24.57	74.0	-16.81	Peak	93.80	100	Vertical	Pass
6**	17422.644	49.14	24.57	54.0	-4.86	AV	93.80	100	Vertical	Pass

BT 3M -High channel-Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.54.54

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.231	40.98	-13.13	74.0	-33.02	Peak	151.90	100	Horizontal	Pass
1**	1155.231	30.11	-13.13	54.0	-23.89	AV	151.90	100	Horizontal	Pass
2	2125.359	49.54	-8.89	74.0	-24.46	Peak	348.00	100	Horizontal	Pass
2**	2125.359	40.85	-8.89	54.0	-13.15	AV	348.00	100	Horizontal	Pass
3	2402.325	49.52	-4.49	74.0	-24.48	Peak	206.60	100	Horizontal	Pass
3**	2402.325	39.47	-4.49	54.0	-14.53	AV	206.60	100	Horizontal	Pass
4	2993.251	49.78	-2.94	74.0	-24.22	Peak	247.90	100	Horizontal	Pass
4**	2993.251	38.75	-2.94	54.0	-15.25	AV	247.90	100	Horizontal	Pass
5	3628.421	49.86	-2.29	74.0	-24.14	Peak	128.30	100	Horizontal	Pass
5**	3628.421	39.37	-2.29	54.0	-14.63	AV	128.30	100	Horizontal	Pass
6	6055.118	56.12	2.06	74.0	-17.88	Peak	161.80	100	Horizontal	Pass
6**	6055.118	45.19	2.06	54.0	-8.81	AV	161.80	100	Horizontal	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.53.20

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247.7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9400.150	43.03	11.53	74.0	-30.97	Peak	314.20	100	Horizontal	Pass
1**	9400.150	34.43	11.53	54.0	-19.57	AV	314.20	100	Horizontal	Pass
2	10871.032	46.16	14.71	74.0	-27.84	Peak	277.30	100	Horizontal	Pass
2**	10871.032	37.44	14.71	54.0	-16.56	AV	277.30	100	Horizontal	Pass
3	12394.151	49.75	16.90	74.0	-24.25	Peak	282.20	100	Horizontal	Pass
3**	12394.151	40.49	16.90	54.0	-13.51	AV	282.20	100	Horizontal	Pass
4	13229.943	51.41	18.55	74.0	-22.59	Peak	359.30	100	Horizontal	Pass
4**	13229.943	41.73	18.55	54.0	-12.27	AV	359.30	100	Horizontal	Pass
5	14183.954	53.15	22.24	74.0	-20.85	Peak	263.60	100	Horizontal	Pass
5**	14183.954	45.79	22.24	54.0	-8.21	AV	263.60	100	Horizontal	Pass
6	17400.650	56.94	24.35	74.0	-17.06	Peak	78.90	100	Horizontal	Pass
6**	17400.650	48.85	24.35	54.0	-5.15	AV	78.90	100	Horizontal	Pass

BT 3M -High channel-Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14:52:38

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.934	41.17	-12.91	74.0	-32.83	Peak	184.70	100	Vertical	Pass
1**	1525.934	30.36	-12.91	54.0	-23.64	AV	184.70	100	Vertical	Pass
2	1900.387	46.56	-11.54	74.0	-27.44	Peak	271.00	100	Vertical	Pass
2**	1900.387	39.92	-11.54	54.0	-14.08	AV	271.00	100	Vertical	Pass
3	2392.576	48.70	-4.36	74.0	-25.30	Peak	74.50	100	Vertical	Pass
3**	2392.576	38.23	-4.36	54.0	-15.77	AV	74.50	100	Vertical	Pass
4	3661.917	49.86	-2.33	74.0	-24.14	Peak	50.90	100	Vertical	Pass
4**	3661.917	39.97	-2.33	54.0	-14.03	AV	50.90	100	Vertical	Pass
5	5172.728	52.63	0.25	74.0	-21.37	Peak	344.90	100	Vertical	Pass
5**	5172.728	43.51	0.25	54.0	-10.49	AV	344.90	100	Vertical	Pass
6	6513.561	56.40	2.71	74.0	-17.60	Peak	201.30	100	Vertical	Pass
6**	6513.561	45.71	2.71	54.0	-8.29	AV	201.30	100	Vertical	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.48.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247.7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9408.398	42.79	11.51	74.0	-31.21	Peak	182.80	100	Vertical	Pass
1**	9408.398	34.43	11.51	54.0	-19.57	AV	182.80	100	Vertical	Pass
2	11206.448	46.05	14.67	74.0	-27.95	Peak	140.40	100	Vertical	Pass
2**	11206.448	37.58	14.67	54.0	-16.42	AV	140.40	100	Vertical	Pass
3	12443.639	48.84	17.11	74.0	-25.16	Peak	266.90	100	Vertical	Pass
3**	12443.639	40.68	17.11	54.0	-13.32	AV	266.90	100	Vertical	Pass
4	13152.962	51.28	18.53	74.0	-22.72	Peak	262.50	100	Vertical	Pass
4**	13152.962	41.58	18.53	54.0	-12.42	AV	262.50	100	Vertical	Pass
5	14200.450	52.68	22.07	74.0	-21.32	Peak	112.10	100	Vertical	Pass
5**	14200.450	44.30	22.07	54.0	-9.70	AV	112.10	100	Vertical	Pass
6	17824.044	58.66	24.34	74.0	-15.34	Peak	237.90	100	Vertical	Pass
6**	17824.044	49.54	24.34	54.0	-4.46	AV	237.90	100	Vertical	Pass

BT 3M -Bandedge -Low channel- Horizontal-DH5 –TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.45.37

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	43.77	-10.38	74.0	-30.23	Peak	90.61	100	Horizontal	Pass
1**	2390.000	34.29	-10.38	54.0	-19.71	AV	90.61	100	Horizontal	Pass

BT 3M -Bandedge -Low channel- Vertical-DH5 -TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.44.03

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	43.75	-10.38	74.0	-30.25	Peak	72.76	100	Vertical	Pass
1**	2390.000	34.53	-10.38	54.0	-19.47	AV	72.76	100	Vertical	Pass

BT 3M -Bandedge -High channel- Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.47.52

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	45.13	-9.97	74.0	-28.87	Peak	52.01	100	Horizontal	Pass
1**	2483.500	35.64	-9.97	54.0	-18.36	AV	52.01	100	Horizontal	Pass

BT 3M -Bandedge -High channel- Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.49.27

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54%


Test Engineer: Xiang Cheng Jie

Test Standard: FCC

Work Addition: Normal

Load: Full load

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	46.74	-9.97	74.0	-27.26	Peak	284.48	100	Vertical	Pass
1**	2483.500	35.44	-9.97	54.0	-18.56	AV	284.48	100	Vertical	Pass

30M-1G

BT 3M-Hopping-Horizontal-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.21.51

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	71.942	28.56	-24.25	40.0	-11.44	Peak	306.90	200	Horizontal	Pass
2	120.005	37.43	-22.71	43.5	-6.07	Peak	302.50	173	Horizontal	Pass
2*	120.005	36.55	-22.71	43.5	-6.95	QP	302.50	173	Horizontal	Pass
3	167.948	30.56	-23.35	43.5	-12.94	Peak	268.00	200	Horizontal	Pass
4	311.957	36.52	-17.56	46.0	-9.48	Peak	37.70	100	Horizontal	Pass
5	359.960	37.59	-16.37	46.0	-8.41	Peak	55.90	100	Horizontal	Pass
6	791.987	34.41	-6.57	46.0	-11.59	Peak	304.30	100	Horizontal	Pass

BT 3M-Hopping -Vertical-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_14.12.27

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	59.820	32.52	-20.75	40.0	-7.48	Peak	45.30	100	Vertical	Pass
2	120.006	38.07	-22.71	43.5	-5.43	Peak	325.30	100	Vertical	Pass
2*	120.006	36.79	-22.71	43.5	-6.71	QP	325.30	100	Vertical	Pass
3	311.957	33.92	-17.56	46.0	-12.08	Peak	318.60	100	Vertical	Pass
4	359.960	35.84	-16.37	46.0	-10.16	Peak	302.40	100	Vertical	Pass
5	503.969	34.69	-12.47	46.0	-11.31	Peak	256.10	100	Vertical	Pass
6	551.972	36.34	-11.31	46.0	-9.66	Peak	251.40	100	Vertical	Pass

1-18G

BT 3M-Hopping -Horizontal-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_15.12.24

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.730	41.57	-13.11	74.0	-32.43	Peak	5.70	100	Horizontal	Pass
1**	1156.730	29.91	-13.11	54.0	-24.09	AV	5.70	100	Horizontal	Pass
2	2004.624	45.09	-10.23	74.0	-28.91	Peak	347.30	100	Horizontal	Pass
2**	2004.624	34.04	-10.23	54.0	-19.96	AV	347.30	100	Horizontal	Pass
3	2399.825	48.95	-4.47	74.0	-25.05	Peak	278.50	100	Horizontal	Pass
3**	2399.825	39.86	-4.47	54.0	-14.14	AV	278.50	100	Horizontal	Pass
4	2979.253	49.22	-3.09	74.0	-24.78	Peak	301.10	100	Horizontal	Pass
4**	2979.253	38.62	-3.09	54.0	-15.38	AV	301.10	100	Horizontal	Pass
5	4052.368	50.20	-1.40	74.0	-23.80	Peak	338.60	100	Horizontal	Pass
5**	4052.368	39.83	-1.40	54.0	-14.17	AV	338.60	100	Horizontal	Pass
6	5670.666	54.02	0.76	74.0	-19.98	Peak	174.10	100	Horizontal	Pass
6**	5670.666	43.43	0.76	54.0	-10.57	AV	174.10	100	Horizontal	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.57.45

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

R/Emission Test case_FCC_Part 15C_FCC 15.247.7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7992.502	40.02	7.55	74.0	-33.98	Peak	113.20	100	Horizontal	Pass
1**	7992.502	30.18	7.55	54.0	-23.82	AV	113.20	100	Horizontal	Pass
2	10054.486	45.01	13.07	74.0	-28.99	Peak	209.60	100	Horizontal	Pass
2**	10054.486	36.06	13.07	54.0	-17.94	AV	209.60	100	Horizontal	Pass
3	11283.429	46.67	15.66	74.0	-27.33	Peak	295.60	100	Horizontal	Pass
3**	11283.429	38.23	15.66	54.0	-15.77	AV	295.60	100	Horizontal	Pass
4	12446.388	48.43	17.12	74.0	-25.57	Peak	327.60	100	Horizontal	Pass
4**	12446.388	40.82	17.12	54.0	-13.18	AV	327.60	100	Horizontal	Pass
5	14181.205	52.96	22.16	74.0	-21.04	Peak	204.80	100	Horizontal	Pass
5**	14181.205	44.35	22.16	54.0	-9.65	AV	204.80	100	Horizontal	Pass
6	14755.811	53.90	21.42	74.0	-20.10	Peak	177.20	100	Horizontal	Pass
6**	14755.811	44.63	21.42	54.0	-9.37	AV	177.20	100	Horizontal	Pass

BT 3M-Hopping -Vertical-DH5-TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_15.16.36

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2124.609	50.05	-8.89	74.0	-23.95	Peak	347.80	100	Vertical	Pass
1**	2124.609	39.32	-8.89	54.0	-14.68	AV	347.80	100	Vertical	Pass
2	2475.816	48.86	-5.11	74.0	-25.14	Peak	156.50	100	Vertical	Pass
2**	2475.816	39.10	-5.11	54.0	-14.90	AV	156.50	100	Vertical	Pass
3	3186.477	48.20	-5.42	74.0	-25.80	Peak	150.70	100	Vertical	Pass
3**	3186.477	37.05	-5.42	54.0	-16.95	AV	150.70	100	Vertical	Pass
4	4039.870	50.73	-1.51	74.0	-23.27	Peak	85.90	100	Vertical	Pass
4**	4039.870	40.26	-1.51	54.0	-13.74	AV	85.90	100	Vertical	Pass
5	5657.168	54.65	0.91	74.0	-19.35	Peak	254.50	100	Vertical	Pass
5**	5657.168	43.50	0.91	54.0	-10.50	AV	254.50	100	Vertical	Pass
6	6692.038	56.96	3.60	74.0	-17.04	Peak	360.00	100	Vertical	Pass
6**	6692.038	47.28	3.60	54.0	-6.72	AV	360.00	100	Vertical	Pass

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-18_15.59.28

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247.7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7797.301	39.53	6.42	74.0	-34.47	Peak	98.70	100	Vertical	Pass
1**	7797.301	29.83	6.42	54.0	-24.17	AV	98.70	100	Vertical	Pass
2	9903.274	45.15	13.35	74.0	-28.85	Peak	107.60	100	Vertical	Pass
2**	9903.274	35.17	13.35	54.0	-18.83	AV	107.60	100	Vertical	Pass
3	10887.528	46.42	14.75	74.0	-27.58	Peak	172.70	100	Vertical	Pass
3**	10887.528	37.79	14.75	54.0	-16.21	AV	172.70	100	Vertical	Pass
4	13174.956	50.00	18.52	74.0	-24.00	Peak	168.30	100	Vertical	Pass
4**	13174.956	41.58	18.52	54.0	-12.42	AV	168.30	100	Vertical	Pass
5	14192.202	52.86	22.26	74.0	-21.14	Peak	229.30	100	Vertical	Pass
5**	14192.202	44.67	22.26	54.0	-9.33	AV	229.30	100	Vertical	Pass
6	17414.396	56.86	24.49	74.0	-17.14	Peak	285.40	100	Vertical	Pass
6**	17414.396	47.65	24.49	54.0	-6.35	AV	285.40	100	Vertical	Pass

BT 3M-Bandedge-Hopping- Horizontal-DH5 –TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_13.54.43

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	43.79	-10.38	74.0	-30.21	Peak	296.38	100	Horizontal	Pass
1**	2390.000	34.69	-10.38	54.0	-19.31	AV	296.38	100	Horizontal	Pass
2	2483.500	44.19	-9.97	74.0	-29.81	Peak	88.25	100	Horizontal	Pass
2**	2483.500	34.66	-9.97	54.0	-19.34	AV	88.25	100	Horizontal	Pass

BT 3M-Bandedge-Hopping-Vertical-DH5 -TX

Test result

Project Number: SHE20090007-02HE

Test Time: 2021-02-19_13.57.32

EUT Name: N.A

Test Engineer: Xiang Cheng Jie

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 20.1

Load: Full load

Hum.: 54%

Remark: DR-RSE01-E20090007-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	44.35	-10.38	74.0	-29.65	Peak	279.38	100	Vertical	Pass
1**	2390.000	34.39	-10.38	54.0	-19.61	AV	279.38	100	Vertical	Pass
2	2483.500	44.02	-9.97	74.0	-29.98	Peak	244.40	100	Vertical	Pass
2**	2483.500	34.82	-9.97	54.0	-19.18	AV	244.40	100	Vertical	Pass