

SPECIFICATION SHEET



CUSTOMER: Zhongli Guanda (shenzhen) Intelligent Technology CO., Ltd

DESCRIPTION: -Apple Watch Coil(length of lead :31mm)

CUSTOMER P/N: ZLGD-A1-0285

PART NUMBER:

DATE: 2024-3-26

ACCEPTANCE STAMP

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKED BY	APPROVED BY
Feng Xin	Chao zi qi	Huang Qiong	Chen Jun


History For Revised Specification	CUSTOMER P/N :	
	PART NUMBER :	ZLGD-A1-0285

Rev.	DESCRIPTION (Content Or Reason For Changed)	Date	Revisor
A.0	The first Release version	2024-3-26	Chen Jun

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKDED BY	APPROVED BY
Feng Xin	Chao zi qi	Huang Qiong	Chen Jun

Specification	CUSTOMER P/N :	
	PART NUMBER :	ZLGD-A1-0285

1. DIMENSIONS: (Unit: mm)



A	B	C	D	E	F	G		
21max	14±0.5	7.5±0.5	31±1	1.5±0.5	4±0.1	2.8Max		

- 1. Magnet specifications : $\phi 7.5\text{mm} \times 4\text{mm}$ 4600GS
- 2. Add two black heat-shrink tubes
- 3. Magnet installation is not required

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKED BY	APPROVED BY
Feng Xin	Chao zi qi	Huang Qiong	Chen Jun

2. WINDING DETAILS

Turns	Wire Dia	Wdg. Type (Spred/Close)	Wdg.Direction	Intersect (Yes/No)
14 TS	0.08*24P(Hot air self-adhesive wire)	Close	Anticlockwise	Yes

3. ELECTRICAL CHARACTERISTICS

- TEMPERATURE:25±10℃
- RELATIVE HUMIDITY:65±10%

NO.	ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
1.	IND	S-F	7.8μh±0.3	100kHz/V	UC2906A
2.	Q	S-F	25Min	100kHz/V	UC2906A
3.	DCR	S-F	135mΩMax	100kHz/V	UC2906A

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKDED BY	APPROVED BY
Feng Xin	Chao zi qi	Huang Qiong	Chen Jun