

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

1. WCDMA Band II

1.1 WCDMA Band II LCH

Test result

Project Number: Test

Test Time: 2020-12-30_11.01.21

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
117.278	-72.66	-10.95	-13.0	-59.66	27.90	Horizontal	Vertical	Pass
232.922	-67.37	-5.22	-13.0	-54.37	180.90	Horizontal	Vertical	Pass
850.657	-61.76	5.80	-13.0	-48.76	309.60	Horizontal	Vertical	Pass
1197.451	-51.73	2.12	-13.0	-38.73	150.50	Horizontal	Vertical	Pass
1842.789	-42.39	0.58	-13.0	-29.39	76.90	Horizontal	Vertical	Pass
1930.767	-33.86	-1.45	-13.0	-20.86	21.00	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_09.49.37

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8014.496	-57.14	17.72	-13.0	-44.14	125.80	Horizontal	Vertical	Pass
9383.654	-54.43	19.66	-13.0	-41.43	301.40	Horizontal	Vertical	Pass
10101.225	-49.60	24.32	-13.0	-36.60	186.80	Horizontal	Vertical	Pass
11871.782	-49.00	25.40	-13.0	-36.00	203.20	Horizontal	Vertical	Pass
12462.884	-46.73	25.40	-13.0	-33.73	103.10	Horizontal	Vertical	Pass
14117.971	-45.16	29.06	-13.0	-32.16	29.40	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_10.09.50

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
116.793	-76.06	-10.78	-13.0	-63.06	284.00	Vertical	Vertical	Pass
232.437	-72.10	-5.42	-13.0	-59.10	57.40	Vertical	Vertical	Pass
445.541	-71.30	-2.61	-13.0	-58.30	335.00	Vertical	Vertical	Pass
1251.937	-54.15	0.15	-13.0	-41.15	302.80	Vertical	Vertical	Pass
1842.789	-44.18	0.58	-13.0	-31.18	51.70	Vertical	Vertical	Pass
1932.267	-30.84	-1.50	-13.0	-17.84	123.50	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_09.40.17

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8206.948	-55.93	19.13	-13.0	-42.93	307.40	Vertical	Vertical	Pass
9859.285	-51.90	22.09	-13.0	-38.90	181.20	Vertical	Vertical	Pass
11123.969	-49.57	23.18	-13.0	-36.57	79.30	Vertical	Vertical	Pass
12490.377	-47.81	25.39	-13.0	-34.81	11.90	Vertical	Vertical	Pass
14134.466	-45.01	28.97	-13.0	-32.01	293.60	Vertical	Vertical	Pass
17194.451	-49.27	22.92	-13.0	-36.27	296.20	Vertical	Vertical	Pass

1.2 WCDMA Band II MCH

Test result

Project Number: Test

Test Time: 2020-12-30_10.57.05

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
116.793	-71.55	-10.78	-13.0	-58.55	229.70	Horizontal	Vertical	Pass
235.831	-65.76	-4.03	-13.0	-52.76	189.10	Horizontal	Vertical	Pass
852.354	-62.19	5.74	-13.0	-49.19	111.70	Horizontal	Vertical	Pass
1197.951	-52.26	2.16	-13.0	-39.26	123.80	Horizontal	Vertical	Pass
1879.280	-40.72	1.24	-13.0	-27.72	91.80	Horizontal	Vertical	Pass
1959.760	-32.92	-1.42	-13.0	-19.92	14.10	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_09.47.45

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.229	-56.55	17.79	-13.0	-43.55	54.00	Horizontal	Vertical	Pass
9345.164	-55.49	18.85	-13.0	-42.49	353.50	Horizontal	Vertical	Pass
10145.214	-50.39	23.67	-13.0	-37.39	121.00	Horizontal	Vertical	Pass
12473.882	-46.99	25.45	-13.0	-33.99	314.90	Horizontal	Vertical	Pass
14192.202	-44.81	28.41	-13.0	-31.81	251.30	Horizontal	Vertical	Pass
16699.575	-49.66	22.42	-13.0	-36.66	223.30	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_10.14.33

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-75.70	-18.56	-13.0	-62.70	52.10	Vertical	Vertical	Pass
237.043	-69.00	-3.53	-13.0	-56.00	106.10	Vertical	Vertical	Pass
858.173	-62.50	5.53	-13.0	-49.50	135.80	Vertical	Vertical	Pass
1180.455	-54.07	0.95	-13.0	-41.07	360.60	Vertical	Vertical	Pass
1879.280	-34.63	1.24	-13.0	-21.63	37.10	Vertical	Vertical	Pass
1958.760	-31.32	-1.41	-13.0	-18.32	320.60	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_09:38:53

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-57.35	19.18	-13.0	-44.35	59.30	Vertical	Vertical	Pass
9416.646	-55.17	19.73	-13.0	-42.17	296.30	Vertical	Vertical	Pass
10114.971	-50.61	24.23	-13.0	-37.61	6.00	Vertical	Vertical	Pass
11836.041	-48.85	24.77	-13.0	-35.85	166.40	Vertical	Vertical	Pass
12454.636	-48.18	25.20	-13.0	-35.18	359.90	Vertical	Vertical	Pass
14139.965	-45.31	28.94	-13.0	-32.31	189.10	Vertical	Vertical	Pass

1.3 WCDMA Band II HCH

Test result

Project Number: Test

Test Time: 2020-12-30_10.53.40

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
117.278	-71.93	-10.95	-13.0	-58.93	19.80	Horizontal	Vertical	Pass
238.983	-65.43	-2.73	-13.0	-52.43	167.50	Horizontal	Vertical	Pass
846.778	-62.00	5.50	-13.0	-49.00	311.10	Horizontal	Vertical	Pass
1229.443	-52.76	0.92	-13.0	-39.76	304.60	Horizontal	Vertical	Pass
1905.774	-38.69	1.72	-13.0	-25.69	88.00	Horizontal	Vertical	Pass
1988.753	-33.45	-1.30	-13.0	-20.45	19.50	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_09:51:43

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-56.37	19.10	-13.0	-43.37	285.10	Horizontal	Vertical	Pass
9411.147	-54.33	19.82	-13.0	-41.33	201.00	Horizontal	Vertical	Pass
10145.214	-50.59	23.67	-13.0	-37.59	304.90	Horizontal	Vertical	Pass
11847.038	-48.78	25.03	-13.0	-35.78	245.70	Horizontal	Vertical	Pass
14109.723	-44.59	29.11	-13.0	-31.59	293.70	Horizontal	Vertical	Pass
16611.597	-49.94	23.10	-13.0	-36.94	122.50	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_10.18.23

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1<E B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
241.165	-69.47	-2.63	-13.0	-56.47	360.00	Vertical	Vertical	Pass
860.840	-62.53	5.38	-13.0	-49.53	240.80	Vertical	Vertical	Pass
1010.997	-57.18	-2.57	-13.0	-44.18	170.70	Vertical	Vertical	Pass
1194.451	-52.72	1.91	-13.0	-39.72	25.60	Vertical	Vertical	Pass
1906.273	-37.27	1.72	-13.0	-24.27	47.20	Vertical	Vertical	Pass
1986.253	-29.87	-1.32	-13.0	-16.87	325.80	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_09:35:33

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8206.948	-57.03	19.13	-13.0	-44.03	105.40	Vertical	Vertical	Pass
9375.406	-55.72	19.49	-13.0	-42.72	111.00	Vertical	Vertical	Pass
10103.974	-50.42	24.30	-13.0	-37.42	253.50	Vertical	Vertical	Pass
12468.383	-48.29	25.47	-13.0	-35.29	192.50	Vertical	Vertical	Pass
14159.210	-44.70	28.83	-13.0	-31.70	144.10	Vertical	Vertical	Pass
14475.381	-44.84	27.20	-13.0	-31.84	336.50	Vertical	Vertical	Pass

2. WCDMA Band IV

2.1 WCDMA Band IV LCH

Test result

Project Number: Test

Test Time: 2020-12-30_19.15.03

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
238.498	-65.78	-3.18	-13.0	-52.78	186.00	Horizontal	Vertical	Pass
856.233	-66.87	5.26	-13.0	-53.87	104.60	Horizontal	Vertical	Pass
1185.977	-53.90	1.27	-13.0	-40.90	48.00	Horizontal	Vertical	Pass
1703.162	-35.34	-1.07	-13.0	-22.34	97.50	Horizontal	Vertical	Pass
2111.111	-29.38	2.10	-13.0	-16.38	0.10	Horizontal	Vertical	Pass
5802.650	-30.40	12.73	-13.0	-17.40	288.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_19.50.08

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8215.196	-57.27	18.82	-13.0	-44.27	360.00	Vertical	Vertical	Pass
9402.899	-55.32	19.96	-13.0	-42.32	122.40	Vertical	Vertical	Pass
10153.462	-49.82	23.51	-13.0	-36.82	38.70	Vertical	Vertical	Pass
11833.292	-49.20	24.70	-13.0	-36.20	113.50	Vertical	Vertical	Pass
12490.377	-46.93	25.39	-13.0	-33.93	61.40	Vertical	Vertical	Pass
14093.227	-44.23	28.94	-13.0	-31.23	161.90	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_19.35.33

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 22.5

Hum.: 51%

Test Engineer: XCJ


Test Standard: FCC

Work Addition: Normal

Load: N.A

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.548	-75.57	-19.15	-13.0	-62.57	62.90	Horizontal	Vertical	Pass
239.225	-71.17	-2.88	-13.0	-58.17	0.60	Horizontal	Vertical	Pass
1206.724	-52.30	2.06	-13.0	-39.30	10.70	Horizontal	Vertical	Pass
1703.162	-33.53	-1.07	-13.0	-20.53	222.50	Horizontal	Vertical	Pass
2110.611	-24.62	2.11	-13.0	-11.62	321.40	Horizontal	Vertical	Pass
2424.822	-43.08	3.12	-13.0	-30.08	76.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_19.43.33

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 22.5

Hum.: 51%


Test Engineer: XCJ

Test Standard: FCC

Work Addition: Normal

Load: N.A

Remark: DR-RSE01-E20120008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8162.959	-56.98	18.15	-13.0	-43.98	14.90	Vertical	Vertical	Pass
10134.216	-49.69	23.88	-13.0	-36.69	129.90	Vertical	Vertical	Pass
11148.713	-49.77	23.14	-13.0	-36.77	37.20	Vertical	Vertical	Pass
11860.785	-49.30	25.35	-13.0	-36.30	323.70	Vertical	Vertical	Pass
12460.135	-47.47	25.33	-13.0	-34.47	0.00	Vertical	Vertical	Pass
14109.723	-45.19	29.11	-13.0	-32.19	170.10	Vertical	Vertical	Pass

2.2 WCDMA Band IV MCH

Test result

Project Number: Test

Test Time: 2020-12-30_19.18.14

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
239.953	-67.44	-2.59	-13.0	-54.44	162.00	Horizontal	Vertical	Pass
452.814	-74.30	-2.34	-13.0	-61.30	0.00	Horizontal	Vertical	Pass
1198.725	-52.69	2.18	-13.0	-39.69	97.40	Horizontal	Vertical	Pass
2132.608	-31.49	1.71	-13.0	-18.49	171.80	Horizontal	Vertical	Pass
3051.994	-38.50	6.21	-13.0	-25.50	141.20	Horizontal	Vertical	Pass
3777.403	-34.59	9.72	-13.0	-21.59	341.10	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_19:51:26

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8176.706	-57.82	18.55	-13.0	-44.82	180.60	Vertical	Vertical	Pass
10147.963	-50.64	23.62	-13.0	-37.64	211.50	Vertical	Vertical	Pass
10802.299	-50.56	22.47	-13.0	-37.56	129.60	Vertical	Vertical	Pass
11858.035	-49.61	25.28	-13.0	-36.61	225.20	Vertical	Vertical	Pass
12471.132	-48.32	25.46	-13.0	-35.32	214.10	Vertical	Vertical	Pass
14170.207	-45.40	28.77	-13.0	-32.40	340.20	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_19.31.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.276	-74.53	-19.18	-13.0	-61.53	61.10	Horizontal	Vertical	Pass
241.165	-72.63	-2.89	-13.0	-59.63	131.80	Horizontal	Vertical	Pass
1197.475	-52.01	2.08	-13.0	-39.01	151.30	Horizontal	Vertical	Pass
2133.608	-27.28	1.68	-13.0	-14.28	322.80	Horizontal	Vertical	Pass
5809.149	-29.96	12.67	-13.0	-16.96	359.30	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_19.44.53

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8363.659	-58.21	16.42	-13.0	-45.21	242.30	Vertical	Vertical	Pass
10123.219	-50.99	24.08	-13.0	-37.99	358.40	Vertical	Vertical	Pass
11134.966	-50.50	23.16	-13.0	-37.50	208.80	Vertical	Vertical	Pass
11858.035	-49.35	25.28	-13.0	-36.35	231.10	Vertical	Vertical	Pass
12460.135	-48.12	25.33	-13.0	-35.12	324.90	Vertical	Vertical	Pass
14109.723	-44.97	29.11	-13.0	-31.97	270.90	Vertical	Vertical	Pass

2.3 WCDMA Band IV HCH

Test result

Project Number: Test

Test Time: 2020-12-30_19.21.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
236.316	-65.96	-4.06	-13.0	-52.96	175.70	Horizontal	Vertical	Pass
857.446	-66.64	5.22	-13.0	-53.64	123.90	Horizontal	Vertical	Pass
1198.975	-52.53	2.20	-13.0	-39.53	286.20	Horizontal	Vertical	Pass
1694.163	-49.80	-2.53	-13.0	-36.80	103.80	Horizontal	Vertical	Pass
1752.656	-51.53	-1.02	-13.0	-38.53	93.00	Horizontal	Vertical	Pass
2150.856	-30.57	1.14	-13.0	-17.57	359.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_19.48.53

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8198.700	-57.34	19.18	-13.0	-44.34	291.50	Vertical	Vertical	Pass
9402.899	-54.77	19.96	-13.0	-41.77	331.30	Vertical	Vertical	Pass
10103.974	-50.75	24.30	-13.0	-37.75	322.70	Vertical	Vertical	Pass
11863.534	-49.76	25.36	-13.0	-36.76	247.90	Vertical	Vertical	Pass
13711.072	-46.40	27.79	-13.0	-33.40	263.20	Vertical	Vertical	Pass
14687.078	-46.29	27.59	-13.0	-33.29	266.20	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_19.27.23

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4<E B4&B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
237.043	-72.34	-3.76	-13.0	-59.34	128.90	Horizontal	Vertical	Pass
837.808	-66.92	3.98	-13.0	-53.92	38.80	Horizontal	Vertical	Pass
1197.225	-51.83	2.06	-13.0	-38.83	148.80	Horizontal	Vertical	Pass
1694.413	-50.70	-2.53	-13.0	-37.70	223.90	Horizontal	Vertical	Pass
2150.856	-25.76	1.14	-13.0	-12.76	320.30	Horizontal	Vertical	Pass
4503.312	-33.28	11.24	-13.0	-20.28	275.90	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_19.46.53

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8030.992	-57.32	18.06	-13.0	-44.32	10.10	Vertical	Vertical	Pass
9408.398	-56.33	19.86	-13.0	-43.33	44.00	Vertical	Vertical	Pass
10125.969	-49.79	24.03	-13.0	-36.79	44.00	Vertical	Vertical	Pass
11847.038	-49.07	25.03	-13.0	-36.07	29.50	Vertical	Vertical	Pass
12465.634	-48.61	25.47	-13.0	-35.61	74.10	Vertical	Vertical	Pass
14106.973	-44.87	29.13	-13.0	-31.87	119.10	Vertical	Vertical	Pass

3. WCDMA Band V

3.1 WCDMA Band V LCH

Test result

Project Number: Test

Test Time: 2021-01-04_18.01.04

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
237.771	-67.25	-3.12	-13.0	-54.25	233.90	Horizontal	Vertical	Pass
827.868	-55.29	5.52	-13.0	-42.29	162.50	Horizontal	Vertical	Pass
872.234	-32.68	4.67	-13.0	-19.68	154.40	Horizontal	Vertical	Pass
1196.951	-51.97	2.12	-13.0	-38.97	191.40	Horizontal	Vertical	Pass
4612.597	-33.72	9.53	-13.0	-20.72	349.30	Horizontal	Vertical	Pass
8119.470	-26.57	20.36	-13.0	-13.57	90.80	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_09.56.24

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CCE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8201.450	-57.02	19.20	-13.0	-44.02	277.60	Horizontal	Vertical	Pass
9383.654	-55.56	19.66	-13.0	-42.56	358.80	Horizontal	Vertical	Pass
10123.219	-49.89	24.08	-13.0	-36.89	221.80	Horizontal	Vertical	Pass
11877.281	-48.87	25.42	-13.0	-35.87	34.30	Horizontal	Vertical	Pass
12440.890	-47.66	24.87	-13.0	-34.66	179.70	Horizontal	Vertical	Pass
14142.714	-45.18	28.92	-13.0	-32.18	154.40	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-01-04_18.27.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.680	-73.59	-2.40	-13.0	-60.59	85.90	Vertical	Vertical	Pass
827.383	-50.42	5.43	-13.0	-37.42	312.80	Vertical	Vertical	Pass
871.265	-32.41	4.83	-13.0	-19.41	258.90	Vertical	Vertical	Pass
1650.337	-48.13	-2.22	-13.0	-35.13	37.70	Vertical	Vertical	Pass
4509.623	-33.17	11.31	-13.0	-20.17	47.80	Vertical	Vertical	Pass
6973.007	-26.98	14.00	-13.0	-13.98	0.30	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_10.00.26

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CCE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8212.447	-57.16	18.94	-13.0	-44.16	348.30	Vertical	Vertical	Pass
10142.464	-50.33	23.72	-13.0	-37.33	323.30	Vertical	Vertical	Pass
11869.033	-47.96	25.38	-13.0	-34.96	166.40	Vertical	Vertical	Pass
12465.634	-47.93	25.47	-13.0	-34.93	238.90	Vertical	Vertical	Pass
14084.979	-44.60	28.66	-13.0	-31.60	76.70	Vertical	Vertical	Pass
16622.594	-49.75	23.06	-13.0	-36.75	1.30	Vertical	Vertical	Pass

3.2 WCDMA Band V MCH

Test result

Project Number: Test

Test Time: 2021-01-04_18.08.13

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
236.316	-67.87	-3.72	-13.0	-54.87	150.40	Horizontal	Vertical	Pass
838.535	-63.84	8.11	-13.0	-50.84	239.70	Horizontal	Vertical	Pass
882.902	-32.42	3.11	-13.0	-19.42	152.90	Horizontal	Vertical	Pass
1205.449	-52.17	2.08	-13.0	-39.17	285.60	Horizontal	Vertical	Pass
3091.977	-37.68	6.81	-13.0	-24.68	282.70	Horizontal	Vertical	Pass
6957.011	-26.75	13.75	-13.0	-13.75	163.50	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_09.54.02

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8195.951	-56.37	19.10	-13.0	-43.37	285.10	Horizontal	Vertical	Pass
9411.147	-54.33	19.82	-13.0	-41.33	201.00	Horizontal	Vertical	Pass
10145.214	-50.59	23.67	-13.0	-37.59	304.90	Horizontal	Vertical	Pass
11847.038	-48.78	25.03	-13.0	-35.78	245.70	Horizontal	Vertical	Pass
14109.723	-44.59	29.11	-13.0	-31.59	293.70	Horizontal	Vertical	Pass
16611.597	-49.94	23.10	-13.0	-36.94	122.50	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-01-04_18.23.27

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
236.801	-73.91	-3.52	-13.0	-60.91	97.30	Vertical	Vertical	Pass
838.293	-59.46	8.05	-13.0	-46.46	302.50	Vertical	Vertical	Pass
881.932	-34.07	3.22	-13.0	-21.07	250.60	Vertical	Vertical	Pass
1675.331	-52.48	-2.92	-13.0	-39.48	37.30	Vertical	Vertical	Pass
3626.843	-34.63	9.06	-13.0	-21.63	154.30	Vertical	Vertical	Pass
6989.003	-27.93	14.25	-13.0	-14.93	22.40	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_10.04.51

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8041.990	-56.07	18.29	-13.0	-43.07	327.90	Vertical	Vertical	Pass
9435.891	-55.48	19.41	-13.0	-42.48	37.30	Vertical	Vertical	Pass
10090.227	-50.59	23.98	-13.0	-37.59	242.70	Vertical	Vertical	Pass
11899.275	-49.02	25.50	-13.0	-36.02	138.90	Vertical	Vertical	Pass
12460.135	-48.02	25.33	-13.0	-35.02	130.30	Vertical	Vertical	Pass
14095.976	-45.00	29.03	-13.0	-32.00	135.90	Vertical	Vertical	Pass

3.3 WCDMA Band V HCH

Test result

Project Number: Test

Test Time: 2021-01-04_18.12.49

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
236.316	-69.02	-3.72	-13.0	-56.02	5.40	Horizontal	Vertical	Pass
846.293	-53.27	9.30	-13.0	-40.27	234.20	Horizontal	Vertical	Pass
889.933	-36.00	2.34	-13.0	-23.00	165.70	Horizontal	Vertical	Pass
1187.953	-51.87	1.49	-13.0	-38.87	116.70	Horizontal	Vertical	Pass
4593.602	-32.61	9.76	-13.0	-19.61	95.00	Horizontal	Vertical	Pass
9820.045	-23.98	22.72	-13.0	-10.98	340.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_09:57:58

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal


Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8226.193	-56.94	18.38	-13.0	-43.94	246.80	Horizontal	Vertical	Pass
9430.392	-55.02	19.50	-13.0	-42.02	127.00	Horizontal	Vertical	Pass
10139.715	-49.81	23.77	-13.0	-36.81	151.90	Horizontal	Vertical	Pass
11838.790	-49.32	24.83	-13.0	-36.32	319.70	Horizontal	Vertical	Pass
14095.976	-44.62	29.03	-13.0	-31.62	45.80	Horizontal	Vertical	Pass
16592.352	-50.20	22.58	-13.0	-37.20	148.90	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2021-01-04_18.19.08

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC PART 22_850_GSM850<E B5&CDMA BC0&WCDMA B5<E B26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
240.195	-73.26	-2.26	-13.0	-60.26	280.50	Vertical	Vertical	Pass
852.112	-42.32	9.75	-13.0	-29.32	292.30	Vertical	Vertical	Pass
888.720	-31.95	2.47	-13.0	-18.95	178.00	Vertical	Vertical	Pass
1690.327	-51.10	-2.94	-13.0	-38.10	35.80	Vertical	Vertical	Pass
4494.626	-33.70	11.00	-13.0	-20.70	0.70	Vertical	Vertical	Pass
8181.705	-26.05	20.42	-13.0	-13.05	56.80	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2020-12-30_10.01.55

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: Normal

Temp.(oC): 22.5

Load: N.A

Hum.: 51%

Remark: DR-RSE01-E20120008-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8143.714	-57.50	17.59	-13.0	-44.50	68.60	Vertical	Vertical	Pass
9438.640	-55.78	19.38	-13.0	-42.78	159.00	Vertical	Vertical	Pass
10114.971	-49.91	24.23	-13.0	-36.91	301.10	Vertical	Vertical	Pass
11860.785	-49.31	25.35	-13.0	-36.31	340.20	Vertical	Vertical	Pass
12476.631	-47.27	25.44	-13.0	-34.27	351.40	Vertical	Vertical	Pass
14101.475	-44.99	29.16	-13.0	-31.99	275.80	Vertical	Vertical	Pass