


Test Model No.: DFMS-1













Model: Gan-001
Input: 100-240V-50/60Hz 1.5A
Output Power: 65W Max
Output USB-C1/C2: 5V=3A, 9V=3A,



RoHS



12V=3A, 15V=3A, 20V=3.25A
Output USB-A: 3.4-5.5V=5A, 5V=3A, 9V=3A,
12V=3A, 20V=3A
Output USB-C1+USB-C2: 45W+18W(63W)
Output USB-C1+USB-A: 45W+18W(63W)

Output USB-C2+USB-A: 5V=4.8A(24W)
Output USB-C1+(USB-C2+USB-A): 45W+15W(60W)
Manufacturer: SHENZHEN EZREAL
TECHNOLOGY CO., LTD



MaxiEn

High Performance Li-po Battery
高性能锂聚合物电池

Model No. 型号: DF3_4950_1155

Rated Capacity 额定容量: 4950 mAh, 57.1 Wh

Nominal Voltage 标称电压: 11.55V

Max Charge Voltage 充电限制电压: 13.2V

3ICP9/48/88


CAUTION 警告

Use only batteries and battery chargers provided by Autel Robotics. Do not disassemble, puncture, shock, incinerate, crash, short or deform the battery. Failure to follow these instructions may pose a risk of explosion or fire. Refer to the user manual for further safety information.

必须使用道通智能专用充电设备。

严禁拆解、刺穿、撞击、碾压、短路及燃烧电池。

更多安全信息请参考用户手册。



オーテル・インテリジ
ェント・テクノロジー



Li-Ion 00