







Appendix C. Radiated Spurious Emission Plots

Note symbol





-L	Low channel location
-R	High channel location







Band 4 - 5725~5850MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI		Band 4 5725~5850MHz Band Edge @ 3m																																																																																																						
ANT		802.11a CH149 5745MHz																																																																																																						
1		Horizontal										Vertical																																																																																												
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.99</td><td>55.96</td><td>-18.04</td><td>74.00</td><td>47.80</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>357 Peak</td></tr><tr><td>2</td><td>5718.52</td><td>61.10</td><td>-17.20</td><td>78.30</td><td>52.93</td><td>32.53</td><td>8.30</td><td>32.66</td><td>100</td><td>357 Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.99	55.96	-18.04	74.00	47.80	32.52	8.30	32.66	100	357 Peak	2	5718.52	61.10	-17.20	78.30	52.93	32.53	8.30	32.66	100	357 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.20</td><td>53.67</td><td>-20.33</td><td>74.00</td><td>45.51</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>11 Peak</td></tr><tr><td>2</td><td>5716.20</td><td>61.75</td><td>-16.55</td><td>78.30</td><td>53.59</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>11 Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.20	53.67	-20.33	74.00	45.51	32.52	8.30	32.66	105	11 Peak	2	5716.20	61.75	-16.55	78.30	53.59	32.52	8.30	32.66	105	11 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5714.99	55.96	-18.04	74.00	47.80	32.52	8.30	32.66	100	357 Peak																																																																																														
2	5718.52	61.10	-17.20	78.30	52.93	32.53	8.30	32.66	100	357 Peak																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5714.20	53.67	-20.33	74.00	45.51	32.52	8.30	32.66	105	11 Peak																																																																																														
2	5716.20	61.75	-16.55	78.30	53.59	32.52	8.30	32.66	105	11 Peak																																																																																														
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Project : Peak Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5715.00</td><td>45.29</td><td>-8.71</td><td>54.00</td><td>37.13</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>357 Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5715.00	45.29	-8.71	54.00	37.13	32.52	8.30	32.66	100	357 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Project : Peak Mode : 56 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5715.00</td><td>44.63</td><td>-9.37</td><td>54.00</td><td>36.47</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>11 Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5715.00	44.63	-9.37	54.00	36.47	32.52	8.30	32.66	105	11 Average																						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5715.00	45.29	-8.71	54.00	37.13	32.52	8.30	32.66	100	357 Average																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5715.00	44.63	-9.37	54.00	36.47	32.52	8.30	32.66	105	11 Average																																																																																														







WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																		
ANT	802.11a CH157 5785MHz - L																																																																																																		
1	Horizontal										Vertical																																																																																								
Peak	Level (dBuV/m) Date: 2015-12-21  Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5786.76</td><td>53.47</td><td>-28.53</td><td>74.00</td><td>45.31</td><td>32.52</td><td>8.30</td><td>32.66</td><td>117</td><td>358 Peak</td></tr><tr><td>2</td><td>5719.88</td><td>51.81</td><td>-26.49</td><td>78.30</td><td>43.64</td><td>32.53</td><td>8.30</td><td>32.66</td><td>117</td><td>358 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2015-12-21  Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5781.96</td><td>51.84</td><td>-22.16</td><td>74.00</td><td>43.67</td><td>32.52</td><td>8.30</td><td>32.65</td><td>100</td><td>11 Peak</td></tr><tr><td>2</td><td>5715.48</td><td>50.44</td><td>-27.86</td><td>78.30</td><td>42.28</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>11 Peak</td></tr></tbody></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5786.76	53.47	-28.53	74.00	45.31	32.52	8.30	32.66	117	358 Peak	2	5719.88	51.81	-26.49	78.30	43.64	32.53	8.30	32.66	117	358 Peak		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5781.96	51.84	-22.16	74.00	43.67	32.52	8.30	32.65	100	11 Peak	2	5715.48	50.44	-27.86	78.30	42.28	32.52	8.30	32.66	100	11 Peak	
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5786.76	53.47	-28.53	74.00	45.31	32.52	8.30	32.66	117	358 Peak																																																																																									
2	5719.88	51.81	-26.49	78.30	43.64	32.53	8.30	32.66	117	358 Peak																																																																																									
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5781.96	51.84	-22.16	74.00	43.67	32.52	8.30	32.65	100	11 Peak																																																																																									
2	5715.48	50.44	-27.86	78.30	42.28	32.52	8.30	32.66	100	11 Peak																																																																																									
Avg.	Level (dBuV/m) Date: 2015-12-21  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.64</td><td>43.11</td><td>-18.89</td><td>54.00</td><td>34.95</td><td>32.52</td><td>8.30</td><td>32.66</td><td>117</td><td>358 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2015-12-21  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5710.12</td><td>42.85</td><td>-11.15</td><td>54.00</td><td>34.69</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>11 Average</td></tr></tbody></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5785.64	43.11	-18.89	54.00	34.95	32.52	8.30	32.66	117	358 Average		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5710.12	42.85	-11.15	54.00	34.69	32.52	8.30	32.66	100	11 Average																							
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5785.64	43.11	-18.89	54.00	34.95	32.52	8.30	32.66	117	358 Average																																																																																									
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5710.12	42.85	-11.15	54.00	34.69	32.52	8.30	32.66	100	11 Average																																																																																									







WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																									
ANT	802.11a CH157 5785MHz - R																																																																																									
1	Horizontal					Vertical																																																																																				
Peak	Level (dBuV/m) Date: 2015-12-21  Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5858.40</td><td>49.94</td><td>-28.36</td><td>78.30</td><td>41.60</td><td>32.62</td><td>8.43</td><td>32.71</td><td>117 358 Peak</td></tr><tr><td>2</td><td>5865.60</td><td>49.63</td><td>-24.37</td><td>74.00</td><td>41.29</td><td>32.62</td><td>8.43</td><td>32.71</td><td>117 358 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5858.40	49.94	-28.36	78.30	41.60	32.62	8.43	32.71	117 358 Peak	2	5865.60	49.63	-24.37	74.00	41.29	32.62	8.43	32.71	117 358 Peak	Level (dBuV/m) Date: 2015-12-21  Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.52</td><td>49.55</td><td>-28.75</td><td>78.30</td><td>41.20</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100 11 Peak</td></tr><tr><td>2</td><td>5877.04</td><td>48.91</td><td>-25.09</td><td>74.00</td><td>40.56</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100 11 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5853.52	49.55	-28.75	78.30	41.20	32.62	8.43	32.70	100 11 Peak	2	5877.04	48.91	-25.09	74.00	40.56	32.63	8.43	32.71	100 11 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5858.40	49.94	-28.36	78.30	41.60	32.62	8.43	32.71	117 358 Peak																																																																																	
2	5865.60	49.63	-24.37	74.00	41.29	32.62	8.43	32.71	117 358 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5853.52	49.55	-28.75	78.30	41.20	32.62	8.43	32.70	100 11 Peak																																																																																	
2	5877.04	48.91	-25.09	74.00	40.56	32.63	8.43	32.71	100 11 Peak																																																																																	
Avg.	Level (dBuV/m) Date: 2015-12-21  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5860.88</td><td>40.28</td><td>-13.72</td><td>54.00</td><td>31.94</td><td>32.62</td><td>8.43</td><td>32.71</td><td>117 358 Average</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.88	40.28	-13.72	54.00	31.94	32.62	8.43	32.71	117 358 Average	Level (dBuV/m) Date: 2015-12-21  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 57 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5860.00</td><td>39.73</td><td>-14.27</td><td>54.00</td><td>31.39</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100 11 Average</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.00	39.73	-14.27	54.00	31.39	32.62	8.43	32.71	100 11 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5860.88	40.28	-13.72	54.00	31.94	32.62	8.43	32.71	117 358 Average																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5860.00	39.73	-14.27	54.00	31.39	32.62	8.43	32.71	100 11 Average																																																																																	



WIFI		Band 4 5725~5850MHz Band Edge @ 3m																																																			
ANT		802.11a CH165 5825MHz																																																			
1		Horizontal																																																			
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.40</td><td>53.43</td><td>-24.87</td><td>78.30</td><td>45.09</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>360 Peak</td></tr><tr><td>2</td><td>5872.24</td><td>51.47</td><td>-22.53</td><td>74.00</td><td>43.12</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>360 Peak</td></tr></table>										Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5850.40	53.43	-24.87	78.30	45.09	32.61	8.43	32.70	100	360 Peak	2	5872.24	51.47	-22.53	74.00	43.12	32.63	8.43	32.71	100	360 Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																											
1	5850.40	53.43	-24.87	78.30	45.09	32.61	8.43	32.70	100	360 Peak																																											
2	5872.24	51.47	-22.53	74.00	43.12	32.63	8.43	32.71	100	360 Peak																																											
Vertical	 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.12</td><td>51.13</td><td>-27.17</td><td>78.30</td><td>42.78</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>352 Peak</td></tr><tr><td>2</td><td>5868.08</td><td>50.37</td><td>-23.63</td><td>74.00</td><td>42.83</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>352 Peak</td></tr></table>										Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5855.12	51.13	-27.17	78.30	42.78	32.62	8.43	32.70	100	352 Peak	2	5868.08	50.37	-23.63	74.00	42.83	32.62	8.43	32.71	100	352 Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																											
1	5855.12	51.13	-27.17	78.30	42.78	32.62	8.43	32.70	100	352 Peak																																											
2	5868.08	50.37	-23.63	74.00	42.83	32.62	8.43	32.71	100	352 Peak																																											
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.00</td><td>42.11</td><td>-11.89</td><td>54.00</td><td>33.77</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>360 Average</td></tr></table>										Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.00	42.11	-11.89	54.00	33.77	32.62	8.43	32.71	100	360 Average											
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																											
1	5860.00	42.11	-11.89	54.00	33.77	32.62	8.43	32.71	100	360 Average																																											
Vertical	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 58 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.00</td><td>40.98</td><td>-13.02</td><td>54.00</td><td>32.64</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>352 Average</td></tr></table>										Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.00	40.98	-13.02	54.00	32.64	32.62	8.43	32.71	100	352 Average											
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																											
1	5860.00	40.98	-13.02	54.00	32.64	32.62	8.43	32.71	100	352 Average																																											



Band 4 5725~5850MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																	
ANT	802.11n HT20 CH149 5745MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5709.24</td><td>57.91</td><td>-16.89</td><td>74.00</td><td>49.75</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>0 Peak</td></tr><tr><td>2 5724.92</td><td>59.84</td><td>-18.46</td><td>78.30</td><td>51.64</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5709.24	57.91	-16.89	74.00	49.75	32.52	8.30	32.66	100	0 Peak	2 5724.92	59.84	-18.46	78.30	51.64	32.53	8.33	32.66	100	0 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5713.16</td><td>54.57</td><td>-19.43</td><td>74.00</td><td>46.41</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>10 Peak</td></tr><tr><td>2 5724.12</td><td>59.88</td><td>-18.42</td><td>78.30</td><td>51.68</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>10 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5713.16	54.57	-19.43	74.00	46.41	32.52	8.30	32.66	100	10 Peak	2 5724.12	59.88	-18.42	78.30	51.68	32.53	8.33	32.66	100	10 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5709.24	57.91	-16.89	74.00	49.75	32.52	8.30	32.66	100	0 Peak																																																																									
2 5724.92	59.84	-18.46	78.30	51.64	32.53	8.33	32.66	100	0 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5713.16	54.57	-19.43	74.00	46.41	32.52	8.30	32.66	100	10 Peak																																																																									
2 5724.12	59.88	-18.42	78.30	51.68	32.53	8.33	32.66	100	10 Peak																																																																									
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.60</td><td>45.59</td><td>-8.41</td><td>54.00</td><td>37.43</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>0 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.60	45.59	-8.41	54.00	37.43	32.52	8.30	32.66	100	0 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5713.88</td><td>45.18</td><td>-8.82</td><td>54.00</td><td>37.02</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>10 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5713.88	45.18	-8.82	54.00	37.02	32.52	8.30	32.66	100	10 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.60	45.59	-8.41	54.00	37.43	32.52	8.30	32.66	100	0 Average																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5713.88	45.18	-8.82	54.00	37.02	32.52	8.30	32.66	100	10 Average																																																																									







WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																	
ANT	802.11n HT20 CH157 5785MHz - L																																																																																																	
1	Horizontal					Vertical																																																																																												
Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5709.56</td><td>52.78</td><td>-21.22</td><td>74.00</td><td>44.62</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>346 Peak</td></tr><tr><td>2</td><td>5721.32</td><td>52.14</td><td>-26.16</td><td>78.30</td><td>43.97</td><td>32.53</td><td>8.30</td><td>32.66</td><td>100</td><td>346 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5709.56	52.78	-21.22	74.00	44.62	32.52	8.30	32.66	100	346 Peak	2	5721.32	52.14	-26.16	78.30	43.97	32.53	8.30	32.66	100	346 Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5713.16</td><td>52.64</td><td>-21.36</td><td>74.00</td><td>44.48</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>13 Peak</td></tr><tr><td>2</td><td>5715.32</td><td>51.19</td><td>-27.11</td><td>78.30</td><td>43.83</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>13 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5713.16	52.64	-21.36	74.00	44.48	32.52	8.30	32.66	100	13 Peak	2	5715.32	51.19	-27.11	78.30	43.83	32.52	8.30	32.66	100	13 Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5709.56	52.78	-21.22	74.00	44.62	32.52	8.30	32.66	100	346 Peak																																																																																								
2	5721.32	52.14	-26.16	78.30	43.97	32.53	8.30	32.66	100	346 Peak																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5713.16	52.64	-21.36	74.00	44.48	32.52	8.30	32.66	100	13 Peak																																																																																								
2	5715.32	51.19	-27.11	78.30	43.83	32.52	8.30	32.66	100	13 Peak																																																																																								
Avg.	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:1.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5705.64</td><td>44.13</td><td>-9.87</td><td>54.00</td><td>35.97</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>346 Average</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5705.64	44.13	-9.87	54.00	35.97	32.52	8.30	32.66	100	346 Average	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:1.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5711.16</td><td>44.01</td><td>-9.99</td><td>54.00</td><td>35.85</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>13 Average</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5711.16	44.01	-9.99	54.00	35.85	32.52	8.30	32.66	100	13 Average																						
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5705.64	44.13	-9.87	54.00	35.97	32.52	8.30	32.66	100	346 Average																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5711.16	44.01	-9.99	54.00	35.85	32.52	8.30	32.66	100	13 Average																																																																																								







WIFI	Band 4 5725~5850MHz Band Edge @ 3m									
ANT	802.11n HT20 CH157 5785MHz - R									
1	Horizontal					Vertical				
Peak	Level (dBuV/m)									



WIFI		Band 4 5725~5850MHz Band Edge @ 3m																																																																																									
ANT		802.11n HT20 CH165 5825MHz																																																																																									
1	Horizontal	Vertical																																																																																									
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 61 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.48</td><td>56.95</td><td>-21.35</td><td>78.30</td><td>48.61</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>1 Peak</td></tr><tr><td>2</td><td>5872.08</td><td>50.67</td><td>-23.33</td><td>74.00</td><td>42.32</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>1 Peak</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5850.48	56.95	-21.35	78.30	48.61	32.61	8.43	32.70	100	1 Peak	2	5872.08	50.67	-23.33	74.00	42.32	32.63	8.43	32.71	100	1 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 61 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.72</td><td>54.88</td><td>-23.42</td><td>78.30</td><td>46.53</td><td>32.62</td><td>8.43</td><td>32.70</td><td>103</td><td>15 Peak</td></tr><tr><td>2</td><td>5868.24</td><td>50.38</td><td>-23.62</td><td>74.00</td><td>42.04</td><td>32.62</td><td>8.43</td><td>32.71</td><td>103</td><td>15 Peak</td></tr></table>		Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.72	54.88	-23.42	78.30	46.53	32.62	8.43	32.70	103	15 Peak	2	5868.24	50.38	-23.62	74.00	42.04	32.62	8.43	32.71	103	15 Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5850.48	56.95	-21.35	78.30	48.61	32.61	8.43	32.70	100	1 Peak																																																																																	
2	5872.08	50.67	-23.33	74.00	42.32	32.63	8.43	32.71	100	1 Peak																																																																																	
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5854.72	54.88	-23.42	78.30	46.53	32.62	8.43	32.70	103	15 Peak																																																																																	
2	5868.24	50.38	-23.62	74.00	42.04	32.62	8.43	32.71	103	15 Peak																																																																																	
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 61 <table><tr><th>Average</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.00</td><td>42.82</td><td>-11.18</td><td>54.00</td><td>34.48</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>1 Average</td></tr></table>	Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.00	42.82	-11.18	54.00	34.48	32.62	8.43	32.71	100	1 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 61 <table><tr><th>Average</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.00</td><td>41.64</td><td>-12.36</td><td>54.00</td><td>33.30</td><td>32.62</td><td>8.43</td><td>32.71</td><td>103</td><td>15 Average</td></tr></table>		Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5860.00	41.64	-12.36	54.00	33.30	32.62	8.43	32.71	103	15 Average																						
	Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5860.00	42.82	-11.18	54.00	34.48	32.62	8.43	32.71	100	1 Average																																																																																	
Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5860.00	41.64	-12.36	54.00	33.30	32.62	8.43	32.71	103	15 Average																																																																																	







Band 4 5725~5850MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																	
ANT	802.11n HT40 CH151 5755MHz - L																																																																																	
1	Horizontal	Vertical																																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 62 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.12</td><td>58.69</td><td>-15.31</td><td>74.00</td><td>50.53</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>360 Peak</td></tr><tr><td>2 5723.88</td><td>60.19</td><td>-18.11</td><td>78.30</td><td>51.99</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>360 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.12	58.69	-15.31	74.00	50.53	32.52	8.30	32.66	100	360 Peak	2 5723.88	60.19	-18.11	78.30	51.99	32.53	8.33	32.66	100	360 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 62 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.92</td><td>56.54</td><td>-17.46</td><td>74.00</td><td>48.38</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>12 Peak</td></tr><tr><td>2 5724.76</td><td>59.35</td><td>-18.95</td><td>78.30</td><td>51.15</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>12 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.92	56.54	-17.46	74.00	48.38	32.52	8.30	32.66	100	12 Peak	2 5724.76	59.35	-18.95	78.30	51.15	32.53	8.33	32.66	100	12 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.12	58.69	-15.31	74.00	50.53	32.52	8.30	32.66	100	360 Peak																																																																									
2 5723.88	60.19	-18.11	78.30	51.99	32.53	8.33	32.66	100	360 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.92	56.54	-17.46	74.00	48.38	32.52	8.30	32.66	100	12 Peak																																																																									
2 5724.76	59.35	-18.95	78.30	51.15	32.53	8.33	32.66	100	12 Peak																																																																									
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 62 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.28</td><td>49.23</td><td>-4.77</td><td>54.00</td><td>41.87</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>360 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.28	49.23	-4.77	54.00	41.87	32.52	8.30	32.66	100	360 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 62 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.68</td><td>48.64</td><td>-5.36</td><td>54.00</td><td>40.48</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>12 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.68	48.64	-5.36	54.00	40.48	32.52	8.30	32.66	100	12 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.28	49.23	-4.77	54.00	41.87	32.52	8.30	32.66	100	360 Average																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5714.68	48.64	-5.36	54.00	40.48	32.52	8.30	32.66	100	12 Average																																																																									







WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																	
ANT	802.11n HT40 CH151 5755MHz - R																																																																																	
1	Horizontal	Vertical																																																																																
Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 6Z <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>5853.28</td><td>47.76</td><td>-30.54</td><td>78.30</td><td>39.42</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>360 Peak</td></tr><tr><td>5886.08</td><td>49.11</td><td>-24.89</td><td>74.00</td><td>40.73</td><td>32.63</td><td>8.47</td><td>32.72</td><td>100</td><td>360 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	5853.28	47.76	-30.54	78.30	39.42	32.61	8.43	32.70	100	360 Peak	5886.08	49.11	-24.89	74.00	40.73	32.63	8.47	32.72	100	360 Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 6Z <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>5858.80</td><td>47.46</td><td>-30.84</td><td>78.30</td><td>39.12</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>12 Peak</td></tr><tr><td>5868.56</td><td>47.75</td><td>-26.25</td><td>74.00</td><td>39.41</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>12 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	5858.80	47.46	-30.84	78.30	39.12	32.62	8.43	32.71	100	12 Peak	5868.56	47.75	-26.25	74.00	39.41	32.62	8.43	32.71	100	12 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
5853.28	47.76	-30.54	78.30	39.42	32.61	8.43	32.70	100	360 Peak																																																																									
5886.08	49.11	-24.89	74.00	40.73	32.63	8.47	32.72	100	360 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
5858.80	47.46	-30.84	78.30	39.12	32.62	8.43	32.71	100	12 Peak																																																																									
5868.56	47.75	-26.25	74.00	39.41	32.62	8.43	32.71	100	12 Peak																																																																									
Avg.	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 6Z <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>5889.52</td><td>40.34</td><td>-13.66</td><td>54.00</td><td>31.95</td><td>32.64</td><td>8.47</td><td>32.72</td><td>100</td><td>360 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	5889.52	40.34	-13.66	54.00	31.95	32.64	8.47	32.72	100	360 Average	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 6Z <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>5875.60</td><td>40.12</td><td>-13.88</td><td>54.00</td><td>31.77</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>12 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	5875.60	40.12	-13.88	54.00	31.77	32.63	8.43	32.71	100	12 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
5889.52	40.34	-13.66	54.00	31.95	32.64	8.47	32.72	100	360 Average																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
5875.60	40.12	-13.88	54.00	31.77	32.63	8.43	32.71	100	12 Average																																																																									





WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																		
ANT	802.11n HT40 CH159 5795MHz - L																																																																																																		
1	Horizontal										Vertical																																																																																								
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.36</td><td>53.48</td><td>-20.52</td><td>74.00</td><td>45.32</td><td>32.51</td><td>8.30</td><td>32.65</td><td>109</td><td>360 Peak</td></tr><tr><td>2</td><td>5718.44</td><td>53.72</td><td>-24.58</td><td>78.30</td><td>45.55</td><td>32.53</td><td>8.30</td><td>32.66</td><td>109</td><td>360 Peak</td></tr></table>										Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.36	53.48	-20.52	74.00	45.32	32.51	8.30	32.65	109	360 Peak	2	5718.44	53.72	-24.58	78.30	45.55	32.53	8.30	32.66	109	360 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5713.96</td><td>52.58</td><td>-21.42</td><td>74.00</td><td>44.42</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>10 Peak</td></tr><tr><td>2</td><td>5716.12</td><td>52.34</td><td>-25.96</td><td>78.30</td><td>44.18</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>10 Peak</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5713.96	52.58	-21.42	74.00	44.42	32.52	8.30	32.66	100	10 Peak	2	5716.12	52.34	-25.96	78.30	44.18	32.52	8.30	32.66	100	10 Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.36	53.48	-20.52	74.00	45.32	32.51	8.30	32.65	109	360 Peak																																																																																									
2	5718.44	53.72	-24.58	78.30	45.55	32.53	8.30	32.66	109	360 Peak																																																																																									
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5713.96	52.58	-21.42	74.00	44.42	32.52	8.30	32.66	100	10 Peak																																																																																									
2	5716.12	52.34	-25.96	78.30	44.18	32.52	8.30	32.66	100	10 Peak																																																																																									
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5710.20</td><td>44.53</td><td>-9.47</td><td>54.00</td><td>36.37</td><td>32.52</td><td>8.30</td><td>32.66</td><td>109</td><td>360 Average</td></tr></table>										Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5710.20	44.53	-9.47	54.00	36.37	32.52	8.30	32.66	109	360 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5709.00</td><td>44.32</td><td>-9.68</td><td>54.00</td><td>36.16</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>10 Average</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5709.00	44.32	-9.68	54.00	36.16	32.52	8.30	32.66	100	10 Average																						
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5710.20	44.53	-9.47	54.00	36.37	32.52	8.30	32.66	109	360 Average																																																																																									
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5709.00	44.32	-9.68	54.00	36.16	32.52	8.30	32.66	100	10 Average																																																																																									



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																					
ANT	802.11n HT40 CH159 5795MHz - R																																																																																					
1	Horizontal	Vertical																																																																																				
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5859.68</td><td>49.31</td><td>-26.99</td><td>78.30</td><td>40.97</td><td>32.62</td><td>8.43</td><td>32.71</td><td>109</td><td>360 Peak</td></tr><tr><td>2</td><td>5881.36</td><td>50.36</td><td>-23.44</td><td>74.80</td><td>42.17</td><td>32.63</td><td>8.47</td><td>32.71</td><td>109</td><td>360 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5859.68	49.31	-26.99	78.30	40.97	32.62	8.43	32.71	109	360 Peak	2	5881.36	50.36	-23.44	74.80	42.17	32.63	8.47	32.71	109	360 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.44</td><td>50.46</td><td>-27.84</td><td>78.30</td><td>42.11</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>10 Peak</td></tr><tr><td>2</td><td>5872.64</td><td>49.20</td><td>-24.00</td><td>74.00</td><td>40.85</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>10 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5855.44	50.46	-27.84	78.30	42.11	32.62	8.43	32.70	100	10 Peak	2	5872.64	49.20	-24.00	74.00	40.85	32.63	8.43	32.71	100	10 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5859.68	49.31	-26.99	78.30	40.97	32.62	8.43	32.71	109	360 Peak																																																																												
2	5881.36	50.36	-23.44	74.80	42.17	32.63	8.47	32.71	109	360 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5855.44	50.46	-27.84	78.30	42.11	32.62	8.43	32.70	100	10 Peak																																																																												
2	5872.64	49.20	-24.00	74.00	40.85	32.63	8.43	32.71	100	10 Peak																																																																												
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5866.08</td><td>42.30</td><td>-11.70</td><td>54.00</td><td>33.96</td><td>32.62</td><td>8.43</td><td>32.71</td><td>109</td><td>360 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5866.08	42.30	-11.70	54.00	33.96	32.62	8.43	32.71	109	360 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 63 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5877.92</td><td>41.62</td><td>-12.38</td><td>54.00</td><td>33.27</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>10 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5877.92	41.62	-12.38	54.00	33.27	32.63	8.43	32.71	100	10 Average																						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5866.08	42.30	-11.70	54.00	33.96	32.62	8.43	32.71	109	360 Average																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5877.92	41.62	-12.38	54.00	33.27	32.63	8.43	32.71	100	10 Average																																																																												



Band 4 5725~5850MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																		
ANT	802.11ac VHT80 CH155 5775MHz - L																																																																																																		
1	Horizontal						Vertical																																																																																												
Peak																																																																																																			
	Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 64						Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 64																																																																																												
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.84</td><td>62.14</td><td>-6.16</td><td>68.30</td><td>53.98</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>5724.52</td><td>62.04</td><td>-16.26</td><td>78.30</td><td>53.84</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.84	62.14	-6.16	68.30	53.98	32.52	8.30	32.66	100	360	Peak	2	5724.52	62.04	-16.26	78.30	53.84	32.53	8.33	32.66	100	360	Peak	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5711.96</td><td>61.47</td><td>-6.83</td><td>68.30</td><td>53.31</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>11</td><td>Peak</td></tr><tr><td>2</td><td>5724.36</td><td>61.72</td><td>-16.58</td><td>78.30</td><td>53.52</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>11</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5711.96	61.47	-6.83	68.30	53.31	32.52	8.30	32.66	100	11	Peak	2	5724.36	61.72	-16.58	78.30	53.52	32.53	8.33	32.66	100	11
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5714.84	62.14	-6.16	68.30	53.98	32.52	8.30	32.66	100	360	Peak																																																																																								
2	5724.52	62.04	-16.26	78.30	53.84	32.53	8.33	32.66	100	360	Peak																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5711.96	61.47	-6.83	68.30	53.31	32.52	8.30	32.66	100	11	Peak																																																																																								
2	5724.36	61.72	-16.58	78.30	53.52	32.53	8.33	32.66	100	11	Peak																																																																																								



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																															
ANT	802.11ac VHT80 CH155 5775MHz - R																																																																																															
1	Horizontal	Vertical																																																																																														
Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 64 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.12</td><td>54.59</td><td>-23.71</td><td>78.30</td><td>46.24</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>5865.12</td><td>52.37</td><td>-15.93</td><td>68.30</td><td>44.03</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>360</td><td>Peak</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5855.12	54.59	-23.71	78.30	46.24	32.62	8.43	32.70	100	360	Peak	2	5865.12	52.37	-15.93	68.30	44.03	32.62	8.43	32.71	100	360	Peak	Level (dBuV/m) Date: 2015-12-22 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 64 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.20</td><td>53.73</td><td>-24.57</td><td>78.30</td><td>45.38</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100</td><td>11</td><td>Peak</td></tr><tr><td>2</td><td>5868.40</td><td>51.19</td><td>-17.11</td><td>68.30</td><td>42.85</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>11</td><td>Peak</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5855.20	53.73	-24.57	78.30	45.38	32.62	8.43	32.70	100	11	Peak	2	5868.40	51.19	-17.11	68.30	42.85	32.62	8.43	32.71	100	11	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																									
Freq	Level	Line	Level Factor	Loss Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																								
1	5855.12	54.59	-23.71	78.30	46.24	32.62	8.43	32.70	100	360	Peak																																																																																					
2	5865.12	52.37	-15.93	68.30	44.03	32.62	8.43	32.71	100	360	Peak																																																																																					
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																										
Freq	Level	Line	Level Factor	Loss Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																								
1	5855.20	53.73	-24.57	78.30	45.38	32.62	8.43	32.70	100	11	Peak																																																																																					
2	5868.40	51.19	-17.11	68.30	42.85	32.62	8.43	32.71	100	11	Peak																																																																																					



Band 4 - 5725~5850MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																																		
ANT	802.11a CH149 5745MHz																																																																																																		
1	Horizontal						Vertical																																																																																												
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 56 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.87</td><td>-28.93</td><td>74.00</td><td>55.28</td><td>40.01</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>46.82</td><td>-27.18</td><td>74.00</td><td>58.25</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100</td><td>0 Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.87	-28.93	74.00	55.28	40.01	12.58	62.80	100	0 Peak	2	17235.00	46.82	-27.18	74.00	58.25	41.05	15.66	60.14	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 56 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.84</td><td>-28.16</td><td>74.00</td><td>56.05</td><td>40.01</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.94</td><td>-25.06</td><td>74.00</td><td>52.37</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.84	-28.16	74.00	56.05	40.01	12.58	62.80	100	0 Peak	2	17235.00	48.94	-25.06	74.00	52.37	41.05	15.66	60.14	100	0 Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11490.00	45.87	-28.93	74.00	55.28	40.01	12.58	62.80	100	0 Peak																																																																																									
2	17235.00	46.82	-27.18	74.00	58.25	41.05	15.66	60.14	100	0 Peak																																																																																									
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	45.84	-28.16	74.00	56.05	40.01	12.58	62.80	100	0 Peak																																																																																									
2	17235.00	48.94	-25.06	74.00	52.37	41.05	15.66	60.14	100	0 Peak																																																																																									



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																									
ANT	802.11a CH157 5785MHz																																																																																									
1	Horizontal					Vertical																																																																																				
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 57 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>44.53</td><td>-29.47</td><td>74.00</td><td>54.73</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2 17355.00</td><td>46.58</td><td>-27.42</td><td>74.00</td><td>49.62</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	44.53	-29.47	74.00	54.73	39.88	12.66	62.74	100	0 Peak	2 17355.00	46.58	-27.42	74.00	49.62	41.38	15.79	60.21	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 57 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>46.80</td><td>-27.20</td><td>74.00</td><td>57.00</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2 17355.00</td><td>47.07</td><td>-26.93</td><td>74.00</td><td>50.11</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	46.80	-27.20	74.00	57.00	39.88	12.66	62.74	100	0 Peak	2 17355.00	47.07	-26.93	74.00	50.11	41.38	15.79	60.21	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 11570.00	44.53	-29.47	74.00	54.73	39.88	12.66	62.74	100	0 Peak																																																																																	
2 17355.00	46.58	-27.42	74.00	49.62	41.38	15.79	60.21	100	0 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 11570.00	46.80	-27.20	74.00	57.00	39.88	12.66	62.74	100	0 Peak																																																																																	
2 17355.00	47.07	-26.93	74.00	50.11	41.38	15.79	60.21	100	0 Peak																																																																																	



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																									
ANT	802.11a CH165 5825MHz																																																																																									
1	Horizontal					Vertical																																																																																				
Peak Avg.																																																																																										
	Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 58 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>44.83</td><td>-29.17</td><td>74.00</td><td>55.04</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.15</td><td>-26.85</td><td>74.00</td><td>49.79</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100 0 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.83	-29.17	74.00	55.04	39.75	12.73	62.69	100 0 Peak	2	17475.00	47.15	-26.85	74.00	49.79	41.71	15.93	60.28	100 0 Peak	Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 58 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>45.57</td><td>-28.43</td><td>74.00</td><td>55.78</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.31</td><td>-26.69</td><td>74.00</td><td>49.95</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100 0 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.57	-28.43	74.00	55.78	39.75	12.73	62.69	100 0 Peak	2	17475.00	47.31	-26.69	74.00	49.95	41.71	15.93	60.28	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11650.00	44.83	-29.17	74.00	55.04	39.75	12.73	62.69	100 0 Peak																																																																																	
2	17475.00	47.15	-26.85	74.00	49.79	41.71	15.93	60.28	100 0 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11650.00	45.57	-28.43	74.00	55.78	39.75	12.73	62.69	100 0 Peak																																																																																	
2	17475.00	47.31	-26.69	74.00	49.95	41.71	15.93	60.28	100 0 Peak																																																																																	



Band 4 5725~5850MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH149 5745MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.03</td><td>-28.97</td><td>74.00</td><td>55.24</td><td>40.01</td><td>12.58</td><td>62.00</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>45.38</td><td>-28.62</td><td>74.00</td><td>48.81</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100 0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.03	-28.97	74.00	55.24	40.01	12.58	62.00	100 0 Peak	2	17235.00	45.38	-28.62	74.00	48.81	41.05	15.66	60.14	100 0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 59 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.87</td><td>-28.13</td><td>74.00</td><td>56.08</td><td>40.01</td><td>12.58</td><td>62.00</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.51</td><td>-26.49</td><td>74.00</td><td>50.94</td><td>41.05</td><td>15.66</td><td>60.14</td><td>100 0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.87	-28.13	74.00	56.08	40.01	12.58	62.00	100 0 Peak	2	17235.00	47.51	-26.49	74.00	50.94	41.05	15.66	60.14	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11490.00	45.03	-28.97	74.00	55.24	40.01	12.58	62.00	100 0 Peak																																																																									
2	17235.00	45.38	-28.62	74.00	48.81	41.05	15.66	60.14	100 0 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11490.00	45.87	-28.13	74.00	56.08	40.01	12.58	62.00	100 0 Peak																																																																									
2	17235.00	47.51	-26.49	74.00	50.94	41.05	15.66	60.14	100 0 Peak																																																																									



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																													
ANT	802.11n HT20 CH157 5785MHz																																																																																													
1	Horizontal					Vertical																																																																																								
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.32</td><td>-29.68</td><td>74.00</td><td>54.52</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>46.06</td><td>-27.94</td><td>74.00</td><td>49.10</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.32	-29.68	74.00	54.52	39.88	12.66	62.74	100	0 Peak	2	17355.00	46.06	-27.94	74.00	49.10	41.38	15.79	60.21	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.29</td><td>-26.71</td><td>74.00</td><td>57.49</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.89</td><td>-26.11</td><td>74.00</td><td>50.93</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.29	-26.71	74.00	57.49	39.88	12.66	62.74	100	0 Peak	2	17355.00	47.89	-26.11	74.00	50.93	41.38	15.79	60.21	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	11570.00	44.32	-29.68	74.00	54.52	39.88	12.66	62.74	100	0 Peak																																																																																				
2	17355.00	46.06	-27.94	74.00	49.10	41.38	15.79	60.21	100	0 Peak																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	11570.00	47.29	-26.71	74.00	57.49	39.88	12.66	62.74	100	0 Peak																																																																																				
2	17355.00	47.89	-26.11	74.00	50.93	41.38	15.79	60.21	100	0 Peak																																																																																				



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																														
ANT	802.11n HT20 CH165 5825MHz																																																																																														
1	Horizontal						Vertical																																																																																								
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : G1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.76</td><td>-29.24</td><td>74.00</td><td>54.97</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>46.92</td><td>-27.08</td><td>74.00</td><td>49.56</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.76	-29.24	74.00	54.97	39.75	12.73	62.69	100	0 Peak	2	17475.00	46.92	-27.08	74.00	49.56	41.71	15.93	60.28	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : G1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.40</td><td>-28.60</td><td>74.00</td><td>55.61</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>49.30</td><td>-24.70</td><td>74.00</td><td>51.94</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100</td><td>0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.40	-28.60	74.00	55.61	39.75	12.73	62.69	100	0 Peak	2	17475.00	49.30	-24.70	74.00	51.94	41.71	15.93	60.28	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11650.00	44.76	-29.24	74.00	54.97	39.75	12.73	62.69	100	0 Peak																																																																																					
2	17475.00	46.92	-27.08	74.00	49.56	41.71	15.93	60.28	100	0 Peak																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11650.00	45.40	-28.60	74.00	55.61	39.75	12.73	62.69	100	0 Peak																																																																																					
2	17475.00	49.30	-24.70	74.00	51.94	41.71	15.93	60.28	100	0 Peak																																																																																					



Band 4 5725~5850MHz
WIFI 802.11n HT40 (Harmonic @ 3m)



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																					
ANT	802.11n HT40 CH151 5755MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 62 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>45.20</td><td>-28.80</td><td>74.00</td><td>55.42</td><td>40.00</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>44.94</td><td>-29.06</td><td>74.00</td><td>48.29</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.20	-28.80	74.00	55.42	40.00	12.58	62.80	100	0 Peak	2	17265.00	44.94	-29.06	74.00	48.29	41.15	15.66	60.16	100	0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 62 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>45.75</td><td>-28.25</td><td>74.00</td><td>55.97</td><td>40.00</td><td>12.58</td><td>62.80</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>44.79</td><td>-29.21</td><td>74.00</td><td>48.14</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.75	-28.25	74.00	55.97	40.00	12.58	62.80	100	0 Peak	2	17265.00	44.79	-29.21	74.00	48.14	41.15	15.66	60.16	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11510.00	45.20	-28.80	74.00	55.42	40.00	12.58	62.80	100	0 Peak																																																																												
2	17265.00	44.94	-29.06	74.00	48.29	41.15	15.66	60.16	100	0 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	11510.00	45.75	-28.25	74.00	55.97	40.00	12.58	62.80	100	0 Peak																																																																												
2	17265.00	44.79	-29.21	74.00	48.14	41.15	15.66	60.16	100	0 Peak																																																																												



WIFI	Band 4 5725~5850MHz Harmonic @ 3m									
ANT	802.11n HT40 CH159 5795MHz									
1	Horizontal					Vertical				
Peak Avg.										



Band 4 5725~5850MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																									
ANT	802.11ac VHT80 CH155 5775MHz																																																																																									
1	Horizontal					Vertical																																																																																				
Peak Avg.	 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 64 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.97</td><td>-28.03</td><td>74.00</td><td>56.20</td><td>39.91</td><td>12.62</td><td>62.76</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.27</td><td>-22.03</td><td>68.30</td><td>49.42</td><td>41.29</td><td>15.75</td><td>60.19</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.97	-28.03	74.00	56.20	39.91	12.62	62.76	100 0 Peak	2	17325.00	46.27	-22.03	68.30	49.42	41.29	15.75	60.19	100 0 Peak	 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 64 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.24</td><td>-28.76</td><td>74.00</td><td>55.47</td><td>39.91</td><td>12.62</td><td>62.76</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17325.00</td><td>45.99</td><td>-22.31</td><td>68.30</td><td>49.14</td><td>41.29</td><td>15.75</td><td>60.19</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.24	-28.76	74.00	55.47	39.91	12.62	62.76	100 0 Peak	2	17325.00	45.99	-22.31	68.30	49.14	41.29	15.75	60.19	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11550.00	45.97	-28.03	74.00	56.20	39.91	12.62	62.76	100 0 Peak																																																																																	
2	17325.00	46.27	-22.03	68.30	49.42	41.29	15.75	60.19	100 0 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11550.00	45.24	-28.76	74.00	55.47	39.91	12.62	62.76	100 0 Peak																																																																																	
2	17325.00	45.99	-22.31	68.30	49.14	41.29	15.75	60.19	100 0 Peak																																																																																	



Emission below 1GHz
5GHz WIFI 802.11n HT40 (LF)





WIFI	5GHz 5725~5850MHz																																																																																																																																																																																	
ANT	802.11n HT40 LF																																																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 75 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>72.12</td><td>35.33</td><td>-4.67</td><td>40.00</td><td>54.47</td><td>12.64</td><td>0.93</td><td>32.71</td><td>100</td><td>334 Peak</td></tr><tr><td>2</td><td>143.94</td><td>32.93</td><td>-10.57</td><td>43.50</td><td>46.55</td><td>17.72</td><td>1.33</td><td>32.67</td><td>---</td><td>---</td></tr><tr><td>3</td><td>214.95</td><td>33.94</td><td>-9.56</td><td>43.50</td><td>48.85</td><td>16.20</td><td>1.62</td><td>32.73</td><td>---</td><td>---</td></tr><tr><td>4</td><td>768.30</td><td>34.07</td><td>-11.93</td><td>46.00</td><td>36.10</td><td>27.92</td><td>2.97</td><td>32.92</td><td>---</td><td>---</td></tr><tr><td>5</td><td>798.40</td><td>35.78</td><td>-10.22</td><td>46.00</td><td>37.41</td><td>28.28</td><td>2.97</td><td>32.88</td><td>---</td><td>---</td></tr><tr><td>6</td><td>815.90</td><td>35.45</td><td>-10.55</td><td>46.00</td><td>36.68</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>---</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	72.12	35.33	-4.67	40.00	54.47	12.64	0.93	32.71	100	334 Peak	2	143.94	32.93	-10.57	43.50	46.55	17.72	1.33	32.67	---	---	3	214.95	33.94	-9.56	43.50	48.85	16.20	1.62	32.73	---	---	4	768.30	34.07	-11.93	46.00	36.10	27.92	2.97	32.92	---	---	5	798.40	35.78	-10.22	46.00	37.41	28.28	2.97	32.88	---	---	6	815.90	35.45	-10.55	46.00	36.68	28.49	3.07	32.79	---	---	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL Detector : Peak Project : 5N1313 Mode : 75 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>52.68</td><td>33.34</td><td>-6.66</td><td>40.00</td><td>50.88</td><td>14.30</td><td>0.93</td><td>32.77</td><td>100</td><td>51 Peak</td></tr><tr><td>2</td><td>53.49</td><td>32.99</td><td>-7.01</td><td>40.00</td><td>50.83</td><td>14.00</td><td>0.93</td><td>32.77</td><td>---</td><td>---</td></tr><tr><td>3</td><td>72.12</td><td>30.10</td><td>-9.90</td><td>40.00</td><td>49.24</td><td>12.64</td><td>0.93</td><td>32.71</td><td>---</td><td>---</td></tr><tr><td>4</td><td>750.10</td><td>29.44</td><td>-16.56</td><td>46.00</td><td>31.77</td><td>27.70</td><td>2.91</td><td>32.94</td><td>---</td><td>---</td></tr><tr><td>5</td><td>799.00</td><td>31.97</td><td>-14.03</td><td>46.00</td><td>33.58</td><td>28.30</td><td>2.97</td><td>32.88</td><td>---</td><td>---</td></tr><tr><td>6</td><td>945.40</td><td>31.94</td><td>-14.06</td><td>46.00</td><td>29.98</td><td>30.49</td><td>3.29</td><td>31.62</td><td>---</td><td>---</td></tr></table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	52.68	33.34	-6.66	40.00	50.88	14.30	0.93	32.77	100	51 Peak	2	53.49	32.99	-7.01	40.00	50.83	14.00	0.93	32.77	---	---	3	72.12	30.10	-9.90	40.00	49.24	12.64	0.93	32.71	---	---	4	750.10	29.44	-16.56	46.00	31.77	27.70	2.91	32.94	---	---	5	799.00	31.97	-14.03	46.00	33.58	28.30	2.97	32.88	---	---	6	945.40	31.94	-14.06	46.00	29.98	30.49	3.29	31.62	---	---
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	72.12	35.33	-4.67	40.00	54.47	12.64	0.93	32.71	100	334 Peak																																																																																																																																																																								
2	143.94	32.93	-10.57	43.50	46.55	17.72	1.33	32.67	---	---																																																																																																																																																																								
3	214.95	33.94	-9.56	43.50	48.85	16.20	1.62	32.73	---	---																																																																																																																																																																								
4	768.30	34.07	-11.93	46.00	36.10	27.92	2.97	32.92	---	---																																																																																																																																																																								
5	798.40	35.78	-10.22	46.00	37.41	28.28	2.97	32.88	---	---																																																																																																																																																																								
6	815.90	35.45	-10.55	46.00	36.68	28.49	3.07	32.79	---	---																																																																																																																																																																								
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	52.68	33.34	-6.66	40.00	50.88	14.30	0.93	32.77	100	51 Peak																																																																																																																																																																								
2	53.49	32.99	-7.01	40.00	50.83	14.00	0.93	32.77	---	---																																																																																																																																																																								
3	72.12	30.10	-9.90	40.00	49.24	12.64	0.93	32.71	---	---																																																																																																																																																																								
4	750.10	29.44	-16.56	46.00	31.77	27.70	2.91	32.94	---	---																																																																																																																																																																								
5	799.00	31.97	-14.03	46.00	33.58	28.30	2.97	32.88	---	---																																																																																																																																																																								
6	945.40	31.94	-14.06	46.00	29.98	30.49	3.29	31.62	---	---																																																																																																																																																																								



Band 4 5725~5850MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m										
ANT	802.11n HT40 CH151 5755MHz - L										
2	Horizontal										
Peak											



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																	
ANT	802.11n HT40 CH151 5755MHz - R																																																																																																	
2	Horizontal					Vertical																																																																																												
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.36</td><td>49.05</td><td>-29.25</td><td>78.30</td><td>48.71</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>300 Peak</td></tr><tr><td>2</td><td>5877.28</td><td>48.52</td><td>-25.48</td><td>74.00</td><td>48.17</td><td>32.63</td><td>8.43</td><td>32.71</td><td>100</td><td>300 Peak</td></tr></table>					Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5851.36	49.05	-29.25	78.30	48.71	32.61	8.43	32.70	100	300 Peak	2	5877.28	48.52	-25.48	74.00	48.17	32.63	8.43	32.71	100	300 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B, BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.52</td><td>48.02</td><td>-30.28</td><td>78.30</td><td>39.68</td><td>32.61</td><td>8.43</td><td>32.70</td><td>104</td><td>14 Peak</td></tr><tr><td>2</td><td>5875.92</td><td>47.89</td><td>-26.11</td><td>74.00</td><td>39.54</td><td>32.63</td><td>8.43</td><td>32.71</td><td>104</td><td>14 Peak</td></tr></table>					Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5851.52	48.02	-30.28	78.30	39.68	32.61	8.43	32.70	104	14 Peak	2	5875.92	47.89	-26.11	74.00	39.54	32.63	8.43	32.71	104	14 Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5851.36	49.05	-29.25	78.30	48.71	32.61	8.43	32.70	100	300 Peak																																																																																								
2	5877.28	48.52	-25.48	74.00	48.17	32.63	8.43	32.71	100	300 Peak																																																																																								
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5851.52	48.02	-30.28	78.30	39.68	32.61	8.43	32.70	104	14 Peak																																																																																								
2	5875.92	47.89	-26.11	74.00	39.54	32.63	8.43	32.71	104	14 Peak																																																																																								
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5864.56</td><td>48.87</td><td>-13.13</td><td>54.00</td><td>32.53</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>300 Average</td></tr></table>					Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5864.56	48.87	-13.13	54.00	32.53	32.62	8.43	32.71	100	300 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5881.92</td><td>48.07</td><td>-13.93</td><td>54.00</td><td>31.68</td><td>32.63</td><td>8.47</td><td>32.71</td><td>104</td><td>14 Average</td></tr></table>					Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5881.92	48.07	-13.93	54.00	31.68	32.63	8.47	32.71	104	14 Average																						
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5864.56	48.87	-13.13	54.00	32.53	32.62	8.43	32.71	100	300 Average																																																																																								
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5881.92	48.07	-13.93	54.00	31.68	32.63	8.47	32.71	104	14 Average																																																																																								





Band 4 5725~5850MHz
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT40 CH151 5755MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>45.48</td><td>-28.52</td><td>74.00</td><td>55.70</td><td>40.00</td><td>12.58</td><td>62.00</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>44.84</td><td>-29.16</td><td>74.00</td><td>48.19</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100 0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	11510.00	45.48	-28.52	74.00	55.70	40.00	12.58	62.00	100 0 Peak	2	17265.00	44.84	-29.16	74.00	48.19	41.15	15.66	60.16	100 0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 71 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11510.00</td><td>45.80</td><td>-28.20</td><td>74.00</td><td>56.02</td><td>40.00</td><td>12.58</td><td>62.00</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>44.86</td><td>-29.14</td><td>74.00</td><td>48.21</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100 0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	11510.00	45.80	-28.20	74.00	56.02	40.00	12.58	62.00	100 0 Peak	2	17265.00	44.86	-29.14	74.00	48.21	41.15	15.66	60.16	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																										
1	11510.00	45.48	-28.52	74.00	55.70	40.00	12.58	62.00	100 0 Peak																																																																									
2	17265.00	44.84	-29.16	74.00	48.19	41.15	15.66	60.16	100 0 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																										
1	11510.00	45.80	-28.20	74.00	56.02	40.00	12.58	62.00	100 0 Peak																																																																									
2	17265.00	44.86	-29.14	74.00	48.21	41.15	15.66	60.16	100 0 Peak																																																																									







Emission below 1GHz
5GHz WIFI 802.11n HT40 (LF)

WIFI		5GHz 5725~5850MHz																																																																																																
ANT		802.11n HT40 LF																																																																																																
2		Horizontal					Vertical																																																																																											
QP / Peak																																																																																																		
	Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 77 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL Detector : Peak Project : 5N1313 Mode : 77																																																																																																	
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>53.22</td><td>31.26</td><td>-8.74</td><td>40.00</td><td>49.10</td><td>14.00</td><td>0.93</td><td>32.77</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>72.12</td><td>34.92</td><td>-5.08</td><td>40.00</td><td>54.06</td><td>12.64</td><td>0.93</td><td>32.71</td><td>100</td><td>354 Peak</td></tr><tr><td>3</td><td>214.95</td><td>33.40</td><td>-10.10</td><td>43.50</td><td>48.31</td><td>16.20</td><td>1.62</td><td>32.73</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>796.30</td><td>35.53</td><td>-10.47</td><td>46.00</td><td>37.19</td><td>28.25</td><td>2.97</td><td>32.88</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>815.90</td><td>34.83</td><td>-11.17</td><td>46.00</td><td>36.06</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>911.00</td><td>33.89</td><td>-12.11</td><td>46.00</td><td>33.34</td><td>29.53</td><td>3.20</td><td>32.18</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	53.22	31.26	-8.74	40.00	49.10	14.00	0.93	32.77	---	Peak	2	72.12	34.92	-5.08	40.00	54.06	12.64	0.93	32.71	100	354 Peak	3	214.95	33.40	-10.10	43.50	48.31	16.20	1.62	32.73	---	Peak	4	796.30	35.53	-10.47	46.00	37.19	28.25	2.97	32.88	---	Peak	5	815.90	34.83	-11.17	46.00	36.06	28.49	3.07	32.79	---	Peak	6	911.00	33.89	-12.11	46.00	33.34	29.53	3.20	32.18	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
	1	53.22	31.26	-8.74	40.00	49.10	14.00	0.93	32.77	---	Peak																																																																																							
	2	72.12	34.92	-5.08	40.00	54.06	12.64	0.93	32.71	100	354 Peak																																																																																							
	3	214.95	33.40	-10.10	43.50	48.31	16.20	1.62	32.73	---	Peak																																																																																							
	4	796.30	35.53	-10.47	46.00	37.19	28.25	2.97	32.88	---	Peak																																																																																							
	5	815.90	34.83	-11.17	46.00	36.06	28.49	3.07	32.79	---	Peak																																																																																							
6	911.00	33.89	-12.11	46.00	33.34	29.53	3.20	32.18	---	Peak																																																																																								
<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>52.95</td><td>33.33</td><td>-6.67</td><td>40.00</td><td>51.17</td><td>14.00</td><td>0.93</td><td>32.77</td><td>100</td><td>46 Peak</td></tr><tr><td>2</td><td>53.76</td><td>33.11</td><td>-6.89</td><td>40.00</td><td>50.95</td><td>14.00</td><td>0.93</td><td>32.77</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>59.70</td><td>30.02</td><td>-9.98</td><td>40.00</td><td>49.94</td><td>11.90</td><td>0.93</td><td>32.75</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>815.90</td><td>31.81</td><td>-14.19</td><td>46.00</td><td>33.04</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>936.30</td><td>32.00</td><td>-14.00</td><td>46.00</td><td>30.40</td><td>30.22</td><td>3.29</td><td>31.91</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>943.30</td><td>31.79</td><td>-14.21</td><td>46.00</td><td>29.90</td><td>30.44</td><td>3.29</td><td>31.84</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	52.95	33.33	-6.67	40.00	51.17	14.00	0.93	32.77	100	46 Peak	2	53.76	33.11	-6.89	40.00	50.95	14.00	0.93	32.77	---	Peak	3	59.70	30.02	-9.98	40.00	49.94	11.90	0.93	32.75	---	Peak	4	815.90	31.81	-14.19	46.00	33.04	28.49	3.07	32.79	---	Peak	5	936.30	32.00	-14.00	46.00	30.40	30.22	3.29	31.91	---	Peak	6	943.30	31.79	-14.21	46.00	29.90	30.44	3.29	31.84	---	Peak	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	52.95	33.33	-6.67	40.00	51.17	14.00	0.93	32.77	100	46 Peak																																																																																								
2	53.76	33.11	-6.89	40.00	50.95	14.00	0.93	32.77	---	Peak																																																																																								
3	59.70	30.02	-9.98	40.00	49.94	11.90	0.93	32.75	---	Peak																																																																																								
4	815.90	31.81	-14.19	46.00	33.04	28.49	3.07	32.79	---	Peak																																																																																								
5	936.30	32.00	-14.00	46.00	30.40	30.22	3.29	31.91	---	Peak																																																																																								
6	943.30	31.79	-14.21	46.00	29.90	30.44	3.29	31.84	---	Peak																																																																																								



Band 4 5725~5850MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																		
ANT	802.11n HT20 CH149 5745MHz																																																																																																		
1+2	Horizontal						Vertical																																																																																												
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 65 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5711.48</td><td>56.35</td><td>-17.65</td><td>74.00</td><td>48.19</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Peak</td></tr><tr><td>2</td><td>5724.76</td><td>68.13</td><td>-10.17</td><td>78.30</td><td>59.93</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>298 Peak</td></tr></table>						Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5711.48	56.35	-17.65	74.00	48.19	32.52	8.30	32.66	100	298 Peak	2	5724.76	68.13	-10.17	78.30	59.93	32.53	8.33	32.66	100	298 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 65 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.36</td><td>58.73</td><td>-23.27</td><td>74.00</td><td>42.57</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>13 Peak</td></tr><tr><td>2</td><td>5723.88</td><td>57.70</td><td>-20.60</td><td>78.30</td><td>49.58</td><td>32.53</td><td>8.33</td><td>32.66</td><td>105</td><td>13 Peak</td></tr></table>					Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.36	58.73	-23.27	74.00	42.57	32.52	8.30	32.66	105	13 Peak	2	5723.88	57.70	-20.60	78.30	49.58	32.53	8.33	32.66	105	13 Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5711.48	56.35	-17.65	74.00	48.19	32.52	8.30	32.66	100	298 Peak																																																																																									
2	5724.76	68.13	-10.17	78.30	59.93	32.53	8.33	32.66	100	298 Peak																																																																																									
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5714.36	58.73	-23.27	74.00	42.57	32.52	8.30	32.66	105	13 Peak																																																																																									
2	5723.88	57.70	-20.60	78.30	49.58	32.53	8.33	32.66	105	13 Peak																																																																																									
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 65 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5715.00</td><td>48.98</td><td>-5.02</td><td>54.00</td><td>40.82</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Average</td></tr></table>						Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5715.00	48.98	-5.02	54.00	40.82	32.52	8.30	32.66	100	298 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 65 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5718.84</td><td>43.73</td><td>-10.27</td><td>54.00</td><td>35.57</td><td>32.52</td><td>8.30</td><td>32.66</td><td>105</td><td>13 Average</td></tr></table>					Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5718.84	43.73	-10.27	54.00	35.57	32.52	8.30	32.66	105	13 Average																						
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5715.00	48.98	-5.02	54.00	40.82	32.52	8.30	32.66	100	298 Average																																																																																									
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5718.84	43.73	-10.27	54.00	35.57	32.52	8.30	32.66	105	13 Average																																																																																									



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																																																																								
ANT	802.11n HT20 CH157 5785MHz - L																																																																																																																																																								
1+2	Horizontal					Vertical																																																																																																																																																			
Peak	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5714.76</td><td>55.67</td><td>-18.33</td><td>74.00</td><td>47.51</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>299 Peak</td></tr><tr><td>2</td><td>5722.60</td><td>56.42</td><td>-21.88</td><td>78.30</td><td>48.22</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>299 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5703.80</td><td>52.46</td><td>-21.54</td><td>74.00</td><td>44.29</td><td>32.52</td><td>8.30</td><td>32.65</td><td>100</td><td>11 Peak</td></tr><tr><td>2</td><td>5715.32</td><td>51.57</td><td>-26.73</td><td>78.30</td><td>43.41</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>11 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.76	55.67	-18.33	74.00	47.51	32.52	8.30	32.66	100	299 Peak	2	5722.60	56.42	-21.88	78.30	48.22	32.53	8.33	32.66	100	299 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5703.80	52.46	-21.54	74.00	44.29	32.52	8.30	32.65	100	11 Peak	2	5715.32	51.57	-26.73	78.30	43.41	32.52	8.30	32.66	100	11 Peak	Avg.	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5712.04</td><td>48.52</td><td>-5.48</td><td>54.00</td><td>40.36</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>299 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5708.76</td><td>44.16</td><td>-9.84</td><td>54.00</td><td>36.00</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>11 Average</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5712.04	48.52	-5.48	54.00	40.36	32.52	8.30	32.66	100	299 Average	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5708.76	44.16	-9.84	54.00	36.00	32.52	8.30	32.66	100	11 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	5714.76	55.67	-18.33	74.00	47.51	32.52	8.30	32.66	100	299 Peak																																																																																																																																															
2	5722.60	56.42	-21.88	78.30	48.22	32.53	8.33	32.66	100	299 Peak																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	5703.80	52.46	-21.54	74.00	44.29	32.52	8.30	32.65	100	11 Peak																																																																																																																																															
2	5715.32	51.57	-26.73	78.30	43.41	32.52	8.30	32.66	100	11 Peak																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	5712.04	48.52	-5.48	54.00	40.36	32.52	8.30	32.66	100	299 Average																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	5708.76	44.16	-9.84	54.00	36.00	32.52	8.30	32.66	100	11 Average																																																																																																																																															







WIFI	Band 4 5725~5850MHz Band Edge @ 3m									
ANT	802.11n HT20 CH157 5785MHz - R									
1+2	Horizontal					Vertical				
Peak	<									



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																									
ANT	802.11n HT20 CH165 5825MHz																																																																																									
1+2	Horizontal					Vertical																																																																																				
Peak	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.68</td><td>59.45</td><td>-18.85</td><td>78.30</td><td>51.10</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100 298 Peak</td></tr><tr><td>2</td><td>5860.72</td><td>54.94</td><td>-19.86</td><td>74.80</td><td>46.68</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100 298 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5853.68	59.45	-18.85	78.30	51.10	32.62	8.43	32.70	100 298 Peak	2	5860.72	54.94	-19.86	74.80	46.68	32.62	8.43	32.71	100 298 Peak	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5856.16</td><td>56.68</td><td>-21.62</td><td>78.30</td><td>48.33</td><td>32.62</td><td>8.43</td><td>32.70</td><td>100 344 Peak</td></tr><tr><td>2</td><td>5860.32</td><td>51.37</td><td>-22.63</td><td>74.00</td><td>43.83</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100 344 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5856.16	56.68	-21.62	78.30	48.33	32.62	8.43	32.70	100 344 Peak	2	5860.32	51.37	-22.63	74.00	43.83	32.62	8.43	32.71	100 344 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5853.68	59.45	-18.85	78.30	51.10	32.62	8.43	32.70	100 298 Peak																																																																																	
2	5860.72	54.94	-19.86	74.80	46.68	32.62	8.43	32.71	100 298 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5856.16	56.68	-21.62	78.30	48.33	32.62	8.43	32.70	100 344 Peak																																																																																	
2	5860.32	51.37	-22.63	74.00	43.83	32.62	8.43	32.71	100 344 Peak																																																																																	
Avg.	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5863.20</td><td>45.76</td><td>-8.24</td><td>54.00</td><td>37.42</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100 298 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5863.20	45.76	-8.24	54.00	37.42	32.62	8.43	32.71	100 298 Average	Level (dBuV/m) Date: 2015-12-23 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5861.92</td><td>42.61</td><td>-11.39</td><td>54.00</td><td>34.27</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100 344 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5861.92	42.61	-11.39	54.00	34.27	32.62	8.43	32.71	100 344 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5863.20	45.76	-8.24	54.00	37.42	32.62	8.43	32.71	100 298 Average																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5861.92	42.61	-11.39	54.00	34.27	32.62	8.43	32.71	100 344 Average																																																																																	







Band 4 5725~5850MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																									
ANT	802.11n HT40 CH151 5755MHz - L																																																																																									
1+2	Horizontal					Vertical																																																																																				
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 68 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5714.68</td><td>59.92</td><td>-14.88</td><td>74.00</td><td>51.76</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>299 Peak</td></tr><tr><td>2 5724.84</td><td>64.03</td><td>-14.27</td><td>78.30</td><td>55.83</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>299 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5714.68	59.92	-14.88	74.00	51.76	32.52	8.30	32.66	100	299 Peak	2 5724.84	64.03	-14.27	78.30	55.83	32.53	8.33	32.66	100	299 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 68 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5713.16</td><td>56.60</td><td>-17.40</td><td>74.00</td><td>48.44</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>9 Peak</td></tr><tr><td>2 5723.08</td><td>60.17</td><td>-18.13</td><td>78.30</td><td>51.97</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>9 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5713.16	56.60	-17.40	74.00	48.44	32.52	8.30	32.66	100	9 Peak	2 5723.08	60.17	-18.13	78.30	51.97	32.53	8.33	32.66	100	9 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5714.68	59.92	-14.88	74.00	51.76	32.52	8.30	32.66	100	299 Peak																																																																																	
2 5724.84	64.03	-14.27	78.30	55.83	32.53	8.33	32.66	100	299 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5713.16	56.60	-17.40	74.00	48.44	32.52	8.30	32.66	100	9 Peak																																																																																	
2 5723.08	60.17	-18.13	78.30	51.97	32.53	8.33	32.66	100	9 Peak																																																																																	
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 68 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5715.00</td><td>52.26</td><td>-1.74</td><td>54.00</td><td>44.10</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>299 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5715.00	52.26	-1.74	54.00	44.10	32.52	8.30	32.66	100	299 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 68 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5715.00</td><td>47.74</td><td>-6.26</td><td>54.00</td><td>39.58</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>9 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5715.00	47.74	-6.26	54.00	39.58	32.52	8.30	32.66	100	9 Average																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5715.00	52.26	-1.74	54.00	44.10	32.52	8.30	32.66	100	299 Average																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5715.00	47.74	-6.26	54.00	39.58	32.52	8.30	32.66	100	9 Average																																																																																	



WIFI	Band 4 5725~5850MHz Band Edge @ 3m									
ANT	802.11n HT40 CH151 5755MHz - R									
1+2	Horizontal					Vertical				
Peak	<									





WIFI		Band 4 5725~5850MHz Band Edge @ 3m																																																																																					
ANT		802.11n HT40 CH159 5795MHz - L																																																																																					
1+2		Horizontal	Vertical																																																																																				
Peak		 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5711.64</td><td>56.83</td><td>-17.17</td><td>74.00</td><td>48.67</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Peak</td></tr><tr><td>2</td><td>5717.48</td><td>56.71</td><td>-21.59</td><td>78.30</td><td>48.55</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5711.64	56.83	-17.17	74.00	48.67	32.52	8.30	32.66	100	298 Peak	2	5717.48	56.71	-21.59	78.30	48.55	32.52	8.30	32.66	100	298 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5714.76</td><td>51.64</td><td>-22.36</td><td>74.00</td><td>43.48</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>13 Peak</td></tr><tr><td>2</td><td>5716.84</td><td>52.49</td><td>-25.81</td><td>78.30</td><td>44.33</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>13 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.76	51.64	-22.36	74.00	43.48	32.52	8.30	32.66	100	13 Peak	2	5716.84	52.49	-25.81	78.30	44.33	32.52	8.30	32.66	100	13 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5711.64	56.83	-17.17	74.00	48.67	32.52	8.30	32.66	100	298 Peak																																																																													
2	5717.48	56.71	-21.59	78.30	48.55	32.52	8.30	32.66	100	298 Peak																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5714.76	51.64	-22.36	74.00	43.48	32.52	8.30	32.66	100	13 Peak																																																																													
2	5716.84	52.49	-25.81	78.30	44.33	32.52	8.30	32.66	100	13 Peak																																																																													
Avg.		 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5789.48</td><td>48.47</td><td>-5.53</td><td>54.00</td><td>40.31</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5789.48	48.47	-5.53	54.00	40.31	32.52	8.30	32.66	100	298 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5788.84</td><td>44.41</td><td>-9.59</td><td>54.00</td><td>36.25</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>13 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5788.84	44.41	-9.59	54.00	36.25	32.52	8.30	32.66	100	13 Average																						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5789.48	48.47	-5.53	54.00	40.31	32.52	8.30	32.66	100	298 Average																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5788.84	44.41	-9.59	54.00	36.25	32.52	8.30	32.66	100	13 Average																																																																													





WIFI	Band 4 5725~5850MHz Band Edge @ 3m									
ANT	802.11n HT40 CH159 5795MHz - R									
1+2	Horizontal					Vertical				
Peak	Level (dBuV/m)									



Band 4 5725~5850MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																	
ANT	802.11ac VHT80 CH155 5775MHz - L																																																																																																	
1+2	Horizontal					Vertical																																																																																												
Peak																																																																																																		
	Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 70 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5710.84</td><td>66.61</td><td>-1.69</td><td>68.30</td><td>58.45</td><td>32.52</td><td>8.30</td><td>32.66</td><td>100</td><td>298 Peak</td></tr><tr><td>2</td><td>5724.92</td><td>67.05</td><td>-11.25</td><td>78.30</td><td>58.85</td><td>32.53</td><td>8.33</td><td>32.66</td><td>100</td><td>298 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5710.84	66.61	-1.69	68.30	58.45	32.52	8.30	32.66	100	298 Peak	2	5724.92	67.05	-11.25	78.30	58.85	32.53	8.33	32.66	100	298 Peak	Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 70 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5714.60</td><td>60.14</td><td>-8.16</td><td>68.30</td><td>51.98</td><td>32.52</td><td>8.30</td><td>32.66</td><td>106</td><td>14 Peak</td></tr><tr><td>2</td><td>5723.72</td><td>63.44</td><td>-14.86</td><td>78.30</td><td>55.24</td><td>32.53</td><td>8.33</td><td>32.66</td><td>106</td><td>14 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5714.60	60.14	-8.16	68.30	51.98	32.52	8.30	32.66	106	14 Peak	2	5723.72	63.44	-14.86	78.30	55.24	32.53	8.33	32.66	106	14 Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5710.84	66.61	-1.69	68.30	58.45	32.52	8.30	32.66	100	298 Peak																																																																																								
2	5724.92	67.05	-11.25	78.30	58.85	32.53	8.33	32.66	100	298 Peak																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5714.60	60.14	-8.16	68.30	51.98	32.52	8.30	32.66	106	14 Peak																																																																																								
2	5723.72	63.44	-14.86	78.30	55.24	32.53	8.33	32.66	106	14 Peak																																																																																								



WIFI	Band 4 5725~5850MHz Band Edge @ 3m																																																																																																	
ANT	802.11ac VHT80 CH155 5775MHz - R																																																																																																	
1+2	Horizontal						Vertical																																																																																											
Peak																																																																																																		
	Site : 03CH10-HY Condition : FCC PART 15E, BAND 4 3m HORN 91200-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 70						Site : 03CH10-HY Condition : FCC PART 15E, BAND 4 3m HORN 91200-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 70																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.56</td><td>68.26</td><td>-18.04</td><td>78.30</td><td>51.92</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>298 Peak</td></tr><tr><td>2</td><td>5865.20</td><td>57.48</td><td>-10.82</td><td>68.30</td><td>49.14</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>298 Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5850.56	68.26	-18.04	78.30	51.92	32.61	8.43	32.70	100	298 Peak	2	5865.20	57.48	-10.82	68.30	49.14	32.62	8.43	32.71	100	298 Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.72</td><td>54.30</td><td>-24.00</td><td>78.30</td><td>45.96</td><td>32.61</td><td>8.43</td><td>32.70</td><td>100</td><td>14 Peak</td></tr><tr><td>2</td><td>5862.24</td><td>50.69</td><td>-17.61</td><td>68.30</td><td>42.35</td><td>32.62</td><td>8.43</td><td>32.71</td><td>100</td><td>14 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5852.72	54.30	-24.00	78.30	45.96	32.61	8.43	32.70	100	14 Peak	2	5862.24	50.69	-17.61	68.30	42.35	32.62	8.43	32.71	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5850.56	68.26	-18.04	78.30	51.92	32.61	8.43	32.70	100	298 Peak																																																																																								
2	5865.20	57.48	-10.82	68.30	49.14	32.62	8.43	32.71	100	298 Peak																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5852.72	54.30	-24.00	78.30	45.96	32.61	8.43	32.70	100	14 Peak																																																																																								
2	5862.24	50.69	-17.61	68.30	42.35	32.62	8.43	32.71	100	14 Peak																																																																																								



Band 4 5725~5850MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m									
ANT	802.11n HT20 CH149 5745MHz									
1+2	Horizontal					Vertical				
Peak Avg.										



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																															
ANT	802.11n HT20 CH157 5785MHz																																																																																															
1+2	Horizontal						Vertical																																																																																									
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.69</td><td>-27.31</td><td>74.00</td><td>56.89</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>46.52</td><td>-27.48</td><td>74.00</td><td>49.56</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table> Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.51</td><td>-26.49</td><td>74.00</td><td>57.71</td><td>39.88</td><td>12.66</td><td>62.74</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17355.00</td><td>46.27</td><td>-27.73</td><td>74.00</td><td>49.31</td><td>41.38</td><td>15.79</td><td>60.21</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.69	-27.31	74.00	56.89	39.88	12.66	62.74	100	0 Peak	2	17355.00	46.52	-27.48	74.00	49.56	41.38	15.79	60.21	100	0 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.51	-26.49	74.00	57.71	39.88	12.66	62.74	100	0 Peak	2	17355.00	46.27	-27.73	74.00	49.31	41.38	15.79	60.21	100	0 Peak						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11570.00	46.69	-27.31	74.00	56.89	39.88	12.66	62.74	100	0 Peak																																																																																						
2	17355.00	46.52	-27.48	74.00	49.56	41.38	15.79	60.21	100	0 Peak																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11570.00	47.51	-26.49	74.00	57.71	39.88	12.66	62.74	100	0 Peak																																																																																						
2	17355.00	46.27	-27.73	74.00	49.31	41.38	15.79	60.21	100	0 Peak																																																																																						



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH165 5825MHz																																																																																									
1+2	Horizontal					Vertical																																																																																				
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-IHY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : SN1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.38</td><td>-28.70</td><td>74.00</td><td>55.51</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>58.08</td><td>-23.92</td><td>74.00</td><td>52.72</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.38	-28.70	74.00	55.51	39.75	12.73	62.69	100 0 Peak	2	17475.00	58.08	-23.92	74.00	52.72	41.71	15.93	60.28	100 0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-IHY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : SN1313 Mode : 67 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.18</td><td>-27.82</td><td>74.00</td><td>56.39</td><td>39.75</td><td>12.73</td><td>62.69</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.36</td><td>-25.64</td><td>74.00</td><td>51.00</td><td>41.71</td><td>15.93</td><td>60.28</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.18	-27.82	74.00	56.39	39.75	12.73	62.69	100 0 Peak	2	17475.00	48.36	-25.64	74.00	51.00	41.71	15.93	60.28	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11650.00	45.38	-28.70	74.00	55.51	39.75	12.73	62.69	100 0 Peak																																																																																	
2	17475.00	58.08	-23.92	74.00	52.72	41.71	15.93	60.28	100 0 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11650.00	46.18	-27.82	74.00	56.39	39.75	12.73	62.69	100 0 Peak																																																																																	
2	17475.00	48.36	-25.64	74.00	51.00	41.71	15.93	60.28	100 0 Peak																																																																																	



Band 4 5725~5850MHz
WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																																											
ANT	802.11n HT40 CH151 5755MHz																																																																																																											
1+2	Horizontal						Vertical																																																																																																					
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 68 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.50</td><td>-27.50</td><td>74.00</td><td>56.72</td><td>40.00</td><td>12.58</td><td>62.80</td><td>100</td><td></td><td>0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>46.02</td><td>-27.98</td><td>74.00</td><td>49.37</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100</td><td></td><td>0 Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11510.00	46.50	-27.50	74.00	56.72	40.00	12.58	62.80	100		0 Peak	2	17265.00	46.02	-27.98	74.00	49.37	41.15	15.66	60.16	100		0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 68 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.50</td><td>-27.50</td><td>74.00</td><td>56.72</td><td>40.00</td><td>12.58</td><td>62.80</td><td>100</td><td></td><td>0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>46.02</td><td>-27.98</td><td>74.00</td><td>49.37</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100</td><td></td><td>0 Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11510.00	46.50	-27.50	74.00	56.72	40.00	12.58	62.80	100		0 Peak	2	17265.00	46.02	-27.98	74.00	49.37	41.15	15.66	60.16	100		0 Peak
		Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11510.00	46.50	-27.50	74.00	56.72	40.00	12.58	62.80	100		0 Peak																																																																																																	
2	17265.00	46.02	-27.98	74.00	49.37	41.15	15.66	60.16	100		0 Peak																																																																																																	
	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11510.00	46.50	-27.50	74.00	56.72	40.00	12.58	62.80	100		0 Peak																																																																																																	
2	17265.00	46.02	-27.98	74.00	49.37	41.15	15.66	60.16	100		0 Peak																																																																																																	
	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 68 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.07</td><td>-27.93</td><td>74.00</td><td>56.29</td><td>40.00</td><td>12.58</td><td>62.80</td><td>100</td><td></td><td>0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>46.21</td><td>-27.79</td><td>74.00</td><td>49.56</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100</td><td></td><td>0 Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11510.00	46.07	-27.93	74.00	56.29	40.00	12.58	62.80	100		0 Peak	2	17265.00	46.21	-27.79	74.00	49.56	41.15	15.66	60.16	100		0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 68 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.07</td><td>-27.93</td><td>74.00</td><td>56.29</td><td>40.00</td><td>12.58</td><td>62.80</td><td>100</td><td></td><td>0 Peak</td></tr><tr><td>2</td><td>17265.00</td><td>46.21</td><td>-27.79</td><td>74.00</td><td>49.56</td><td>41.15</td><td>15.66</td><td>60.16</td><td>100</td><td></td><td>0 Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11510.00	46.07	-27.93	74.00	56.29	40.00	12.58	62.80	100		0 Peak	2	17265.00	46.21	-27.79	74.00	49.56	41.15	15.66	60.16	100		0 Peak
	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11510.00	46.07	-27.93	74.00	56.29	40.00	12.58	62.80	100		0 Peak																																																																																																	
2	17265.00	46.21	-27.79	74.00	49.56	41.15	15.66	60.16	100		0 Peak																																																																																																	
	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11510.00	46.07	-27.93	74.00	56.29	40.00	12.58	62.80	100		0 Peak																																																																																																	
2	17265.00	46.21	-27.79	74.00	49.56	41.15	15.66	60.16	100		0 Peak																																																																																																	



WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																															
ANT	802.11n HT40 CH159 5795MHz																																																																																															
1+2	Horizontal						Vertical																																																																																									
Peak Avg.	117 110 90 70 50 30 10 0 Level (dBuV/m) Date: 2015-12-26 12000 16000 20000 24000 28000 32000 36000 40000 Frequency (MHz) FCC CLASS-B_BAND 4 FCC CLASS-B (AVG) 1 2 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.15</td><td>-28.85</td><td>74.00</td><td>55.38</td><td>39.84</td><td>12.66</td><td>62.73</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17385.00</td><td>46.24</td><td>-27.76</td><td>74.00</td><td>49.21</td><td>41.47</td><td>15.79</td><td>60.23</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.15	-28.85	74.00	55.38	39.84	12.66	62.73	100	0 Peak	2	17385.00	46.24	-27.76	74.00	49.21	41.47	15.79	60.23	100	0 Peak	117 110 90 70 50 30 10 0 Level (dBuV/m) Date: 2015-12-26 12000 16000 20000 24000 28000 32000 36000 40000 Frequency (MHz) FCC CLASS-B_BAND 4 FCC CLASS-B (AVG) 1 2 Site : 03CH10-HY Condition : FCC CLASS-B_BAND 4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 69 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.78</td><td>-28.22</td><td>74.00</td><td>56.01</td><td>39.84</td><td>12.66</td><td>62.73</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>17385.00</td><td>48.24</td><td>-25.76</td><td>74.00</td><td>51.21</td><td>41.47</td><td>15.79</td><td>60.23</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.78	-28.22	74.00	56.01	39.84	12.66	62.73	100	0 Peak	2	17385.00	48.24	-25.76	74.00	51.21	41.47	15.79	60.23	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11590.00	45.15	-28.85	74.00	55.38	39.84	12.66	62.73	100	0 Peak																																																																																						
2	17385.00	46.24	-27.76	74.00	49.21	41.47	15.79	60.23	100	0 Peak																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11590.00	45.78	-28.22	74.00	56.01	39.84	12.66	62.73	100	0 Peak																																																																																						
2	17385.00	48.24	-25.76	74.00	51.21	41.47	15.79	60.23	100	0 Peak																																																																																						



Band 4 5725~5850MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	Band 4 5725~5850MHz Harmonic @ 3m																																																																																	
ANT	802.11ac VHT80 CH155 5775MHz																																																																																	
1+2	Horizontal	Vertical																																																																																
Peak Avg.	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.53</td><td>-28.47</td><td>74.00</td><td>55.76</td><td>39.91</td><td>12.62</td><td>62.76</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17325.00</td><td>45.94</td><td>-22.36</td><td>68.30</td><td>49.09</td><td>41.29</td><td>15.75</td><td>60.19</td><td>100 0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.53	-28.47	74.00	55.76	39.91	12.62	62.76	100 0 Peak	2	17325.00	45.94	-22.36	68.30	49.09	41.29	15.75	60.19	100 0 Peak	Level (dBuV/m) Date: 2015-12-26 Site : 03CH10-HY Condition : FCC PART 15E_BAND4 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.40</td><td>-28.60</td><td>74.00</td><td>55.63</td><td>39.91</td><td>12.62</td><td>62.76</td><td>100 0 Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.03</td><td>-21.27</td><td>68.30</td><td>50.18</td><td>41.29</td><td>15.75</td><td>60.19</td><td>100 0 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.40	-28.60	74.00	55.63	39.91	12.62	62.76	100 0 Peak	2	17325.00	47.03	-21.27	68.30	50.18	41.29	15.75	60.19	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11550.00	45.53	-28.47	74.00	55.76	39.91	12.62	62.76	100 0 Peak																																																																									
2	17325.00	45.94	-22.36	68.30	49.09	41.29	15.75	60.19	100 0 Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11550.00	45.40	-28.60	74.00	55.63	39.91	12.62	62.76	100 0 Peak																																																																									
2	17325.00	47.03	-21.27	68.30	50.18	41.29	15.75	60.19	100 0 Peak																																																																									



Emission below 1GHz
5GHz WIFI 802.11n HT40 (LF)

WIFI	5GHz 5725~5850MHz																																																																																																																																																																																							
ANT	802.11n HT40 LF																																																																																																																																																																																							
1+2	Horizontal	Vertical																																																																																																																																																																																						
QP / Peak	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>53.76</td><td>38.29</td><td>-9.71</td><td>48.00</td><td>48.13</td><td>14.00</td><td>0.93</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>71.58</td><td>31.51</td><td>-8.49</td><td>48.00</td><td>58.66</td><td>12.64</td><td>0.93</td><td>32.72</td><td>100</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>214.95</td><td>34.04</td><td>-9.46</td><td>43.50</td><td>48.95</td><td>16.20</td><td>1.62</td><td>32.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>768.30</td><td>33.98</td><td>-12.02</td><td>46.00</td><td>36.01</td><td>27.92</td><td>2.97</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>799.80</td><td>34.74</td><td>-11.26</td><td>46.00</td><td>36.35</td><td>28.30</td><td>2.97</td><td>32.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>815.90</td><td>36.37</td><td>-9.63</td><td>46.00</td><td>37.60</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	53.76	38.29	-9.71	48.00	48.13	14.00	0.93	32.77	---	---	Peak	2	71.58	31.51	-8.49	48.00	58.66	12.64	0.93	32.72	100	---	Peak	3	214.95	34.04	-9.46	43.50	48.95	16.20	1.62	32.73	---	---	Peak	4	768.30	33.98	-12.02	46.00	36.01	27.92	2.97	32.92	---	---	Peak	5	799.80	34.74	-11.26	46.00	36.35	28.30	2.97	32.88	---	---	Peak	6	815.90	36.37	-9.63	46.00	37.60	28.49	3.07	32.79	---	---	Peak	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL Detector : Peak Project : 5N1313 Mode : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>53.76</td><td>32.05</td><td>-7.95</td><td>48.00</td><td>49.89</td><td>14.00</td><td>0.93</td><td>32.77</td><td>100</td><td>27</td><td>Peak</td></tr><tr><td>2</td><td>72.12</td><td>29.51</td><td>-10.49</td><td>48.00</td><td>48.65</td><td>12.64</td><td>0.93</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>159.42</td><td>28.95</td><td>-14.55</td><td>43.50</td><td>42.90</td><td>17.40</td><td>1.33</td><td>32.68</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>857.20</td><td>31.17</td><td>-14.83</td><td>46.00</td><td>31.62</td><td>28.95</td><td>3.16</td><td>32.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>917.40</td><td>32.03</td><td>-13.97</td><td>46.00</td><td>31.26</td><td>29.69</td><td>3.20</td><td>32.12</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>946.00</td><td>31.97</td><td>-14.03</td><td>46.00</td><td>29.95</td><td>30.52</td><td>3.29</td><td>31.79</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	53.76	32.05	-7.95	48.00	49.89	14.00	0.93	32.77	100	27	Peak	2	72.12	29.51	-10.49	48.00	48.65	12.64	0.93	32.71	---	---	Peak	3	159.42	28.95	-14.55	43.50	42.90	17.40	1.33	32.68	---	---	Peak	4	857.20	31.17	-14.83	46.00	31.62	28.95	3.16	32.56	---	---	Peak	5	917.40	32.03	-13.97	46.00	31.26	29.69	3.20	32.12	---	---	Peak	6	946.00	31.97	-14.03	46.00	29.95	30.52	3.29	31.79	---	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																															
1	53.76	38.29	-9.71	48.00	48.13	14.00	0.93	32.77	---	---	Peak																																																																																																																																																																													
2	71.58	31.51	-8.49	48.00	58.66	12.64	0.93	32.72	100	---	Peak																																																																																																																																																																													
3	214.95	34.04	-9.46	43.50	48.95	16.20	1.62	32.73	---	---	Peak																																																																																																																																																																													
4	768.30	33.98	-12.02	46.00	36.01	27.92	2.97	32.92	---	---	Peak																																																																																																																																																																													
5	799.80	34.74	-11.26	46.00	36.35	28.30	2.97	32.88	---	---	Peak																																																																																																																																																																													
6	815.90	36.37	-9.63	46.00	37.60	28.49	3.07	32.79	---	---	Peak																																																																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																															
1	53.76	32.05	-7.95	48.00	49.89	14.00	0.93	32.77	100	27	Peak																																																																																																																																																																													
2	72.12	29.51	-10.49	48.00	48.65	12.64	0.93	32.71	---	---	Peak																																																																																																																																																																													
3	159.42	28.95	-14.55	43.50	42.90	17.40	1.33	32.68	---	---	Peak																																																																																																																																																																													
4	857.20	31.17	-14.83	46.00	31.62	28.95	3.16	32.56	---	---	Peak																																																																																																																																																																													
5	917.40	32.03	-13.97	46.00	31.26	29.69	3.20	32.12	---	---	Peak																																																																																																																																																																													
6	946.00	31.97	-14.03	46.00	29.95	30.52	3.29	31.79	---	---	Peak																																																																																																																																																																													