Plot No.01 T-Coil Signal Test Report

Measurement performed on February 08, 2025

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	189	836.4

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.53



Plot No.01 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
129	280	15	26



Plot No.02 T-Coil Signal Test Report

Measurement performed on February 14, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	661	1880.0

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Plot No.02 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
240	379	23	26



Plot No.03 T-Coil Signal Test Report

Measurement performed on February 10, 2025

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 2	UMTS-FDD (WCDMA, AMR)	9400	1880.0

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.94



Plot No.03 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
370	522	26	26



Plot No.15 T-Coil Signal Test Report

Measurement performed on February 14, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 4	UMTS-FDD (WCDMA, AMR)	1413	1732.6

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	1.99	2.0



Plot No.15 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
440	589	26	26



Plot No.05 T-Coil Signal Test Report

Measurement performed on February 10, 2025

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, AMR)	4182	836.4

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.83	2.0



Plot No.05 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
370	515	26	26



Plot No.14 T-Coil Signal Test Report

Measurement performed on February 14, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 7	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	21100	2535.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	2.0	2.0



Plot No.14 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
359	570	26	26



Plot No.06 T-Coil Signal Test Report

Measurement performed on February 13, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	2.0	2.0



Plot No.06 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
350	568	26	26



Plot No.07 T-Coil Signal Test Report

Measurement performed on February 13, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 13	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23230	782.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.66	2.0



Plot No.07 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
353	568	26	26



Plot No.08 T-Coil Signal Test Report

Measurement performed on February 13, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 14	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23330	793.0

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Plot No.08 T-Coil Coupling Mode Test Report

	Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
1	375	565	26	26



Plot No.09 T-Coil Signal Test Report

Measurement performed on February 13, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 25	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	26340	1880.0

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.92	2.0



Plot No.09 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
377	579	26	26



Plot No.10 T-Coil Signal Test Report

Measurement performed on February 14, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 26	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	26865	831.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	1.68	2.0



Plot No.10 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
373	573	26	26



Plot No.11 T-Coil Signal Test Report

Measurement performed on February 14, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 30	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	27710	2310.0

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	1.67	2.0



Plot No.11 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
366	563	26	26



Plot No.12 T-Coil Signal Test Report

Measurement performed on February 14, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.88	2.0



Plot No.12 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
382	593	26	26



Plot No.13 T-Coil Signal Test Report

Measurement performed on February 14, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 71	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	133297	680.5

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.07	2.0



Plot No.13 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
346	562	26	26



Plot No.15 T-Coil Signal Test Report

Measurement performed on February 07, 2025

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 41	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	40620	2593.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Plot No.15 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
228	403	22	26



Plot No.16 T-Coil Signal Test Report

Measurement performed on February 13, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 42	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	42590	3500.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	1.95	2.0



Plot No.16 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
282	491	23	26



Plot No.17 T-Coil Signal Test Report

Measurement performed on February 13, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 48	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	55830	3609.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	2.0	2.0



Plot No.17 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
160	322	19	26



Plot No.46 T-Coil Signal Test Report

Measurement performed on January 22, 2025

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n7	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	507000	2535.0

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	2.0



Plot No.46 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
275	476	24	26



Plot No.23 T-Coil Signal Test Report

Measurement performed on February 16, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n12	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	141500	707.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File Measurement Duration [s]		Margin Upper Bound [dB]	Margin Lower Bound [dB]	
	48k voice 300-3000 2s.wav	2.0	1.16	2.0



Plot No.23 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
326	528	26	26



Plot No.24 T-Coil Signal Test Report

Measurement performed on February 16, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n14	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	158600	793.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	1.79	1.96



Plot No.24 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
343	539	26	26



Plot No.22 T-Coil Signal Test Report

Measurement performed on February 16, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
IRand n25	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	376500	1882.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	1.67	2.0



Plot No.22 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
307	494	24	26



Plot No.42 T-Coil Signal Test Report

Measurement performed on February 20, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n25	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	376500	1882.5

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	2.0	2.0



Plot No.42 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
309	493	24	26



Plot No.25 T-Coil Signal Test Report

Measurement performed on February 16, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n26	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	166300	831.5

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	2.0	1.82



Plot No.25 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
332	533	26	26



Plot No.29 T-Coil Signal Test Report

Measurement performed on February 16, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n30	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	462000	2310.0

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	1.66	1.85



Plot No.29 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
287	461	22	26



Plot No.26 T-Coil Signal Test Report

Measurement performed on February 16, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n66	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	349000	1745.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	2.0	2.0



Plot No.26 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
282	482	23	26



Plot No.55 T-Coil Signal Test Report

Measurement performed on February 27, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n66	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	349000	1745.0

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

1	Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
1	48k voice 300-3000 2s.wav	2.0	1.81	2.0



Plot No.55 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
330	500	25	26



Plot No.27 T-Coil Signal Test Report

Measurement performed on February 16, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
IRand n70	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	340500	1702.5

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	1.85	2.0



Plot No.27 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
283	481	24	26



Plot No.56 T-Coil Signal Test Report

Measurement performed on February 27, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n70	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	340500	1702.5

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	2.0	1.67



Plot No.56 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
318	510	26	26



Plot No.28 T-Coil Signal Test Report

Measurement performed on February 16, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n71	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	136100	680.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	1.57	2.0



Plot No.28 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
298	497	25	26



Plot No.47 T-Coil Signal Test Report

Measurement performed on January 17, 2025

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
IBand nati	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	518598	2592.99

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.73



Plot No.47 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
179	361	19	26



Plot No.43 T-Coil Signal Test Report

Measurement performed on February 21

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024


Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n41	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	518598	2592.99

Grid Settings


Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File Measurement Duration [s]		Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	2.0	2.0



Plot No.43 T-Coil Coupling Mode Test Report

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
233	427	22	26



Plot No.30 T-Coil Signal Test Report

Measurement performed on February 16, 2025

Device Under Test

Dimensions [mm]	Speaker Position [mm]
153.0 x 72.0 x 9.0	150.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3104	March 12, 2024	DAE4 Sn1311	September 16, 2024

Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n48	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	641666	3624.985

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Audio File Measurement Duration [s]		Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k voice 300-3000 2s.wav	2.0	2.0	1.63

