




Band40(2305-2315) 16QAM BW=5MHz Channel=38750 RB Size=25 Position=#0




Band40(2305-2315) 16QAM BW=5MHz Channel=38775 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38750 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=25 Position=#0




Band41(2535-2675) 16QAM BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2675) 16QAM BW=10MHz Channel=41390 RB Size=50 Position=#0




Band41(2535-2675) 16QAM BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2675) 16QAM BW=15MHz Channel=41365 RB Size=75 Position=#0




Band41(2535-2675) 16QAM BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2675) 16QAM BW=20MHz Channel=41340 RB Size=100 Position=#0




Band41(2535-2675) 16QAM BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2675) 16QAM BW=5MHz Channel=41415 RB Size=25 Position=#0




Band41(2535-2675) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2675) QPSK BW=10MHz Channel=41390 RB Size=50 Position=#0




Band41(2535-2675) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2675) QPSK BW=15MHz Channel=41365 RB Size=75 Position=#0




Band41(2535-2675) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2675) QPSK BW=20MHz Channel=41340 RB Size=100 Position=#0




Band41(2535-2675) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2675) QPSK BW=5MHz Channel=41415 RB Size=25 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.09	-28.82	7.00	12.93	-34.75	-13.00	-21.75	H
5551.97	-29.18	8.40	17.11	-37.89	-13.00	-24.89	H
7402.44	-26.31	8.10	22.20	-40.41	-13.00	-27.41	H
3701.09	-26.58	7.00	12.93	-32.51	-13.00	-19.51	V
5551.97	-29.08	8.40	17.11	-37.79	-13.00	-24.79	V
7402.44	-24.56	8.10	22.20	-38.66	-13.00	-25.66	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.81	-25.58	7.00	12.93	-31.51	-13.00	-18.51	H
5640.04	-28.82	8.40	17.11	-37.53	-13.00	-24.53	H
7520.09	-27.17	8.10	22.20	-41.27	-13.00	-28.27	H
3759.81	-26.83	7.00	12.93	-32.76	-13.00	-19.76	V
5640.04	-25.85	8.40	17.11	-34.56	-13.00	-21.56	V
7520.09	-25.80	8.10	22.20	-39.90	-13.00	-26.90	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.19	-26.74	7.00	12.93	-32.67	-13.00	-19.67	H
5727.60	-28.66	8.40	17.11	-37.37	-13.00	-24.37	H
7637.17	-22.89	8.10	22.20	-36.99	-13.00	-23.99	H
3818.19	-28.47	7.00	12.93	-34.40	-13.00	-21.40	V
5727.60	-25.01	8.40	17.11	-33.72	-13.00	-20.72	V
7637.17	-25.19	8.10	22.20	-39.29	-13.00	-26.29	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3703.00	-27.80	7.00	12.93	-33.73	-13.00	-20.73	H
5554.21	-26.91	8.40	17.11	-35.62	-13.00	-22.62	H
7406.14	-22.81	8.10	22.20	-36.91	-13.00	-23.91	H
3703.00	-29.59	7.00	12.93	-35.52	-13.00	-22.52	V
5554.21	-26.54	8.40	17.11	-35.25	-13.00	-22.25	V
7406.14	-24.59	8.10	22.20	-38.69	-13.00	-25.69	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.85	-28.31	7.00	12.93	-34.24	-13.00	-21.24	H
5639.95	-26.60	8.40	17.11	-35.31	-13.00	-22.31	H
7520.21	-23.83	8.10	22.20	-37.93	-13.00	-24.93	H
3759.85	-27.58	7.00	12.93	-33.51	-13.00	-20.51	V
5639.95	-26.28	8.40	17.11	-34.99	-13.00	-21.99	V
7520.21	-23.59	8.10	22.20	-37.69	-13.00	-24.69	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.24	-27.18	7.00	12.93	-33.11	-13.00	-20.11	H
5725.59	-27.52	8.40	17.11	-36.23	-13.00	-23.23	H
7634.07	-24.51	8.10	22.20	-38.61	-13.00	-25.61	H
3817.24	-25.65	7.00	12.93	-31.58	-13.00	-18.58	V
5725.59	-26.03	8.40	17.11	-34.74	-13.00	-21.74	V
7634.07	-24.11	8.10	22.20	-38.21	-13.00	-25.21	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.42	-24.21	7.00	12.93	-30.14	-13.00	-17.14	H
5557.27	-27.31	8.40	17.11	-36.02	-13.00	-23.02	H
7410.16	-23.83	8.10	22.20	-37.93	-13.00	-24.93	H
3705.42	-28.24	7.00	12.93	-34.17	-13.00	-21.17	V
5557.27	-24.28	8.40	17.11	-32.99	-13.00	-19.99	V
7410.16	-25.52	8.10	22.20	-39.62	-13.00	-26.62	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.96	-25.50	7.00	12.93	-31.43	-13.00	-18.43	H
5640.21	-26.70	8.40	17.11	-35.41	-13.00	-22.41	H
7519.95	-26.06	8.10	22.20	-40.16	-13.00	-27.16	H
3759.96	-28.09	7.00	12.93	-34.02	-13.00	-21.02	V
5640.21	-25.80	8.40	17.11	-34.51	-13.00	-21.51	V
7519.95	-26.69	8.10	22.20	-40.79	-13.00	-27.79	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.29	-27.73	7.00	12.93	-33.66	-13.00	-20.66	H
5722.20	-29.32	8.40	17.11	-38.03	-13.00	-25.03	H
7629.93	-24.05	8.10	22.20	-38.15	-13.00	-25.15	H
3815.29	-25.21	7.00	12.93	-31.14	-13.00	-18.14	V
5722.20	-28.75	8.40	17.11	-37.46	-13.00	-24.46	V
7629.93	-27.32	8.10	22.20	-41.42	-13.00	-28.42	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.43	-27.73	7.00	12.93	-33.66	-13.00	-20.66	H
5565.11	-27.73	8.40	17.11	-36.44	-13.00	-23.44	H
7420.08	-26.68	8.10	22.20	-40.78	-13.00	-27.78	H
3710.43	-29.21	7.00	12.93	-35.14	-13.00	-22.14	V
5565.11	-25.22	8.40	17.11	-33.93	-13.00	-20.93	V
7420.08	-24.54	8.10	22.20	-38.64	-13.00	-25.64	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.96	-25.52	7.00	12.93	-31.45	-13.00	-18.45	H
5640.00	-27.07	8.40	17.11	-35.78	-13.00	-22.78	H
7519.91	-24.69	8.10	22.20	-38.79	-13.00	-25.79	H
3759.96	-28.17	7.00	12.93	-34.10	-13.00	-21.10	V
5640.00	-29.15	8.40	17.11	-37.86	-13.00	-24.86	V
7519.91	-23.41	8.10	22.20	-37.51	-13.00	-24.51	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.14	-25.97	7.00	12.93	-31.90	-13.00	-18.90	H
5714.85	-26.98	8.40	17.11	-35.69	-13.00	-22.69	H
7620.01	-23.96	8.10	22.20	-38.06	-13.00	-25.06	H
3810.14	-25.72	7.00	12.93	-31.65	-13.00	-18.65	V
5714.85	-24.65	8.40	17.11	-33.36	-13.00	-20.36	V
7620.01	-28.12	8.10	22.20	-42.22	-13.00	-29.22	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.87	-26.39	7.00	12.93	-32.32	-13.00	-19.32	H
5572.19	-27.58	8.40	17.11	-36.29	-13.00	-23.29	H
7430.71	-22.69	8.10	22.20	-36.79	-13.00	-23.79	H
3714.87	-25.11	7.00	12.93	-31.04	-13.00	-18.04	V
5572.19	-28.90	8.40	17.11	-37.61	-13.00	-24.61	V
7430.71	-26.24	8.10	22.20	-40.34	-13.00	-27.34	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.89	-26.28	7.00	12.93	-32.21	-13.00	-19.21	H
5640.18	-26.66	8.40	17.11	-35.37	-13.00	-22.37	H
7520.28	-23.44	8.10	22.20	-37.54	-13.00	-24.54	H
3759.89	-25.52	7.00	12.93	-31.45	-13.00	-18.45	V
5640.18	-26.37	8.40	17.11	-35.08	-13.00	-22.08	V
7520.28	-26.05	8.10	22.20	-40.15	-13.00	-27.15	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3804.93	-24.25	7.00	12.93	-30.18	-13.00	-17.18	H
5707.59	-26.96	8.40	17.11	-35.67	-13.00	-22.67	H
7610.12	-24.47	8.10	22.20	-38.57	-13.00	-25.57	H
3804.93	-27.20	7.00	12.93	-33.13	-13.00	-20.13	V
5707.59	-25.64	8.40	17.11	-34.35	-13.00	-21.35	V
7610.12	-27.41	8.10	22.20	-41.51	-13.00	-28.51	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.21	-24.52	7.00	12.93	-30.45	-13.00	-17.45	H
5580.54	-28.20	8.40	17.11	-36.91	-13.00	-23.91	H
7439.70	-24.02	8.10	22.20	-38.12	-13.00	-25.12	H
3720.21	-28.11	7.00	12.93	-34.04	-13.00	-21.04	V
5580.54	-24.85	8.40	17.11	-33.56	-13.00	-20.56	V
7439.70	-24.49	8.10	22.20	-38.59	-13.00	-25.59	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.00	-27.47	7.00	12.93	-33.40	-13.00	-20.40	H
5640.14	-24.94	8.40	17.11	-33.65	-13.00	-20.65	H
7519.94	-23.57	8.10	22.20	-37.67	-13.00	-24.67	H
3760.00	-26.96	7.00	12.93	-32.89	-13.00	-19.89	V
5640.14	-28.29	8.40	17.11	-37.00	-13.00	-24.00	V
7519.94	-24.69	8.10	22.20	-38.79	-13.00	-25.79	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.20	-28.06	7.00	12.93	-33.99	-13.00	-20.99	H
5699.76	-28.46	8.40	17.11	-37.17	-13.00	-24.17	H
7599.95	-23.90	8.10	22.20	-38.00	-13.00	-25.00	H
3800.20	-26.73	7.00	12.93	-32.66	-13.00	-19.66	V
5699.76	-24.75	8.40	17.11	-33.46	-13.00	-20.46	V
7599.95	-25.70	8.10	22.20	-39.80	-13.00	-26.80	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.33	-24.30	7.20	12.56	-29.66	-13.00	-16.66	H
5132.06	-29.29	8.10	16.32	-37.51	-13.00	-24.51	H
6842.77	-25.24	8.30	21.13	-38.07	-13.00	-25.07	H
3421.33	-28.16	7.20	12.56	-33.52	-13.00	-20.52	V
5132.06	-25.55	8.10	16.32	-33.77	-13.00	-20.77	V
6842.77	-24.88	8.30	21.13	-37.71	-13.00	-24.71	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.00	-24.54	7.20	12.56	-29.90	-13.00	-16.90	H
5196.97	-28.29	8.10	16.32	-36.51	-13.00	-23.51	H
6930.28	-23.46	8.30	21.13	-36.29	-13.00	-23.29	H
3465.00	-25.57	7.20	12.56	-30.93	-13.00	-17.93	V
5196.97	-28.51	8.10	16.32	-36.73	-13.00	-23.73	V
6930.28	-25.25	8.30	21.13	-38.08	-13.00	-25.08	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.27	-25.94	7.20	12.56	-31.30	-13.00	-18.30	H
5262.16	-24.80	8.10	16.32	-33.02	-13.00	-20.02	H
7015.68	-26.72	8.30	21.13	-39.55	-13.00	-26.55	H
3508.27	-28.65	7.20	12.56	-34.01	-13.00	-21.01	V
5262.16	-28.24	8.10	16.32	-36.46	-13.00	-23.46	V
7015.68	-25.87	8.30	21.13	-38.70	-13.00	-25.70	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.68	-28.56	7.20	12.56	-33.92	-13.00	-20.92	H
5136.05	-25.69	8.10	16.32	-33.91	-13.00	-20.91	H
6848.52	-23.29	8.30	21.13	-36.12	-13.00	-23.12	H
3423.68	-29.35	7.20	12.56	-34.71	-13.00	-21.71	V
5136.05	-27.17	8.10	16.32	-35.39	-13.00	-22.39	V
6848.52	-27.68	8.30	21.13	-40.51	-13.00	-27.51	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.63	-26.87	7.20	12.56	-32.23	-13.00	-19.23	H
5196.70	-27.99	8.10	16.32	-36.21	-13.00	-23.21	H
6930.03	-25.29	8.30	21.13	-38.12	-13.00	-25.12	H
3464.63	-29.78	7.20	12.56	-35.14	-13.00	-22.14	V
5196.70	-28.88	8.10	16.32	-37.10	-13.00	-24.10	V
6930.03	-26.08	8.30	21.13	-38.91	-13.00	-25.91	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.13	-26.39	7.20	12.56	-31.75	-13.00	-18.75	H
5261.57	-27.57	8.10	16.32	-35.79	-13.00	-22.79	H
7012.69	-24.26	8.30	21.13	-37.09	-13.00	-24.09	H
3506.13	-26.23	7.20	12.56	-31.59	-13.00	-18.59	V
5261.57	-28.31	8.10	16.32	-36.53	-13.00	-23.53	V
7012.69	-26.89	8.30	21.13	-39.72	-13.00	-26.72	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.75	-28.34	7.20	12.56	-33.70	-13.00	-20.70	H
5137.19	-25.64	8.10	16.32	-33.86	-13.00	-20.86	H
6849.56	-26.24	8.30	21.13	-39.07	-13.00	-26.07	H
3424.75	-26.56	7.20	12.56	-31.92	-13.00	-18.92	V
5137.19	-29.15	8.10	16.32	-37.37	-13.00	-24.37	V
6849.56	-28.15	8.30	21.13	-40.98	-13.00	-27.98	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.54	-24.28	7.20	12.56	-29.64	-13.00	-16.64	H
5196.78	-26.80	8.10	16.32	-35.02	-13.00	-22.02	H
6929.73	-26.82	8.30	21.13	-39.65	-13.00	-26.65	H
3464.54	-25.08	7.20	12.56	-30.44	-13.00	-17.44	V
5196.78	-27.93	8.10	16.32	-36.15	-13.00	-23.15	V
6929.73	-25.52	8.30	21.13	-38.35	-13.00	-25.35	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3504.98	-23.95	7.20	12.56	-29.31	-13.00	-16.31	H
5257.24	-25.29	8.10	16.32	-33.51	-13.00	-20.51	H
7009.97	-23.51	8.30	21.13	-36.34	-13.00	-23.34	H
3504.98	-27.99	7.20	12.56	-33.35	-13.00	-20.35	V
5257.24	-24.81	8.10	16.32	-33.03	-13.00	-20.03	V
7009.97	-25.64	8.30	21.13	-38.47	-13.00	-25.47	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.97	-25.67	7.20	12.56	-31.03	-13.00	-18.03	H
5145.02	-28.23	8.10	16.32	-36.45	-13.00	-23.45	H
6860.17	-24.98	8.30	21.13	-37.81	-13.00	-24.81	H
3429.97	-27.55	7.20	12.56	-32.91	-13.00	-19.91	V
5145.02	-27.97	8.10	16.32	-36.19	-13.00	-23.19	V
6860.17	-25.69	8.30	21.13	-38.52	-13.00	-25.52	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.79	-27.08	7.20	12.56	-32.44	-13.00	-19.44	H
5196.65	-28.46	8.10	16.32	-36.68	-13.00	-23.68	H
6929.63	-24.06	8.30	21.13	-36.89	-13.00	-23.89	H
3464.79	-25.15	7.20	12.56	-30.51	-13.00	-17.51	V
5196.65	-28.98	8.10	16.32	-37.20	-13.00	-24.20	V
6929.63	-23.61	8.30	21.13	-36.44	-13.00	-23.44	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.22	-25.42	7.20	12.56	-30.78	-13.00	-17.78	H
5250.40	-29.42	8.10	16.32	-37.64	-13.00	-24.64	H
6999.70	-24.38	8.30	21.13	-37.21	-13.00	-24.21	H
3500.22	-25.97	7.20	12.56	-31.33	-13.00	-18.33	V
5250.40	-27.21	8.10	16.32	-35.43	-13.00	-22.43	V
6999.70	-26.06	8.30	21.13	-38.89	-13.00	-25.89	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.73	-24.93	7.20	12.56	-30.29	-13.00	-17.29	H
5152.24	-25.07	8.10	16.32	-33.29	-13.00	-20.29	H
6870.36	-26.33	8.30	21.13	-39.16	-13.00	-26.16	H
3434.73	-25.16	7.20	12.56	-30.52	-13.00	-17.52	V
5152.24	-28.72	8.10	16.32	-36.94	-13.00	-23.94	V
6870.36	-25.25	8.30	21.13	-38.08	-13.00	-25.08	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.07	-26.15	7.20	12.56	-31.51	-13.00	-18.51	H
5196.47	-25.42	8.10	16.32	-33.64	-13.00	-20.64	H
6929.90	-25.48	8.30	21.13	-38.31	-13.00	-25.31	H
3465.07	-26.53	7.20	12.56	-31.89	-13.00	-18.89	V
5196.47	-26.98	8.10	16.32	-35.20	-13.00	-22.20	V
6929.90	-26.05	8.30	21.13	-38.88	-13.00	-25.88	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.13	-28.13	7.20	12.56	-33.49	-13.00	-20.49	H
5242.28	-25.03	8.10	16.32	-33.25	-13.00	-20.25	H
6990.20	-27.59	8.30	21.13	-40.42	-13.00	-27.42	H
3495.13	-28.24	7.20	12.56	-33.60	-13.00	-20.60	V
5242.28	-25.77	8.10	16.32	-33.99	-13.00	-20.99	V
6990.20	-23.59	8.30	21.13	-36.42	-13.00	-23.42	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.96	-24.46	7.20	12.56	-29.82	-13.00	-16.82	H
5160.16	-27.53	8.10	16.32	-35.75	-13.00	-22.75	H
6880.66	-24.12	8.30	21.13	-36.95	-13.00	-23.95	H
3439.96	-25.22	7.20	12.56	-30.58	-13.00	-17.58	V
5160.16	-24.96	8.10	16.32	-33.18	-13.00	-20.18	V
6880.66	-27.08	8.30	21.13	-39.91	-13.00	-26.91	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.02	-26.78	7.20	12.56	-32.14	-13.00	-19.14	H
5196.67	-27.05	8.10	16.32	-35.27	-13.00	-22.27	H
6929.71	-26.32	8.30	21.13	-39.15	-13.00	-26.15	H
3465.02	-27.94	7.20	12.56	-33.30	-13.00	-20.30	V
5196.67	-25.52	8.10	16.32	-33.74	-13.00	-20.74	V
6929.71	-23.54	8.30	21.13	-36.37	-13.00	-23.37	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.59	-28.18	7.20	12.56	-33.54	-13.00	-20.54	H
5235.29	-28.39	8.10	16.32	-36.61	-13.00	-23.61	H
6979.79	-24.89	8.30	21.13	-37.72	-13.00	-24.72	H
3490.59	-28.88	7.20	12.56	-34.24	-13.00	-21.24	V
5235.29	-25.27	8.10	16.32	-33.49	-13.00	-20.49	V
6979.79	-23.38	8.30	21.13	-36.21	-13.00	-23.21	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.77	-25.83	7.40	9.72	-28.15	-13.00	-15.15	H
2473.53	-27.06	8.30	10.86	-29.62	-13.00	-16.62	H
3298.37	-24.75	7.20	11.57	-29.12	-13.00	-16.12	H
1648.77	-27.76	7.40	9.72	-30.08	-13.00	-17.08	V
2473.53	-29.97	8.30	10.86	-32.53	-13.00	-19.53	V
3298.37	-25.51	7.20	11.57	-29.88	-13.00	-16.88	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.80	-28.10	7.40	9.72	-30.42	-13.00	-17.42	H
2509.39	-29.71	8.30	10.86	-32.27	-13.00	-19.27	H
3345.35	-24.31	7.20	11.57	-28.68	-13.00	-15.68	H
1672.80	-30.12	7.40	9.72	-32.44	-13.00	-19.44	V
2509.39	-27.23	8.30	10.86	-29.79	-13.00	-16.79	V
3345.35	-25.09	7.20	11.57	-29.46	-13.00	-16.46	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.38	-25.22	7.40	9.72	-27.54	-13.00	-14.54	H
2544.55	-27.63	8.30	10.86	-30.19	-13.00	-17.19	H
3393.07	-26.85	7.20	11.57	-31.22	-13.00	-18.22	H
1696.38	-27.98	7.40	9.72	-30.30	-13.00	-17.30	V
2544.55	-28.91	8.30	10.86	-31.47	-13.00	-18.47	V
3393.07	-26.20	7.20	11.57	-30.57	-13.00	-17.57	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.30	-29.85	7.40	9.72	-32.17	-13.00	-19.17	H
2475.89	-27.38	8.30	10.86	-29.94	-13.00	-16.94	H
3301.42	-27.83	7.20	11.57	-32.20	-13.00	-19.20	H
1650.30	-26.99	7.40	9.72	-29.31	-13.00	-16.31	V
2475.89	-29.16	8.30	10.86	-31.72	-13.00	-18.72	V
3301.42	-29.03	7.20	11.57	-33.40	-13.00	-20.40	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.12	-25.09	7.40	9.72	-27.41	-13.00	-14.41	H
2509.01	-26.65	8.30	10.86	-29.21	-13.00	-16.21	H
3345.87	-23.95	7.20	11.57	-28.32	-13.00	-15.32	H
1672.12	-26.57	7.40	9.72	-28.89	-13.00	-15.89	V
2509.01	-27.93	8.30	10.86	-30.49	-13.00	-17.49	V
3345.87	-27.24	7.20	11.57	-31.61	-13.00	-18.61	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.64	-29.64	7.40	9.72	-31.96	-13.00	-18.96	H
2541.83	-26.28	8.30	10.86	-28.84	-13.00	-15.84	H
3389.20	-26.37	7.20	11.57	-30.74	-13.00	-17.74	H
1694.64	-27.21	7.40	9.72	-29.53	-13.00	-16.53	V
2541.83	-26.13	8.30	10.86	-28.69	-13.00	-15.69	V
3389.20	-25.96	7.20	11.57	-30.33	-13.00	-17.33	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.47	-25.64	7.40	9.72	-27.96	-13.00	-14.96	H
2478.59	-29.57	8.30	10.86	-32.13	-13.00	-19.13	H
3305.67	-23.74	7.20	11.57	-28.11	-13.00	-15.11	H
1652.47	-29.76	7.40	9.72	-32.08	-13.00	-19.08	V
2478.59	-26.06	8.30	10.86	-28.62	-13.00	-15.62	V
3305.67	-28.51	7.20	11.57	-32.88	-13.00	-19.88	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.28	-26.96	7.40	9.72	-29.28	-13.00	-16.28	H
2508.94	-25.66	8.30	10.86	-28.22	-13.00	-15.22	H
3345.25	-27.37	7.20	11.57	-31.74	-13.00	-18.74	H
1672.28	-30.84	7.40	9.72	-33.16	-13.00	-20.16	V
2508.94	-27.65	8.30	10.86	-30.21	-13.00	-17.21	V
3345.25	-27.18	7.20	11.57	-31.55	-13.00	-18.55	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.22	-29.13	7.40	9.72	-31.45	-13.00	-18.45	H
2539.02	-27.17	8.30	10.86	-29.73	-13.00	-16.73	H
3385.85	-25.01	7.20	11.57	-29.38	-13.00	-16.38	H
1692.22	-28.89	7.40	9.72	-31.21	-13.00	-18.21	V
2539.02	-27.88	8.30	10.86	-30.44	-13.00	-17.44	V
3385.85	-27.07	7.20	11.57	-31.44	-13.00	-18.44	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.54	-26.21	7.40	9.72	-28.53	-13.00	-15.53	H
2486.21	-25.79	8.30	10.86	-28.35	-13.00	-15.35	H
3315.04	-23.84	7.20	11.57	-28.21	-13.00	-15.21	H
1657.54	-27.02	7.40	9.72	-29.34	-13.00	-16.34	V
2486.21	-25.61	8.30	10.86	-28.17	-13.00	-15.17	V
3315.04	-27.35	7.20	11.57	-31.72	-13.00	-18.72	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.23	-26.41	7.40	9.72	-28.73	-13.00	-15.73	H
2509.10	-28.64	8.30	10.86	-31.20	-13.00	-18.20	H
3345.16	-24.50	7.20	11.57	-28.87	-13.00	-15.87	H
1672.23	-29.28	7.40	9.72	-31.60	-13.00	-18.60	V
2509.10	-25.88	8.30	10.86	-28.44	-13.00	-15.44	V
3345.16	-26.02	7.20	11.57	-30.39	-13.00	-17.39	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.49	-25.85	7.40	9.72	-28.17	-13.00	-15.17	H
2531.27	-26.15	8.30	10.86	-28.71	-13.00	-15.71	H
3375.46	-27.36	7.20	11.57	-31.73	-13.00	-18.73	H
1687.49	-28.60	7.40	9.72	-30.92	-13.00	-17.92	V
2531.27	-30.15	8.30	10.86	-32.71	-13.00	-19.71	V
3375.46	-24.22	7.20	11.57	-28.59	-13.00	-15.59	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5005.13	-27.12	8.00	15.86	-34.98	-25.00	-9.98	H
7507.91	-29.51	8.30	19.28	-40.49	-25.00	-15.49	H
10010.15	-27.76	8.10	23.19	-42.85	-25.00	-17.85	H
5005.13	-30.24	8.00	15.86	-38.10	-25.00	-13.10	V
7507.91	-29.96	8.30	19.28	-40.94	-25.00	-15.94	V
10010.15	-28.38	8.10	23.19	-43.47	-25.00	-18.47	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.72	-28.27	8.00	15.86	-36.13	-25.00	-11.13	H
7604.79	-25.98	8.30	19.28	-36.96	-25.00	-11.96	H
10139.74	-24.12	8.10	23.19	-39.21	-25.00	-14.21	H
5069.72	-30.74	8.00	15.86	-38.60	-25.00	-13.60	V
7604.79	-29.03	8.30	19.28	-40.01	-25.00	-15.01	V
10139.74	-25.56	8.10	23.19	-40.65	-25.00	-15.65	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.70	-27.85	8.00	15.86	-35.71	-25.00	-10.71	H
7701.50	-29.37	8.30	19.28	-40.35	-25.00	-15.35	H
10268.04	-23.76	8.10	23.19	-38.85	-25.00	-13.85	H
5133.70	-29.96	8.00	15.86	-37.82	-25.00	-12.82	V
7701.50	-25.33	8.30	19.28	-36.31	-25.00	-11.31	V
10268.04	-25.42	8.10	23.19	-40.51	-25.00	-15.51	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.21	-29.76	8.00	15.86	-37.62	-25.00	-12.62	H
7515.32	-29.86	8.30	19.28	-40.84	-25.00	-15.84	H
10020.53	-26.70	8.10	23.19	-41.79	-25.00	-16.79	H
5010.21	-27.11	8.00	15.86	-34.97	-25.00	-9.97	V
7515.32	-28.89	8.30	19.28	-39.87	-25.00	-14.87	V
10020.53	-24.40	8.10	23.19	-39.49	-25.00	-14.49	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.89	-30.12	8.00	15.86	-37.98	-25.00	-12.98	H
7604.88	-26.27	8.30	19.28	-37.25	-25.00	-12.25	H
10139.82	-28.44	8.10	23.19	-43.53	-25.00	-18.53	H
5069.89	-29.97	8.00	15.86	-37.83	-25.00	-12.83	V
7604.88	-29.31	8.30	19.28	-40.29	-25.00	-15.29	V
10139.82	-26.82	8.10	23.19	-41.91	-25.00	-16.91	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.32	-30.10	8.00	15.86	-37.96	-25.00	-12.96	H
7693.78	-28.50	8.30	19.28	-39.48	-25.00	-14.48	H
10258.77	-25.54	8.10	23.19	-40.63	-25.00	-15.63	H
5129.32	-27.48	8.00	15.86	-35.34	-25.00	-10.34	V
7693.78	-25.55	8.30	19.28	-36.53	-25.00	-11.53	V
10258.77	-24.41	8.10	23.19	-39.50	-25.00	-14.50	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5015.46	-30.77	8.00	15.86	-38.63	-25.00	-13.63	H
7523.78	-25.88	8.30	19.28	-36.86	-25.00	-11.86	H
10031.89	-24.08	8.10	23.19	-39.17	-25.00	-14.17	H
5015.46	-28.73	8.00	15.86	-36.59	-25.00	-11.59	V
7523.78	-28.20	8.30	19.28	-39.18	-25.00	-14.18	V
10031.89	-28.27	8.10	23.19	-43.36	-25.00	-18.36	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.64	-27.40	8.00	15.86	-35.26	-25.00	-10.26	H
7605.05	-29.15	8.30	19.28	-40.13	-25.00	-15.13	H
10139.85	-24.59	8.10	23.19	-39.68	-25.00	-14.68	H
5069.64	-30.65	8.00	15.86	-38.51	-25.00	-13.51	V
7605.05	-26.87	8.30	19.28	-37.85	-25.00	-12.85	V
10139.85	-26.38	8.10	23.19	-41.47	-25.00	-16.47	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.29	-26.09	8.00	15.86	-33.95	-25.00	-8.95	H
7523.60	-28.28	8.30	19.28	-39.26	-25.00	-14.26	H
10031.96	-23.80	8.10	23.19	-38.89	-25.00	-13.89	H
5123.29	-27.07	8.00	15.86	-34.93	-25.00	-9.93	V
7523.60	-28.87	8.30	19.28	-39.85	-25.00	-14.85	V
10031.96	-28.56	8.10	23.19	-43.65	-25.00	-18.65	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5020.94	-28.03	8.00	15.86	-35.89	-25.00	-10.89	H
7530.84	-25.52	8.30	19.28	-36.50	-25.00	-11.50	H
10258.86	-26.99	8.10	23.19	-42.08	-25.00	-17.08	H
5020.94	-31.11	8.00	15.86	-38.97	-25.00	-13.97	V
7530.84	-25.64	8.30	19.28	-36.62	-25.00	-11.62	V
10258.86	-25.72	8.10	23.19	-40.81	-25.00	-15.81	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.74	-26.24	8.00	15.86	-34.10	-25.00	-9.10	H
7604.85	-28.33	8.30	19.28	-39.31	-25.00	-14.31	H
10139.84	-24.99	8.10	23.19	-40.08	-25.00	-15.08	H
5069.74	-29.83	8.00	15.86	-37.69	-25.00	-12.69	V
7604.85	-26.63	8.30	19.28	-37.61	-25.00	-12.61	V
10139.84	-24.51	8.10	23.19	-39.60	-25.00	-14.60	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.76	-30.60	8.00	15.86	-38.46	-25.00	-13.46	H
7678.03	-27.97	8.30	19.28	-38.95	-25.00	-13.95	H
10237.75	-25.77	8.10	23.19	-40.86	-25.00	-15.86	H
5118.76	-31.10	8.00	15.86	-38.96	-25.00	-13.96	V
7678.03	-26.83	8.30	19.28	-37.81	-25.00	-12.81	V
10237.75	-25.54	8.10	23.19	-40.63	-25.00	-15.63	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.17	-25.83	6.70	9.34	-28.47	-13.00	-15.47	H
2098.64	-25.81	7.80	10.42	-28.43	-13.00	-15.43	H
2798.47	-24.68	8.00	11.12	-27.80	-13.00	-14.80	H
1399.17	-27.06	6.70	9.34	-29.70	-13.00	-16.70	V
2098.64	-29.40	7.80	10.42	-32.02	-13.00	-19.02	V
2798.47	-25.33	8.00	11.12	-28.45	-13.00	-15.45	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.65	-25.69	6.70	9.34	-28.33	-13.00	-15.33	H
2122.23	-27.33	7.80	10.42	-29.95	-13.00	-16.95	H
2829.51	-26.41	8.00	11.12	-29.53	-13.00	-16.53	H
1414.65	-29.44	6.70	9.34	-32.08	-13.00	-19.08	V
2122.23	-29.21	7.80	10.42	-31.83	-13.00	-18.83	V
2829.51	-26.69	8.00	11.12	-29.81	-13.00	-16.81	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.44	-25.94	6.70	9.34	-28.58	-13.00	-15.58	H
2145.42	-25.91	7.80	10.42	-28.53	-13.00	-15.53	H
2860.95	-28.03	8.00	11.12	-31.15	-13.00	-18.15	H
1430.44	-28.91	6.70	9.34	-31.55	-13.00	-18.55	V
2145.42	-28.53	7.80	10.42	-31.15	-13.00	-18.15	V
2860.95	-26.00	8.00	11.12	-29.12	-13.00	-16.12	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.78	-25.82	6.70	9.34	-28.46	-13.00	-15.46	H
2101.33	-27.69	7.80	10.42	-30.31	-13.00	-17.31	H
2801.65	-26.99	8.00	11.12	-30.11	-13.00	-17.11	H
1400.78	-26.44	6.70	9.34	-29.08	-13.00	-16.08	V
2101.33	-29.66	7.80	10.42	-32.28	-13.00	-19.28	V
2801.65	-27.77	8.00	11.12	-30.89	-13.00	-17.89	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.95	-28.83	6.70	9.34	-31.47	-13.00	-18.47	H
2122.26	-28.17	7.80	10.42	-30.79	-13.00	-17.79	H
2829.89	-26.27	8.00	11.12	-29.39	-13.00	-16.39	H
1414.95	-28.86	6.70	9.34	-31.50	-13.00	-18.50	V
2122.26	-25.50	7.80	10.42	-28.12	-13.00	-15.12	V
2829.89	-28.43	8.00	11.12	-31.55	-13.00	-18.55	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.87	-28.27	6.70	9.34	-30.91	-13.00	-17.91	H
2143.19	-26.48	7.80	10.42	-29.10	-13.00	-16.10	H
2857.65	-24.90	8.00	11.12	-28.02	-13.00	-15.02	H
1428.87	-29.53	6.70	9.34	-32.17	-13.00	-19.17	V
2143.19	-28.48	7.80	10.42	-31.10	-13.00	-18.10	V
2857.65	-26.96	8.00	11.12	-30.08	-13.00	-17.08	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.93	-26.87	6.70	9.34	-29.51	-13.00	-16.51	H
2104.26	-29.78	7.80	10.42	-32.40	-13.00	-19.40	H
2805.94	-25.40	8.00	11.12	-28.52	-13.00	-15.52	H
1402.93	-27.92	6.70	9.34	-30.56	-13.00	-17.56	V
2104.26	-25.38	7.80	10.42	-28.00	-13.00	-15.00	V
2805.94	-24.79	8.00	11.12	-27.91	-13.00	-14.91	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.65	-25.89	6.70	9.34	-28.53	-13.00	-15.53	H
2122.07	-25.59	7.80	10.42	-28.21	-13.00	-15.21	H
2829.84	-27.54	8.00	11.12	-30.66	-13.00	-17.66	H
1414.65	-29.68	6.70	9.34	-32.32	-13.00	-19.32	V
2122.07	-28.03	7.80	10.42	-30.65	-13.00	-17.65	V
2829.84	-28.72	8.00	11.12	-31.84	-13.00	-18.84	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.95	-29.42	6.70	9.34	-32.06	-13.00	-19.06	H
2140.24	-29.11	7.80	10.42	-31.73	-13.00	-18.73	H
2853.71	-24.54	8.00	11.12	-27.66	-13.00	-14.66	H
1426.95	-27.47	6.70	9.34	-30.11	-13.00	-17.11	V
2140.24	-27.43	7.80	10.42	-30.05	-13.00	-17.05	V
2853.71	-25.86	8.00	11.12	-28.98	-13.00	-15.98	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.72	-26.69	6.70	9.34	-29.33	-13.00	-16.33	H
2111.81	-29.79	7.80	10.42	-32.41	-13.00	-19.41	H
2815.58	-27.39	8.00	11.12	-30.51	-13.00	-17.51	H
1407.72	-30.61	6.70	9.34	-33.25	-13.00	-20.25	V
2111.81	-28.79	7.80	10.42	-31.41	-13.00	-18.41	V
2815.58	-26.79	8.00	11.12	-29.91	-13.00	-16.91	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.58	-27.16	6.70	9.34	-29.80	-13.00	-16.80	H
2122.04	-25.67	7.80	10.42	-28.29	-13.00	-15.29	H
2829.80	-28.41	8.00	11.12	-31.53	-13.00	-18.53	H
1414.58	-26.58	6.70	9.34	-29.22	-13.00	-16.22	V
2122.04	-29.38	7.80	10.42	-32.00	-13.00	-19.00	V
2829.80	-26.71	8.00	11.12	-29.83	-13.00	-16.83	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.72	-27.02	6.70	9.34	-29.66	-13.00	-16.66	H
2132.94	-28.81	7.80	10.42	-31.43	-13.00	-18.43	H
2843.76	-25.80	8.00	11.12	-28.92	-13.00	-15.92	H
1421.72	-26.82	6.70	9.34	-29.46	-13.00	-16.46	V
2132.94	-27.11	7.80	10.42	-29.73	-13.00	-16.73	V
2843.76	-25.98	8.00	11.12	-29.10	-13.00	-16.10	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1559.50	-47.20	7.40	9.72	-49.52	-40.00	-9.52	H
2338.11	-36.18	8.30	10.86	-38.74	-13.00	-25.74	H
3117.97	-38.22	7.70	11.57	-42.09	-13.00	-29.09	H
1559.50	-44.13	7.40	9.72	-46.45	-40.00	-6.45	V
2338.11	-35.84	8.30	10.86	-38.40	-13.00	-25.40	V
3117.97	-39.65	7.70	11.57	-43.52	-13.00	-30.52	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.97	-45.28	7.40	9.72	-47.60	-40.00	-7.60	H
2346.02	-38.76	8.30	10.86	-41.32	-13.00	-28.32	H
3128.07	-34.76	7.70	11.57	-38.63	-13.00	-25.63	H
1563.97	-45.16	7.40	9.72	-47.48	-40.00	-7.48	V
2346.02	-36.10	8.30	10.86	-38.66	-13.00	-25.66	V
3128.07	-37.07	7.70	11.57	-40.94	-13.00	-27.94	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1568.98	-45.42	7.40	9.72	-47.74	-40.00	-7.74	H
2353.37	-39.05	8.30	10.86	-41.61	-13.00	-28.61	H
3138.35	-38.32	7.70	11.57	-42.19	-13.00	-29.19	H
1568.98	-45.13	7.40	9.72	-47.45	-40.00	-7.45	V
2353.37	-37.81	8.30	10.86	-40.37	-13.00	-27.37	V
3138.35	-35.97	7.70	11.57	-39.84	-13.00	-26.84	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.75	-47.85	7.40	9.72	-50.17	-40.00	-10.17	H
2346.11	-36.07	8.30	10.86	-38.63	-13.00	-25.63	H
3128.11	-34.96	7.70	11.57	-38.83	-13.00	-25.83	H
1563.75	-47.92	7.40	9.72	-50.24	-40.00	-10.24	V
2346.11	-35.80	8.30	10.86	-38.36	-13.00	-25.36	V
3128.11	-37.57	7.70	11.57	-41.44	-13.00	-28.44	V

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1413.09	-25.18	6.90	9.34	-27.62	-13.00	-14.62	H
2120.38	-25.58	8.00	10.42	-28.00	-13.00	-15.00	H
2826.40	-27.49	8.00	11.12	-30.61	-13.00	-17.61	H
1413.09	-28.88	6.90	9.34	-31.32	-13.00	-18.32	V
2120.38	-26.99	8.00	10.42	-29.41	-13.00	-16.41	V
2826.40	-27.33	8.00	11.12	-30.45	-13.00	-17.45	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.04	-29.23	6.90	9.34	-31.67	-13.00	-18.67	H
2130.10	-30.39	8.00	10.42	-32.81	-13.00	-19.81	H
2840.05	-24.91	8.00	11.12	-28.03	-13.00	-15.03	H
1420.04	-27.33	6.90	9.34	-29.77	-13.00	-16.77	V
2130.10	-26.71	8.00	10.42	-29.13	-13.00	-16.13	V
2840.05	-24.30	8.00	11.12	-27.42	-13.00	-14.42	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.11	-29.80	6.90	9.34	-32.24	-13.00	-19.24	H
2139.50	-28.11	8.00	10.42	-30.53	-13.00	-17.53	H
2852.68	-23.87	8.00	11.12	-26.99	-13.00	-13.99	H
1426.11	-29.27	6.90	9.34	-31.71	-13.00	-18.71	V
2139.50	-26.90	8.00	10.42	-29.32	-13.00	-16.32	V
2852.68	-26.27	8.00	11.12	-29.39	-13.00	-16.39	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.22	-26.77	6.90	9.34	-29.21	-13.00	-16.21	H
2127.50	-29.11	8.00	10.42	-31.53	-13.00	-18.53	H
2836.46	-28.15	8.00	11.12	-31.27	-13.00	-18.27	H
1418.22	-27.06	6.90	9.34	-29.50	-13.00	-16.50	V
2127.50	-27.39	8.00	10.42	-29.81	-13.00	-16.81	V
2836.46	-26.95	8.00	11.12	-30.07	-13.00	-17.07	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.96	-29.56	6.90	9.34	-32.00	-13.00	-19.00	H
2129.94	-27.19	8.00	10.42	-29.61	-13.00	-16.61	H
2840.11	-26.75	8.00	11.12	-29.87	-13.00	-16.87	H
1419.96	-27.09	6.90	9.34	-29.53	-13.00	-16.53	V
2129.94	-26.41	8.00	10.42	-28.83	-13.00	-15.83	V
2840.11	-26.98	8.00	11.12	-30.10	-13.00	-17.10	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.43	-25.23	6.90	9.34	-27.67	-13.00	-14.67	H
2131.70	-25.84	8.00	10.42	-28.26	-13.00	-15.26	H
2842.36	-26.73	8.00	11.12	-29.85	-13.00	-16.85	H
1421.43	-30.67	6.90	9.34	-33.11	-13.00	-20.11	V
2131.70	-25.51	8.00	10.42	-27.93	-13.00	-14.93	V
2842.36	-24.98	8.00	11.12	-28.10	-13.00	-15.10	V

LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.42	-27.16	7.00	12.93	-33.09	-13.00	-20.09	H
5551.88	-29.30	8.40	17.11	-38.01	-13.00	-25.01	H
7402.66	-25.60	8.10	22.20	-39.70	-13.00	-26.70	H
3701.42	-29.19	7.00	12.93	-35.12	-13.00	-22.12	V
5551.88	-24.92	8.40	17.11	-33.63	-13.00	-20.63	V
7402.66	-26.77	8.10	22.20	-40.87	-13.00	-27.87	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.18	-28.10	7.00	12.93	-34.03	-13.00	-21.03	H
5639.96	-26.60	8.40	17.11	-35.31	-13.00	-22.31	H
7519.92	-26.21	8.10	22.20	-40.31	-13.00	-27.31	H
3760.18	-30.00	7.00	12.93	-35.93	-13.00	-22.93	V
5639.96	-26.74	8.40	17.11	-35.45	-13.00	-22.45	V
7519.92	-27.42	8.10	22.20	-41.52	-13.00	-28.52	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.57	-25.87	7.00	12.93	-31.80	-13.00	-18.80	H
5727.86	-26.49	8.40	17.11	-35.20	-13.00	-22.20	H
7636.78	-27.19	8.10	22.20	-41.29	-13.00	-28.29	H
3818.57	-25.96	7.00	12.93	-31.89	-13.00	-18.89	V
5727.86	-27.47	8.40	17.11	-36.18	-13.00	-23.18	V
7636.78	-25.43	8.10	22.20	-39.53	-13.00	-26.53	V

LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3702.98	-25.33	7.00	12.93	-31.26	-13.00	-18.26	H
5554.46	-26.95	8.40	17.11	-35.66	-13.00	-22.66	H
7405.83	-25.87	8.10	22.20	-39.97	-13.00	-26.97	H
3702.98	-25.70	7.00	12.93	-31.63	-13.00	-18.63	V
5554.46	-27.92	8.40	17.11	-36.63	-13.00	-23.63	V
7405.83	-26.06	8.10	22.20	-40.16	-13.00	-27.16	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.03	-26.60	7.00	12.93	-32.53	-13.00	-19.53	H
5639.98	-28.43	8.40	17.11	-37.14	-13.00	-24.14	H
7520.20	-23.24	8.10	22.20	-37.34	-13.00	-24.34	H
3760.03	-29.29	7.00	12.93	-35.22	-13.00	-22.22	V
5639.98	-27.12	8.40	17.11	-35.83	-13.00	-22.83	V
7520.20	-27.77	8.10	22.20	-41.87	-13.00	-28.87	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.12	-27.40	7.00	12.93	-33.33	-13.00	-20.33	H
5725.42	-25.15	8.40	17.11	-33.86	-13.00	-20.86	H
7633.89	-25.28	8.10	22.20	-39.38	-13.00	-26.38	H
3817.12	-25.14	7.00	12.93	-31.07	-13.00	-18.07	V
5725.42	-25.97	8.40	17.11	-34.68	-13.00	-21.68	V
7633.89	-23.72	8.10	22.20	-37.82	-13.00	-24.82	V

LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.42	-26.63	7.00	12.93	-32.56	-13.00	-19.56	H
5557.55	-27.93	8.40	17.11	-36.64	-13.00	-23.64	H
7410.24	-24.91	8.10	22.20	-39.01	-13.00	-26.01	H
3705.42	-25.81	7.00	12.93	-31.74	-13.00	-18.74	V
5557.55	-26.86	8.40	17.11	-35.57	-13.00	-22.57	V
7410.24	-25.60	8.10	22.20	-39.70	-13.00	-26.70	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.98	-25.80	7.00	12.93	-31.73	-13.00	-18.73	H
5640.06	-29.06	8.40	17.11	-37.77	-13.00	-24.77	H
7520.01	-23.96	8.10	22.20	-38.06	-13.00	-25.06	H
3759.98	-28.03	7.00	12.93	-33.96	-13.00	-20.96	V
5640.06	-25.19	8.40	17.11	-33.90	-13.00	-20.90	V
7520.01	-26.80	8.10	22.20	-40.90	-13.00	-27.90	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.26	-25.74	7.00	12.93	-31.67	-13.00	-18.67	H
5722.45	-28.13	8.40	17.11	-36.84	-13.00	-23.84	H
7630.31	-25.83	8.10	22.20	-39.93	-13.00	-26.93	H
3815.26	-25.85	7.00	12.93	-31.78	-13.00	-18.78	V
5722.45	-28.64	8.40	17.11	-37.35	-13.00	-24.35	V
7630.31	-24.49	8.10	22.20	-38.59	-13.00	-25.59	V

LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.10	-28.77	7.00	12.93	-34.70	-13.00	-21.70	H
5565.42	-25.24	8.40	17.11	-33.95	-13.00	-20.95	H
7420.24	-25.89	8.10	22.20	-39.99	-13.00	-26.99	H
3710.10	-26.80	7.00	12.93	-32.73	-13.00	-19.73	V
5565.42	-27.75	8.40	17.11	-36.46	-13.00	-23.46	V
7420.24	-23.97	8.10	22.20	-38.07	-13.00	-25.07	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.92	-26.96	7.00	12.93	-32.89	-13.00	-19.89	H
5639.99	-28.37	8.40	17.11	-37.08	-13.00	-24.08	H
7520.07	-24.03	8.10	22.20	-38.13	-13.00	-25.13	H
3759.92	-27.81	7.00	12.93	-33.74	-13.00	-20.74	V
5639.99	-28.00	8.40	17.11	-36.71	-13.00	-23.71	V
7520.07	-26.68	8.10	22.20	-40.78	-13.00	-27.78	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.39	-24.45	7.00	12.93	-30.38	-13.00	-17.38	H
5714.95	-25.08	8.40	17.11	-33.79	-13.00	-20.79	H
7620.02	-24.35	8.10	22.20	-38.45	-13.00	-25.45	H
3810.39	-25.14	7.00	12.93	-31.07	-13.00	-18.07	V
5714.95	-26.89	8.40	17.11	-35.60	-13.00	-22.60	V
7620.02	-23.25	8.10	22.20	-37.35	-13.00	-24.35	V

LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.14	-26.62	7.00	12.93	-32.55	-13.00	-19.55	H
5572.32	-28.32	8.40	17.11	-37.03	-13.00	-24.03	H
7430.40	-25.69	8.10	22.20	-39.79	-13.00	-26.79	H
3715.14	-25.20	7.00	12.93	-31.13	-13.00	-18.13	V
5572.32	-25.66	8.40	17.11	-34.37	-13.00	-21.37	V
7430.40	-23.50	8.10	22.20	-37.60	-13.00	-24.60	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.00	-24.44	7.00	12.93	-30.37	-13.00	-17.37	H
5639.87	-27.66	8.40	17.11	-36.37	-13.00	-23.37	H
7519.80	-24.16	8.10	22.20	-38.26	-13.00	-25.26	H
3760.00	-25.63	7.00	12.93	-31.56	-13.00	-18.56	V
5639.87	-27.61	8.40	17.11	-36.32	-13.00	-23.32	V
7519.80	-26.75	8.10	22.20	-40.85	-13.00	-27.85	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.20	-28.18	7.00	12.93	-34.11	-13.00	-21.11	H
5707.28	-28.73	8.40	17.11	-37.44	-13.00	-24.44	H
7609.94	-26.44	8.10	22.20	-40.54	-13.00	-27.54	H
3805.20	-25.66	7.00	12.93	-31.59	-13.00	-18.59	V
5707.28	-27.11	8.40	17.11	-35.82	-13.00	-22.82	V
7609.94	-27.33	8.10	22.20	-41.43	-13.00	-28.43	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.29	-28.39	7.00	12.93	-34.32	-13.00	-21.32	H
5580.51	-25.18	8.40	17.11	-33.89	-13.00	-20.89	H
7439.93	-26.75	8.10	22.20	-40.85	-13.00	-27.85	H
3720.29	-29.03	7.00	12.93	-34.96	-13.00	-21.96	V
5580.51	-26.06	8.40	17.11	-34.77	-13.00	-21.77	V
7439.93	-27.42	8.10	22.20	-41.52	-13.00	-28.52	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.17	-26.03	7.00	12.93	-31.96	-13.00	-18.96	H
5640.23	-26.47	8.40	17.11	-35.18	-13.00	-22.18	H
7519.84	-27.03	8.10	22.20	-41.13	-13.00	-28.13	H
3760.17	-29.48	7.00	12.93	-35.41	-13.00	-22.41	V
5640.23	-25.49	8.40	17.11	-34.20	-13.00	-21.20	V
7519.84	-24.32	8.10	22.20	-38.42	-13.00	-25.42	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.03	-28.74	7.00	12.93	-34.67	-13.00	-21.67	H
5699.85	-26.36	8.40	17.11	-35.07	-13.00	-22.07	H
7600.11	-23.94	8.10	22.20	-38.04	-13.00	-25.04	H
3800.03	-29.42	7.00	12.93	-35.35	-13.00	-22.35	V
5699.85	-24.85	8.40	17.11	-33.56	-13.00	-20.56	V
7600.11	-25.92	8.10	22.20	-40.02	-13.00	-27.02	V

LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.16	-26.33	7.40	9.72	-28.65	-13.00	-15.65	H
2473.34	-29.02	8.30	10.86	-31.58	-13.00	-18.58	H
3298.74	-27.36	7.20	11.57	-31.73	-13.00	-18.73	H
1649.16	-28.48	7.40	9.72	-30.80	-13.00	-17.80	V
2473.34	-27.18	8.30	10.86	-29.74	-13.00	-16.74	V
3298.74	-25.32	7.20	11.57	-29.69	-13.00	-16.69	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.10	-29.75	7.40	9.72	-32.07	-13.00	-19.07	H
2508.87	-28.27	8.30	10.86	-30.83	-13.00	-17.83	H
3345.98	-26.71	7.20	11.57	-31.08	-13.00	-18.08	H
1673.10	-32.00	7.40	9.72	-34.32	-13.00	-21.32	V
2508.87	-26.74	8.30	10.86	-29.30	-13.00	-16.30	V
3345.98	-30.20	7.20	11.57	-34.57	-13.00	-21.57	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.31	-27.65	7.40	9.72	-29.97	-13.00	-16.97	H
2544.82	-30.07	8.30	10.86	-32.63	-13.00	-19.63	H
3393.00	-24.72	7.20	11.57	-29.09	-13.00	-16.09	H
1696.31	-28.40	7.40	9.72	-30.72	-13.00	-17.72	V
2544.82	-26.26	8.30	10.86	-28.82	-13.00	-15.82	V
3393.00	-29.91	7.20	11.57	-34.28	-13.00	-21.28	V

LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.34	-30.06	7.40	9.72	-32.38	-13.00	-19.38	H
2476.53	-28.53	8.30	10.86	-31.09	-13.00	-18.09	H
3301.94	-28.67	7.20	11.57	-33.04	-13.00	-20.04	H
1651.34	-27.68	7.40	9.72	-30.00	-13.00	-17.00	V
2476.53	-26.38	8.30	10.86	-28.94	-13.00	-15.94	V
3301.94	-27.44	7.20	11.57	-31.81	-13.00	-18.81	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.88	-30.48	7.40	9.72	-32.80	-13.00	-19.80	H
2509.00	-31.40	8.30	10.86	-33.96	-13.00	-20.96	H
3346.01	-27.89	7.20	11.57	-32.26	-13.00	-19.26	H
1672.88	-30.70	7.40	9.72	-33.02	-13.00	-20.02	V
2509.00	-27.07	8.30	10.86	-29.63	-13.00	-16.63	V
3346.01	-26.83	7.20	11.57	-31.20	-13.00	-18.20	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.45	-27.52	7.40	9.72	-29.84	-13.00	-16.84	H
2542.40	-29.55	8.30	10.86	-32.11	-13.00	-19.11	H
3390.07	-28.02	7.20	11.57	-32.39	-13.00	-19.39	H
1695.45	-29.05	7.40	9.72	-31.37	-13.00	-18.37	V
2542.40	-26.66	8.30	10.86	-29.22	-13.00	-16.22	V
3390.07	-26.83	7.20	11.57	-31.20	-13.00	-18.20	V

LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.92	-27.30	7.40	9.72	-29.62	-13.00	-16.62	H
2479.45	-27.70	8.30	10.86	-30.26	-13.00	-17.26	H
3306.58	-26.48	7.20	11.57	-30.85	-13.00	-17.85	H
1652.92	-30.65	7.40	9.72	-32.97	-13.00	-19.97	V
2479.45	-29.47	8.30	10.86	-32.03	-13.00	-19.03	V
3306.58	-28.67	7.20	11.57	-33.04	-13.00	-20.04	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.09	-28.11	7.40	9.72	-30.43	-13.00	-17.43	H
2509.10	-28.51	8.30	10.86	-31.07	-13.00	-18.07	H
3346.17	-26.49	7.20	11.57	-30.86	-13.00	-17.86	H
1673.09	-29.14	7.40	9.72	-31.46	-13.00	-18.46	V
2509.10	-26.61	8.30	10.86	-29.17	-13.00	-16.17	V
3346.17	-26.15	7.20	11.57	-30.52	-13.00	-17.52	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.40	-28.64	7.40	9.72	-30.96	-13.00	-17.96	H
2539.48	-29.05	8.30	10.86	-31.61	-13.00	-18.61	H
3386.30	-24.88	7.20	11.57	-29.25	-13.00	-16.25	H
1693.40	-30.46	7.40	9.72	-32.78	-13.00	-19.78	V
2539.48	-27.63	8.30	10.86	-30.19	-13.00	-17.19	V
3386.30	-25.74	7.20	11.57	-30.11	-13.00	-17.11	V

LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.72	-30.68	7.40	9.72	-33.00	-13.00	-20.00	H
2486.25	-29.60	8.30	10.86	-32.16	-13.00	-19.16	H
3315.67	-26.71	7.20	11.57	-31.08	-13.00	-18.08	H
1657.72	-29.49	7.40	9.72	-31.81	-13.00	-18.81	V
2486.25	-27.07	8.30	10.86	-29.63	-13.00	-16.63	V
3315.67	-30.08	7.20	11.57	-34.45	-13.00	-21.45	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.04	-29.55	7.40	9.72	-31.87	-13.00	-18.87	H
2509.02	-29.90	8.30	10.86	-32.46	-13.00	-19.46	H
3345.93	-26.69	7.20	11.57	-31.06	-13.00	-18.06	H
1673.04	-27.98	7.40	9.72	-30.30	-13.00	-17.30	V
2509.02	-29.35	8.30	10.86	-31.91	-13.00	-18.91	V
3345.93	-27.65	7.20	11.57	-32.02	-13.00	-19.02	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1688.39	-26.03	7.40	9.72	-28.35	-13.00	-15.35	H
2532.33	-28.52	8.30	10.86	-31.08	-13.00	-18.08	H
3375.88	-25.46	7.20	11.57	-29.83	-13.00	-16.83	H
1688.39	-29.50	7.40	9.72	-31.82	-13.00	-18.82	V
2532.33	-27.54	8.30	10.86	-30.10	-13.00	-17.10	V
3375.88	-29.27	7.20	11.57	-33.64	-13.00	-20.64	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.01	-29.52	7.40	9.72	-31.84	-13.00	-18.84	H
2494.67	-29.09	8.30	10.86	-31.65	-13.00	-18.65	H
3325.69	-27.45	7.20	11.57	-31.82	-13.00	-18.82	H
1663.01	-30.65	7.40	9.72	-32.97	-13.00	-19.97	V
2494.67	-28.19	8.30	10.86	-30.75	-13.00	-17.75	V
3325.69	-28.90	7.20	11.57	-33.27	-13.00	-20.27	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.04	-30.90	7.40	9.72	-33.22	-13.00	-20.22	H
2509.09	-29.84	8.30	10.86	-32.40	-13.00	-19.40	H
3346.07	-28.84	7.20	11.57	-33.21	-13.00	-20.21	H
1673.04	-28.39	7.40	9.72	-30.71	-13.00	-17.71	V
2509.09	-30.14	8.30	10.86	-32.70	-13.00	-19.70	V
3346.07	-29.20	7.20	11.57	-33.57	-13.00	-20.57	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.59	-26.07	7.40	9.72	-28.39	-13.00	-15.39	H
2524.29	-29.12	8.30	10.86	-31.68	-13.00	-18.68	H
3366.55	-26.86	7.20	11.57	-31.23	-13.00	-18.23	H
1683.59	-29.93	7.40	9.72	-32.25	-13.00	-19.25	V
2524.29	-27.32	8.30	10.86	-29.88	-13.00	-16.88	V
3366.55	-29.45	7.20	11.57	-33.82	-13.00	-20.82	V

LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5115.11	-33.03	8.10	15.86	-40.79	-25.00	-15.79	H
7672.69	-31.53	9.00	19.28	-41.81	-25.00	-16.81	H
10230.33	-30.80	8.70	23.19	-45.29	-25.00	-20.29	H
4997.05	-35.57	8.10	15.86	-43.33	-25.00	-18.33	V
7495.65	-30.73	9.00	19.28	-41.01	-25.00	-16.01	V
9994.29	-32.76	8.70	23.19	-47.25	-25.00	-22.25	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.28	-30.11	8.10	15.86	-37.87	-25.00	-12.87	H
7815.15	-32.47	9.00	19.28	-42.75	-25.00	-17.75	H
10420.13	-30.72	8.70	23.19	-45.21	-25.00	-20.21	H
5210.28	-32.05	8.10	15.86	-39.81	-25.00	-14.81	V
7815.15	-31.19	9.00	19.28	-41.47	-25.00	-16.47	V
10420.13	-31.32	8.70	23.19	-45.81	-25.00	-20.81	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5305.07	-30.65	8.10	15.86	-38.41	-25.00	-13.41	H
7957.70	-32.80	9.00	19.28	-43.08	-25.00	-18.08	H
10610.14	-31.87	8.70	23.19	-46.36	-25.00	-21.36	H
5305.07	-34.74	8.10	15.86	-42.50	-25.00	-17.50	V
7957.70	-33.49	9.00	19.28	-43.77	-25.00	-18.77	V
10610.14	-31.27	8.70	23.19	-45.76	-25.00	-20.76	V

LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5119.92	-34.10	8.10	15.86	-41.86	-25.00	-16.86	H
7679.91	-33.87	9.00	19.28	-44.15	-25.00	-19.15	H
10239.85	-32.57	8.70	23.19	-47.06	-25.00	-22.06	H
5119.92	-33.12	8.10	15.86	-40.88	-25.00	-15.88	V
7679.91	-33.16	9.00	19.28	-43.44	-25.00	-18.44	V
10239.85	-33.14	8.70	23.19	-47.63	-25.00	-22.63	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.19	-32.14	8.10	15.86	-39.90	-25.00	-14.90	H
7815.34	-32.44	9.00	19.28	-42.72	-25.00	-17.72	H
10420.19	-29.72	8.70	23.19	-44.21	-25.00	-19.21	H
5210.19	-32.45	8.10	15.86	-40.21	-25.00	-15.21	V
7815.34	-32.92	9.00	19.28	-43.20	-25.00	-18.20	V
10420.19	-32.39	8.70	23.19	-46.88	-25.00	-21.88	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5299.85	-31.15	8.10	15.86	-38.91	-25.00	-13.91	H
7950.01	-31.11	9.00	19.28	-41.39	-25.00	-16.39	H
10599.80	-33.22	8.70	23.19	-47.71	-25.00	-22.71	H
5299.85	-32.45	8.10	15.86	-40.21	-25.00	-15.21	V
7950.01	-33.29	9.00	19.28	-43.57	-25.00	-18.57	V
10599.80	-31.04	8.70	23.19	-45.53	-25.00	-20.53	V

LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5124.88	-29.97	8.10	15.86	-37.73	-25.00	-12.73	H
7687.49	-34.92	9.00	19.28	-45.20	-25.00	-20.20	H
10250.37	-33.48	8.70	23.19	-47.97	-25.00	-22.97	H
5124.88	-34.02	8.10	15.86	-41.78	-25.00	-16.78	V
7687.49	-33.70	9.00	19.28	-43.98	-25.00	-18.98	V
10250.37	-28.90	8.70	23.19	-43.39	-25.00	-18.39	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.26	-31.36	8.10	15.86	-39.12	-25.00	-14.12	H
7815.36	-34.81	9.00	19.28	-45.09	-25.00	-20.09	H
10420.28	-30.87	8.70	23.19	-45.36	-25.00	-20.36	H
5210.26	-32.09	8.10	15.86	-39.85	-25.00	-14.85	V
7815.36	-34.71	9.00	19.28	-44.99	-25.00	-19.99	V
10420.28	-30.04	8.70	23.19	-44.53	-25.00	-19.53	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5298.03	-30.78	8.10	15.86	-38.54	-25.00	-13.54	H
7942.75	-32.53	9.00	19.28	-42.81	-25.00	-17.81	H
10590.19	-29.62	8.70	23.19	-44.11	-25.00	-19.11	H
5298.03	-33.70	8.10	15.86	-41.46	-25.00	-16.46	V
7942.75	-33.55	9.00	19.28	-43.83	-25.00	-18.83	V
10590.19	-30.50	8.70	23.19	-44.99	-25.00	-19.99	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.08	-32.11	8.10	15.86	-39.87	-25.00	-14.87	H
7695.19	-32.86	9.00	19.28	-43.14	-25.00	-18.14	H
10260.16	-30.34	8.70	23.19	-44.83	-25.00	-19.83	H
5130.08	-31.38	8.10	15.86	-39.14	-25.00	-14.14	V
7695.19	-32.03	9.00	19.28	-42.31	-25.00	-17.31	V
10260.16	-30.88	8.70	23.19	-45.37	-25.00	-20.37	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.97	-33.98	8.10	15.86	-41.74	-25.00	-16.74	H
7815.37	-35.37	9.00	19.28	-45.65	-25.00	-20.65	H
10420.18	-29.82	8.70	23.19	-44.31	-25.00	-19.31	H
5209.97	-35.64	8.10	15.86	-43.40	-25.00	-18.40	V
7815.37	-31.17	9.00	19.28	-41.45	-25.00	-16.45	V
10420.18	-30.03	8.70	23.19	-44.52	-25.00	-19.52	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.12	-34.44	8.10	15.86	-42.20	-25.00	-17.20	H
7935.30	-32.15	9.00	19.28	-42.43	-25.00	-17.43	H
10579.96	-30.77	8.70	23.19	-45.26	-25.00	-20.26	H
5290.12	-31.77	8.10	15.86	-39.53	-25.00	-14.53	V
7935.30	-35.23	9.00	19.28	-45.51	-25.00	-20.51	V
10579.96	-32.63	8.70	23.19	-47.12	-25.00	-22.12	V

LTE Band 40(2305-2315MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4615.21	-45.87	8.20	12.95	-50.62	-40.00	-10.62	H
6922.33	-42.03	8.10	17.02	-50.95	-40.00	-10.95	H
9230.02	-36.09	8.20	21.78	-49.67	-40.00	-9.67	H
4615.21	-42.63	8.20	12.95	-47.38	-40.00	-7.38	V
6922.33	-41.53	8.10	17.02	-50.45	-40.00	-10.45	V
9230.02	-34.16	8.20	21.78	-47.74	-40.00	-7.74	V
LTE Band 40(2305-2315MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4619.79	-41.56	8.20	12.95	-46.31	-40.00	-6.31	H
6929.88	-38.08	8.10	17.02	-47.00	-40.00	-7.00	H
9240.24	-35.37	8.20	21.78	-48.95	-40.00	-8.95	H
4619.79	-45.09	8.20	12.95	-49.84	-40.00	-9.84	V
6929.88	-38.53	8.10	17.02	-47.45	-40.00	-7.45	V
9240.24	-36.14	8.20	21.78	-49.72	-40.00	-9.72	V
LTE Band 40(2305-2315MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4625.18	-41.25	8.20	12.95	-46.00	-40.00	-6.00	H
6937.30	-39.11	8.10	17.02	-48.03	-40.00	-8.03	H
9250.29	-32.93	8.20	21.78	-46.51	-40.00	-6.51	H
4625.18	-41.78	8.20	12.95	-46.53	-40.00	-6.53	V
6937.30	-40.08	8.10	17.02	-49.00	-40.00	-9.00	V
9250.29	-33.29	8.20	21.78	-46.87	-40.00	-6.87	V

LTE Band 40(2350-2360MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4704.90	-41.30	8.20	12.95	-46.05	-40.00	-6.05	H
7056.76	-40.65	8.10	17.02	-49.57	-40.00	-9.57	H
9410.18	-35.43	8.20	21.78	-49.01	-40.00	-9.01	H
4704.90	-42.37	8.20	12.95	-47.12	-40.00	-7.12	V
7056.76	-39.58	8.10	17.02	-48.50	-40.00	-8.50	V
9410.18	-32.29	8.20	21.78	-45.87	-40.00	-5.87	V
LTE Band 40(2350-2360MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4709.75	-40.96	8.20	12.95	-45.71	-40.00	-5.71	H
7064.85	-38.04	8.10	17.02	-46.96	-40.00	-6.96	H
9420.19	-31.81	8.20	21.78	-45.39	-40.00	-5.39	H
4709.75	-41.85	8.20	12.95	-46.60	-40.00	-6.60	V
7064.85	-37.45	8.10	17.02	-46.37	-40.00	-6.37	V
9420.19	-36.67	8.20	21.78	-50.25	-40.00	-10.25	V
LTE Band 40(2350-2360MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4715.22	-43.65	8.20	12.95	-48.40	-40.00	-8.40	H
7072.13	-39.44	8.10	17.02	-48.36	-40.00	-8.36	H
9430.01	-32.89	8.20	21.78	-46.47	-40.00	-6.47	H
4715.22	-41.49	8.20	12.95	-46.24	-40.00	-6.24	V
7072.13	-41.83	8.10	17.02	-50.75	-40.00	-10.75	V
9430.01	-34.23	8.20	21.78	-47.81	-40.00	-7.81	V

LTE Band 40(2305-2315MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4619.91	-41.09	8.20	12.95	-45.84	-40.00	-5.84	H
6930.23	-41.83	8.10	17.02	-50.75	-40.00	-10.75	H
9239.87	-32.77	8.20	21.78	-46.35	-40.00	-6.35	H
4619.91	-42.69	8.20	12.95	-47.44	-40.00	-7.44	V
6930.23	-37.72	8.10	17.02	-46.64	-40.00	-6.64	V
9239.87	-32.66	8.20	21.78	-46.24	-40.00	-6.24	V

LTE Band 40(2350-2360MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4710.15	-45.41	8.20	12.95	-50.16	-40.00	-10.16	H
7065.19	-37.65	8.10	17.02	-46.57	-40.00	-6.57	H
9419.85	-33.58	8.20	21.78	-47.16	-40.00	-7.16	H
4710.15	-45.79	8.20	12.95	-50.54	-40.00	-10.54	V
7065.19	-42.19	8.10	17.02	-51.11	-40.00	-11.11	V
9419.85	-32.56	8.20	21.78	-46.14	-40.00	-6.14	V

LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5074.90	-32.12	7.90	15.86	-40.08	-25.00	-15.08	H
7612.37	-31.80	9.00	19.28	-42.08	-25.00	-17.08	H
10149.61	-32.44	8.70	23.19	-46.93	-25.00	-21.93	H
5074.90	-31.17	7.90	15.86	-39.13	-25.00	-14.13	V
7612.37	-33.06	9.00	19.28	-43.34	-25.00	-18.34	V
10149.61	-33.03	8.70	23.19	-47.52	-25.00	-22.52	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.67	-32.56	7.90	15.86	-40.52	-25.00	-15.52	H
7814.69	-32.52	9.00	19.28	-42.80	-25.00	-17.80	H
10419.94	-28.81	8.70	23.19	-43.30	-25.00	-18.30	H
5209.67	-34.90	7.90	15.86	-42.86	-25.00	-17.86	V
7814.69	-34.64	9.00	19.28	-44.92	-25.00	-19.92	V
10419.94	-30.53	8.70	23.19	-45.02	-25.00	-20.02	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5344.64	-30.72	7.90	15.86	-38.68	-25.00	-13.68	H
8017.37	-34.29	9.00	19.28	-44.57	-25.00	-19.57	H
10689.93	-29.66	8.70	23.19	-44.15	-25.00	-19.15	H
5344.64	-32.69	7.90	15.86	-40.65	-25.00	-15.65	V
8017.37	-32.98	9.00	19.28	-43.26	-25.00	-18.26	V
10689.93	-31.81	8.70	23.19	-46.30	-25.00	-21.30	V

LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5080.18	-31.95	7.90	15.86	-39.91	-25.00	-14.91	H
7620.00	-31.25	9.00	19.28	-41.53	-25.00	-16.53	H
10159.73	-29.31	8.70	23.19	-43.80	-25.00	-18.80	H
5080.18	-32.22	7.90	15.86	-40.18	-25.00	-15.18	V
7620.00	-35.19	9.00	19.28	-45.47	-25.00	-20.47	V
10159.73	-31.04	8.70	23.19	-45.53	-25.00	-20.53	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.58	-34.80	7.90	15.86	-42.76	-25.00	-17.76	H
7814.86	-31.65	9.00	19.28	-41.93	-25.00	-16.93	H
10420.04	-32.36	8.70	23.19	-46.85	-25.00	-21.85	H
5209.58	-35.12	7.90	15.86	-43.08	-25.00	-18.08	V
7814.86	-34.39	9.00	19.28	-44.67	-25.00	-19.67	V
10420.04	-29.73	8.70	23.19	-44.22	-25.00	-19.22	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5339.95	-34.59	7.90	15.86	-42.55	-25.00	-17.55	H
8009.91	-30.90	9.00	19.28	-41.18	-25.00	-16.18	H
10680.18	-31.78	8.70	23.19	-46.27	-25.00	-21.27	H
5339.95	-34.68	7.90	15.86	-42.64	-25.00	-17.64	V
8009.91	-32.69	9.00	19.28	-42.97	-25.00	-17.97	V
10680.18	-31.37	8.70	23.19	-45.86	-25.00	-20.86	V

LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5084.79	-33.38	7.90	15.86	-41.34	-25.00	-16.34	H
7627.18	-30.91	9.00	19.28	-41.19	-25.00	-16.19	H
10170.17	-28.68	8.70	23.19	-43.17	-25.00	-18.17	H
5084.79	-35.37	7.90	15.86	-43.33	-25.00	-18.33	V
7627.18	-34.55	9.00	19.28	-44.83	-25.00	-19.83	V
10170.17	-32.13	8.70	23.19	-46.62	-25.00	-21.62	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.99	-30.74	7.90	15.86	-38.70	-25.00	-13.70	H
7814.76	-34.80	9.00	19.28	-45.08	-25.00	-20.08	H
10420.13	-30.97	8.70	23.19	-45.46	-25.00	-20.46	H
5209.99	-35.53	7.90	15.86	-43.49	-25.00	-18.49	V
7814.76	-34.48	9.00	19.28	-44.76	-25.00	-19.76	V
10420.13	-28.82	8.70	23.19	-43.31	-25.00	-18.31	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5334.87	-33.93	7.90	15.86	-41.89	-25.00	-16.89	H
8002.48	-32.29	9.00	19.28	-42.57	-25.00	-17.57	H
10670.10	-33.24	8.70	23.19	-47.73	-25.00	-22.73	H
5334.87	-31.35	7.90	15.86	-39.31	-25.00	-14.31	V
8002.48	-32.98	9.00	19.28	-43.26	-25.00	-18.26	V
10670.10	-30.62	8.70	23.19	-45.11	-25.00	-20.11	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5089.71	-32.31	7.90	15.86	-40.27	-25.00	-15.27	H
7634.78	-35.47	9.00	19.28	-45.75	-25.00	-20.75	H
10179.91	-31.43	8.70	23.19	-45.92	-25.00	-20.92	H
5089.71	-33.64	7.90	15.86	-41.60	-25.00	-16.60	V
7634.78	-33.50	9.00	19.28	-43.78	-25.00	-18.78	V
10179.91	-30.27	8.70	23.19	-44.76	-25.00	-19.76	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.75	-33.26	7.90	15.86	-41.22	-25.00	-16.22	H
7814.80	-31.09	9.00	19.28	-41.37	-25.00	-16.37	H
10419.71	-30.89	8.70	23.19	-45.38	-25.00	-20.38	H
5209.75	-32.98	7.90	15.86	-40.94	-25.00	-15.94	V
7814.80	-33.65	9.00	19.28	-43.93	-25.00	-18.93	V
10419.71	-30.43	8.70	23.19	-44.92	-25.00	-19.92	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5330.13	-30.03	7.90	15.86	-37.99	-25.00	-12.99	H
7994.99	-34.46	9.00	19.28	-44.74	-25.00	-19.74	H
10660.07	-28.75	8.70	23.19	-43.24	-25.00	-18.24	H
5330.13	-35.88	7.90	15.86	-43.84	-25.00	-18.84	V
7994.99	-33.68	9.00	19.28	-43.96	-25.00	-18.96	V
10660.07	-31.59	8.70	23.19	-46.08	-25.00	-21.08	V

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.31	-26.00	7.20	12.56	-31.36	-13.00	-18.36	H
5131.98	-25.28	8.10	16.32	-33.50	-13.00	-20.50	H
6842.63	-23.99	8.30	21.13	-36.82	-13.00	-23.82	H
3421.31	-29.65	7.20	12.56	-35.01	-13.00	-22.01	V
5131.98	-27.32	8.10	16.32	-35.54	-13.00	-22.54	V
6842.63	-27.63	8.30	21.13	-40.46	-13.00	-27.46	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.04	-26.71	7.20	12.56	-32.07	-13.00	-19.07	H
5235.13	-27.89	8.10	16.32	-36.11	-13.00	-23.11	H
6980.30	-24.45	8.30	21.13	-37.28	-13.00	-24.28	H
3490.04	-26.35	7.20	12.56	-31.71	-13.00	-18.71	V
5235.13	-29.07	8.10	16.32	-37.29	-13.00	-24.29	V
6980.30	-23.38	8.30	21.13	-36.21	-13.00	-23.21	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.02	-28.57	7.20	12.56	-33.93	-13.00	-20.93	H
5337.02	-28.79	8.10	16.32	-37.01	-13.00	-24.01	H
7116.95	-26.45	8.30	21.13	-39.28	-13.00	-26.28	H
3558.02	-28.96	7.20	12.56	-34.32	-13.00	-21.32	V
5337.02	-27.66	8.10	16.32	-35.88	-13.00	-22.88	V
7116.95	-25.21	8.30	21.13	-38.04	-13.00	-25.04	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3422.89	-27.80	7.20	12.56	-33.16	-13.00	-20.16	H
5134.55	-26.09	8.10	16.32	-34.31	-13.00	-21.31	H
6845.92	-23.30	8.30	21.13	-36.13	-13.00	-23.13	H
3422.89	-27.58	7.20	12.56	-32.94	-13.00	-19.94	V
5134.55	-28.16	8.10	16.32	-36.38	-13.00	-23.38	V
6845.92	-27.02	8.30	21.13	-39.85	-13.00	-26.85	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.16	-24.75	7.20	12.56	-30.11	-13.00	-17.11	H
5234.95	-27.15	8.10	16.32	-35.37	-13.00	-22.37	H
6979.83	-23.92	8.30	21.13	-36.75	-13.00	-23.75	H
3490.16	-29.08	7.20	12.56	-34.44	-13.00	-21.44	V
5234.95	-29.19	8.10	16.32	-37.41	-13.00	-24.41	V
6979.83	-23.70	8.30	21.13	-36.53	-13.00	-23.53	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3556.97	-27.14	7.20	12.56	-32.50	-13.00	-19.50	H
5262.36	-29.46	8.10	16.32	-37.68	-13.00	-24.68	H
7113.78	-25.76	8.30	21.13	-38.59	-13.00	-25.59	H
3556.97	-28.18	7.20	12.56	-33.54	-13.00	-20.54	V
5262.36	-28.05	8.10	16.32	-36.27	-13.00	-23.27	V
7113.78	-25.13	8.30	21.13	-37.96	-13.00	-24.96	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.00	-26.46	7.20	12.56	-31.82	-13.00	-18.82	H
5137.09	-26.80	8.10	16.32	-35.02	-13.00	-22.02	H
6850.23	-24.17	8.30	21.13	-37.00	-13.00	-24.00	H
3425.00	-27.85	7.20	12.56	-33.21	-13.00	-20.21	V
5137.09	-27.48	8.10	16.32	-35.70	-13.00	-22.70	V
6850.23	-27.80	8.30	21.13	-40.63	-13.00	-27.63	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.05	-27.16	7.20	12.56	-32.52	-13.00	-19.52	H
5235.06	-27.90	8.10	16.32	-36.12	-13.00	-23.12	H
6980.25	-27.37	8.30	21.13	-40.20	-13.00	-27.20	H
3490.05	-27.46	7.20	12.56	-32.82	-13.00	-19.82	V
5235.06	-25.73	8.10	16.32	-33.95	-13.00	-20.95	V
6980.25	-26.47	8.30	21.13	-39.30	-13.00	-26.30	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.90	-24.65	7.20	12.56	-30.01	-13.00	-17.01	H
5234.82	-24.71	8.10	16.32	-32.93	-13.00	-19.93	H
7109.94	-25.87	8.30	21.13	-38.70	-13.00	-25.70	H
3557.90	-29.15	7.20	12.56	-34.51	-13.00	-21.51	V
5234.82	-24.55	8.10	16.32	-32.77	-13.00	-19.77	V
7109.94	-25.19	8.30	21.13	-38.02	-13.00	-25.02	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.01	-24.41	7.20	12.56	-29.77	-13.00	-16.77	H
5144.96	-27.89	8.10	16.32	-36.11	-13.00	-23.11	H
6880.04	-24.82	8.30	21.13	-37.65	-13.00	-24.65	H
3430.01	-28.90	7.20	12.56	-34.26	-13.00	-21.26	V
5144.96	-26.38	8.10	16.32	-34.60	-13.00	-21.60	V
6880.04	-25.66	8.30	21.13	-38.49	-13.00	-25.49	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.16	-27.50	7.20	12.56	-32.86	-13.00	-19.86	H
5235.06	-28.81	8.10	16.32	-37.03	-13.00	-24.03	H
6980.20	-26.45	8.30	21.13	-39.28	-13.00	-26.28	H
3490.16	-27.22	7.20	12.56	-32.58	-13.00	-19.58	V
5235.06	-28.32	8.10	16.32	-36.54	-13.00	-23.54	V
6980.20	-27.29	8.30	21.13	-40.12	-13.00	-27.12	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.41	-26.79	7.20	12.56	-32.15	-13.00	-19.15	H
5235.50	-26.66	8.10	16.32	-34.88	-13.00	-21.88	H
7100.27	-25.38	8.30	21.13	-38.21	-13.00	-25.21	H
3550.41	-28.93	7.20	12.56	-34.29	-13.00	-21.29	V
5235.50	-24.39	8.10	16.32	-32.61	-13.00	-19.61	V
7100.27	-25.27	8.30	21.13	-38.10	-13.00	-25.10	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.90	-27.29	7.20	12.56	-32.65	-13.00	-19.65	H
5152.45	-25.79	8.10	16.32	-34.01	-13.00	-21.01	H
6870.19	-25.23	8.30	21.13	-38.06	-13.00	-25.06	H
3434.90	-26.27	7.20	12.56	-31.63	-13.00	-18.63	V
5152.45	-27.40	8.10	16.32	-35.62	-13.00	-22.62	V
6870.19	-24.92	8.30	21.13	-37.75	-13.00	-24.75	V
LTE Band 66 /15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.23	-28.66	7.20	12.56	-34.02	-13.00	-21.02	H
5235.15	-29.47	8.10	16.32	-37.69	-13.00	-24.69	H
6979.90	-24.82	8.30	21.13	-37.65	-13.00	-24.65	H
3490.23	-27.91	7.20	12.56	-33.27	-13.00	-20.27	V
5235.15	-26.60	8.10	16.32	-34.82	-13.00	-21.82	V
6979.90	-28.06	8.30	21.13	-40.89	-13.00	-27.89	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3544.82	-27.73	7.20	12.56	-33.09	-13.00	-20.09	H
5332.30	-25.09	8.10	16.32	-33.31	-13.00	-20.31	H
7089.96	-24.47	8.30	21.13	-37.30	-13.00	-24.30	H
3544.82	-28.47	7.20	12.56	-33.83	-13.00	-20.83	V
5332.30	-25.70	8.10	16.32	-33.92	-13.00	-20.92	V
7089.96	-27.30	8.30	21.13	-40.13	-13.00	-27.13	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.22	-24.55	7.20	12.56	-29.91	-13.00	-16.91	H
5160.14	-28.62	8.10	16.32	-36.84	-13.00	-23.84	H
6879.87	-27.38	8.30	21.13	-40.21	-13.00	-27.21	H
3440.22	-28.11	7.20	12.56	-33.47	-13.00	-20.47	V
5160.14	-24.47	8.10	16.32	-32.69	-13.00	-19.69	V
6879.87	-24.26	8.30	21.13	-37.09	-13.00	-24.09	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.06	-25.17	7.20	12.56	-30.53	-13.00	-17.53	H
5235.18	-26.75	8.10	16.32	-34.97	-13.00	-21.97	H
6979.98	-25.09	8.30	21.13	-37.92	-13.00	-24.92	H
3490.06	-26.84	7.20	12.56	-32.20	-13.00	-19.20	V
5235.18	-24.36	8.10	16.32	-32.58	-13.00	-19.58	V
6979.98	-25.92	8.30	21.13	-38.75	-13.00	-25.75	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3539.96	-25.21	7.20	12.56	-30.57	-13.00	-17.57	H
5310.15	-28.84	8.10	16.32	-37.06	-13.00	-24.06	H
7080.63	-24.49	8.30	21.13	-37.32	-13.00	-24.32	H
3539.96	-27.23	7.20	12.56	-32.59	-13.00	-19.59	V
5310.15	-27.34	8.10	16.32	-35.56	-13.00	-22.56	V
7080.63	-26.40	8.30	21.13	-39.23	-13.00	-26.23	V

※※※※END OF THE REPORT※※※※