

ANNEX 3 TO TEST REPORT # EMCC-040197.1G, 2021-02-02

PHOTOGRAPHS OF ANCILLARY EQUIPMENT

EQUIPMENT UNDER TEST:

Trade Name: Torque meter T40CB

Type, Serial Number(s): T40CB S2, Rotor: 23444018, Stator: 233670005

Application: Low Power Transceiver FCC ID: 2ADAT-T40S2TOS6 ISED IC: 12438A-T40S2TOS6

Manufacturer: Hottinger Brüel & Kjaer GmbH

Address: Im Tiefen See 45

64293 Darmstadt

Germany

Phone: +49 6151 803 8790

E-Mail: Gesa.Biegling@hbkworld.com

RELEVANT STANDARD(S): 47 CFR § 15.203, § 15.207, § 15.209

RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5

MEASUREMENT PROCEDURE:


ILLUSTRATION LIST ANNEX 3

Photograph A3-1: Data cable termination box, view 1 Photograph A3-2: Connection cable from data cable termination box to stator unit Photograph A3-3: Power supply TRIO-PS/1AC/24DC/5, side view Photograph A3-4: Power supply TRIO-PS/1AC/24DC/5, front view Photograph A3-5: Power supply TRIO-PS/1AC/24DC/5, label	2	
	2 3 3	
		4

040197.1G



Test on Hottinger Brüel & Kjaer GmbH T40CB S2 to 47 CFR \S 15.203, \S 15.207, \S 15.209 and RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5



Photograph A3-1: Data cable termination box, view 1




Photograph A3-2: Connection cable from data cable termination box to stator unit



Test on Hottinger Brüel & Kjaer GmbH T40CB S2 to 47 CFR \S 15.203, \S 15.207, \S 15.209 and RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5



Photograph A3-3: Power supply TRIO-PS/1AC/24DC/5, side view



Photograph A3-4: Power supply TRIO-PS/1AC/24DC/5, front view



Test on Hottinger Brüel & Kjaer GmbH T40CB S2 to 47 CFR § 15.203, § 15.207, § 15.209 and RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5



Photograph A3-5: Power supply TRIO-PS/1AC/24DC/5, label