



产 品 承 认 书

PRODUCT SPECIFICATION FOR APPROVAL

客 户 名 称:

JMTek

CUSTOMER

产 品 名 称:

A11coil

PRODUCT NAME

物 料 编 码:

WPC680

PART No.

产 品 规 格:

sensitivity: 6.5uH $\pm$ 5%

PRODUCT SPEC

Wire rod: 0.08*24*2*10Ts

Magnetic sheet: 43.5*5.3*0.8Double groove

Outgoing line10mm、1.5mmEVA Back glue

日 期:

2023/03/15

DATE

版 本 型 号:

REV 1.0

VERSION

Attached is the product specification, if you have any questions, please timely feedback to us, thank you!


Company name: Shenzhen Chenxing Electronic Technology Co., LTD

Factory Address: 5th Floor, Building 1, Xinkecheng Science and Technology Industrial Park, 51 Dabao Road, Xin'an Street, Bao'an District, Shenzhen City




产 品 规 格 SPECIFICATION

1、Product size

	Disc diameterA	43.5±0.5mm
	Outside diameter of coil B	40±1.5mm
	Inside diameter of coil C	20.5±0.5mm
	Product thicknessD	<3.5mm
	Outlet length E	10mm±2mm
	Solder length F	3±2mm
	Magnetic plate opening diameter G	5.3mm
	Thickness of magnetic plate	0.8±0.05mm
	Disk shape	Circular double L slot
	Adhesive thickness	1.5mm EVA Double-sided adhesive
	Shatterproof black film	NO



2、SCH



3、Winding parameter

端子 TERMINAL		线径 WIRE	圈数 Turns	绕线方向 Winding Direction
S	F	漆包线 0.08*24 双股并绕	10Ts	CCW

4、Electrical characteristics:

温度 TEMPERATURE:25±10℃, 湿度 RELATIVE HUMIDITY:65±20%

项目 ITEM	端子 TERMINAL	标准 SPECIFICATION	测试条件 TEST FREQUENCY	测试仪器 TEST EQUIPMENTS
IND.	S-F	L: 6.5uH±5%	100KHz/1.0V	LCZ METER 1062B

5、Product picture

