








Test Item:	Band edge	Modulation type:	$\pi/4$ DQPSK																																													
CH00 No hopping mode	<table><thead><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.401 953 GHz</td><td>8.098 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 000 GHz</td><td>-39.308 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.390 000 GHz</td><td>-49.411 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.358 023 GHz</td><td>-45.892 dBm</td><td></td><td></td><td></td></tr></tbody></table>			MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.401 953 GHz	8.098 dBm				2	N	1	f	2.400 000 GHz	-39.308 dBm				3	N	1	f	2.390 000 GHz	-49.411 dBm				4	N	1	f	2.358 023 GHz	-45.892 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																								
1	N	1	f	2.401 953 GHz	8.098 dBm																																											
2	N	1	f	2.400 000 GHz	-39.308 dBm																																											
3	N	1	f	2.390 000 GHz	-49.411 dBm																																											
4	N	1	f	2.358 023 GHz	-45.892 dBm																																											
CH00 Hopping mode	<table><thead><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.403 955 GHz</td><td>6.043 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 000 GHz</td><td>-34.304 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.390 000 GHz</td><td>-51.430 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.378 875 GHz</td><td>-48.060 dBm</td><td></td><td></td><td></td></tr></tbody></table>			MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.403 955 GHz	6.043 dBm				2	N	1	f	2.400 000 GHz	-34.304 dBm				3	N	1	f	2.390 000 GHz	-51.430 dBm				4	N	1	f	2.378 875 GHz	-48.060 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																								
1	N	1	f	2.403 955 GHz	6.043 dBm																																											
2	N	1	f	2.400 000 GHz	-34.304 dBm																																											
3	N	1	f	2.390 000 GHz	-51.430 dBm																																											
4	N	1	f	2.378 875 GHz	-48.060 dBm																																											
CH78 No hopping mode	<table><thead><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.480 178 00 GHz</td><td>7.472 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.483 500 00 GHz</td><td>-41.969 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.500 000 00 GHz</td><td>-47.032 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.485 122 50 GHz</td><td>-25.744 dBm</td><td></td><td></td><td></td></tr></tbody></table>			MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.480 178 00 GHz	7.472 dBm				2	N	1	f	2.483 500 00 GHz	-41.969 dBm				3	N	1	f	2.500 000 00 GHz	-47.032 dBm				4	N	1	f	2.485 122 50 GHz	-25.744 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																								
1	N	1	f	2.480 178 00 GHz	7.472 dBm																																											
2	N	1	f	2.483 500 00 GHz	-41.969 dBm																																											
3	N	1	f	2.500 000 00 GHz	-47.032 dBm																																											
4	N	1	f	2.485 122 50 GHz	-25.744 dBm																																											




CH78
Hopping mode





Test Item:	Band edge	Modulation type:	8DPSK
CH00 No hopping mode			
CH00 Hopping mode			
CH78 No hopping mode			


CH78
Hoppig mode







Test Item:	SE	Modulation type:	GFSK
CH00 30MHz~3GHz			
CH00 3GHz~5GHz			
CH00 5GHz~10GHz			
















Test Item:	SE	Modulation type:	$\pi/4$ DQPSK
CH00 30MHz~3GHz			
CH00 3GHz~5GHz			
CH00 5GHz~10GHz			









Test Item:	SE	Modulation type:	8DPSK
CH00 30MHz~3GHz			
CH00 3GHz~5GHz			
CH00 5GHz~10GHz			







5.11. Spurious Emissions (radiated)


LIMIT

FCC CFR Title 47 Part 15 Subpart C Section 15.209


Frequency	Limit (dBuV/m @3m)	Value
30 MHz ~ 88 MHz	40.00	Quasi-peak
88 MHz ~ 216 MHz	43.50	Quasi-peak
216 MHz ~ 960 MHz	46.00	Quasi-peak
960 MHz ~ 1 GHz	54.00	Quasi-peak
Above 1 GHz	54.00	Average
	74.00	Peak

TEST CONFIGURATION


- Below 30 MHz



- 30 MHz ~1000 MHz



- Above 1 GHz



TEST PROCEDURE

1. The EUT was tested according to ANSI C63.10:2013.
2. The EUT is placed on a turntable which is 0.8 meter above ground. The turn table is rotated 360 degrees to determine the position of the maximum emission level.
3. The EUT was positioned such that the distance from antenna to the EUT was 3 meters.
4. The antenna is scanned from 1 meter to 4 meters to find out the maximum emission level. This is repeated for both horizontal and vertical polarization of the antenna.
5. Use the following spectrum analyzer settings
 - (1) Span shall wide enough to fully capture the emission being measured;
 - (2) Below 1 GHz, RBW=120 kHz, VBW=300 kHz, Sweep=auto, Detector function=peak, Trace=max hold; If the emission level of the EUT measured by the peak detector is 3 dB lower than the applicable limit, the peak emission level will be reported. Otherwise, the emission measurement will be repeated using the quasi-peak detector and reported.
 - (3) Above 1 GHz, RBW=1 MHz, VBW=3 MHz Peak detector for Peak value
RBW=1 MHz, VBW=10 Hz Peak detector for Average value.

TEST MODE:

Please refer to the clause 3.3

TEST RESULTS

☒ **Passed** ☐ **Not Applicable**

Note:

- 1) Final Level = Receiver Read level + Antenna Factor + Cable Loss – Preamplifier Factor
- 2) The emission levels of other frequencies are very lower than the limit and not show in test report.
- 3) Below 1 GHz, Have pre-scan all modulation mode, found the GFSK modulation High channel which it was worst case, so only the worst case's data on the test report.
- 4) Above 1 GHz, Have pre-scan all modulation mode, found the GFSK modulation which it was worst case, so only the worst case's data on the test report
- 5) The peak level is lower than average limit(54 dBuV/m), this data is the too weak instrument of signal is unable to test.


➤ 9 kHz ~ 30 MHz

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

➤ 30 MHz ~ 1 GHz

Polarization:

Vertical


**MEASUREMENT RESULT: "GM1710186079_red"**

10/18/2017 6:38PM

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
51.340000	21.20	-8.8	40.0	18.8	QP	100.0	3.00	VERTICAL
55.220000	19.50	-9.2	40.0	20.5	QP	100.0	118.00	VERTICAL
101.780000	20.20	-10.5	43.5	23.3	QP	100.0	91.00	VERTICAL
200.720000	19.60	-9.9	43.5	23.9	QP	100.0	250.00	VERTICAL
551.860000	29.80	-0.7	46.0	16.2	QP	100.0	197.00	VERTICAL
947.620000	38.20	7.2	46.0	7.8	QP	100.0	341.00	VERTICAL

Polarization:

Horizontal

**MEASUREMENT RESULT: "GM1710186080_red"**

10/18/2017 6:42PM

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Det.	Height cm	Azimuth deg	Polarization
49.400000	21.90	-8.7	40.0	18.1	QP	100.0	232.00	HORIZONTAL
57.160000	19.60	-9.4	40.0	20.4	QP	100.0	255.00	HORIZONTAL
103.720000	19.20	-10.5	43.5	24.3	QP	100.0	232.00	HORIZONTAL
301.600000	22.60	-7.2	46.0	23.4	QP	100.0	359.00	HORIZONTAL
551.860000	29.50	-0.7	46.0	16.5	QP	300.0	58.00	HORIZONTAL
947.620000	38.30	7.2	46.0	7.7	QP	300.0	196.00	HORIZONTAL

➤ Above 1 GHz

CH00									
Frequency (MHz)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamplifier Factor (dB)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	Test value
1573.19	40.75	25.14	5.49	36.69	34.69	74.00	-39.31	Vertical	Peak
3757.21	36.99	29.47	8.45	38.24	36.67	74.00	-37.33	Vertical	Peak
4834.05	45.25	31.53	9.56	36.86	49.48	74.00	-24.52	Vertical	Peak
5895.77	33.34	32.29	10.63	35.38	40.88	74.00	-33.12	Vertical	Peak
1938.35	54.92	25.69	6.17	37.25	49.53	74.00	-24.47	Horizontal	Peak
3834.51	43.01	29.63	8.55	38.21	42.98	74.00	-31.02	Horizontal	Peak
4933.50	50.13	31.43	9.63	36.59	54.60	74.00	-19.40	Horizontal	Peak
7227.39	43.21	36.23	11.89	35.04	56.29	74.00	-17.71	Horizontal	Peak
4933.50	32.69	31.43	9.63	36.59	37.16	54.00	-16.84	Horizontal	Average
7227.39	23.63	36.23	11.89	35.04	36.71	54.00	-17.29	Horizontal	Average

CH39									
Frequency (MHz)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamplifier Factor (dB)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	Test value
1746.25	40.46	25.29	5.86	37.03	34.58	74.00	-39.42	Vertical	Peak
4117.79	40.46	29.92	8.87	37.84	41.41	74.00	-32.59	Vertical	Peak
4871.10	39.20	31.46	9.59	36.76	43.49	74.00	-30.51	Vertical	Peak
7338.62	36.96	36.30	12.01	34.90	50.37	74.00	-23.63	Vertical	Peak
1260.67	40.77	26.24	4.76	36.54	35.23	74.00	-38.77	Horizontal	Peak
1943.29	45.64	25.74	6.18	37.25	40.31	74.00	-33.69	Horizontal	Peak
4117.79	39.48	29.92	8.87	37.84	40.43	74.00	-33.57	Horizontal	Peak
7451.57	36.03	36.20	12.24	34.86	49.61	74.00	-24.39	Horizontal	Peak

CH78									
Frequency (MHz)	Read Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamplifier Factor (dB)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	Test value
1098.76	45.88	25.50	4.43	36.62	39.19	74.00	-34.81	Vertical	Peak
1577.20	40.25	25.10	5.51	36.69	34.17	74.00	-39.83	Vertical	Peak
4117.79	40.42	29.92	8.87	37.84	41.37	74.00	-32.63	Vertical	Peak
7264.28	34.92	36.26	11.93	35.00	48.11	74.00	-25.89	Vertical	Peak
1198.10	46.39	26.29	4.66	36.57	40.77	74.00	-33.23	Horizontal	Peak
2060.46	44.51	26.54	6.32	37.31	40.06	74.00	-33.94	Horizontal	Peak
4117.79	40.19	29.92	8.87	37.84	41.14	74.00	-32.86	Horizontal	Peak
6713.08	32.80	34.17	11.50	35.15	43.32	74.00	-30.68	Horizontal	Peak


6. TEST SETUP PHOTOS

Conducted Emissions (AC Mains)



Radiated Emissions





7. EXTERANAL AND INTERNAL PHOTOS

Reference to the test report No.: TRE1710003001.

.....End of Report.....