VIISAN°

VZ4W 4K Wireless Document Camera

User Manual

PDF

くこのシマ

VZ4W 4K Wireless Document Camera

Quick Start Guide



Please read this guide before using the product.

Step 1. Instructions

Thank you for purchasing the VIISAN product. The VZ4W is a 4K wireless document camera for use in digital teaching and distance learning. This quick start guide briefly describes the steps to start using this document camera. If you have any technical or service questions about the product, please E-mail our customer service using info@viisan.com then we will provide you with service and support.

Limited Warranty

This product provides limited warranty continues for one (1) year from the date of purchase.

Warranty Exclusions

The following circumstances excluded from warranty coverage:

- Product damage caused by catastrophes, thunder stroke, faulty electric power, and environmental factors.
- Defacing of product labeling (label alterations and falsifying, serial number missing, serial number no longer discernible, serial number invalid). All serial numbers are recorded and tracked for warranty purposes.
- Unauthorized changes of non-parts, modifications or alterations, parts removal in or to the products.
- Damage caused by operator error or operator fails to comply user manual instruction, such as, but not limited to improper storage resulting in product get wet, corrosion, ell off, squeezed or exposed to inadequate temperature/humid environment.
- Accessories or packing material such as boxes, user manual, etc.

Safety & Environmental Information

- This device complies with part 15 of the FCC rules and CE certification.
- Discarded electrical and electronic appliances are recyclable and should separate from household waste. Please actively support in conserving resources and protecting the environment by returning this appliance to the collection centers.

System Requirements

Intel i3 Processor or Higher

USB Port

At least 4GB RMB (Recommended 8GB)

20GB Available HDD Space

Windows & Chrome Extension



Step 2. Specifications

Max. Outout Resolution	4608 x 3456 Pixels (16MP)
F/NO (Infinite)	2.2
TV lines	1100
Max. Shooting Area	430mm x 320mm (17"x12.6")
Max. HDMI Output Resolution / FPS	3840×2160@30fps (4K, 16:9)
USB Output Resolution / FPS	4608x3456@15fps (16MP, 4:3) 4160x3120@20fps(13MP, 4:3) 3840x2160@30fps (4K, 16:9) 2048x1536@30fps (QXGA, 4:3) 1920x1080@30fps&60fps (FHD, 16:9) 1280x960@30fps (SXGA-, 4:3) 1280x720@30fps (HD, 16:9) 1024x768@30fps (VGA, 4:3) 640x480@30fps (VGA, 4:3) 640x360@30fps (nHD, 16:9)
Video Format	H.264 / MJPG / YUY2
Focus	Auto / Manual
Lamp	LED
Image Rotation	0° / 90° / 180° / 270° / Flip / Mirror
PTZ	Yes
Freeze	Yes
Power Frequency	50 / 60 Hz
Wireless Compatibility	802.11a/b/g/n/ac
Wireless Working Frequency	5 GHz / 2.4 GHz
Dual mode	AP / Station DHCP (Server / Client)
Microphone	Built-in Omnidirectional Microphone
Connectivity	USB (Type-C) / HDMI / WiFi
Microphone	Built-in Omnidirectional Microphone 1kHz(0dB=1V/Pa) Min-45 Nom-42 Max-39 dB
Powered By	USB Type-C (5V / 1A)
Built-in Battery	Battery Work 6 Hours
Protocol	UVC / UAC Compliant
Soupport OS	Windows, macOS, Android
Dimensions	Extended: 347x115x381 mm
	Closed: 242x115x87 mm
Net Weight	1.36Kg

NOTE: Specifications are subject to change without notice

Step 3. Unpacking

Before use, make sure the following items are included in the package. If anything is missing, contact the retailer where you purchased the product.

- 1. 4K Wireless Document Camera
- 2. USB Type-C Cable
- 3. USB C to A Adapter
- 4. Quick Start Guide



3

Step 4. Parts Descriptions

Control Panel



Step 5. Start Using

- 1.Start by lifting the camera head.
- 2.Press against the base plate of the device.



- 3. Place an object to be displayed under the camera.
- 4. Press the power button to turn on the power.
- 5. Adjust the arm to change the height and position for capturing your object.



Step 6. USB & HDMI Connections

USB Mode Connection

- 1. Switch to the USB connection mode.
- Plug the supplied USB type-C cable to the P4W and connect another end into the comptuer's USB port.



HDMI Mode Connection

- 1. Switch to the HDMI connection mode.
- Plug the HDMI cable to the P4W device and connect enothet end into a projector, monitor or TV(HDTV).



Step 7. Wi-Fi Connection

Network Connection

- Switch to the Wi-Fi mode and the Wi-Fi LED indicator will be emitted Green light with flashing.
- 2. Open the wireless network list on the computer.
- Select the [VZ4W_5G_xxxxx] in the network list, and input the password for connection (default: 88889999) to start the connection.
- 4. When the connection is successful, the Wi-Fi LED indicator will emit Green light.

Log in to the web page

- 1. Open the web browser, and enter the default IP [192.168.100.1] in the address bar.
- 2. Enter the login account [admin] and default password [9999], and click Login.
- After logging to the web page, you can do the live preview and configure the settings on the web page.



Download Software

VIISAN VZ4W is a standard UVC camera, you can use it with a variety of software as long as they recognize the video source coming from a UVC camera. For example, you can use it with third-party video conferencing software like Zoom, Microsoft Teams, or Google Meet. However, to get the full functionality of this 4K document camera, we'd recommend using it with VIISAN VisualCam software and you can download this free software from VIISAN's website at the below link.

https://www.viisan.com/en/download/index.html



VIISAN Technology Co., Ltd. www.viisan.com Customer service: info@viisan.com VZ4W Wireless Visualizer Wi-Fi Connection Instruction

WiFi AP Mode Connection

1. Switch to the Wi-Fi mode and the Wi-Fi LED indicator will be emitted green with flashing.



 Open the wireless network list on the computer then select the [VZ4W_5G_xxxxx] in the network list and input the password for connection (default: 88889999) to start the connection.



3. When the connection is successful, the Wi-Fi LED indicator will emit green light.



4. Launch VisualCam software and select the connection mode to "Direct Wi-Fi (AP Mode) Connection".

The second secon	VISAA ValatCare	se@ - @ x
lacksquare	Antianatio X	
Ŧ	Contractor and the second	
	Contract of the second second	
		A PALANCE
	00	

PS. When the direct Wi-Fi AP mode is connected, the Internet will be disconnected.

WiFi Client (STA) Mode Connection

1. Switch to the Wi-Fi mode and the Wi-Fi LED indicator will be emitted blue light with flashing.



2. Open the wireless network list on the computer then select the

[VZ4W_5G_xxxxx] in the network list and input the password for connection (default: 88889999) to start the connection.



3. Open the web browser and enter the default IP [192.168.100.1] in the address bar.



4. Enter the login account [admin] and default password [9999] and click Login.

• • • • • • •			•
6 → C (A million Million Kingerson E and B holy space b. Y AR ≣ lasters Ri	- 5 million and 8 million 8		a la marca a de la
	41 D		
	4K Documen	t Camera	
	1		
	ê —	¢۵	
	10	Contraction of the local division of the loc	
	the first had been pain as we want the behavior		

5. After logging to the web page, you can do the live preview and configure the settings on the web page. When the STA mode is configured. Launch VisualCam software and select the connection mode to "WiFi STA (Client Mode) Connection".

DD hat from (C) whenever	VIIIAN VisualCare	<u>≈ ⊕</u> – ⊕ ×
Θ	- Intellarmentar X	
H- C		
14		4

Web Page Settings Instruction

Web Page Menu Function Description

1. Login Screen



2. Live Viewing

18 (The second		*	
	1		
No	Item	Function Descriptions	
1	Preview window	Display the screen currently captured by VZ4W	
2	Autofocus	Automatically adjust the image to have the best brightness and focusing performance	
3 Lamp mode toggle switch		Click lamp mode toggle switch: off / brightness 1 / brightness 2 / brightness 3	
4	Zoom In	Zoom in image	
5	Zoom Out	Zoom out image	
6	Rotate the image	Rotate the image: 0° / 90° / 180° / 270° / Flip / Mirror	
7	Logout	Log out of the web page	

3. RTSP Streaming Settings

88 🗉 🖛	i# Stream		
1 Voe	Presolution 1024 x 768		
2	Bitrate 3000 ktops		
3	ort Number 554		
4	nublii Auda		
5	RTSP URL rsp://192.168.31.37/Web01.sdp 02	0	
	Jame Garoot Detailt		
Ť	6 7 8		
No	Item	Function Descriptions	
1	Resolution	Show or set the RTSP output resolution and fps	
2	Bit Rate (kbps)	Show or set the RTSP Bit rate (0 ~ 20000)	
3	Port Number	Set the RTSP port (0 ~ 10000)	
4	Audio Setting	Turn on/off RTSP audio	
5	RTSP URL	Show current RTSP URL connection	
6	Save	Save and change the RTSP streaming settings	
7	Cancel	Cancel without saving	
8	Default	Restore to default	

4. Wi-Fi Setting (Access Point Mode)



No	Item	Function Descriptions	
1	Wi-Fi Mode	Select Access Point or Client Mode	
2	2 Wi-Fi 5G/2.4G Switch between 5G / 2.4G under W Point mode		
3	Device Name (SSID)	Device name of wireless network	
4	Channel	Select the channel based on different regions	
5	Security	Wi-Fi encryption setting	
6	Password	Connect the Wi-Fi SSID password	
7	Show Password	Show the Wi-Fi SSID password	
8	Save	Save and change the wireless network settings	
9	Cancel	Cancel without saving	

5. Wi-Fi Setting (Client Mode)

-		3					
	PPP Exclusion allower + +						
-							
23	a en anderer Auf ann Finners - anterior 9.0.0 a similar Barning						
D							
4	1 M MAR ==						
E	i marti senati tem						
	South the through the began I William	All This call group Pound an the lower party. Frances and the call the call					
8	6	(7) Lening Connect Principles (8) Connect (9)					
	Mrtweet, sia	20 Internet 1997					
	internation	3.45 0000 0000/10002 12					
	-	240					
	04750	2.20 Come . When					
No	Itom	Eurotian Descriptions					
1		Function Descriptions					
2	Scan	Scan nearby wireless network devices					
3	Disconnection	Disconnect from current wireless network device					
4	Remove	Remove the selected wireless network device from the list					
		Click the wireless device and the following image will be displayed.					
		Enter the password to connect to various wireless network devices					
		Connect to other Wi-Ei					
		Connect to other WI-FI					
	List of Wi-Fi Wireless	SSID Mysher					
5	Network Device						
	Names	Password					
		Cancer					
6	Device Name	Device name of wireless network					
		Display the wireless network device to which V74W is currently					
7	Connection Status	connecting. If connected, the corresponding field of said wireless					
•		device will display "Connected", otherwise it would stay blank					
0	Enonymtion	The surrent exercision acting of the wireless natural, device					
ð C	Encryption	I ne current encryption setting of the wireless network device					
9	Signal Status	Snow the degree of the WI-FI signal					

6. System Network Information

88	10 mm		
22			
E	-	autor Dep	
¢	1	Antesa mana 11	
-			
西 🖷		Same in the second	
	Primary D	(intervent)	
	Decondary D	ND Dermer	
		1 44	
	No	Item	Function Descriptions
	1	Network	The network setting of this VZ4W device. When the DHCP function is closed, click edit to enter edit mode and change the network setting.

7. Maintenance

88	en Max	Mananen	
-		Operation Factory Rese	Hebeet
Ð	Curr	1 ent software version 2021.09.14	
Ŷ		A Descent for out	
τΞ		Copping of Sales	4
R		Siart Updala	5
*			
0			
	No	Item	Function Descriptions
	1	Reset to the default value	Select the reset button to resume the factory default setting as the web page setting
	2	Reboot	Click the reboot button and reboot the device
	3	Current Firmware version	Display current firmware version
	4	Upgrade file path	Choose firmware *.appsw file

8. User Account

88	-	Account				
		User Name	admin			
Ð		Password	-1418			***
(î-			NEWS	Transa and		
12			2414	Ganoer		
8						
A						
•						
١	No		Item		Function	Descriptions
	1	User N	ame		Allow modify the user log	in account (default: admin)
	2	Passwo	ord		Allow modify the login pas	ssword (default: 9999)
	3	Save			Save and change the wire	eless network settings
	4	Cancel			Cancel without saving	

9. About



Supplier's Declaration of Conformity 47 CFR § 2.1077 Compliance Information

Manufacturer : Beijing Mysher Technology Co., Ltd. Product Name : 4K Wireless Document Camera Model Number : VZ4W

Responsible Party – Contact Information

Supplier : Beijing Viisan Technology Co., Ltd.

Unit A311, Information Center, ZhongGuanCun Software Z-Park HaiDian District, Beijing, 100193 China e-mail : info@viisan.com

FCC Compliance Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

-- Increase the separation between the equipment and receiver.

-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1)this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environmen t. This equipment should be installed and operated with minimum distance 20cm between the radiato r & your body.