
GE Lighting		GRAPHICS APPROVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
		Approvals designate all items on	REVISION (DATE) PA:	1 (05-26-21) CN
		checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	□ 100% No BWR □ 80% No BWR ■ N/
A SAVANT	OMPANY	organizational responsibilities.	INSERT (IF SHARED):	None
REVIEWED	SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
			PRINT METHOD:	Offset/Litho Flexo (direct)
☐ Proof Red	oding - Spelling	□ Website	GE DIE:	DL-61236
Proof against TDS request		The state of the s	PK (VERSION):	PK-00107047-1


PC93129894 TRC THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER





PC93129894 HSC

THIS ART IS SUPPLIED AT 100% SCAL DO NOT RESIZE, RESHAPE OR ALTER



	CE	ODADUIGO ADDO OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process Process MAGENTA	GE .	GRAPHICS APPR OVAL Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
GYAN MAGENTA	Lighting	checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	□ 100% No BWR □ B0% No BWR ■ N/A
	A SAVANT COMPANY	organizational responsibilities	INSERT (IF SHARED):	NONE
Process BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
			PRINT METHOD:	Offset/Litho Flexo (direct)
	Proof Reading - Spelling	Website	GE DIE	NOT CONTROLLED
PMS CODL DRAY 11	The state of the s	st Graphics Printability	PK (VERSION)	PK-00107051-1

PC93129894 QSG

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5"

Let's See What Your Smart Thermostat Can Do



Takes control of your climate

Schedule your Smart Thermostat in the Cync App to optimize your comfort and maximize energy savings.



Makes comfort more consistent

Pair your Smart Thermostat with a room sensor (sold separately) to provide comfortable temperatures throughout your home



Helps set your perfect scenes

Create scenes in the Cync App with your Smart Thermostat and Cync or C by GE Smart Bulbs to create the perfect environment, like a going to bed scene that slowly dims the lights as the temperature decreases.

PRI-HEROCENI-E



PC93129894 QSG

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER


Smart Thermostat Controls


4.5"

4.5"

Tempe Decre Tempe

∞ 73 ™ 73		1922
ure	- 2 3	
Change Fan Mode Om (Runs continuously) Auto Druns when heating or cooling) On	Change Mode - Auto - Heat - Cool - Of	Change Hold Status - Schedule (Run your schedule) - Hold (Maintons current temperature suppoint in botraus) - reimporary Hold (Maintons current temperature serpoint until neel scheduled event)





PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	CE	CDADUICC ADDD OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process Process	O.E.	GRAPHICS APPR OVAL Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN MAGENTA	Lighting A SAVANT COMPANY	checklist have been reviewed & are-correct in addition to other organizational responsibilities.	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
			INSERT (IF SHARED):	NONE
Process BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
			PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
	Proof Reading - Spelling	Website	GE DIE	NOT CONTROLLED
The state of the s		st Graphics Printability	PK (VERSION):	PK-00107052-1

Process SIGNATURE BLACK Proof Reading - Spelling Website PMS PMS COOL GRAY 1 Proof against TDS request Graphics Printability

PC93129894 ING

1 (05-27-21) CN

NOT CONTROLLED

PK-00107052-1

NONE

N/A

93129894 NPI CYNC Thermostate 6421602

Offset/Litho Flexo (direct)

☐ 100% No BWR ☐ 80% No BWR ■ N/A

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

SKU LISTING INFO:

REVISION (DATE) PA

BAR CODE SPEC:

INSERT (IF SHARED):

SUPPLIER PROJECT:

PRINT METHOD:

PK (VERSION)

GEDIE

GRAPHICS APPR OVAL

Approvals designate all items on checklist have been reviewed & are correct in addition to other

organizational responsibilities.

4.5"

PACKAGING GRAPHICS

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

Compatibility Requirements Simple DIY Set Up The Cync** Smart Thermostat works with most central residential heating and cooling systems. Heating: Up to 2 stages Cooling: Up to 2 stages Download the Cync App, powered by Savant, Heat Pumps: Up to 4 heating stages and up to 2 cooling stages on your smartphone Install your Thermostat Add your Thermostat to the Cync App NOTE: If you're installing the thermostat without the Cync App. skip to page 16 for For set up help, visit support gelighting.com or call 1-844-302-2943



PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" 4.5" Let's Do It INCLUDED YOU'LL NEED Thermostor Back Plate Trim Plate: (Cational) 2 Phillips Screwdriver Anchors (14" drift bit) Power Extender Kit 2 Screws & Wire Lobels (Required when C-wire 2 Wall Anchors lan? present)

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Process Process MAGENTA Approvals designate all items or checklist have been reviewed & ore correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. A SAVANT COMPANY NONE INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK Offset/Litho Flexo (direct) PRINT METHOD: GE DIE NOT CONTROLLED Proof Reading - Spelling Website PMS COOL GRAY T Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION)

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	CE	CDADUICO ADDO OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Tones Process	GE.	GRAPHICS APPR OVAL Approvois designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
DYAN MAGENTA	Lighting	checklist have been reviewed & are-correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY	organizational responsibilities	INSERT (IF SHARED):	NONE
Process BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
DONOR)			PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
	Proof Reading - Spell	ng Website	GE DIE	NOT CONTROLLED
the state of the s		uest Graphics Printability	PK (VERSION):	PK-00167052-1

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Approvals designate all items on checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE A SAVANT COMPANY INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK Offset/Litho Flexo (direct) PRINT METHOD: GE DIE NOT CONTROLLED Proof Reading - Spelling Website PMS PMS Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION)

BEFORE YOU DO ANYTHING! Choosing a Location Turn Off the Power!

To ensure proper temperature and humidity reading, please install your thermostat in a location that meets the following requirements:

On an interior wall



Away from grills and registers or other heating and cooling sources



4' to 6' above the floor



Out of direct sunlight



Power off your HVAC System.

For set up help, visit support gelighting.com or call 1-844-302-2943

Before doing anything, power off your system, Check for a master switch at your HVAC equipment. If there isn't a master switch, please turn off the power at the circuit breaker box.

4.5"


PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

		CE		ODADUIGO ADDO OUAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process	Process	GE		GRAPHICS APPR OVAL Approvals designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN	MAGENTA	Lightir	ng :	checklist have been reviewed & are-correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY		organizational responsibilities.	(NSERT (IF SHARED):	NONE	
-	Process BLACK	REVIEWED SIG	NATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
\equiv					PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
		Proof Reading	- Spelling	☐ Website	GE DIE	NOT CONTROLLED
2965 box (From 4 1)	PMS COOL GRAY 11			t Graphics Printability	PK (VERSION):	PK-00167052-1

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

Label the Wires





PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	CE	CDADUICC ADDD OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate-6421602
Process Process	GE	GRAPHICS APPR OVAL Approvols designate all items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN MAGENTA	Lighting A SAVANT COMPANY	checklist have been reviewed & are correct in addition to other organizational responsibilities.	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
			(NSERT (IF SHARED):	NONE
Process BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
			PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
	Proof Reading - Spelling	g Website	GE DIE	NOT CONTROLLED
	est Graphics Printability	PK (VERSION):	PK-00107052-1	

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Approvals designate all items on checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE SAVANT COMPANY INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK Offset/Litho Flexo (direct) PRINT METHOD: GE DIE NOT CONTROLLED Proof Reading - Spelling Website PMS PMS COOL GRAY 1 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION)

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER 4.5"

Attach Back Plate To Wall (optional)

STEP 1

Remove the old thermostat base by unscrewing it from the wall. Be sure the wires don't fall back into the wall.

STEP 2

Position the back plate on the wall and use the built-in level to make sure it's straight. Mark the mounting locations on the wall with a pencit. If installing in a new location, follow the location recommendations on page 6.

STEP 3

Drill mounting holes for the drywall anchors using 1/4" drill bit.

STEP 4

Insert the wall anchors and position the back plate so that it aligns with the mounting holes. If the mounting holes from your old thermostat are still visible, proceed to the Attach Trim Plate To Wall instructions on page 11. If the back plate covers the the old holes, insert and tighten the screws with a Phillips screwdriver and proceed to the Connect Wires step on the next page.



STEP 1

If the trim plate is needed, place it between the back plate and the wall and then secure the back plate to the wall using the provided screws. You may have to certier the trim plate with the back plate before tightening the screws down.

For set up help, visit support gelighting.com ar call 1-844-302-2943

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

PC93129894 ING

	CE	CDADUICO ADDO OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
rocess Process	GE.	GRAPHICS APPR OVAL Approvols designate oil items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN MAGENTA	Lighting A SAVANT COMPANY	checklist have been reviewed & are-correct in addition to other organizational responsibilities.	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
			INSERT (IF SHARED):	NONE
Process BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
			PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
	Proof Reading - Spelling	Website	GE DIE	NOT CONTROLLED
PMS PMS COOK GRAY 11		st Graphics Printability	PK (VERSION):	PK-00167052-1

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Approvals designate all items on checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE SAVANT COMPANY INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK Offset/Litho Flexo (direct) PRINT METHOD: GE DIE NOT CONTROLLED Proof Reading - Spelling Website PMS PMS Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION)

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER **Connect Wires** Turn the Power Back On STEP 1 Press the lever to slide the wire into the terminal. The lever will STEP 1 stoy depressed when the wire Power on your HVAC equipment OH SHOPF and your Cynch Thermostat will Insert Y Label into Y1 terminal automatically power on. Insert W Label into WI terminal STEP 2 C Lobel into C lerm) Follow the directions in the Cynchi App to finish the setup process. little tug to ensure it is securely in piace. To release, press the lever of the terminal black and pull out the wire. Once all the wires are installed, try and push excess wires back into the wall For set up help, visit support gelighting.com or call 1-844-302-2943 STEP 2 Affach the Cync** Thermostat Congratulations! to the wall plate. You've completed the Thermostat installation

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

		CE		CD4011100 4000 01111	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process Pr	rocess	GE.		GRAPHICS APPR OVAL Approvols designate oil items on	REVISION (DATE) PA:	1 (05-27-21) CN
CAVA	AGENTA	Light	ting	checklist have been reviewed & are-correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY		organizational responsibilities.	INSERT (IF SHARED):	NONE	
Py	rocess BLACK	REVIEWED	SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
	BUILT			PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)	
		Proof Re	oding - Spelling	Website	GE DIE	NOT CONTROLLED
	The Carlotte Committee Com	Proof against TOS request Graphics Printability	PK (VERSION):	PK-00167052-1		

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** REVISION (DATE) PA 1 (05-27-21) CN Approvals designate all items or checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE A SAVANT COMPANY INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK Offset/Litho Flexo (direct) PRINT METHOD: NOT CONTROLLED Proof Reading - Spelling Website GE DIE PMS PMS COOL GRAY 1 PK-00107052-1 PK (VERSION)

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

Optimize The Temperature In The Room **Enable Your Voice Assistant** (Room Sensor sold separately) The optional Room Sensors (sold separately) measures the temperature Click settings in the Cync App. Then click the voice assistant you'd like to enable and follow the in-app setup instructions. away from your thermostat. Place the sensors in the rooms you spend the most time in during the day. AMAZON ALEXA Set the schedules in the Cync App so that your HVAC adjusts temperature. To set up, open the Alexa app, search for the Cync skill, to the room you're in during different times of day. follow the setup instructions. Morning/Afternoon: Home Office TRYTHIS... Evening: Family Room Alexa, turn the heat off. Alexa, set temperature to 68 degrees. Nighttime: Bedroom Group your thermostat with Cync smart lights and create To set up, open the Hey Google or Google Home app, bedfine/wake.up scenes search for the Cync action, follow the setup instructions. that adjust the lighting and temperature in your Hey Google, set temperature to 72 degrees. bedroom. Hey Google, I'm leaving. Hey Google, turn on air conditioning For set up help, visit support.gelighting.com or call 1-844-302-2943 Amount, Alexa, and of related logar are historicans of Amountains, inc. or in a feature.

Google and other resided marks and signs are bodernovia of Google LUC.

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	CE	CDADUICC ADDD OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process	95	GRAPHICS APPR OVAL Approvals designate all items on checklist have been reviewed & are-correct in addition to other organizational responsibilities.	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN MAGENTA	Lighting A SAVANT COMPANY		BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
			INSERT (IF SHARED):	NONE
Process BLACK	REVIEWED SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
			PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
	Proof Reading - Spelling	Website	GE DIE	NOT CONTROLLED
the state of the s		est Graphics Printability	PK (VERSION):	PK-00107052-1

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Approvals designate all items or checklist have been reviewed & ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: are correct in addition to othe organizational responsibilities. NONE A SAVANT COMPANY INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK Offset/Litho Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE Proof Reading - Spelling Website PMS PMS COOL GRAY T Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION)

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

Installation Without Using The Cync App

You can set up your thermostat without the Cync App. Follow the set

Please note the default is a conventional system with single stage heating and cooling.

To select a different HVAC System Type, press and hold the "+" and "-" buttons simultaneously for 10

The current temperature digits will show a code 01 through 09

Using the up/down arrows to select

01 - Single Stage Conventional

02 - Single stage Conventional

03 - Single Stage Conventional Heating/Cooling

the correct system below

up steps below.

Install Power Extender Kit (PEK)

u can set up your thermostat hout the Cync App. Follow the set steps below:	04 - Single Compressor Heal Pump (1-AUX) 05 - Two Compressors of 2 Speed	In some cases there may not be enough wires running to your new Cync ^{tst} thermostat,
ase note the default is a eventional system with single ge heating and cooling.	Compressor Heat Pump (I- AUX) 06 - Two Compressors or 2 Speed Heat Pump (2-AUX)	so to provide power to your new thermostat, the PFK is used to provide power to your new Cync™ thermostat.
select a different HVAC System se, press and hold the "*" and buttons simultaneously for 10 conds.	07 - Two Stage Conventional Cooling 08 - Two Stage Conventional Healing	GOODO
e current temperature digits will ow a code 01 through 09	09 - Two Stage Conventional Heating/Cooling	
ng the up/down arrows to select correct system below - Single Stage Corwentional Cooling	Once the preferred code is selected, press and hold the "+" and "-" buttons simultaneously for 5 seconds	
Single stage Conventional Heating Single Stage Conventional Heating/Cooling	Please note features like schedule will not be enabled until the thermostal is commissioned	
For set up help, visit supportgelig	phling.com or call 1-844-502-2943	

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	CE		CDADUICC ADDD OVAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate-6421602
Process Process	GE.		GRAPHICS APPR OVAL Approvols designate all Items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN MAGENTA	Lightii	ng	checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY		organizational responsibilities	INSERT (IF SHARED):	NONE
Process BLACK	REVIEWED SI	GNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
				PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
The state of the s	Proof Reading - Spelling Website		GE DIE	NOT CONTROLLED	
		quest Graphics Printability	PK (VERSION):	PK-00167052-1	

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Approvals designate all items on checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: GE DIE NOT CONTROLLED Proof Reading - Spelling Website PMS PMS COOL GRAY 1 PK-00107052-1 PK (VERSION)

Check Your Wiring Configuration Locate Your HVAC System The Power Extender Kit requires your system to have either of the following: 4 wires W/WL Y/YL G, and R (or Re 3) RH) or 3 wires Y/YL G, and R (or Re or RH) STANDER. STEP 1 STEP 2 Take your Power Extender Kit, wire labels, fools, your Do you have these wires? smartphone, and go to your HVAC system. Continue to the NEXT PAGE The Power Extender Kit will work with your system! Your wiring is not compatible with the Cync thermostat. For set up help, visit support gelighting.com or call 1-844-302-2943

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	GE		CDADUIGO ADDO QUAL	SKU LISTING INFO:	93129894 NPI CYNC Thermostate-6421602
Process Process			GRAPHICS APPR OVAL Approvols designate oil items on	REVISION (DATE) PA:	1 (05-27-21) CN
CYAN HAGENTA	Ligh	ting	checklist have been reviewed & are correct in addition to other	BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT	_	organizational responsibilities	(NSERT (IF SHARED):	NONE
Process BLACK	REVIEWED	SIGNATURE	PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
				PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
	Proof Reading - Spelling Website			GE DIE	NOT CONTROLLED
PMS PMS			st Graphics Printability	PK (VERSION):	PK-00167052-1

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Approvals designate all items on checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK Offset/Litho Flexo (direct) PRINT METHOD: GE DIE NOT CONTROLLED Proof Reading - Spelling Website PMS PMS COOL GRAY 1 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION)

Locate The Thermostat Wiring Inside Your HVAC System

> Open your HVAC system's cover to reveal the control board.


A WARNING: HVAC systems contain high voltage wires. Use caution when warking with the control board.

20

STEP 2

Take a picture of the wires connected to your control board. You may need to reference this photo later on.

Label The Wires



If you have more than one wire going into these ferminals, only label those going to your thermostat.

For set-up help, visit support gelighting.com or call 1-844-302-2943

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	CE	GRAPHICS APPR OVAL Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.	SKU LISTING INFO:	93129894 NPI CYNC Thermostate-6421602
Process CVAN Process MAGENTA	GE.		REVISION (DATE) PA:	1 (05-27-21) CN
	Lighting		BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY		(NSERT (IF SHARED):	NONE
Process BLACK	REVIEWED SIGNATUR	E PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
			PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
PMS PMS pms or Error #13 (COOL GOOF 11)	Proof Reading - Spell	ing Website	GE DIE	NOT CONTROLLED
		st Graphics Printability	PK (VERSION):	PK-00107052-1

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Approvals designate all items on checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. INSERT (IF SHARED): Process BLACK SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: NOT CONTROLLED GE DIE Proof Reading - Spelling Website PMS PMS COOL GRAY 1 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION)

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

Disconnect the Wires Insert the Wires Into the PEK Cannect the wires you disconnected from the control board into their matching gray terminal blocks on the Power Extender Kit. STEP 1 Disconnect the wires. labeled R, Y, G, and W from the control board. For set up help, visit support gelighting.com or calt 1-844-302-2943 22 23

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER



93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Approvals designate all items or checklist have been reviewed & ore correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE A SAVANT COMPANY INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK Offset/Litho Flexo (direct) PRINT METHOD: GE DIE NOT CONTROLLED Proof Reading - Spelling Website PMS PMS COOL GRAY 1 Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION)

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER **PEK Installation** Check Power Extender Kit Installation Check that you have installed the Power Extender Kit correctly. It should be installed between your thermostat wiring and your control board. STEP 1 Once again, tug on the wires gently to ensure they are securely connected For set up help, visit support gelighting.com or call 1-844-302-2943 25

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

	CE	GRAPHICS APPR OVAL Approvals designate all items on checklist have been reviewed 8 are correct in addition to other organizational responsibilities.	SKU LISTING INFO:	93129894 NPI CYNC Thermostate 6421602
Process CVAN Process MAGENTA	GE.		REVISION (DATE) PA:	1 (05-27-21) CN
	Lighting		BAR CODE SPEC:	☐ 100% No BWR ☐ 80% No BWR ■ N/A
	A SAVANT COMPANY		INSERT (IF SHARED):	NONE
Process BLACK	REVIEWED SIGNATUR	E PACKAGING GRAPHICS	SUPPLIER PROJECT:	N/A
PMS PMS PMS William # 1000, GRAY H			PRINT METHOD:	☐ Offset/Litho ☐ Flexo (direct)
	Proof Reading - Spel	ling Website	GEDIE	NOT CONTROLLED
		st Graphics Printability	PK (VERSION):	PK-00107052-1

93129894 NPI CYNC Thermostate 6421602 SKU LISTING INFO: **GRAPHICS APPR OVAL** 1 (05-27-21) CN REVISION (DATE) PA Approvals designate all items on checklist have been reviewed & are correct in addition to other ☐ 100% No BWR ☐ 80% No BWR ■ N/A BAR CODE SPEC: organizational responsibilities. NONE INSERT (IF SHARED): Process SIGNATURE PACKAGING GRAPHICS SUPPLIER PROJECT: N/A BLACK ☐ Offset/Litho ☐ Flexo (direct) PRINT METHOD: GE DIE NOT CONTROLLED Proof Reading - Spelling Website PMS PMS COOL GRAY T Proof against TDS request Graphics Printability PK-00107052-1 PK (VERSION)

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

Mount The PEK STEP 1 Mount the Power Extender Kit inside your HVAC Return to page 10 to complete system using the integraled thermostat installation magnet, taking care not to strain the wires. Close the HVAC cover panel securely and return to your TIP: Make sure your HVAC panel is fully closed. Some systems will not turn on if the cover panel has not been closed properly. For set up help, visit support gelighting.com or call 1-844-302-2943

PC93129894 ING

THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER



THIS ART IS SUPPLIED AT 100% SCALE DO NOT RESIZE, RESHAPE OR ALTER

4.5" Like your new Thermostat? Share your experience! Leave a review where you purchased the product.