







2DH5-Ant1-Hop_2402-PASS




2DH5-Ant1-Hop_2480-PASS




3DH5-Ant1-2402-PASS



3DH5-Ant1-2480-PASS



3DH5-Ant1-Hop_2402-PASS



3DH5-Ant1-Hop_2480-PASS



Conducted Emission Method

Test Result


TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	0~Reference	2.95	2.95	---	PASS
DH5	Ant1	2402	30~1000	2.95	-57.43	≤-17.05	PASS
DH5	Ant1	2402	1000~26500	2.95	-21.93	≤-17.05	PASS
DH5	Ant1	2441	0~Reference	2.99	2.99	---	PASS
DH5	Ant1	2441	30~1000	2.99	-58.01	≤-17.01	PASS
DH5	Ant1	2441	1000~26500	2.99	-22.63	≤-17.01	PASS
DH5	Ant1	2480	0~Reference	2.99	2.99	---	PASS
DH5	Ant1	2480	30~1000	2.99	-57.31	≤-17.01	PASS
DH5	Ant1	2480	1000~26500	2.99	-24.5	≤-17.01	PASS
2DH5	Ant1	2402	0~Reference	2.06	2.06	---	PASS
2DH5	Ant1	2402	30~1000	2.06	-57.61	≤-17.94	PASS
2DH5	Ant1	2402	1000~26500	2.06	-25.82	≤-17.94	PASS
2DH5	Ant1	2441	0~Reference	3.36	3.36	---	PASS
2DH5	Ant1	2441	30~1000	3.36	-58.01	≤-16.64	PASS
2DH5	Ant1	2441	1000~26500	3.36	-28.82	≤-16.64	PASS
2DH5	Ant1	2480	0~Reference	2.88	2.88	---	PASS
2DH5	Ant1	2480	30~1000	2.88	-57.55	≤-17.12	PASS
2DH5	Ant1	2480	1000~26500	2.88	-24.91	≤-17.12	PASS
3DH5	Ant1	2402	0~Reference	3.08	3.08	---	PASS
3DH5	Ant1	2402	30~1000	3.08	-57.61	≤-16.92	PASS
3DH5	Ant1	2402	1000~26500	3.08	-24.79	≤-16.92	PASS
3DH5	Ant1	2441	0~Reference	3.46	3.46	---	PASS
3DH5	Ant1	2441	30~1000	3.46	-56.88	≤-16.54	PASS
3DH5	Ant1	2441	1000~26500	3.46	-27.64	≤-16.54	PASS
3DH5	Ant1	2480	0~Reference	2.32	2.32	---	PASS
3DH5	Ant1	2480	30~1000	2.32	-57.08	≤-17.68	PASS
3DH5	Ant1	2480	1000~26500	2.32	-30.2	≤-17.68	PASS




Test Graphs:



DH5-Ant1-2402-0~Reference-PASS




DH5-Ant1-2402-30~1000-PASS



DH5-Ant1-2402-1000~26500-PASS



DH5-Ant1-2441-0~Reference-PASS



DH5-Ant1-2441-30~1000-PASS




DH5-Ant1-2441-1000~26500-PASS



DH5-Ant1-2480-0~Reference-PASS




DH5-Ant1-2480-30~1000-PASS



DH5-Ant1-2480-1000~26500-PASS



2DH5-Ant1-2402-0~Reference-PASS



2DH5-Ant1-2402-30~1000-PASS




2DH5-Ant1-2402-1000~26500-PASS



2DH5-Ant1-2441-0~Reference-PASS




2DH5-Ant1-2441-30~1000-PASS



2DH5-Ant1-2441-1000~26500-PASS



2DH5-Ant1-2480-0~Reference-PASS



2DH5-Ant1-2480-30~1000-PASS




2DH5-Ant1-2480-1000~26500-PASS



3DH5-Ant1-2402-0~Reference-PASS




3DH5-Ant1-2402-30~1000-PASS



3DH5-Ant1-2402-1000~26500-PASS



3DH5-Ant1-2441-0~Reference-PASS




3DH5-Ant1-2441-30~1000-PASS




3DH5-Ant1-2441-1000~26500-PASS



3DH5-Ant1-2480-0~Reference-PASS



3DH5-Ant1-2480-30~1000-PASS



3DH5-Ant1-2480-1000~26500-PASS



14 Antenna Requirement

14.1 Test Standard and Requirement


Test Standard	FCC Part15 Section 15.203 /247(c)
Requirement	1) 15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. 2) 15.247(c) (1)(i) requirement: Systems operating in the 2400-2483.5 MHz band that is used exclusively for fixed. Point-to-point operations may employ transmitting antennas with directional gain greater than 6dBi provided the maximum conducted output power of the intentional radiator is reduced by 1 dB for every 3 dB that the directional gain of the antenna exceeds 6 dBi.

14.2 Antenna Connected Construction


The antenna is Ceramic Antenna which permanently attached, and the best case gain of the antenna is 2.7 dBi. It complies with the standard requirement.

15 APPENDIX I -- TEST SETUP PHOTOGRAPH

Radiated Emissions
From 30M-1GHz



Above 1GHz



16 APPENDIX II -- EUT PHOTOGRAPH








L:
















R:















*****THE END REPORT*****