



Band Edge

BDR (GFSK): Left Side




ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP 2024 13:23:08


BDR (GFSK): Right Side



ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP 2024 13:29:22


EDR ($\pi/4$ -DQPSK): Left Side

ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP 2024 13:41:02

EDR ($\pi/4$ -DQPSK): Right Side


ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP 2024 13:50:13

EDR (8DPSK): Left Side




ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP 2024 13:58:40


EDR (8DPSK): Right Side




ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP 2024 14:04:26

BDR (GFSK): Left Side - Hopping


ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP. 2024 13:33:00

BDR (GFSK): Right Side - Hopping


ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP. 2024 13:33:43

EDR ($\pi/4$ -DQPSK): Left Side - Hopping


ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP. 2024 13:53:37

EDR ($\pi/4$ -DQPSK): Right Side - Hopping

ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP. 2024 13:54:32

EDR (8DPSK): Left Side - Hopping

ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP. 2024 14:07:42

EDR (8DPSK): Right Side - Hopping

ProjectNo.: RKSA240801002 Tester: Jason Lu
Date: 4 SEP. 2024 14:08:24

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B - EUT INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT C - TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

******* END OF REPORT *******