



Test Mode:	CH 136.025MHz-1W - Analog	Polarity:	Horizontal
------------	---------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	193.9300	-78.82	-51.12	-20.00	31.12	27.70	193	Horizontal
2	271.5300	-79.06	-46.00	-20.00	26.00	33.06	43	Horizontal
3	408.3000	-78.60	-44.02	-20.00	24.02	34.58	15	Horizontal
4	544.1000	-82.01	-44.13	-20.00	24.13	37.88	306	Horizontal
5	952.4700	-94.51	-50.43	-20.00	30.43	44.08	250	Horizontal
6	1360.7611	-44.30	-47.80	-20.00	27.80	-3.50	351	Horizontal

Test Mode:	CH 136.025MHz-1W - Analog	Polarity:	Vertical
------------	---------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-67.98	-37.80	-20.00	17.80	30.18	237	Vertical
2	408.3000	-61.98	-26.87	-20.00	6.87	35.11	113	Vertical
3	544.1000	-64.72	-27.31	-20.00	7.31	37.41	141	Vertical
4	679.9000	-78.15	-38.03	-20.00	18.03	40.12	179	Vertical
5	816.6700	-83.59	-41.06	-20.00	21.06	42.53	169	Vertical
6	1360.7611	-41.58	-40.34	-20.00	20.34	1.24	103	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 151.850MHz-1W- Analog	Polarity:	Horizontal
------------	--------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-76.99	-44.94	-20.00	24.94	32.05	229	Horizontal
2	455.8300	-70.72	-35.23	-20.00	15.23	35.49	210	Horizontal
3	608.1200	-84.35	-44.48	-20.00	24.48	39.87	183	Horizontal
4	759.4400	-90.49	-48.41	-20.00	28.41	42.08	89	Horizontal
5	1366.6367	-38.73	-42.22	-20.00	22.22	-3.49	173	Horizontal
6	1518.2268	-42.76	-45.83	-20.00	25.83	-3.07	6	Horizontal

Test Mode:	CH 151.850MHz-1W- Analog	Polarity:	Vertical
------------	--------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-69.11	-38.04	-20.00	18.04	31.07	84	Vertical
2	455.8300	-59.65	-23.88	-20.00	3.88	35.77	338	Vertical
3	608.1200	-70.54	-31.69	-20.00	11.69	38.85	28	Vertical
4	759.4400	-81.13	-39.53	-20.00	19.53	41.60	28	Vertical
5	911.7300	-83.67	-40.24	-20.00	20.24	43.43	187	Vertical
6	1366.6367	-36.01	-34.74	-20.00	14.74	1.27	103	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Filing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 155.025MHz-1W- Analog	Polarity:	Horizontal
------------	--------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-73.93	-41.72	-20.00	21.72	32.21	235	Horizontal
2	465.5300	-69.44	-33.77	-20.00	13.77	35.67	207	Horizontal
3	620.7300	-87.45	-47.54	-20.00	27.54	39.91	179	Horizontal
4	775.9300	-93.13	-50.50	-20.00	30.50	42.63	103	Horizontal
5	930.1600	-92.13	-48.54	-20.00	28.54	43.59	235	Horizontal
6	1396.0146	-31.86	-35.29	-20.00	15.29	-3.43	160	Horizontal

Test Mode:	CH 155.025MHz-1W- Analog	Polarity:	Vertical
------------	--------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-66.21	-34.86	-20.00	14.86	31.35	82	Vertical
2	465.5300	-60.81	-24.90	-20.00	4.90	35.91	360	Vertical
3	620.7300	-71.64	-32.57	-20.00	12.57	39.07	73	Vertical
4	775.9300	-80.17	-38.26	-20.00	18.26	41.91	222	Vertical
5	930.1600	-84.04	-40.42	-20.00	20.42	43.62	176	Vertical
6	1396.0146	-30.82	-29.35	-20.00	9.35	1.47	92	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Filing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 161.610MHz-1W- Analog	Polarity:	Horizontal
------------	--------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-71.52	-39.00	-20.00	19.00	32.52	222	Horizontal
2	484.9300	-67.64	-31.60	-20.00	11.60	36.04	185	Horizontal
3	646.9200	-87.65	-47.67	-20.00	27.67	39.98	156	Horizontal
4	969.9300	-95.14	-50.68	-20.00	30.68	44.46	44	Horizontal
5	1293.7794	-44.11	-47.75	-20.00	27.75	-3.64	0	Horizontal
6	1454.7705	-39.95	-43.25	-20.00	23.25	-3.30	16	Horizontal

Test Mode:	CH 161.610MHz-1W - Analog	Polarity:	Vertical
------------	---------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-62.27	-30.41	-20.00	10.41	31.86	269	Vertical
2	484.9300	-77.55	-41.37	-20.00	21.37	36.18	194	Vertical
3	646.9200	-72.62	-33.08	-20.00	13.08	39.54	166	Vertical
4	808.9100	-80.03	-37.58	-20.00	17.58	42.45	45	Vertical
5	969.9300	-82.42	-38.40	-20.00	18.40	44.02	288	Vertical
6	1454.7705	-37.06	-35.20	-20.00	15.20	1.86	232	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 173.975MHz-1W - Analog	Polarity:	Horizontal
------------	---------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-59.13	-25.99	-20.00	5.99	33.14	211	Horizontal
2	521.7900	-69.19	-32.09	-20.00	12.09	37.10	182	Horizontal
3	696.3900	-83.96	-43.85	-20.00	23.85	40.11	266	Horizontal
4	1392.4892	-24.99	-28.43	-20.00	8.43	-3.44	154	Horizontal
5	1566.4066	-36.74	-39.45	-20.00	19.45	-2.71	0	Horizontal
6	1740.3240	-42.24	-43.65	-20.00	23.65	-1.41	351	Horizontal

Test Mode:	CH 173.975MHz-1W- Analog	Polarity:	Vertical
------------	--------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-69.52	-36.63	-20.00	16.63	32.89	169	Vertical
2	521.7900	-76.13	-39.23	-20.00	19.23	36.90	225	Vertical
3	696.3900	-71.08	-30.67	-20.00	10.67	40.41	65	Vertical
4	870.0200	-76.66	-33.63	-20.00	13.63	43.03	207	Vertical
5	1392.4892	-30.13	-28.68	-20.00	8.68	1.45	94	Vertical
6	1566.4066	-39.78	-37.85	-20.00	17.85	1.93	112	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Filing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Digital:

Test Mode:	CH 400.025MHz-5W- Digital	Polarity:	Horizontal
------------	---------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	800.1800	-86.53	-43.11	-20.00	23.11	43.42	86	Horizontal
2	1199.7700	-40.17	-44.01	-20.00	24.01	-3.84	161	Horizontal
3	1600.4850	-49.53	-51.99	-20.00	31.99	-2.46	96	Horizontal
4	3199.8200	-48.41	-44.76	-20.00	24.76	3.65	152	Horizontal
5	4000.0750	-51.29	-46.54	-20.00	26.54	4.75	323	Horizontal
6	7201.0951	-56.57	-44.11	-20.00	24.11	12.46	171	Horizontal


Test Mode:	CH 400.025MHz-5W- Digital	Polarity:	Vertical
------------	---------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	800.1800	-85.27	-42.90	-20.00	22.90	42.37	140	Vertical
2	1199.7700	-37.37	-37.20	-20.00	17.20	0.17	122	Vertical
3	1600.4850	-44.78	-42.97	-20.00	22.97	1.81	178	Vertical
4	3199.8200	-47.97	-44.82	-20.00	24.82	3.15	160	Vertical
5	4000.0750	-51.49	-48.20	-20.00	28.20	3.29	197	Vertical
6	7199.9200	-53.97	-41.13	-20.00	21.13	12.84	1	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:		CH 453.225MHz-5W - Digital			Polarity:		Horizontal		
									
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity	
1	906.8800	-89.69	-46.60	-20.00	26.60	43.09	248	Horizontal	
2	1359.5860	-43.97	-47.47	-20.00	27.47	-3.50	13	Horizontal	
3	1747.3747	-41.68	-43.04	-20.00	23.04	-1.36	286	Horizontal	
4	3172.7923	-44.81	-41.21	-20.00	21.21	3.60	136	Horizontal	
5	5715.7466	-55.08	-45.35	-20.00	25.35	9.73	211	Horizontal	
6	8222.2722	-58.18	-45.31	-20.00	25.31	12.87	304	Horizontal	

Test Mode:		CH 453.225MHz-5W- Digital			Polarity:		Vertical		
									
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity	
1	907.8500	-77.03	-33.64	-20.00	13.64	43.39	338	Vertical	
2	1359.5860	-36.36	-35.13	-20.00	15.13	1.23	160	Vertical	
3	1813.1813	-48.15	-47.09	-20.00	27.09	1.06	160	Vertical	
4	3172.7923	-45.60	-42.44	-20.00	22.44	3.16	132	Vertical	
5	5899.0649	-55.87	-45.92	-20.00	25.92	9.95	347	Vertical	
6	10690.0190	-58.78	-42.73	-20.00	22.73	16.05	347	Vertical	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 454.025MHz-5W- Digital	Polarity:	Horizontal
------------	---------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	908.8200	-90.53	-47.40	-20.00	27.40	43.13	108	Horizontal
2	1361.9362	-42.74	-46.24	-20.00	26.24	-3.50	359	Horizontal
3	1747.3747	-42.18	-43.54	-20.00	23.54	-1.36	230	Horizontal
4	3178.6679	-44.47	-40.86	-20.00	20.86	3.61	126	Horizontal
5	5662.8663	-55.01	-45.48	-20.00	25.48	9.53	296	Horizontal
6	10178.8429	-60.90	-45.08	-20.00	25.08	15.82	211	Horizontal

Test Mode:	CH 454.025MHz-5W- Digital	Polarity:	Vertical
------------	---------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	908.8200	-88.37	-44.97	-20.00	24.97	43.40	102	Vertical
2	1361.9362	-36.20	-34.96	-20.00	14.96	1.24	158	Vertical
3	1957.7208	-46.94	-46.38	-20.00	26.38	0.56	311	Vertical
4	3178.6679	-45.39	-42.23	-20.00	22.23	3.16	121	Vertical
5	5916.6917	-55.85	-45.73	-20.00	25.73	10.12	302	Vertical
6	9338.6339	-60.04	-45.75	-20.00	25.75	14.29	9	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 479.975MHz-5W- Digital	Polarity:	Horizontal
------------	---------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	960.2300	-89.17	-44.92	-20.00	24.92	44.25	268	Horizontal
2	1440.6691	-38.36	-41.69	-20.00	21.69	-3.33	63	Horizontal
3	1960.0710	-42.22	-41.99	-20.00	21.99	0.23	81	Horizontal
4	2880.1880	-31.87	-29.71	-20.00	9.71	2.16	175	Horizontal
5	3359.6360	-45.36	-41.43	-20.00	21.43	3.93	128	Horizontal
6	4800.3300	-49.86	-46.22	-20.00	26.22	3.64	221	Horizontal


Test Mode:	CH 479.975MHz-5W - Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	960.2300	-86.51	-42.59	-20.00	22.59	43.92	56	Vertical
2	1440.6691	-24.96	-23.19	-20.00	3.19	1.77	150	Vertical
3	1747.3747	-42.31	-41.02	-20.00	21.02	1.29	206	Vertical
4	1920.1170	-46.19	-45.50	-20.00	25.50	0.69	140	Vertical
5	2880.1880	-35.04	-32.86	-20.00	12.86	2.18	150	Vertical
6	3840.2590	-48.63	-45.41	-20.00	25.41	3.22	178	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:		CH 400.025MHz-1W- Digital			Polarity:		Horizontal	
								
— Limit • Final Test — Horizontal								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	800.1800	-86.76	-43.34	-20.00	23.34	43.42	88	Horizontal
2	1199.7700	-47.36	-51.20	-20.00	31.20	-3.84	257	Horizontal
3	1746.1996	-51.58	-52.95	-20.00	32.95	-1.37	359	Horizontal
4	3200.9951	-48.81	-45.16	-20.00	25.16	3.65	125	Horizontal
5	4400.7901	-50.99	-47.26	-20.00	27.26	3.73	351	Horizontal
6	7201.0951	-55.50	-43.04	-20.00	23.04	12.46	266	Horizontal

Test Mode:		CH 400.025MHz-1W - Digital			Polarity:		Vertical	
								
— Limit • Final Test — Vertical								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	800.1800	-85.32	-42.95	-20.00	22.95	42.37	129	Vertical
2	1199.7700	-37.41	-37.24	-20.00	17.24	0.17	148	Vertical
3	1600.4850	-48.79	-46.98	-20.00	26.98	1.81	176	Vertical
4	3200.9951	-47.99	-44.84	-20.00	24.84	3.15	157	Vertical
5	7201.0951	-53.13	-40.29	-20.00	20.29	12.84	360	Vertical
6	9987.2987	-61.30	-45.20	-20.00	25.20	16.10	335	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Filing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 453.225MHz-1W - Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	906.8800	-90.03	-46.94	-20.00	26.94	43.09	259	Horizontal
2	1748.5499	-39.82	-41.17	-20.00	21.17	-1.35	250	Horizontal
3	1958.8959	-41.73	-41.51	-20.00	21.51	0.22	62	Horizontal
4	3172.7923	-49.53	-45.93	-20.00	25.93	3.60	118	Horizontal
5	5806.2306	-55.30	-45.23	-20.00	25.23	10.07	175	Horizontal
6	8691.1441	-58.13	-45.06	-20.00	25.06	13.07	99	Horizontal

Test Mode:	CH 453.225MHz-1W- Digital	Polarity:	Vertical
------------	---------------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	906.8800	-93.62	-50.24	-20.00	30.24	43.38	94	Vertical
2	1359.5860	-42.39	-41.16	-20.00	21.16	1.23	168	Vertical
3	1813.1813	-51.08	-50.02	-20.00	30.02	1.06	244	Vertical
4	3172.7923	-51.34	-48.18	-20.00	28.18	3.16	140	Vertical
5	7251.6252	-56.41	-43.39	-20.00	23.39	13.02	356	Vertical
6	10075.4325	-61.29	-45.13	-20.00	25.13	16.16	360	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Test Mode:	CH 454.025MHz-1W - Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	905.9100	-84.11	-41.04	-20.00	21.04	43.07	341	Horizontal
2	1974.1724	-44.49	-44.15	-20.00	24.15	0.34	0	Horizontal
3	3178.6679	-50.28	-46.67	-20.00	26.67	3.61	125	Horizontal
4	4087.0337	-51.00	-46.47	-20.00	26.47	4.53	0	Horizontal
5	5837.9588	-55.23	-45.04	-20.00	25.04	10.19	5	Horizontal
6	7505.4505	-58.91	-45.25	-20.00	25.25	13.66	332	Horizontal

Test Mode:	CH 454.025MHz-1W - Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	908.8200	-93.24	-49.84	-20.00	29.84	43.40	103	Vertical
2	1361.9362	-43.18	-41.94	-20.00	21.94	1.24	188	Vertical
3	1957.7208	-43.76	-43.20	-20.00	23.20	0.56	28	Vertical
4	3178.6679	-50.39	-47.23	-20.00	27.23	3.16	122	Vertical
5	4087.0337	-50.30	-47.05	-20.00	27.05	3.25	150	Vertical
6	5926.0926	-55.62	-45.41	-20.00	25.41	10.21	348	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Test Mode:	CH 479.975MHz-1W - Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	960.2300	-90.91	-46.66	-20.00	26.66	44.25	248	Horizontal
2	1439.4939	-46.32	-49.66	-20.00	29.66	-3.34	88	Horizontal
3	1747.3747	-41.43	-42.79	-20.00	22.79	-1.36	229	Horizontal
4	2880.1880	-50.12	-47.96	-20.00	27.96	2.16	135	Horizontal
5	4319.7070	-51.52	-47.58	-20.00	27.58	3.94	0	Horizontal
6	5700.4700	-54.85	-45.18	-20.00	25.18	9.67	60	Horizontal


Test Mode:	CH 479.975MHz-1W - Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	960.2300	-91.83	-47.91	-20.00	27.91	43.92	56	Vertical
2	1440.6691	-33.01	-31.24	-20.00	11.24	1.77	197	Vertical
3	1748.5499	-48.82	-47.53	-20.00	27.53	1.29	360	Vertical
4	1957.7208	-37.84	-37.28	-20.00	17.28	0.56	206	Vertical
5	2880.1880	-51.95	-49.77	-20.00	29.77	2.18	160	Vertical
6	5971.9222	-56.50	-45.84	-20.00	25.84	10.66	47	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Filing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 136.025MHz-5W- Digital	Polarity:	Horizontal
------------	---------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-78.57	-45.51	-20.00	25.51	33.06	52	Horizontal
2	408.3000	-81.08	-46.50	-20.00	26.50	34.58	14	Horizontal
3	544.1000	-83.55	-45.67	-20.00	25.67	37.88	62	Horizontal
4	679.9000	-79.65	-39.58	-20.00	19.58	40.07	296	Horizontal
5	1360.7611	-24.95	-28.45	-20.00	8.45	-3.50	0	Horizontal
6	1497.0747	-26.22	-29.44	-20.00	9.44	-3.22	165	Horizontal


Test Mode:	CH 136.025MHz-5W- Digital	Polarity:	Vertical
------------	---------------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-68.18	-38.00	-20.00	18.00	30.18	140	Vertical
2	408.3000	-73.05	-37.94	-20.00	17.94	35.11	360	Vertical
3	544.1000	-66.11	-28.70	-20.00	8.70	37.41	131	Vertical
4	679.9000	-65.58	-25.46	-20.00	5.46	40.12	37	Vertical
5	1360.7611	-28.87	-27.63	-20.00	7.63	1.24	9	Vertical
6	1497.0747	-28.58	-26.44	-20.00	6.44	2.14	122	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Filing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:		CH 155.025MHz-5W- Digital			Polarity:		Horizontal	
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-71.25	-39.04	-20.00	19.04	32.21	222	Horizontal
2	465.5300	-63.75	-28.08	-20.00	8.08	35.67	212	Horizontal
3	775.9300	-85.78	-43.15	-20.00	23.15	42.63	315	Horizontal
4	1396.0146	-25.46	-28.89	-20.00	8.89	-3.43	156	Horizontal
5	3410.1660	-41.18	-37.16	-20.00	17.16	4.02	222	Horizontal

Test Mode:		CH 155.025MHz-5W- Digital			Polarity:		Vertical	
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-65.44	-34.09	-20.00	14.09	31.35	82	Vertical
2	465.5300	-75.01	-39.10	-20.00	19.10	35.91	45	Vertical
3	620.7300	-69.32	-30.25	-20.00	10.25	39.07	72	Vertical
4	775.9300	-74.56	-32.65	-20.00	12.65	41.91	223	Vertical
5	930.1600	-77.34	-33.72	-20.00	13.72	43.62	345	Vertical
6	1396.0146	-24.70	-23.23	-20.00	3.23	1.47	92	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Filing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 161.610MHz-5W- Digital	Polarity:	Horizontal
------------	---------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-65.06	-32.54	-20.00	12.54	32.52	213	Horizontal
2	484.9300	-59.80	-23.76	-20.00	3.76	36.04	185	Horizontal
3	646.9200	-74.41	-34.43	-20.00	14.43	39.98	306	Horizontal
4	969.9300	-75.48	-31.02	-20.00	11.02	44.46	138	Horizontal
5	1292.6043	-20.38	-24.03	-20.00	4.03	-3.65	343	Horizontal
6	1777.9278	-26.55	-27.68	-20.00	7.68	-1.13	101	Horizontal

Test Mode:	CH 161.610MHz-5W- Digital	Polarity:	Vertical
------------	---------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-56.41	-24.55	-20.00	4.55	31.86	261	Vertical
2	484.9300	-67.95	-31.77	-20.00	11.77	36.18	129	Vertical
3	646.9200	-70.07	-30.53	-20.00	10.53	39.54	9	Vertical
4	807.9400	-67.90	-25.46	-20.00	5.46	42.44	327	Vertical
5	1131.6132	-23.42	-23.71	-20.00	3.71	-0.29	92	Vertical
6	1454.7705	-26.42	-24.56	-20.00	4.56	1.86	92	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Filing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	CH 173.975MHz-5W - Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-60.18	-27.04	-20.00	7.04	33.14	220	Horizontal
2	521.7900	-68.07	-30.97	-20.00	10.97	37.10	191	Horizontal
3	696.3900	-84.96	-44.85	-20.00	24.85	40.11	266	Horizontal
4	913.6700	-87.57	-44.33	-20.00	24.33	43.24	135	Horizontal
5	1392.4892	-23.56	-27.00	-20.00	7.00	-3.44	163	Horizontal
6	1566.4066	-36.51	-39.22	-20.00	19.22	-2.71	0	Horizontal

Test Mode:	CH 173.975MHz-5W - Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-56.57	-23.68	-20.00	3.68	32.89	110	Vertical
2	521.7900	-75.64	-38.74	-20.00	18.74	36.90	129	Vertical
3	696.3900	-70.74	-30.33	-20.00	10.33	40.41	279	Vertical
4	870.0200	-74.42	-31.39	-20.00	11.39	43.03	176	Vertical
5	1391.3141	-27.29	-25.85	-20.00	5.85	1.44	82	Vertical
6	1566.4066	-38.25	-36.32	-20.00	16.32	1.93	82	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Test Mode:	CH 136.025MHz-1W - Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-77.77	-44.71	-20.00	24.71	33.06	51	Horizontal
2	408.3000	-76.66	-42.08	-20.00	22.08	34.58	0	Horizontal
3	544.1000	-80.21	-42.33	-20.00	22.33	37.88	126	Horizontal
4	908.8200	-86.75	-43.62	-20.00	23.62	43.13	0	Horizontal
5	1224.4474	-41.70	-45.49	-20.00	25.49	-3.79	126	Horizontal
6	1360.7611	-39.35	-42.85	-20.00	22.85	-3.50	183	Horizontal

Test Mode:	CH 136.025MHz-1W - Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-67.43	-37.25	-20.00	17.25	30.18	233	Vertical
2	365.6200	-82.73	-49.14	-20.00	29.14	33.59	353	Vertical
3	408.3000	-58.61	-23.50	-20.00	3.50	35.11	186	Vertical
4	544.1000	-61.19	-23.78	-20.00	3.78	37.41	9	Vertical
5	679.9000	-67.76	-27.64	-20.00	7.64	40.12	353	Vertical
6	816.6700	-88.16	-45.63	-20.00	25.63	42.53	167	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Filing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

