

### **RF EXPOSURE REPORT**

	OF
Applicant:	Qbic technology Co., Ltd 26F12, No.99, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22175, Taiwan (R.O.C.)
Product Name:	BOX PC
Brand Name:	Qbic
Model No.:	BXP-321, BXP-320
Model Difference:	Different Component (W / WO HDMI IN)
Report Number:	E2/2019/50073
FCC ID:	2AF82-BXP320
FCC Rule Part	Part 2.1091
Issue Date:	Jun. 10, 2019
Date of Test:	Mar. 25, 2019 ~ May 15, 2019
Date of EUT Received:	Mar. 25, 2019
Ma have been a with the ste	

### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. The test data, data evaluation in this report is in compliance with FCC Rules Part 2.

The test results of this report relate only to the tested sample identified in this report.

Henry Chiang

Tested By:

Henry Chiang / Engineer

Approved By:

John Yeh / Asst. Manager



**Testing Laboratory** 0513

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負貨,同時肚樣品僅保留90人。本報管未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and conditions.htm</u> and, for jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents are varied to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 GS Taiwan Ltd.



## **Revision History**

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
E2/2019/50073	Rev.00	Initial creation of document	All	May 21, 2019	Violetta Tang
E2/2019/50073	Rev.01	Update general information for the channel numbers	4	Jun. 10, 2019	Violetta Tang

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. [No.134. WuKungRoad.NewTaibeiIndustrialPark.WukuDistrict.NewTaibeiCity.Taiwan24803/新北市 五股區 新北產業間區 五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 GS Taiwan Ltd.



# **Table of Contents**

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	. 4
	FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)	
	2.1 FCC STANDARD APPLICABLE	6
	2.2 Power Density Calculation (Worst Case)	7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> [No.134, WuKungRoad, NewTaipelindustrialPark, WukuDistrict, NewTaipelCity, Taiwan24803/新北市 五股區新北產業園區五工路 134 號

GS Taiwan Ltd. [No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



#### **DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)** 1

General:

Product Name:	BOX PC			
Brand Name:	Qbic			
Model No.:	BXP-321, BXP-320			
Model Difference:	Different Component (W / WO HDMI IN)			
Hardware Version:	N/A			
Software Version:	N/A			
	12V from AC/DC Adapter			
Power Supply:	1. Model No.: ADS-40RJ-12 12036E, Supplier: SHENZHEN HONOR ELECTRONIC CO., LTD.2. Model No.: ADP-40BW A LPS, Supplier: DELTA ELECTRONICS, INC.			

Radio Technology:	Bluetooth LE single mode
Frequency Range:	2402 – 2480MHz
Channel number:	40 channels
Modulation type:	GFSK
Transmit Power:	6.03dBm (Avg.)
Antenna Designation:	Dipole Antenna, Gain: 1.79dBi

WLAN 802.11	Frequency Range	Channels Rated Power (Avg.) (dBm)		Modulation Technology	
b			13.85	DSSS,	
g	2412-2462	11	13.89	OFDM	
n_HT20			13.46		
Modulation type:			CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM		
Antenna Designation:		Dipole Antenna, Gain: 1.79dBi			
Transition Rate: 802.		802.11 g:	: 1/2/5.5/11 Mbps : 6/9/12/18/24/36/48/54 Mbps _20MHz: 6.5 – 72.2Mbps		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負貨,同時比樣品僅保留90人。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and conditions.htm</u> and, for client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WLAN 802.11	Frequency Range	Channels	Rated Power (Avg.) (dBm)	Modulation Technology		
	5150~5250	4	9.79	OFDM		
а	5725~5850	5	11.47			
n_HT	5150~5250	4	HT: 8.25 (Worst case)			
ac_VHT 20M	5725~5850	5	HT: 10.80 (Worst case)	OFDM		
n_HT	5150~5250	2	HT: 8.88 (Worst case)			
ac_VHT 40M	5725~5850	2	HT: 10.19 (Worst case)	OFDM		
ac_VHT	5150~5250	1	8.49	OFDM		
80M	5725~5850	1	10.24			
Modulatic	Modulation type		64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only			
Antenna Designation:		Dipole Antenna, Gain: 4.44dBi (5150~5250) / 4.90dBi (5725~5850)				
Transition Rate:		802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 72.2Mbps 802.11 n_40MHz: 13.5 – 150.0Mbps 802.11 ac_20MHz: 6.5 – 86.Mbps 802.11 ac_40MHz: 13.5 – 200.0Mbps 802.11 ac_80MHz: 29.3 – 433.3Mbps				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. [No.134. WuKungRoad.NewTaibeiIndustrialPark.WukuDistrict.NewTaibeiCity.Taiwan24803/新北市 五股區 新北產業間區 五工路 134 號



#### FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE) 2

#### 2.1 **FCC Standard Applicable**

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time			
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm <sup>2</sup> )	(minute)			
	Limits for General Population/Uncontrolled Exposure						
0.3-1.34	614	1.63	*(100)	30			
1.34-30	1.34-30 824/f		*(180/f <sup>2</sup> )	30			
30-300	27.5	0.073	0.2	30			
300-1500	300-1500 /		f/1500	30			
1500-15000	/	/	1.0	30			

f = frequency in MHz

\* = Plane-wave equipment power density

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and conditions.htm</u> and, for jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: E2/2019/50073 Page: 7 of 7

#### 2.2 **Power Density Calculation (Worst Case)**

Operation Mode	Evaluation Frequency (MHz)	Operation Distance (cm)	Max. output Power (dBm)	Antenna Gain (dBi)	Max. output Power EIRP (mW)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm²)	Pass / Fail
BT	2480.00	20	6.03	1.79	6.05	0.001	1.000	Pass
WLAN 2.4G	2412.00	20	13.89	1.79	36.98	0.007	1.000	Pass
WLAN 5G	5745.00	20	11.47	4.90	43.35	0.009	1.000	Pass

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,比較告結果僅對測試之樣品員貸,同時比樣品僅條留90天。本報告未經本公司書面許可,个可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd \_No 134 WulkingRoad NewTainelindustrialPark WulkupIstrict NewTaineiCity Taiwan24803/ 約 北 市 五 股 區 新 北 產 業 团 區 五 工 終 134 發

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 S Taiwan Ltd.